

**RUOTE LAMELLARI CON FORO - FLAP WHEELS WITH HOLE**

**Art. K 512A** - Corindone, supporto X / *Corundum, support X*



Ø	Spessore Thickness	Foro Hole	Grane / Grits								Maggiorazione per frastagliatura Indenting increase	
			40	50/60	80	100/120	150/180	220/240	280/320	400		
165	10	54										1
165	15	54										1
165	30	54										1
165	50	54										1
165	75	54										1
200	10	54										1
200	30	54										1
200	50	54										1
250	20	100										1
250	30	100										1
250	50	100										1
300	15	100										1
300	30	100										1
300	40	100										1
300	50	100										1
300	75	100										1
350	50	170										1



**Art. 947A** - Tela Cubitron II / *3M Cubitron II cloth*



Ø	Spessore Thickness mm	Foro Hole mm	Grane / Grits				
			40	60	80	120	
165	30	54					1
165	50	54					1
200	50	54					1
250	50	100					1
300	50	100					1

**Art. JZ** - Zirconio supporto J / *Zirconium support J*



Ø	Spessore Thickness mm	Foro Hole mm	Grane / Grits										
			40	50	60	80	100	120	150	180	220		
165	30	54											1
165	50	54											1
200	30	54											1
200	50	54											1
250	50	100											1
300	50	100											1

**Art. X 268** - Corindone sagomate / *Corundum shaped*

**Art. S 445** - Carburo di silicio sagomate / *Silicon carbide shaped*



Ø	Spessore Thickness	Foro Hole	Grane / Grits			
			150	220	400	
250	40	100				1

**Art. 237X TRIZACT**



Ø	Spessore Thickness	Foro Hole	Grane / Grits								
			A 160	A 100	A 80	A 65	A 45	A 30	A 16		A 6
165	30	54									1
165	50	54									1
200	50	54									1

Altre misure a richiesta  
*Other sizes on request*

## RUOTE LAMELLARI CON FORO

FLAP WHEELS WITH HOLE

**Art. VJ 346A** - Corindone, supporto J / *Corundum, support J*

**Art. VJ 312** - Corindone gialla, supporto J / *Yellow corundum, support J*



Ø	Spessore Thickness	Foro Hole	Grane / Grits						Maggiorazione per frastagliatura Increase forindeting	📦
			60	80	100/120	150/180	220/240	280/320		
100	30	6								20
165	10	54								1
165	15	54								1
165	20	54								1
165	25	54								1
165	30	54								1
165	50	54								1
200	30	54								1
200	50	54								1
250	15	100								1
250	30	100								1
250	50	100								1
300	15	100								1
300	30	100								1
300	40	100								1
300	50	100								1
300	75	100								1

## RUOTE LAMELLARI CON FILETTO M14

FLAP WHEELS WITH M14 THREAD

**Art. RLF** - Corindone, supporto X / *Corundum, support X*



Ø	Spessore Thickness	Filetto Thread	Grane / Grits					📦
			40/50	60/80	100/120	150/180	220/320	
125	20	M14						5

## FLANGE PER RUOTE LAMELLARI

FLANGE FOR FLAP WHEELS



**Art. FRL**

Ø	Foro / Hole		📦
54	25	a coppia	1 coppia
100	25	a coppia	1 coppia

## RUOTE LAMELLARI A PALLA CON GAMBO

FLAP WHEELS BALL-SHAPED WITH SHAFT

**Art. RLP** - Zirconio supporto x / *Zirconium support x*




Ø	Gambo / Shaft	Grane / Grits		📦
		60	120	
20	6			10
40	6			10
60	6			10

## RUOTE LAMELLARI CON GAMBO

### FLAP WHEELS WITH SHAFT

**Art. RLG** - Corindone, supporto X / Corundum, support X

Ø	Spessore Thickness	Gambo Shaft	Grane / Grits					
			40/50	60/80	100/120	150/220	240/400	
10	10	3						10
15	15	3						10
22	10	6						25
22	15	6						25
22	20	6						25
25	10	6						25
25	15	6						25
25	20	6						25
25	25	6						25
30	5	6						25
30	10	6						25
30	15	6						25
30	20	6						25
30	30	6						25
40	5	6						25
40	10	6						25
40	15	6						25
40	20	6						25
40	25	6						25
40	30	6						25
50	5	6						25
50	10	6						25
50	15	6						25
50	20	6						25
50	25	6						25
50	30	6						25
50	40	6						25
60	5	6						25
60	10	6						25
60	15	6						25
60	20	6						25
60	25	6						25
60	30	6						25
60	40	6						25
60	50	6						25
80	5	6						25
80	10	6						25
80	15	6						25
80	20	6						25
80	30	6						25
80	40	6						25
80	50	6						25
100	30	6						25

