



PREMIUM EXTERIOR DOORS

CODEL
DOORS
Fiberglass & Steel





FG3PESHK door. Stain color is not CODEL Coatings.

Cover Photo: Simulated Divided Lite SF20F4L door with (2) SFSL20F4V sidelites with Carbon CODEL Coatings paint.



CODEL DOORS

Complete & On-time DELIVERY!

Table of Contents

The CODEL Difference	4-5
Door Skins and Textures	6
New Products.....	7-8
Design Ideas.....	9-13
Heritage Craftsman	14-21
NEW Direct Glazed Contemporary Collection.....	22-23
Smooth Fiberglass Simulated Divided Lites (SDL)	24
Smooth Fiberglass Flush-Glazed Contemporary Collection.....	25
Smooth Fiberglass Flush-Glazed Collection.....	26-27
6-8 & 7-0 Contemporary Classics Collection.....	28-29
8-0 Contemporary Classics Collection	30-31
Decorative Contemporary Classics Collection.....	32-33
6-8 Standard Craftsman Collection.....	34-35
Smooth Fiberglass Standard Collection.....	36-39
Oak Grain Textured Fiberglass Standard Collection	40-42
Oak Grain Textured Fiberglass Flush-Glazed Collection.....	43
Textured Fiberglass Simulated Divided Lites Collection.....	44
Fir Grain Textured Fiberglass Direct Glazed Contemporary.....	45
Fir Grain Textured Fiberglass Collection.....	46
Premium Shaker Fiberglass Collection	47-51
Rustic Fiberglass Collection	52-53
Steel Standard Collection.....	54-55
90-Minute "Fast-Frame" Fire Doors.....	56-57
NEW Mira Vista Folding Door System.....	58-59
Single-Hinged Inswing Fiberglass Patio Doors	60-61
Traditional Patio Doors.....	62-63
"Retro" Double Doors.....	64
Swinging Patio	65

Decorative Collections

NEW Rain	66-67	Eloquence	84-85
NEW Narrow Reed	68-69	Floret.....	86-87
NEW White Laminate.....	70-71	Harlow	88-89
Sable.....	72-73	Maren.....	90-91
Adelaide.....	74-75	Modena.....	92-93
Artisan	76-77	Narrows.....	94-95
Brentwood	78-79	Royston	96-97
Canterbury.....	80-81	Satin Etch.....	98-99
Chord	82-83	Waterton.....	100-101

Obscure Glass Options	102-103
Split Finish.....	104-105
WeatherGuard Frame.....	106
Adjustable Sill Pan & Jamb Options.....	107
Sills.....	108
Hinges.....	109
PanoLock+ MultiPoint	110-111
Hoppe MultiPoint Hardware	112
Rockwell MultiPoint.....	113-114
Contemporary Door Pulls.....	115
Codel Door Configurations.....	116-117
Decorative Transom Sizes & Door Handing	118
Prehung Net Unit Measurements.....	119

Style & Beauty

Traditional to Classic, Craftsman to Contemporary. Codel offers a wide selection of styles and collections to best suit your own design.



Secure

MultiPoint lock hardware options or a heavy duty steel plate to reinforce the latch jamb against break-in force, offers more security and peace of mind.



Heavy Duty Steel Plate
Reinforces jamb against break-in force.



MultiPoint Lock Hardware
(Optional)
Increases resistance against break-in force.



Efficient

Codel doors provide more insulation value than wood doors and are more efficient than older, worn-out, drafty doors. Low-E and Argon is standard in our decorative glass doors.



Low-Emissivity (Low-E) and Argon is standard in our decorative glass for improved energy performance. Low-E is standard on all of our Commodity doors with glass.

Thermal Performance values established in accordance with ETC Laboratories (NFRC) Simulation Report

	R value	U value	SHGC value
Fiberglass Full Panel door unit w/no glass	6.25	0.17	0.00
Fiberglass door unit w/1/2 Low-E Glass	4.17	0.24	0.16
Fiberglass door unit w/3/4 Low-E Glass	3.85	0.26	0.21
Fiberglass door unit w/Full Low-E Glass	3.45	0.29	0.28
Fiberglass door unit w/1/2 Low-E Mini Blind Glass	3.57	0.28	0.11
Fiberglass door unit w/3/4 Low-E Mini Blind Glass (blind up)	3.33	0.30	0.18
Fiberglass door unit w/Full Low-E Mini Blind Glass	2.94	0.34	0.22
Fiberglass door unit w/1/4 Low-E Decorative Glass	5.00	0.20	0.07
Fiberglass door unit w/1/2 Low-E Decorative Glass	4.55	0.22	0.13
Fiberglass door unit w/3/4 Low-E Decorative Glass	4.17	0.24	0.17
Fiberglass door unit w/Full Low-E Decorative Glass	3.85	0.26	0.23
Fiberglass door unit w/Full Flush Glazed Low-E Glass	3.70	0.27	0.32
Fiberglass door unit w/Full Flush Glazed Low-E Mini Blind Glass	3.03	0.33	0.22

Quality Features

WeatherGuard Jamb

(Optional)
Composite jambs resist moisture, rotting, splitting and termites.



LIMITED LIFE TIME WARRANTY
ALL Codel fiberglass doors come with a **LIFETIME LIMITED WARRANTY**

Corner Seal

Added protection against water and air infiltration.



Commercial-Grade Ball Bearing Hinges

Designed to operate smoother and longer. Non-ferrous now standard on all outswing doors to prevent rusting.




Not Available in Wood-Edge or Steel Doors.

Professional Factory Painting Or Staining For A Beautiful Finish

Smooth Fiberglass **SF**

Unfinished



See pages 23-27 & 36-39 for Smooth Fiberglass doors.

Brushed Smooth Fiberglass **SF**

Unfinished



See pages 22-23 for Brushed Smooth Fiberglass doors.

"Oak" Textured Fiberglass **TF**

Unfinished



See pages 40-44 for Textured Fiberglass doors.

Premium Shaker Smooth Fiberglass **SF** or Fir Grain **FG**


Unfinished



See page 46-51 for Smooth & Fir Grain Fiberglass doors.

Steel **S**



Unfinished



See page 54-55 for Steel doors.

"Rustic" Textured Fiberglass **RF**


Unfinished



See pages 52-53 for Rustic Collection.

Heritage Craftsman Fir-Grain **FG** or Smooth Fiberglass **SF**

Unfinished



See pages 14-21 for Heritage Craftsman Collection.



Paint or Stain, we've got you covered!

(See back of brochure for additional colors.)

NEW

Mira Vista Folding Door System

See pages 58-59.

Affordable and flexible, the **CODEL** Folding Door System elevates patio openings for any home. Transform basic patio doors or exterior walls into dynamic openings, seamlessly blending indoor and outdoor living.

The **CODEL** Mira Vista Folding Door System is unique. It allows our existing fiberglass doors to be turned into any pivot door. Available in 6/8 and 8/0 heights, the **CODEL** Mira Vista Folding Door System delivers a simple, seamless operation.



SF20F doors with CODEL Coatings Ivory paint.



SF20F



SF20FMB



SF20D



SF20B



TF20F

**Available with
any of these
door slabs.**

NEW
**New Glass Available in Contemporary Classics,
 Flush Glazed & Decorative Collections**

We are stocking three textured glass designs with varying degrees of opacity, providing light and privacy in a modern new look. See pages 26-27, 28-31 and 66-71.



Rain Narrow Reed White Lami



NEW
Black Weatherstrip Options

Black weatherstrip is now available upon request along with white. CODEL's standard is brown. See page 107.




NEW
**SDL Bars Now Available on Smooth Fiberglass
 Direct Glazed Contemporary Collection**

Now you can transform the look of any of our Direct Glazed Contemporary doors with the addition of Simulated Divided Lite bars. See pages 22-23 for all the options.



NEW
PanoLock+ Multi-Point Lock

The first and only multi-point lock that works with a wide variety of off-the-shelf hardware, including electronic deadbolts! That's affordable security and performance for every entry door. See pages 110-111 for all the options.





Modern Contemporary


Featuring simple forms and geometric lines, contemporary houses are designed to fit today's lifestyles. The style encompasses a variety of distinctive elements, often featuring unconventional shapes and innovative details. Contemporary homes are often much warmer in design than modern versions. In general, contemporary homes try to bring the interior and exterior together.




*Satin Etch
CON-2236
(See page 30.)*



*Chord
CHO-460
(See page 82.)*



*Sable
CON-7642 with
Codel Coatings
Denim Paint
(See page 29.)*



*SF20F4L
Flush-Glazed
Contemporary
with applied
Aluminum
Mullion Bars
Satin Etch
(See page 25.)*



Modern Farmhouse

A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite door and glass options that intelligently mix modern and traditional.


*FG3ESHK
(See page 46.)*



*Narrows
NAR-4401P with Codel
Coatings Fremont Paint
(See page 94.)*



*Adelaide
FGHADE-200
(See page 19.)*



*SF6SDL1P
(See page 38.)*



Contemporary Northwest

Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.



*Clear
CON-2235 with
Codel Coatings
Proctor Paint
(See page 28.)*



*Sable
CON-7642
(See page 29.)*



*Chord
CHO-460
(See page 82.)*




*SF20F4L
Flush-Glazed
Contemporary
with applied
Aluminum
Mullion Bars
Satin Etch
(See page 25.)*



Craftsman

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and glass options that give you the beautiful detailing a craftsman home requires.



*Artisan
ART-4301P
(See page 76.)*



*Narrows
NAR-460 with
Codel Coatings
Cougar Paint
(See page 94.)*



*Adelaide
SFHADE-200
(See page 15.)*



*Waterton
WAT-64
(See page 100.)*



*Beveled Glass
FLS-200 with
Codel Coatings
Artichoke Paint
(See page 35.)*



Traditional

Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.



Floret
FLO-1842OV
(See page 87.)



Adelaide
ADE-4401P
(See page 74.)




Royston
ROY-430 with
Codel Coatings
Ballard Paint
(See page 96.)



Eloquence
ELO-440
(See page 84.)




Canterbury
CAN-460
(See page 80.)






SFHADE-200 door with CODEL Coatings Flint paint. Shown with optional dentil shelf.

6/8 Smooth Fiberglass Heritage Craftsman



☒ Smooth Fiberglass - *SDL: Simulated Divided Lite - Additional Obscure Glass Options Available, See Page 100. - Doors shown with optional C21P Craftsman Shelf.

6/8 Smooth Fiberglass Heritage Craftsman



Heritage Lite Kit Frame

Lite kit frame features clean, classic lines, and is reglazeable.

Simulated Divided Lite

Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

C-21P Craftsman Shelf

(Optional)




Color samples are reproduced as close as possible, actual color may vary.











8/0 Smooth Fiberglass Heritage Craftsman



SFHER-300 door with CODEL Coatings Cougar paint. Shown with optional dentil shelf.



8/0 Smooth Fiberglass Heritage Craftsman



Heritage Lite Kit Frame

Lite kit frame features clean, classic lines, and is re-glazeable.

Simulated Divided Lite

Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

C-21P Craftsman Shelf

(Optional)



Color samples are reproduced as close as possible, actual color may vary.

6/8 Fir-Grain Textured Fiberglass Heritage Craftsman

FGHER-206 door, stain shown is not CODEL Coatings.

Choose one of 2 factory-applied stain colors specially formulated for our Fir-Grain Heritage Craftsman doors & sidelites.



Ginger



Clove

Color samples are reproduced as close as possible, actual color may vary.



Clear I.G.

FGHER-200
(28 210 30)



Wood Edge

FGHER-201
(12" & 14")



FGHER-260
(12" & 14")



Clear I.G. w/3-lite SDL*

FGHER-203
(28 210 30)



Wood Edge

FGHER-201
(12" & 14")



FGHER-260
(12" & 14")



Clear I.G. w/4-lite SDL*

FGHER-204
(28 210 30)



Wood Edge

FGHER-202
(12" & 14")



Clear I.G. w/2-lite SDL*

FGHER-260
(12" & 14")

6/8 Fir-Grain Textured Fiberglass Heritage Craftsman



Heritage Lite Kit Frame

Lite kit frame features clean, classic lines, and is reglazeable.

Simulated Divided Lite

Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

C-21F Craftsman Shelf

(Optional)

8/0 Fir-Grain Textured Fiberglass Heritage Craftsman



Choose one of 2 factory-applied stain colors specially formulated for our Fir-Grain Heritage Craftsman doors & sidelites.




Ginger



Clove

Color samples are reproduced as close as possible, actual color may vary.

FGHNAR300 door. Stain color shown is not CODEL Coatings.



Clear I.G.

FG

FGHER-300
(30)



Wood Edge

FG

FGHER-301
(12" & 14")



FG

FGHER-280
(12" & 14")



Clear I.G. w/3-Lite SDL*

FG

FGHER-303
(30)



Wood Edge

FG

FGHER-301
(12" & 14")



FG

FGHER-280
(12" & 14")



Clear I.G. w/4-Lite SDL*

FG

FGHER-304
(30)



Wood Edge

FG

FGHER-302
(12" & 14")



FG

FGHER-280
(12" & 14")

8/0 Fir-Grain Textured Fiberglass Heritage Craftsman



Heritage Lite Kit Frame

Lite kit frame features clean, classic lines and is reglazeable.

Simulated Divided Lite

Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

C-21F Craftsman Shelf

(Optional)

Smooth Fiberglass

Direct Glazed Contemporary Collection

The SF Direct Glazed Collection features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane allows the most scenery and natural light into your home. This generous portion of glass is available in two models: the 20D1P with a modern, Shaker sticking and Brushed Smooth finish and the 20D with a traditional, Craftsman sticking, in a Smooth or Fir skin (see page 45).

Optional Simulated Divided Lite Bars (SDL)


Simulated divided lite bars are 5/16" thick x 1-1/8" wide.



SF20D1P door. Paint color shown is not CODEL Coatings.


SF20D1P

Modern, Shaker Sticking and a **Brushed Smooth Finish**



SF20D1P Available in Brushed Smooth Fiberglass Only

Brushed Smooth Finish 20D1P Sticking





SF20D

Traditional, Craftsman Sticking in Smooth Fiberglass




SF20D door. Paint color shown is CODEL Coatings Bright.




Smooth Fiberglass

Simulated Divided Lites (SDL)

Simulated Divided Lite (SDL) doors are created by installing SDL bars on the face of the glass in the door. These bars are applied to both sides of the glass to create the look of a true divided lite while maintaining the energy efficiency value of a single lite.





SDL Bar Profile



- Available in 6/8, 7/0 & 8/0 Heights
- Extended Leadtime Required
- No Finishing Available on Traditional SDL Doors

6/8, 7/0 & 8/0 Flush-Glazed Simulated Divided Lites (SDL)



SF20F6L door with Bright CODEL Coatings paint.

Smooth Fiberglass
**Flush-Glazed
Contemporary
Collection**

Our sleek Aluminum Mullion Bars compliment the clean lines of our flush-glazed smooth fiberglass door. With 5 door styles to choose from, you can create that unique entry you've been looking for. Available in Low-E and Satin Etch.



SF20F4L3.5 door with Clear glass, finished with CODEL Coatings Bright paint.

NEW
Mullion Bars
Available in 2 Sizes



- Flush-Glazed Door Available in 6-8, 7-0, 8-0 & EZ-Fit Heights
- 3-1/2" & 4-1/2" Aluminum Mullion Bars Will Not Shrink
- Matching Sidelites Also Available
- 5/8" OA Glass ONLY

STYLES

<p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p>	<p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p>	<p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p>	<p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p>	<p>2⁸ 2¹⁰ 3⁰</p>	<p>12" 14"</p>	<p>12" 14"</p>
SF20F2L3.5 SF20F2L4.5	SF20F3L3.5 SF20F3L4.5	SF20F4L3.5 SF20F4L4.5	SF20F5L3.5 SF20F5L4.5	SF20F3VL3.5 SF20F3VL4.5	SFSL20F3L3.5 SFSL20F3L4.5	SFSL20F5L3.5 SFSL20F5L4.5



Color samples are reproduced as close as possible, actual color may vary.

Smooth Fiberglass
**Flush-Glazed
Collection**
(Including GBG)



















SF20FMB Flush-Glazed door with CODEL Coatings
Bright paint.

Key Code Chart


- GBG Available w/Grids between Glass
- LE Low-E Standard
- Available w/Extended Leadtime

Smooth Fiberglass

Flush-Glazed & Flush-Glazed

<p>SF61F 6⁸</p> <p>2⁸ 3⁰</p> 	<p>SF61FNAR 6⁸</p> <p>2⁸ 3⁰</p> 	<p>SF61FRAI 6⁸</p> <p>2⁸ 3⁰</p> 	<p>SF61FSAT 6⁸</p> <p>2⁸ 3⁰</p> 
<p>SF20FSAT 6⁸</p> <p>2⁰ 2⁴ 2⁶ 2⁶EZ 2⁸ 2¹⁰ 3⁰ 3⁰EZ</p> <p>NEW</p> 	<p>SF9F 6⁸</p> <p>■ 2⁰ ■ 2⁴ 2⁶ 2⁶EZ ■ 2⁸ ■ 2¹⁰ 3⁰ 3⁰EZ</p> <p>GBG</p> 	<p>SF10F 6⁸</p> <p>2⁰ 2⁴ 2⁶ 2⁶EZ 2⁸ 2¹⁰ 3⁰ 3⁰EZ</p> <p>GBG</p> 	<p>SF20FMB 6⁸</p> <p>2⁶ 2⁸ 2¹⁰ 3⁰</p> <p>Raise & Lower MiniBlinds</p> 
<p>SF20F 7⁰</p> <p>2⁶ 2⁸ 3⁰</p> 	<p>SF20FNAR 7⁰</p> <p>2⁶ 2⁸ 3⁰</p> <p>NEW</p> 	<p>SF20FRAI 7⁰</p> <p>2⁶ 2⁸ 3⁰</p> <p>NEW</p> 	<p>SF20FSAT 7⁰</p> <p>2⁶ 2⁸ 3⁰</p> <p>NEW</p> 
<p>SF20F 8⁰</p> <p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p> 	<p>SF20FNAR 8⁰</p> <p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p> <p>NEW</p> 	<p>SF20FRAI 8⁰</p> <p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p> <p>NEW</p> 	<p>SF20FSAT 8⁰</p> <p>2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰</p> <p>NEW</p> 

with Grids Between Glass (GBG)



Grids Between Glass (GBG)


Grids Between Glass (GBG) are flat bars between the glass that are inserted at the time the glass is made, showing the grid but leaving a smooth glass surface for easy cleaning.



Low-E is now our Standard on all Commodity glass. We also offer a high-performance Low-E called Low-E 366. Contact your Codel Rep. for more information.


Low-E

Flush-Glazed Profile vs. Standard Lite Kit Profile



SF9P doors with CODEL Coatings Carbon paint.





**6/8 & 7/0
Contemporary Classics**
(Textured Fiberglass available upon request.
Contact your Codel Rep. for details.)

CON-2285 door with Satin Etch glass and CODEL Coatings Iron paint.




CON-2235
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 21" x 2-1/2"



CON-2285
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 21" x 7"



CON-2284
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 21" x 7"



CON-764C
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 6" x 63"




CON-764S
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 6" x 63"




CON-764SL
(12" & 14")

Daylight Glass Size 6" x 63"



CON-865C
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 7" x 5"



CON-865S
6-8 (28 210 30 36)
7-0 (28 30 36)

Daylight Glass Size 7" x 5"



CON-865SL
(14")

Daylight Glass Size 7" x 5"

SF Smooth Fiberglass



Daylight Glass Size 21" x 9"

SF


CON-22103
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 21" x 9"

SF

CON-22104
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 21" x 14-1/4"

SF

CON-22153
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 21" x 2-1/2" (4) & 21" x 14-1/4" (1)

SF


CON-221534
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 6" x 63" (x 2)

SF


CON-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF


CON-884C
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF


CON-884S
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-884SL
(14")



Bottom Lite Available on Hinge Side

Daylight Glass Size 2-1/2" x 21"

SF

CON-3223
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-884D
6-8 (28 210 30 36)
7-0 (28 30 36)

Stock Glass Options



Clear/Low-E



Sable



Satin Etch



Chord



Rain



Narrow Reed



White Lami

Paint Options



Color samples are reproduced as close as possible, actual color may vary.

**CODEL
DOORS**

**8/0
Contemporary Classics
(Smooth Fiberglass Only)**




Contemporary Classics CON-221535 door with CODEL Coatings Flint paint.



CON-2236
(28 30 36)

Daylight Glass Size 21" x 2-1/2"



CON-2286
(28 30 36)

Daylight Glass Size 21" x 7"



CON-221535
(28 30 36)

Daylight Glass Size 21" x 2-1/2" (5) & 21" x 14-1/4" (1)




CON-22154
(28 30 36)

Daylight Glass Size 21" x 14-1/4"



CON-866C
(28 30 36)


Daylight Glass Size 7" x 5"



CON-866S
(28 30 36)

Daylight Glass Size 7" x 5"


SF Smooth Fiberglass



Daylight Glass Size 21" x 7"

SF


CON-2285
(28 30 36)



Daylight Glass Size 21" x 9"

SF

CON-2210480
(28 30 36)



Daylight Glass Size 21" x 9"

SF

CON-2210580
(28 30 36)

Stock Glass Options




Clear/Low-E



Sable



Satin Etch



Chord




Rain



Narrow Reed



White Lami



Daylight Glass Size 7" x 7"

SF


CON-885C
(28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-885S
(28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-885SL
(14")

Paint Options



FREMONT



PROCTOR




COUGAR



TOMATO



BURGUNDY



HUNTER



ARTICHOKE



NAVY



PACIFIC



BALLARD



DENIM



CARBON



IRON



FLINT



CONCRETE




ESPRESSO




TRUFFLE



TAUPE



SAND



IVORY



BRIGHT



Daylight Glass Size 7" x 5"

SF

CON-866SL
(14")



Daylight Glass Size 7" x 7"

SF

CON-885D
(28 30 36)



Contemporary Low Profile Lite Frame

Color samples are reproduced as close as possible, actual color may vary.

Decorative Contemporary Classics



6/8 & 7/0

Daylight Glass Size 21" x 14-1/4"

SF

ART-22153
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 21" x 14-1/4"

SF

MOD-22153
6-8 (28 210 30 36)
7-0 (28 30 36)




6/8 & 7/0

Daylight Glass Size 21" x 14-1/4"

SF

HAR-22153
6-8 (28 210 30 36)
7-0 (28 30 36)



8/0

Daylight Glass Size 21" x 14-1/4"

SF

ART-22154
(28 30 36)



8/0

Daylight Glass Size 21" x 14-1/4"

SF

MOD-22154
(28 30 36)




8/0

Daylight Glass Size 21" x 14-1/4"

SF

HAR-22154
(28 30 36)




6/8 & 7/0

Daylight Glass Size 6" x 63" (x 2)

SF

ART-7642
6-8 (28 210 30 36)
7-0 (28 30 36)




6/8 & 7/0

Daylight Glass Size 6" x 63" (x 2)

SF

MOD-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63" (x 2)

SF

HAR-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

ART-764C
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

MOD-764C
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

HAR-764C
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

ART-764S
6-8 (28 210 30 36)
7-0 (28 30 36)




6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

MOD-764S
6-8 (28 210 30 36)
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

HAR-764S
6-8 (28 210 30 36)
7-0 (28 30 36)




6/8 (12" & 14")

Daylight Glass Size 6" x 63"

SF

ART-764SL
6-8 (12" & 14")
7-0 (12" & 14")



6-8 (12" & 14")

Daylight Glass Size 6" x 63"

SF

MOD-764SL
6-8 (12" & 14")
7-0 (12" & 14")




6-8 (12" & 14")

Daylight Glass Size 6" x 63"

SF

HAR-764SL
6-8 (12" & 14")
7-0 (12" & 14")



HAR-764S with Artichoke paint.



Paint Options



Color samples are reproduced as close as possible, actual color may vary.



Contemporary Classics MOD-764C door with MOD-764SL sidelites Paint color is not CODEL Coatings.


**CODEL
DOORS**



6/8 Standard Craftsman



ADE-200 door with CODEL Coatings Carbon paint.



SF Smooth Fiberglass TF Textured Fiberglass Doors shown with optional C-21P shelf.



6/8 & 8/0 Craftsman 4-Panel Collection

Patina, Bevel Clear L.G.

FLF-64
FLF-6480
(30)

Patina

SPR-64
SPR-6480
(30)

No Matching Sidelite Available

NO Door Shelf Available



■ Extended Leadtime Required.

Smooth Fiberglass Collection



SF2PSHK door. Paint color shown is not CODEL Coatings.

Key Code Chart

GBG Available w/Grids between Glass

LE Low-E Standard

● Available in 7⁰ Height

▲ Available in 8⁰ Height

■ Extended Leadtime Required

◆ Available w/Panic Blocking/
Closure Reinforcement (6-8 Only)

..... 20-Min. Fire Rated (*6-8 Only, 3-0 Max Width.)

<p>SFF/SFF20</p> <p>20 24 ●▲26 ◆▲28 210 ◆▲30 ●▲36 40</p> <p>*</p> <p>4-0 has no warranty against bowing or wavy skin.</p> <p>*20-Minute Option Available in 2-8 & 3-0 (6/8) Only</p>	<p>SF6P/SF6P20</p> <p>▲26 ●▲28 210 ◆▲30</p> <p>*</p> <p>*20-Minute Option Available in 2-8 & 3-0 (6/8) Only</p>	<p>SF4P</p> <p>28 ●▲30</p>
<p>SF3P</p> <p>▲30 36 (8/0 Only)</p> <p>*</p> <p>8/0 Has Curved Top Panel</p>	<p>SF1PSHK</p> <p>6/8 28 ■210 30 8/0 ■28 ■210 30</p>	<p>SF2PSHK</p> <p>6/8 28 ■210 30 8/0 ■28 ■210 30</p>
<p>SFW</p> <p>28 210 ◆30</p> <p>*</p> <p>Fixed Grids Standard</p> <p>GBG</p>	<p>SFC</p> <p>28 210 ◆30</p>	<p>SF64C</p> <p>◆▲30</p>
<p>SF6V</p> <p>26 ●28 210 ◆30</p> <p>Vented Glass w/screen</p>	<p>SF61MB</p> <p>26 ●28 210 ◆30</p> <p>Raise & Lower Mini Blinds</p>	<p>SF81</p> <p>28 ▲30 36 (8/0 Only)</p>

Low-E Glass Standard

We Finish What We Start!



Low-E Glass Standard



Color samples are reproduced as close as possible, actual color may vary.

SF6SDL1P
30
Simulated Divided Lite.
No Matching Sidelites Available.

SF81V1P
30
Vented Glass w/screen

SF81MB1P
30
Raise & Lower Mini Blinds

SF611P
28
210
▲30

SF291P
28
210
30
GBG Only

SF691P
28
210
30
Fixed Grids Standard

SF6V1P
28
210
30
Vented Glass w/screen

SF61MB1P
28
210
30
Raise & Lower Mini Blinds

SF611PC
28
30

SF291PC
28
30
GBG Only

SF691PC
28
30
Fixed Grids Standard

SF6V1PC
28
30
Vented Glass w/screen

SF61MB1PC
28
30
Raise & Lower Mini Blinds

SF611PSHK
28
210
30

SF291PSHK
28
210
30
GBG Only

SF691PSHK
28
210
30
Fixed Grids Standard

SF6V1PSHK
28
210
30
Vented Glass w/screen

SF61MB1PSHK
28
210
30
Raise & Lower Mini Blinds

SF1
●26
●●28
●210
●●30
●▲36

SF20
20
24
●▲26
●*26EZ
●●28
●●▲28
●210
●●30
●*30EZ
●▲*36
2.0 & 2.4 Glass size is 14x64. 3/6 Glass is 22 x 64 (6-8 & 7-0) 3/6 Glass is 22 x 80 (8-0)

SF9
●26
●*26EZ
●28
●210
●*30
●36
GBG & LE
GBG Only 3/6 Glass is 22 x 64


SF10
GBG Only {
●20
●24
●26
●26EZ
●28
●210
●30
●30EZ
●36
Fixed Grid Standard.
2.0 & 2.4 Glass size is 14x64.
3/6 Glass is 22 x 64.

SF15
●26
●26EZ
●28
●210
●30
●30EZ
●36
Fixed Grid Standard.
3/6 Glass is 22 x 64.
GBG, Fixed Grid & LE, GBG & LE

Low-E Glass Standard



Color samples are reproduced as close as possible, actual color may vary.



SF1PSHK door. Paint color shown is not CODEL Coatings.

CODEL DOORS

Oak Grain Textured Fiberglass Collection

Low-E
Standard



TF2PL door. Stain color shown is not CODEL Coatings.

Key Code Chart






GBG Available w/Grids Between Glass

LE Low-E Standard

▲ Available in 8' Height

■ Available w/Extended Leadtime.

..... 20-Min. Fire Rated (6-8 Only)



Color samples are reproduced as close as possible, actual color may vary.



TF622

LE 6-8 / ■ LE 8-0



TF61


LE



TF29

■ GBG & LE

GBG Only



TF69

GBG, GBG & LE / ■ Fixed Grid & LE


Fixed Grid Standard



TF6V

■ LE Vented Glass w/screen

Lite kit available in white only.



TF61MB


LE 2-8, 2-10, 3-0
■ LE 2-6

Raise & Lower Mini Blinds



TF1

LE



TF81

LE



TF4SDL2P

Simulated Divided Lite



TF6SDL2P

Simulated Divided Lite



TF81MB2P

Raise & Lower Mini Blinds



TF81V2P

Lite kit available in white only.



TF811P

LE



TF4SDL1P



TF6SDL1P




TF81MB1P

Raise & Lower Mini Blinds




TF81V1P

Lite kit available in white only.




TF20

LE 6-8 & 7-0, 2-8 & 3-0 8-0
■ LE 2-6 8-0



TF20V

■ LE, Vented w/Screen

















TF10

GBG, GBG & LE
■ Fixed Grid & LE

Fixed Grid Standard



Color samples are reproduced as close as possible, actual color may vary.

<p>TF15</p>  <p>Fixed Grid Standard</p> <p>GBG, ■ Fixed Grid & LE, ■ GBG & LE</p>	<p>TF9</p>  <p>GBG Only</p> <p>■ GBG & LE</p>	<p>TF20MB</p>  <p>Raise & Lower Mini Blinds</p> <p>LE 2-8 thru 3-0 ■ LE 2-6 x 6-8 and 2-6, 2-8 & 3-0 x 8-0</p>	
<p>TF8SDL</p>  <p>Simulated Divided Lite No Matching Sidelites Available</p>	<p>TF66CL</p>  <p>See Page 34 For Optional Craftsman Shelf</p>	<p>TFSDL203</p>  <p>Simulated Divided Lite</p> <p>See Page 34 For Optional Craftsman Shelf No Matching Sidelites Available</p>	
<p>TFSDL206</p>  <p>Simulated Divided Lite</p> <p>See Page 34 For Optional Craftsman Shelf No Matching Sidelite Available</p>	<p>TFSL1</p>  <p>LE</p>	<p>TFSL3</p>  <p>Fixed Grid Standard</p> <p>GBG, ■ Fixed Grid & LE</p>	<p>TFSL8</p>  <p>LE</p>
<p>TFSL20</p>  <p>LE</p>	<p>TFSL5</p>  <p>Fixed Grid Standard</p> <p>GBG, ■ Fixed Grid & LE</p>	<p>TFSL1MB</p>  <p>Raise & Lower Mini Blinds</p> <p>LE</p>	<p>TFSL20MB</p>  <p>Raise & Lower Mini Blinds</p> <p>LE</p>




TF4P door. Stain color shown is not CODEL Coatings.

CODEL DOORS

**Low-E
Standard**

Oak Grain Textured Fiberglass Flush-Glazed Collection

(Including GBG & SDL Bars)



TF20F Flush-Glazed door. Stain color shown is not CODEL Coatings.

Key Code Chart

GBG Available w/Grids Between Glass




LE Low-E Standard

▲ Available in 8⁰ Height

■ Available w/Extended Leadtime


Textured Fiberglass

6/8 Flush-Glazed & Flush-Glazed with Grids Between Glass (GBG)





Low-E is now our Standard on all Commodity glass. We also offer a high-performance Low-E called Low-E 366. Contact your Codel Rep. for more information.

Flush-Glazed Profile vs. Standard Lite Kit Profile



Grids Between Glass (GBG)

Grids Between Glass (GBG) are flat bars between the glass that are inserted at the time the glass is made, showing the grid but leaving a smooth glass surface for easy cleaning.



Color samples are reproduced as close as possible, actual color may vary.


Textured Fiberglass

Simulated Divided Lites (SDL)

Simulated Divided Lite (SDL) doors are created by installing SDL bars on the face of the glass in the door. These bars are applied to both sides of the glass to create the look of a true divided lite while maintaining the energy efficiency value of a single lite.



SDL Bar Profile



- Available in 6/8, 7/0 & 8/0 Heights
- Extended Leadtime Required
- No Finishing Available on Traditional SDL Doors

6/8 & 8/0 Flush-Glazed Simulated Divided Lites (SDL)



(Sidelites Not Available in 8/0.)





FG20D (x2) doors. Stain color shown is not CODEL Coatings.

Fir Grain Fiberglass

Direct Glazed Contemporary

Our Fir Grain Direct Glazed Contemporary FG20D features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane allows the most scenery and natural light into your home. The FG20D has a traditional Craftsman sticking.

**Also available in Smooth Fiberglass!
(see pages 22-23)**

- 6/8
- 2⁶
- 2⁸
- 3⁰
- 8/0
- 2⁶
- 2⁸
- 3⁰



20D Sticking



FG20D 6⁸ & 8⁰

CODEL DOORS

Fir Grain Textured Fiberglass Collection



FG1PSHK door. Stain color shown is not CODEL Coatings.

Key Code Chart


GBG Available w/Grids Between Glass

LE Available w/Low-E Glass

● Available in 7⁰ Height

▲ Available in 8⁰ Height


■ Available w/Extended Leadtime



See Page 47 For Optional Glass.
No Matching Sidelites Available.



See Pages 48-49 For Optional Glass.
No Matching Sidelites Available.



See Page 19 For Optional Craftsman Shelf,
Optional Glass and Sidelite Options.



See Pages 50-51 For Optional Glass.
No Matching Sidelites Available.



Choose one of 2 factory-applied stain colors specially formulated for our Fir Grain Textured Fiberglass doors & sidelites. (Optional)



Ginger




Clove

Color samples are reproduced as close as possible, actual color may vary.

2-Panel Premium Shaker Fiberglass Door Collection

(Available in Smooth Fiberglass and Fir Grain Fiberglass)

2-Panel Premium Shakers



SF Smooth Fiberglass FG Fir Grain Textured

ART-4301PSHK door with CODEL Coatings Bright paint.

Optional Fir Stain and Paint Colors




Stain Stain

Color samples are reproduced as close as possible, actual color may vary. See back cover for larger swatches.


One Door Style, Four Options

(Available in Smooth Fiberglass and Fir Grain Fiberglass)



SF Smooth Fiberglass FG Fir Grain Textured ■ Available with Extended Leadtime

Optional Fir Stain and Paint Colors




Color samples are reproduced as close as possible, actual color may vary. See back cover for larger swatches.


Glass Options in addition to Clear Low-E (Glass size: 22" x 15-1/4")



Adelaide




Artisan




Chord



Harlow




Maren




Modena



Narrow Reed



Narrows




Rain




Sable



Satin Etch




White Laminate



FG3PESHK door. Stain color shown is not CODEL Coatings.

One Door Style, Six Options

(Available in Smooth Fiberglass and Fir Grain Fiberglass)



Glass Options (Glass size: 22" x 8")



Low-E




Sable



Satin Etch



Chord



Waterton



SF5PSHK door with (2) Sable individual decorative glass panels. Paint color shown is not CODEL Coatings.



FG5PSHK4LWAT door. Stain color shown is not CODEL Coatings.



Top panel shows glass insert with Contemporary Low Profile Lite Kit frame.

Optional Fir Stain and Paint Colors

- | | | | | | | | | | | | | | | | | | | | | | | |
|--------|-------|---------|---------|--------|--------|----------|--------|-----------|------|---------|---------|-------|--------|------|-------|----------|----------|---------|-------|------|-------|--------|
| | | | | | | | | | | | | | | | | | | | | | | |
| GINGER | CLOVE | FREMONT | PROCTOR | COUGAR | TOMATO | BURGUNDY | HUNTER | ARTICHOKE | NAVY | PACIFIC | BALLARD | DENIM | CARBON | IRON | FLINT | CONCRETE | ESPRESSO | TRUFFLE | TAUPE | SAND | IVORY | BRIGHT |

Stain Stain

Color samples are reproduced as close as possible, actual color may vary. See back cover for larger swatches.



Rustic CAN-430W door. Stain color shown is not CODEL Coatings.

6/8 Rustic Fiberglass Collection "Rustic Hardwood" Grain



RUS1PV (30)

TF



RUS2PV (30)

TF



RUS2PF (30)

TF



Standard Lite Kit Frame (Not Wrought Iron)

RUSL20 (12" & 14")

TF



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-439W (30)

TF



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-160W (12" & 14")

TF



"Knotty Alder" Grain

RUS2PAKA (30)

KA



"Knotty Alder" Grain

RUS2PAKASL (14")

KA

TF Textured Fiberglass KA Knotty Alder

6/8 Rustic Collection

8/0 Rustic Collection




CAN-430WVG
(30)



CAN-430W
(30)



CAN-160W
(12" & 14")



RUS1PV80
(30)



RUS2PV80
(30, 36)



Standard Lite Kit Frame (Not Wrought Iron)

RUSL280
(14")



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-449W
(30)





Wrought Iron Frame

CHA-280
(14")

Decorative Options for Rustic Doors

Clavos, hinge straps and speakeasies add an authentic touch to your Rustic door.

Clavos



CodeL offers clavos in 1-1/2" round or 1-1/2" square decorative black metal. Clavos and hinge straps are shipped loose so the customer can apply them on site in the design of their choice. (Clavos and hinge straps come installed on prefinished doors only.)


Straps & Clavos



1-1/2" Clavos and 18" hinge straps can be added to Rustic doors.

Essex Speakeasy

A Speakeasy adds a touch of old-world charm. Sea Spray glass door can open; when closed, Speakeasy seals tightly to prevent air infiltration. (Size: 10" wide x 12" high.)



(Exterior View)



(Interior View)



Lite Kit Frame

The galvanized frame is coated prior to powder coating for additional weather protection. It features a distinctive iron grille that enhances the old-world styling of our Rustic Door Collection.

CODEL
DOORS

CODEL DOORS

Low-E
Standard

Steel Door Collection (6/8 ONLY)



Steel C64 door with CODEL Coatings Bright paint.

Key Code Chart

GBG Available w/Grids between Glass

LE Available w/Low-E Glass

■ Extended Leadtime Required

🔥 20-Min. Fire Rated (*6-8 Only, 3-0 Max Width.)



STEEL DOORS


The wood-edge steel door series is a popular choice for new construction as well as remodeling projects.

The versatility and thermal advantages of a wood-edge door are combined with the durability of 24-gauge steel facings. Units are permanently held in place by the adhesion of the polyurethane core.





After assembly, doors are primed for superior corrosion resistance. Wood-edge steel doors are available with a *20-minute fire rating for all 6'8" doors up to 3'0" wide. (*Excludes doors w/lite kits.)

Thermal Performance values established in accordance with the International Energy Conservation Code (IECC) section 102.3


	R value	U value	SHGC value
Steel door unit without Glass	6.25	0.16	0.00
Steel door unit with 1/2 LowE Glass	4.55	0.22	0.16
Steel door unit with Full LowE Glass	3.57	0.28	0.28
Steel door unit with 1/4 Decorative Glass	5.55	0.18	0.07
Steel door unit with 1/2 Decorative Glass	4.16	0.24	0.15
Steel door unit with 3/4 Decorative Glass	4.17	0.24	0.20
Steel door unit with Full Decorative Glass	3.45	0.29	0.27




*3-6 is Not Available with Fire Rating




LE 2-8, 2-10 & 3-0
■ LE 2-6




LE



LE




LE, *LE Only




LE, *LE Only




■ LE




■ GBG & LE




GBG, GBG & LE 2-6 thru 3-6
■ Fixed Grid & LE, ■ GBG & LE 2-0 & 2/4



GBG, ■ Fixed Grid & LE, ■ GBG & LE



LE 2-8 thru 3-6 ■ LE 2-6, (LE N/A 2-0 & 2-4)



LE



GBG, ■ Fixed Grid & LE



LE



GBG, ■ Fixed Grid & LE



■ LE



■ LE

FAST-FRAME™


Introducing the Ultimate in Adjustable Steel Door Frames

FAST-FRAME'S advanced design adds a new dimension of flexibility and durability to Codel's steel entry door line. FAST-FRAME™ features closure kits with full 1" of adjustability to accommodate almost any variation in wall construction. This easy-to-install, user-friendly, kerfed steel door frame system is applicable to a full range of residential and commercial applications - wood or steel stud construction. FAST FRAME is engineered to meet the most stringent code requirements, including structural, impact and 90-minute fire ratings.



C690 door with CODEL Coatings Bright paint.


Adjustable T-Strike
1/4" of adjustment allows for ease of field installations for proper door closure



Closure Span Adjustment Chart

Wall Sizes
4 1/2" - 5 1/2"
5 1/2" - 6 1/2"
6 1/2" - 7 1/2"
7 1/2" - 8 1/2"
8 1/2" - 9 1/2"
9 1/2" - 10 1/2"

Weatherstripping
Schlegal foam-filled compression (QEBD500)
90 Min. Fire Rating



Prime Bright White EG Galvanized 20-gauge steel to provide superior corrosion resistance and an optimal surface for painting

APPLICATIONS

- Multi-Family ● Assisted Living ● Motel/Hotel ● House to Garage ● Garage to Exterior



FIRE LABELS

90 Minute Fire Rating - up to 3'0" x 6'8".

CLOSURE TEST In a 90-minute application, the door will close and latch from 18" if the following Fast-Frame components are used:


- QEBD500 Foam-Filled Compression Weatherstripping
- Factory Sweep ● Adjustable T-Strike ● Factory Supplied Sills




STRUCTURAL PERFORMANCE AND IMPACT RATING

Design pressure ratings are available for compliance with national, state and local wind load and/or missile requirements. Product approval under the Miami-Dade BCCO NOA or Intertek Testing Services/Warnock Hersey® programs.

Door Handing



SILLS
 Standard Inswing
 Thermally broken - 5 5/8" width
 Optional extenders for larger wall sizes
 Note: Not for use on outswing applications.



Handicap (ADA)
 Double Slope 4-9/16" & 6-9/16" width




Tile Face 4-1/4" and 6-1/4"



■ *Extended Lead Time

Outer Adjustable Closure
 20-gauge Steel
 2 uprights - 1 header



Hinge Reinforcement
 14-gauge, unique extruded holes provide the strength of a 12-gauge hinge reinforcement

Prehung Door Sizes

	Rough Opening Size (wood stud)	
	Nominal Door Size	Width x Height
Single Door	2' 8" x 6' 8"	33-1/4" x 81-3/8"
	3' 0" x 6' 8"	37-1/4" x 81-3/8"
	3' 0" x 7' 0"	37-1/4" x 85-3/8"

-All dimensions shown are for doors with standard inswing sill.
 Deduct 13/16" for bumper outswing or handicap compliant sill.

■ Extended Leadtime Required. 🔥 90-Minute Fire-Rated.

CF90
 28
 *30



Flush

C690
 28
 30



6-Panel

C290
 30



2-Panel


*Available in 7/0

NEW


Mira Vista Folding Door System

Affordable and flexible, the **CODEL** Folding Door System elevates patio openings for any home. Transform basic patio doors or exterior walls into dynamic openings, seamlessly blending indoor and outdoor living.

The **CODEL** Mira Vista Folding Door System is unique. It allows our existing fiberglass doors to be turned into any pivot door. Available in 6/8 and 8/0 heights, the **CODEL** Mira Vista Folding Door System delivers a simple, seamless operation.



Mira Vista Folding Door System



Left Hand Outswing,
Right Hand Stack Unit Shown




Easy flip-lever
operation.



Right Hand Outswing,
Left Hand Stack Unit Shown



Knuckle adjusts up
and down/side-to-
side for a square and
plumb install.



Unique sill with
sliding track.

AVAILABILITY & OPTIONS

Unit Width:

Up to (3) 3/0 Panels
Max Sill Length: 115"

Unit Height: 6/8 or 8/0

Door Options:



SF20F



SF20FMB



SF20D



SF20B



TF20F

Sill Width Options: 5-5/8" or 7-5/8"

Finish Options:

Upper track, side casing & hinge bars:



Black



White

Sill Cap:



Walnut

Sill Decks:



Bronze



Mill

FEATURES AND BENEFITS

Bottom gliding system - The system is designed for both new construction AND is perfect for remodels and retrofits. It doesn't require more top supports than a standard sliding door, because the weight of the door panels are held by the sliding track.



Solves imperfections in rough openings - The folding door system knuckles can move up and down as well as side to side. This provides the ultimate ability to align doors to be square and plumb during installation and during use.

Outstanding performance - Looks great, works better. DP20 Water and DP70 Structural in a 3 panel 3/0 x 8/0 CODEL system using CODEL fiberglass panels, when testing to ASTM standards. DP75 when using the same panels in 6/8.






SINGLE-HINGED INSWING FIBERGLASS PATIO DOOR

The Single-Hinged Inswing Patio door provides the look of a double door, with the functionality of a single door. The “one-door-fixed/one-door-operable” configuration comes standard with a sliding screen, and is perfect for areas where interior space is limited. Available in a variety of sizes ranging from standard to retro-fit (EZ-Fit), the Single-Hinged Inswing Patio door is a great choice for new construction and remodel projects, alike.

(Outswing option also available with no sliding screen)



*Screen not available on outswings.


	Standard 6-8 Patio Sizes (SP)	EZ-Fit (Retro) Patio Sizes (EZP)																																
<p>20F/20</p>  <p>Low-E Only</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><u>SF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><u>TF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><u>TF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF20FEZP</u> 5-0 x EZ 6-0 x EZ</td> <td><u>SF20EZP</u> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><u>TF20FEZP</u> 5-0 x EZ 6-0 x EZ</td> <td><u>TF20EZP</u> 6-0 x EZ</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF20EZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20EZP</u> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF20EZP</u> 5-0 x EZ 6-0 x EZ																																	
<u>TF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20EZP</u> 6-0 x EZ																																	
<p>10F/10</p>  <p>10-Lite Fixed or GBG</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><u>SF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><u>TF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><u>TF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF10FEZP</u> 5-0 x EZ 6-0 x EZ</td> <td><u>SF10EZP</u> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><u>TF10FEZP</u> 5-0 x EZ 6-0 x EZ</td> <td><u>TF10EZP</u> 6-0 x EZ</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF10EZP</u> 5-0 x EZ 6-0 x EZ	<u>TF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF10EZP</u> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF10EZP</u> 5-0 x EZ 6-0 x EZ																																	
<u>TF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF10EZP</u> 6-0 x EZ																																	
<p>9F/9</p>  <p>9-Lite Marginal, GBG Only</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><u>SF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><u>TF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><u>TF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF9FEZP</u> 5-0 x EZ 6-0 x EZ</td> <td><u>SF9EZP</u> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><u>TF9FEZP</u> 5-0 x EZ 6-0 x EZ</td> <td><u>TF9EZP</u> 6-0 x EZ</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF9EZP</u> 5-0 x EZ 6-0 x EZ	<u>TF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF9EZP</u> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF9EZP</u> 5-0 x EZ 6-0 x EZ																																	
<u>TF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF9EZP</u> 6-0 x EZ																																	
<p>20FMB/20MB</p>  <p>Mimiblinds</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8</td> <td><u>SF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><u>TF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8</td> <td><u>TF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>SF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>TF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>LITE KIT SIZES (ONLY)</th> </tr> </thead> <tbody> <tr> <td><u>SF20MBEZP</u> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><u>TF20MBEZP</u> 6-0 x EZ</td> </tr> </tbody> </table>	LITE KIT SIZES (ONLY)	<u>SF20MBEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20MBEZP</u> 6-0 x EZ																							
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>SF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>TF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
LITE KIT SIZES (ONLY)																																		
<u>SF20MBEZP</u> 5-0 x EZ 6-0 x EZ																																		
<u>TF20MBEZP</u> 6-0 x EZ																																		
<p>20V</p>  <p>Vented w/Screen Bottom moves up and down. Top does not. Lite Kit Available in White Only</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><u>SF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><u>TF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	LITE KIT SIZES	<u>SF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>LITE KIT SIZES (ONLY)</th> </tr> </thead> <tbody> <tr> <td><u>SF20VEZP</u> 6-0 x EZ</td> </tr> <tr> <td><u>TF20VEZP</u> 6-0 x EZ</td> </tr> </tbody> </table>	LITE KIT SIZES (ONLY)	<u>SF20VEZP</u> 6-0 x EZ	<u>TF20VEZP</u> 6-0 x EZ																										
LITE KIT SIZES																																		
<u>SF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																		
<u>TF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																		
LITE KIT SIZES (ONLY)																																		
<u>SF20VEZP</u> 6-0 x EZ																																		
<u>TF20VEZP</u> 6-0 x EZ																																		
<p>CODEL DOORS</p>	<table border="1"> <thead> <tr> <th></th> <th>NET UNIT WIDTH</th> <th>INSWING ADJ. SILL</th> <th>OUTSWING BUMPER SILL</th> </tr> </thead> <tbody> <tr> <td>5-0 x 6-8</td> <td>62-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> <tr> <td>5-4 x 6-8</td> <td>66-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> <tr> <td>5-8 x 6-8</td> <td>70-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> <tr> <td>6-0 x 6-8</td> <td>74-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> </tbody> </table> <p><i>*Screen not available on outswings.</i></p>		NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL	5-0 x 6-8	62-3/4"	81-3/4"	80-1/2"	5-4 x 6-8	66-3/4"	81-3/4"	80-1/2"	5-8 x 6-8	70-3/4"	81-3/4"	80-1/2"	6-0 x 6-8	74-3/4"	81-3/4"	80-1/2"	<table border="1"> <thead> <tr> <th></th> <th>NET UNIT WIDTH</th> <th>INSWING ADJ. SILL</th> <th>OUTSWING BUMPER SILL</th> </tr> </thead> <tbody> <tr> <td>5-0 x EZ-FIT</td> <td>59-3/4"</td> <td>79-1/2"</td> <td>78-3/4"</td> </tr> <tr> <td>6-0 x EZ-FIT</td> <td>71-3/4"</td> <td>79-1/2"</td> <td>78-3/4"</td> </tr> </tbody> </table> <p><i>*Screen not available on outswings.</i></p>		NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL	5-0 x EZ-FIT	59-3/4"	79-1/2"	78-3/4"	6-0 x EZ-FIT	71-3/4"	79-1/2"	78-3/4"
	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL																															
5-0 x 6-8	62-3/4"	81-3/4"	80-1/2"																															
5-4 x 6-8	66-3/4"	81-3/4"	80-1/2"																															
5-8 x 6-8	70-3/4"	81-3/4"	80-1/2"																															
6-0 x 6-8	74-3/4"	81-3/4"	80-1/2"																															
	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL																															
5-0 x EZ-FIT	59-3/4"	79-1/2"	78-3/4"																															
6-0 x EZ-FIT	71-3/4"	79-1/2"	78-3/4"																															




SF20F Double w/Left & Right Non-Opening with CODEL Coatings Bright paint.

TRADITIONAL PATIO DOORS

The Traditional Patio Door is our standard double door but focused on your patio. We also added our maximum width options for each size, to allow you to dream. Available in a variety of sizes in both Smooth and Textured fiberglass, ranging from your standard double door, to adding a sidelite or non-active door as a sidelite. The Traditional Patio Door is a great choice for new construction and remodel projects, and to match your CODEL entry door.



<p>20F/20 Double</p>  <p>Clear/Low-E</p> <p>SF TF</p>	<p>20F/20 Double w/Left Non-Opening</p>  <p>Clear/Low-E</p> <p>SF TF</p> <p>Max Width 9'0"</p>	<p>20F/20 Double w/Right Non-Opening</p>  <p>Clear/Low-E</p> <p>SF TF</p> <p>Max Width 9'0"</p>	<p>20F/20 Double w/Left & Right Non-Opening</p>  <p>Clear/Low-E</p> <p>SF TF</p> <p>Max Width 12'0"</p>
<p>9F/9</p>  <p>9 Lite Marginal, CBC Only</p> <p>SF TF</p>	<p>9F/9 Double w/Left Non-Opening</p>  <p>9 Lite Marginal, CBC Only</p> <p>SF TF</p> <p>Max Width 9'0"</p>	<p>9F/9 Double w/Right Non-Opening</p>  <p>9 Lite Marginal, CBC Only</p> <p>SF TF</p> <p>Max Width 9'0"</p>	<p>9F/9 Double w/Left & Right Non-Opening</p>  <p>9 Lite Marginal, CBC Only</p> <p>SF TF</p> <p>Max Width 12'0"</p>



SF20F Double with CODEL Coatings Bright paint.





**"EZ-Fit" Double Doors
Net UNIT Sizes**

	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL
5-0 x EZ-FIT	59"	79-1/2"	78-3/4"
6-0 x EZ-FIT	71"	79-1/2"	78-3/4"




**6-8 EZ-Fit "Retro-Sized"
Double Doors w/Astragal (EZ) (both doors open)**

GBG Available w/Grids Between Glass
LE Available w/Low-E Glass
■ Extended Leadtime Required

20F/20	10F/10	9F/9	20FMB/20MB	20V																								
<p>Low-E Only</p>	<p>10 Lite Fixed or GBG</p>	<p>9 Lite Marginal, GBG Only</p>	<p>Lite Kit Raise & Lower Mini Blinds</p>	<p>Vented w/Screen Lite Kit Available in White Only</p>																								
<table border="1"> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> <tr> <td>SF20FEZ 5-0 x EZ 6-0 x EZ</td> <td>SF20EZ 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td>TF20FEZ 5-0 x EZ 6-0 x EZ</td> <td>TF20EZ 6-0 x EZ</td> </tr> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	SF20FEZ 5-0 x EZ 6-0 x EZ	SF20EZ 5-0 x EZ 6-0 x EZ	TF20FEZ 5-0 x EZ 6-0 x EZ	TF20EZ 6-0 x EZ	<table border="1"> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> <tr> <td>SF10FEZ 5-0 x EZ 6-0 x EZ</td> <td>SF10EZ 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td>TF10FEZ 5-0 x EZ 6-0 x EZ</td> <td>TF10EZ 6-0 x EZ</td> </tr> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	SF10FEZ 5-0 x EZ 6-0 x EZ	SF10EZ 5-0 x EZ 6-0 x EZ	TF10FEZ 5-0 x EZ 6-0 x EZ	TF10EZ 6-0 x EZ	<table border="1"> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> <tr> <td>SF9FEZ 5-0 x EZ 6-0 x EZ</td> <td>SF9EZ 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td>TF9FEZ 5-0 x EZ 6-0 x EZ</td> <td>TF9EZ 6-0 x EZ</td> </tr> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	SF9FEZ 5-0 x EZ 6-0 x EZ	SF9EZ 5-0 x EZ 6-0 x EZ	TF9FEZ 5-0 x EZ 6-0 x EZ	TF9EZ 6-0 x EZ	<table border="1"> <tr> <th>LITE KIT SIZES (ONLY)</th> </tr> <tr> <td>SF20MBEZ 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td>TF20MBEZ 6-0 x EZ</td> </tr> </table>	LITE KIT SIZES (ONLY)	SF20MBEZ 5-0 x EZ 6-0 x EZ	TF20MBEZ 6-0 x EZ	<table border="1"> <tr> <th>LITE KIT SIZES (ONLY)</th> </tr> <tr> <td>SF20VEZ 6-0 x EZ</td> </tr> <tr> <td>TF20VEZ 6-0 x EZ</td> </tr> </table>	LITE KIT SIZES (ONLY)	SF20VEZ 6-0 x EZ	TF20VEZ 6-0 x EZ
FLUSH-GLAZED SIZES	LITE KIT SIZES																											
SF20FEZ 5-0 x EZ 6-0 x EZ	SF20EZ 5-0 x EZ 6-0 x EZ																											
TF20FEZ 5-0 x EZ 6-0 x EZ	TF20EZ 6-0 x EZ																											
FLUSH-GLAZED SIZES	LITE KIT SIZES																											
SF10FEZ 5-0 x EZ 6-0 x EZ	SF10EZ 5-0 x EZ 6-0 x EZ																											
TF10FEZ 5-0 x EZ 6-0 x EZ	TF10EZ 6-0 x EZ																											
FLUSH-GLAZED SIZES	LITE KIT SIZES																											
SF9FEZ 5-0 x EZ 6-0 x EZ	SF9EZ 5-0 x EZ 6-0 x EZ																											
TF9FEZ 5-0 x EZ 6-0 x EZ	TF9EZ 6-0 x EZ																											
LITE KIT SIZES (ONLY)																												
SF20MBEZ 5-0 x EZ 6-0 x EZ																												
TF20MBEZ 6-0 x EZ																												
LITE KIT SIZES (ONLY)																												
SF20VEZ 6-0 x EZ																												
TF20VEZ 6-0 x EZ																												

SF Smooth Fiberglass TF Textured Fiberglass

PATIO HANDING



EZ-Fit (Retro) Net UNIT Sizes

	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL
5-0 x EZ-FIT	59-3/4"	79-1/2"	78-3/4"
6-0 x EZ-FIT	71-3/4"	79-1/2"	78-3/4"

*Screen not available on outswings.

Standard Net UNIT Sizes

	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL
5-0 x 6-8	62-3/4"	81-3/4"	80-1/2"
5-4 x 6-8	66-3/4"	81-3/4"	80-1/2"
5-8 x 6-8	70-3/4"	81-3/4"	80-1/2"
6-0 x 6-8	74-3/4"	81-3/4"	80-1/2"

*Screen not available on outswings.

GBG Available w/Grids Between Glass
LE Available w/Low-E Glass
■ Extended Leadtime Required

Swinging Patio (SP) (only one door opens)



20F/20

FLUSH-GLAZED SIZES	LITE KIT SIZES
5-0 x 6-8	5-0 x 6-8*
5-4 x 6-8*	5-4 x 6-8*
5-8 x 6-8*	5-8 x 6-8*
6-0 x 6-8	6-0 x 6-8

10F/10

FLUSH-GLAZED SIZES	LITE KIT SIZES
5-0 x 6-8	5-0 x 6-8*
5-4 x 6-8*	5-4 x 6-8*
5-8 x 6-8*	5-8 x 6-8*
6-0 x 6-8	6-0 x 6-8

9F/9

FLUSH-GLAZED SIZES	LITE KIT SIZES
5-0 x 6-8	5-0 x 6-8*
5-4 x 6-8*	5-4 x 6-8*
5-8 x 6-8*	5-8 x 6-8*
6-0 x 6-8	6-0 x 6-8

20FMB/20MB

FLUSH-GLAZED SIZES	LITE KIT SIZES
5-0 x 6-8	5-0 x 6-8*
5-4 x 6-8*	5-4 x 6-8*
5-8 x 6-8*	5-8 x 6-8*
6-0 x 6-8	6-0 x 6-8

20V

LITE KIT SIZES
5-0 x 6-8
5-4 x 6-8*
5-8 x 6-8*
6-0 x 6-8

SF Smooth Fiberglass TF Textured Fiberglass

*Not available EZ-Fit (Retro) size.

NEW



Rain Glass

Standard Low-E with Argon

6/8 & 7/0 Rain Collection

Rain SFRAI-4401P door with CODEL Coatings Bright paint.



RAI-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



RAI-430
6-8 (28 210 30)
7-0 (28 30) SF Only



RAI-4301P
(28 210 30)



RAI-4301PC
(28 30)



RAI-4301PSHK
(28 210 30)

No matching sidelite available.



RAI-440
(28 30)



RAI-4401P
(30)



RAI-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



RAI-230
6-8 (12" & 14")
7-0 (14") SF Only



RAI-240
(12" & 14")



RAI-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Rain Collection



RAI-24080
(SF - 28 30)
(TF - 30)



RAI-44080
(SF - 28 30)
(TF - 30)



RAI-440801P
(30)




RAI-46080
(30 36)



RAI-460801P
(30)



RAI-24080
(12" & 14")




RAI-16080
(12" & 14")



Rain SFRAI-480 door with CODEL Coatings Bright paint.

NEW



Narrow Reed
Standard Low-E with Argon

6/8 & 7/0 Narrow Reed Collection

Narrow Reed SFNRD-4401P door with CODEL Coatings Carbon paint.



NRD-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



NRD-430
6-8 (28 210 30)
7-0 (28 30) SF Only



NRD-4301P
(28 210 30)



NRD-4301PC
(28 30)




NRD-4301PSHK
(28 210 30)



NRD-440
(28 30)




NRD-4401P
(30)



NRD-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



NRD-230
6-8 (12" & 14")
7-0 (14") SF Only



NRD-240
(12" & 14")



NRD-160
6-8 (12" & 14")
7-0 (14") SF Only

No matching sidelite available.

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass

8/0 Narrow Reed Collection




NRD-24080
(SF - 28 30)
(TF - 30)




NRD-44080
(SF - 28 30)
(TF - 30)




NRD-440801P
(30)



NRD-46080
(30 36)




NRD-460801P
(30)



NRD-480
(28 30 36)



NRD-24080
(12" & 14")



NRD-16080
(12" & 14")




NRD-280
(12" & 14")



Narrow Reed SFNRD-460 door with CODEL Coatings Bright paint.

NEW


White Laminate SFLAM-460 door. Paint color shown is not Codel Coatings.



6/8 & 7/0 White Laminate Collection



LAM-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



LAM-430
6-8 (28 210 30)
7-0 (28 30) SF Only



LAM-4301P
(28 210 30)



LAM-4301PC
(28 30)



LAM-4301PSHK
(28 210 30)



LAM-440
(28 30)

No matching sidelite available.



LAM-4401P
(30)




LAM-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



LAM-230
6-8 (12" & 14")
7-0 (14") SF Only



LAM-240
(12" & 14")



LAM-230
6-8 (12" & 14")
7-0 (14") SF Only

8/0 White Laminate Collection



LAM-24080
(SF - 28 30)
(TF - 30)



LAM-44080
(SF - 28 30)
(TF - 30)



LAM-440801P
(30)



LAM-46080
(30 36)



LAM-460801P
(30)



LAM-480
(28 30 36)



LAM-24080
(12" & 14")



LAM-16080
(12" & 14")



LAM-280
(12" & 14")

White Laminate Transom



■ LAM-6312 / LAM-6712 / LAM-7212

■ Extended Leadtime Required.



White Laminate LAM-4301PC door.
Paint color shown is not CODEL Coatings.

**CODEL
DOORS**



6/8 & 7/0 Sable Collection

Sable TFSAB-460 door and (2) TFSAB-160 sidelites. Stain color is not CODEL Coatings.



SAB-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



SAB-430
6-8 (28 210 30)
7-0 (28 30) SF Only



SAB-4301P
(28 210 30)



SAB-4301PC
(28 30)



SAB-4301PSHK
(28 210 30)



SAB-440
(28 30)

No matching sidelite available.



SAB-4401P
(30)



SAB-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



SAB-200
(30)

Shown with optional C-21P shelf.



SAB-230
6-8 (12" & 14")
7-0 (14") SF Only



SAB-240
(12" & 14")



SAB-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Sable Collection



SAB-24080
(SF - 28 30)
(TF - 30)



SAB-44080
(SF - 28 30)
(TF - 30)




SAB-440801P
(30)



SAB-46080
(30 36)



SAB-460801P
(30)



SAB-480
(28 30 36)



SAB-24080
(12" & 14")



SAB-16080
(12" & 14")



SAB-280
(12" & 14")

Sable Transom



■ SAB-6312 / SAB-6712 / SAB-7212

■ Extended Leadtime Required.



Sable SFSAB-460801P door with CODEL Coatings Bright paint.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Adelaide Collection

Adelaide SFADE-440 door with (2) SFADE-240 sidelites and SFADE-6312 transom. Paint color shown is not CODEL Coatings.



ADE-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only




ADE-430
6-8 (28 210 30)
7-0 (28 30) SF Only




ADE-4301P
(28 210 30)



ADE-4301PC
(28 30)



ADE-4301PSHK
(28 210 30)




ADE-440
(28 30)

No matching sidelite available.



ADE-4401P
(30)



ADE-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



ADE-200
(30)

Shown with optional C-21P shelf.



ADE-230
6-8 (12" & 14")
7-0 (14") SF Only



ADE-240
(12" & 14")



ADE-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Adelaide Collection




ADE-24080
(SF - 28 30)
(TF - 30)




ADE-44080
(SF - 28 30)
(TF - 30)




ADE-440801P
(30)



ADE-46080
(30 36)



ADE-460801P
(30)



ADE-480
(28 30 36)



ADE-24080
(12" & 14")



ADE-16080
(12" & 14")



ADE-280
(12" & 14")

Adelaide Transom




■ ADE-6312 / ADE-6712 / ADE-7212

■ Extended Leadtime Required.



Adelaide TFADE-24080 doors. Stain color shown is not CODEL Coatings.

Artisan TFART-480 door.
Stain color is CODEL
Coatings Mahogany.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Artisan Collection




ART-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



ART-430
6-8 (28 210 30)
7-0 (28 30) SF Only



ART-4301P
(28 210 30)



ART-4301PC
(28 30)



ART-4301PSHK
(28 210 30)



ART-440
(28 30)

No matching sidelite available.



ART-4401P
(30)



ART-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



ART-200
(30)

Shown with optional C-21P shelf.



ART-230
6-8 (12" & 14")
7-0 (14") SF Only



ART-240
(12" & 14")



ART-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Artisan Collection




ART-24080
(SF - 28 30)
(TF - 30)



ART-44080
(SF - 28 30)
(TF - 30)




ART-440801P
(30)



ART-46080
(30 36)



ART-460801P
(30)



ART-480
(28 30 36)



ART-24080
(12" & 14")



ART-16080
(12" & 14")



ART-280
(12" & 14")

Artisan Transom




■ ART-6312 / ART-6712 / ART-4212/ ART-7212

■ Extended Leadtime Required.



Artisan TFART-46080 doors. Stain color shown is not CODEL Coatings.



6/8 & 7/0 Brentwood Collection

Brentwood SFBRE-460801P door and (2) SFBRE-16080 sidelites with CODEL Coatings Bright paint.



BRE-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



BRE-430
6-8 (28 210 30)
7-0 (28 30) SF Only



BRE-4301P
(28 210 30)



BRE-4301PC
(28 30)



BRE-4301PSHK
(28 210 30)

No matching sidelite available.



BRE-440
(28 30)



BRE-4401P
(30)



BRE-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



BRE-200
(30)

Shown with optional C-21P shelf.



BRE-230
6-8 (12" & 14")
7-0 (14") SF Only



BRE-240
(12" & 14")



BRE-160
6-8 (12" & 14")
7-0 (14") SF Only

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass

8/0 Brentwood Collection



BRE-24080
(SF - 28 30)
(TF - 30)



BRE-44080
(SF - 28 30)
(TF - 30)



BRE-440801P
(30)



BRE-46080
(30 36)



BRE-460801P
(30)



BRE-25080
(30 36)



BRE-24080
(12" & 14")



BRE-16080
(12" & 14")



Brentwood SFBRE-440 door with (2) SFBRE-240 sidelites, with CODEL Coatings Carbon paint.

Canterbury TFCAN-460 door with (2) TFCAN-160 sidelites & TF CAN-6712 transom. Stain color shown is not CODEL Coatings.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Canterbury Collection



CAN-230
6-8 (28 SF Only) 28 210 30
7-0 (28 30) SF Only



CAN-430
6-8 (28 210 30)
7-0 (28 30) SF Only



CAN-4301P
(28 210 30)



CAN-4301PC
(28 30)



CAN-4301PSHK
(28 210 30)


No matching sidelite available.



CAN-440
(28 30)



CAN-4401P
(30)



CAN-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



CAN-949
(30)



CAN-230
6-8 (12" & 14")
7-0 (14") SF Only



CAN-240
(12" & 14")



CAN-160
6-8 (12" & 14")
7-0 (14") SF Only


8/0 Canterbury Collection



CAN-24080
(SF - 28 30)
(TF - 30)



CAN-44080
(SF - 28 30)
(TF - 30)



CAN-440801P
(30)



CAN-46080
(30 36)



CAN-460801P
(30)



CAN-24080
(12" & 14")



CAN-16080
(12" & 14")



Canterbury SFCAN-46080 door and SFCAN-16080 sidelite with CODEL Coatings Burgundy paint.

Canterbury Transom



■ CAN-6312 / CAN-6712 / CAN-7212

■ Extended Leadtime Required.



6/8 & 7/0 Chord Collection

Chord SFCHO460801P & SFCHO16080 sidelites with CODEL Coatings Ivory paint.



CHO-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



CHO-430
6-8 (28 210 30)
7-0 (28 30) SF Only



CHO-4301P
(28 210 30)



CHO-4301PC
(28 30)



CHO-4301PSHK
(28 210 30)



CHO-440
(28 30)

No matching sidelite available.



CHO-4401P
(30)



CHO-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



CHO-200
(30)

Shown with optional C-21P shelf.



CHO-230
6-8 (12" & 14")
7-0 (14") SF Only




CHO-240
(12" & 14")



CHO-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Chord Collection



CHO-24080
(SF - 28 30)
(TF - 30)



CHO-44080
(SF - 28 30)
(TF - 30)




CHO-440801P
(30)



CHO-46080
(30 36)



CHO-460801P
(30)



CHO-480
(28 30 36)



CHO-24080
(12" & 14")



CHO-16080
(12" & 14")



CHO-280
(12" & 14")

Chord Transom




■ CHO-6312 / CHO-6712 / CHO-7212

■ Extended Leadtime Required..



Chord SFCHO-440 door with CODEL Coatings Bright paint.

Eloquence SFELO-44080 doors with CODEL Coatings Carbon paint.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Eloquence Collection



6/8 Only **SF** **TF**

ELO-400
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



SF **TF**

ELO-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



SF **TF**

ELO-430
6-8 (28 210 30)
7-0 (28 30) SF Only



SF

ELO-4301P
(28 210 30)



SF

ELO-4301PC
(28 30)



SF **FG**

ELO-4301PSHK
(28 210 30)

No matching sidelite available.



SF **TF**

ELO-440
(28 30)



SF **TF**

ELO-4401P
(30)



SF **TF**

ELO-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



SF **TF**

ELO-230
6-8 (12" & 14")
7-0 (14") SF Only



SF **TF**

ELO-240
(12" & 14")



SF **TF**

ELO-160
6-8 (12" & 14")
7-0 (14") SF Only

SF Smooth Fiberglass **TF** Textured Fiberglass **FG** Fir Grain Textured Fiberglass

8/0 Eloquence Collection




ELO-24080
(SF - 28" 30")
(TF - 30")



ELO-44080
(SF - 28" 30")
(TF - 30")



ELO-440801P
(30")



ELO-46080
(30" 36")




ELO-460801P
(30")



ELO-24080
(12" & 14")



ELO-16080
(12" & 14")



Eloquence SF ELO-46080 door and (2) SF ELO-16080
sidelites and CODEL Coatings Burgundy paint.



Zinc Caming
 Brass Caming
 Standard Low-E with Argon

6/8 & 7/0 Floret Collection

Floret TFFLO-24080 door with CODEL Coatings Medium Oak stain.



FLO-230
 6-8 (26 SF Only) 28 21⁰ 30
 7-0 (28 30) SF Only



FLO-430
 6-8 (28 21⁰ 30)
 7-0 (28 30) SF Only



FLO-4301P
 (28 21⁰ 30)



FLO-4301PC
 (28 30)



FLO-4301PSHK
 (28 21⁰ 30)

No matching sidelite available.



FLO-440
 (28 30)



FLO-4401P
 (30)



FLO-1842OV
(30)



FLO-230
6-8 (12" & 14"
7-0 (14") SF Only



FLO-240
(12" & 14")

8/0 Floret Collection



FLO-24080
(SF - 28 30)
(TF - 30)



FLO-44080
(SF - 28 30)
(TF - 30)



FLO-440801P
(30)




FLO-24080
(12" & 14")

Floret Transom




■ FLO-6312 / FLO-6712 / FLO-7212

■ Extended Leadtime Required.



Floret TFFLO-430 door and (2) TFFLO-230 sidelites with CODEL Coatings Medium Oak stain.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Harlow Collection

Harlow SFHAR-440 door with (2) SFHAR-240 sidelites. Stain color shown is not CODEL Coatings.



HAR-230
6-8 (26 SF Only) 28' 210' 30'
7-0 (28' 30') SF Only



HAR-430
6-8 (28' 210' 30')
7-0 (28' 30') SF Only



HAR-4301P
(28' 210' 30')



HAR-4301PC
(28' 30')




HAR-4301PSHK
(28' 210' 30')



HAR-440
(28' 30')

No matching sidelite available.



HAR-4401P
(30')



HAR-460
6-8 (28' 210' 30' 36')
7-0 (28' 30') SF Only



HAR-200
(30')


Shown with optional C-21P shelf.



HAR-230
6-8 (12" & 14")
7-0 (14") SF Only



HAR-240
(12" & 14")




HAR-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Harlow Collection




HAR-24080
(SF - 28 30)
(TF - 30)




HAR-44080
(SF - 28 30)
(TF - 30)



HAR-440801P
(30)



HAR-46080
(30 36)




HAR-460801P
(30)



HAR-480
(28 30 36)




HAR-24080
(12" & 14")



HAR-16080
(12" & 14")



HAR-280
(12" & 14")



Harlow SFHAR-430 door. Paint color shown is not CODEL Coatings.

Harlow Transom



■ HAR-6312 / HAR-6712 / HAR-7212

■ Extended Leadtime Required.



6/8 & 7/0 Maren Collection


Maren SFMAR-460 door with CODEL Coatings Carbon paint.



MAR-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



MAR-430
6-8 (28 210 30)
7-0 (28 30) SF Only



MAR-4301P
(28 210 30)



MAR-4301PC
(28 30)



MAR-4301PSHK
(28 210 30)



MAR-440
(28 30)

No matching sidelite available.



MAR-4401P
(30)



MAR-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only




MAR-200
(30)


Shown with optional C-2 IP shelf.



MAR-230
6-8 (12" & 14")
7-0 (14") SF Only




MAR-240
(12" & 14")



MAR-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Maren Collection



MAR-24080
(SF - 28 30)
(TF - 30)




MAR-44080
(SF - 28 30)
(TF - 30)



MAR-440801P
(30)




MAR-46080
(30 36)



MAR-460801P
(30)



MAR-24080
(12" & 14")



MAR-16080
(12" & 14")

Maren Transom



■ MAR-6312 / MAR-6712 / MAR-7212

■ Extended Leadtime Required.



Maren SFMAR-200 door with CODEL Coatings Bright paint.

Modena SFMOD-4401P80 door. Paint color shown is not CODEL Coatings.

Patina Caming
 Zinc Caming
 Standard Low-E with Argon

6/8 & 7/0 Modena Collection



<p>MOD-230 6-8 (26 SF Only) 28 210 30 7-0 (28 30) SF Only</p>	<p>MOD-430 6-8 (28 210 30) 7-0 (28 30) SF Only</p>	<p>MOD-4301P (28 210 30)</p>	<p>MOD-4301PC (28 30)</p>	<p>MOD-4301PSHK (28 210 30)</p>	<p>MOD-440 (28 30)</p>
--	---	---	--------------------------------------	--	-----------------------------------

No matching sidelite available.

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass (Zinc Caming Available Upon Request)



MOD-4401P
(30)



MOD-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



MOD-200
(30)

Shown with optional C-21P shelf.



MOD-230
6-8 (12" & 14")
7-0 (14") SF Only



MOD-240
(12" & 14")



MOD-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Modena Collection




MOD-24080
(SF - 28 30)
(TF - 30)




MOD-44080
(SF - 28 30)
(TF - 30)



MOD-440801P
(30)



MOD-46080
(30 36)



MOD-460801P
(30)



MOD-480
(28 30 36)



MOD-24080
(12" & 14")



MOD-16080
(12" & 14")



MOD-280
(12" & 14")

Modena Transom



■ MOD-6312 / MOD-6712 / MOD-7212

■ Extended Leadtime Required.



Narrows SFNAR-440 doors with CODEL Coatings Bright paint.



NAR-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



NAR-430
6-8 (28 210 30)
7-0 (28 30) SF Only



NAR-4301P
(28 210 30)



NAR-4301PC
(28 30)



NAR-4301PSHK
(28 210 30)



NAR-440
(28 30)

No matching sidelite available.



NAR-4401P
(30)



NAR-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



NAR-200
(30)

Shown with optional C-21P shelf.



NAR-230
6-8 (12" & 14")
7-0 (14") SF Only



NAR-240
(12" & 14")



NAR-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Narrows Collection



NAR-24080
(SF - 28 30)
(TF - 30)



NAR-44080
(SF - 28 30)
(TF - 30)



NAR-440801P
(30)




NAR-46080
(30 36)



NAR-460801P
(30)




NAR-24080
(12" & 14")



NAR-16080
(12" & 14")



Narrows SFNAR-430 door and (2) SFNAR-230
sidelites with CODEL Coatings Hunter paint.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Royston Collection

Royston TFROY-460 door with (2) TFROY-160 sidelites and TFROY-6312 transom. Paint color shown is not CODEL Coatings.



ROY-230
6-8 (26 SF Only) 28' 210' 30'
7-0 (28' 30') SF Only



ROY-430
6-8 (28' 210' 30')
7-0 (28' 30') SF Only



ROY-4301P
(28' 210' 30')



ROY-4301PC
(28' 30')



ROY-4301PSHK
(28' 210' 30')




ROY-440
(28' 30')

No matching sidelite available.



ROY-4401P
(30')



ROY-460
6-8 (28' 210' 30' 36')
7-0 (28' 30') SF Only



ROY-200
(30')


Shown with optional C-21P shelf.



ROY-230
6-8 (12" & 14")
7-0 (14") SF Only



ROY-240
(12" & 14")



ROY-160
6-8 (12" & 14")
7-0 (14") SF Only

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass


8/0 Royston Collection



ROY-24080
(SF - 28' 30")
(TF - 30")



ROY-44080
(SF - 28' 30")
(TF - 30")



ROY-440801P
(30")




ROY-46080
(30" 36")



ROY-460801P
(30")



ROY-24080
(12" & 14")



ROY-16080
(12" & 14")

Royston Transom



■ ROY-6312 / ROY-6712 / ROY-7212

■ Extended Leadtime Required.



Royston TFROY-200 doors and TFROY-6312 transom.
Stain color shown is not CODEL Coatings.



Satin Etch
Standard Low-E with Argon

6/8 & 7/0 Satin Etch Collection

Satin Etch TFSAT-460 door. Stain color shown is not CODEL Coatings.



SAT-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



SAT-430
6-8 (28 210 30)
7-0 (28 30) SF Only



SAT-4301P
(28 210 30)



SAT-4301PC
(28 30)



SAT-4301PSHK
(28 210 30)



SAT-440
(28 30)

No matching sidelite available.

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass



SAT-4401P
(30)



SAT-460
6-8 (28 30 36)
7-0 (28 30) SF Only



SAT-200
(30)

Shown with optional C-2 IP shelf.



SAT-230
6-8 (12" & 14")
7-0 (14") SF Only



SAT-240
(12" & 14")



SAT-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Satin Etch Collection



SAT-24080
(SF - 28 30)
(TF - 30)



SAT-44080
(SF - 28 30)
(TF - 30)



SAT-440801P
(30)



SAT-46080
(30 36)



SAT-460801P
(30)



SAT-480
(28 30 36)



SAT-24080
(12" & 14")



SAT-16080
(12" & 14")



SAT-280
(12" & 14")

Satin Etch Transom



■ SAT-6312 / SAT-6712 / SAT-7212

■ Extended Leadtime Required.




Waterton SFWAT-4401P door with SFWAT-240 sidelites with CODEL Coatings Carbon paint.



6/8 & 7/0 Waterton Collection




WAT-230
6-8 (26 SF Only) 28 210 30
7-0 (28 30) SF Only



WAT-430
6-8 (28 210 30)
7-0 (28 30) SF Only



WAT-4301P
(28 210 30)



WAT-4301PC
(28 30)



WAT-4301PSHK
(28 210 30)



WAT-440
(28 30)

No matching sidelite available.



WAT-4401P
(30)



WAT-460
6-8 (28 210 30 36)
7-0 (28 30) SF Only



WAT-200
(30)

Shown with optional C-21P shelf.



WAT-64
(30)



WAT-230
6-8 (12" & 14")
7-0 (14") SF Only




WAT-240
(12" & 14")



WAT-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Waterton Collection



WAT-24080
(SF - 28 30)
(TF - 30)



WAT-44080
(SF - 28 30)
(TF - 30)



WAT-440801P
(30)



WAT-46080
(30 36)



WAT-460801P
(30)



WAT-480
(28 30 36)



WAT-24080
(12" & 14")



WAT-16080
(12" & 14")



WAT-280
(12" & 14")

Waterton Transom



■ WAT-6312 / WAT-6712 / WAT-7212

■ Extended Leadtime Required.



Waterton SFWAT-46080 door with x2 SFWAT16080 sidelites with CODEL Coatings Carbon paint.

Obscure Glass Options


Codel offers a variety of obscure glass options. Obscurity levels range from glass that lets in plenty of light and definable detail, to obscurity options offering various degrees of privacy.




Chord



Monumental/Flemish



Rain



Sable



Travertine




White Laminate



Narrow Reed



Pinhead



Satin Etch



Screen Dot

Most Obscure Glass Options are not available in stock and require longer extended leadtimes.

Please check with Codel Representative for availability.




Inswing Split Finish (Optional)

Want one color on the outside of your door to complement your home's exterior and a different color on the inside to match your interior? Codel Doors offers 21 paint and 7 stain colors (see back cover) to customize your door for just the right look. Ask your Codel rep. for information.


Inswing (Exterior View)



Inswing Unit - Split Finish



Color is split at center groove of the proud edge.



-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

Color samples are reproduced as close as possible, actual color may vary.


Outswing Split Finish (Optional)

Want one color on the outside of your door to complement your home's exterior and a different color on the inside to match your interior? Codel Doors offers 21 paint and 7 stain colors (see back cover) to customize your door for just the right look. Ask your Codel rep. for information.


Outswing (Exterior View)



Outswing Unit - Split Finish





(Inside of Home)



(Outside of Home)


Color is split at center groove of the proud edge.



Color samples are reproduced as close as possible, actual color may vary.

WeatherGuard

COMPOSITE FRAME



SF20F door with Bright paint.






Codel's WeatherGuard Composite Frame System is an innovative alternative to traditional wood jambs. This poly-fiber doorframe system combines all the strength and convenience of wood with enhanced properties that make it moisture, rot and insect resistant. This unique formulation guarantees that the WeatherGuard frame will not absorb or wick moisture and resists warping, splintering and rotting.

The WeatherGuard product line is available in two varieties. White Cap is a smooth, semi-gloss white that can be painted or left unfinished to compliment the Codel Smooth Fiberglass door. Textured has an embossed grain that can be painted or stained to compliment the Codel Textured Fiberglass door. The advanced WeatherGuard system can be installed the same way as traditional wood jambs.

Exclusive to WeatherGuard is our patented "Seams-Rite" spline that enables the brickmould to be applied to the jamb without using nails. Besides eliminating nail holes, "Seams-Rite" ensures a continuous water barrier.



(Vinyl nailing flange is optional.)

White Cap	Jamb		Jamb		
	2" Brickmould		2" Brickmould		
	Mullpost		Mullpost		
	Textured Embossed				

Features & Benefits


- Poly-fiber composite jamb system is an attractive, affordable, and low maintenance option to traditional wood
- Closed cellular structure is a unique formulation that ensures product will not warp, split or absorb moisture
- Greater screw holding power than wood
- Installs the same as traditional wood jambs
- Available in smooth semi-gloss white cap and stainable textured embossed
- Matching mullposts offering sidelite and transom capabilities
- Installation and finishing recommendation label applied to every frame
- Limited lifetime warranty

Adjustable Sill Pan

The Adjustable Sill Pan is a durable, PVC plastic unit that helps you protect your sill and entry door from water damage.

- Sloped weep areas located beneath the jamb-to-sill joint that direct moisture away from areas that could be damaged
- Durable weather-resistant material impervious to rust, corrosion, galvanic corrosion electrolysis and corrosive coastal areas
- Depths to accommodate most door applications in either 2 x 4 or 2 x 6 construction
- Easy installation with the multiple piece design

**Available in
4-9/16" & 6-9/16"**



Jamb Options

Available sizes: 4-9/16", 5-1/4", 6-9/16", and 7-1/4".




White Cap Composite Jamb



Textured Tan Composite Jamb


Primed Finger Solid Wood Joint

Our domestic Ponderosa pine door frames are treated with blue acrylic end sealer to prevent wicking. Sealer is applied to bottom of jamb.



Weatherstrip Options

Brown weatherstrip is the CODEL standard, white and black are available upon request.



Black White Brown

Inswing Adjustable Sill

- High performance Imperial seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket



Inswing Fixed Sill

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket



Outswing Bumper Sill

- All-aluminum durability
- High performance outswing design
- Water-tight butyl end seal gasket



Outswing Oak Bumper Sill

- Stain grade hardwood interior
- High performance outswing design
- Water-tight butyl end seal gasket



LowPro Sill (Inswing or Outswing)


- ADA compliant
- Durable all-aluminum design
- Not recommended for high weather exposure



All Sills Available in:



Mill Finish



Bronze Finish

High Performance Commercial Grade Ball Bearing Hinges are **Standard** on Codel Fiberglass Doors

Strength and Durability:

Heavy-duty commercial strength hinge, that is much thicker than the standard residential hinge found on most residential fiberglass doors in the industry. This stronger hinge keeps your door true and fit in the opening, and reduces the risk of sagging.

Smooth Operation:

Our heavy-duty hinges come standard with ball bearings, giving your entry door ease of opening and years of quiet operation.

Appearance and Security:

With a thickness of 3.3mm, and $\frac{1}{4}$ radius, these hinges are not only aesthetically pleasing, but are more secure than the traditional residential hinge. These hinges are sealed on the top and bottom, so pin is not removable.



US15 Satin Nickel
(Non-Ferrous or *Self-Closing
Options Also Available)



US26 Bright Chrome
(*Self-Closing Options
Also Available)



US26D Brushed Chrome
(*Self-Closing Options
Also Available)



US1D Black
(*Self-Closing Options
Also Available)



US10B Bronze
(Non-Ferrous or *Self-Closing
Options Also Available)



US3 Brass
(Non-Ferrous or *Self-Closing
Options Also Available)



US5 Antique Brass
(Non-Ferrous)



US32D Stainless Steel
(Non-Ferrous or *Self-Closing
Options Also Available)

*Self-Closing Hinges **ARE NOT** Ball Bearing.

Non-Ferrous hinges help prevent rust and corrosion and are standard on all outswing fiberglass doors.

Steel Door Standard Hinge



Our steel doors come with a standard weight hinge, available in the same color choice options noted above.



NEW

PanoLock+ MultiPoint Lock


The first and only multipoint lock that works with a wide variety of off-the-shelf hardware, including electronic deadbolts! That's affordable security and performance for every entry door.

How it Works

PanoLock+ works with standard hardware via innovative plug-n-play handleset and deadbolt adapters that mate with multiple brands and styles.



Choose your adapter.



Insert the adapter into PanoLock+.



Install standard hardware.



Choose Your Hardware

Whether knob, lever, or thumbpress, PanoLock+ is compatible with most off-the-shelf hardware, including electronic deadbolts.



Smooth Locking Operation

Supports a more forgiving install and smoother everyday use with tapered bolts and adjustable roller strikes.

Multi-Point Strength

Enjoy enhanced performance and with three points of contact.

Choose Your Adapter

Select the adaptor appropriate for the lock brand.



Don't Get Locked to Your Hardware:

- Install a broad range of styles at a more affordable price
- Make hardware selections when it works for you - not when you specify doors
- Match hardware designs on other doors
- Affordably and simply change hardware at any time

Please refer to this website to verify that your preferred locksets have been tested for compatibility with PanoLock+.
www.enduraproducts.com/panolock-plus





MultiPoint Locking Systems

Codel Doors offers MultiPoint Locking Systems of the finest design, most precise machining and highest quality materials, providing homeowners with a secure locking system stronger than traditional deadbolt locks.



Screw Support

Prevents flexing or bending of the gear for life-time performance and smoother operation.



Mishandling Device

Prevents multiple locking points from accidentally firing and potentially damaging door trim. Fully field reversible.



Solid Stainless Steel Deadbolt

Highly corrosion resistant and stronger than traditional deadbolts.




Manual Tongue (Top & Bottom)

While offering security in the locked position, the manual tongue engages into the jamb or mull post and retracts when opened, giving a smooth, clean appearance.



Flush Bolts (Top & Bottom)

(Optional) MultiPoint is available for the inactive door. The flush-bolts operate by the handle on the inactive panel, sending the flush bolts simultaneously into the head and sill, offering smooth and easy operation and securing your entry door.



Traditional

Contemporary

Euro

Bronze

Brushed Chrome

Satin Nickel

Bronze

(Deadbolt not shown.)

MultiPoint Hardware Options & Finishes

Features and Benefits

- 9000 Series Stainless Steel-Highly corrosion resistant
- Self Lubricating Parts - Last longer by eliminating the need to lubricate locks
- Helps prevent doors from bowing and adds extra security at the same time
- Schlage Keyway

- Only available on Fiberglass door units.
- Not available on cut-down units.




MultiPoint - Grip Series

TONGUE LATCH SYSTEM



Multiple locking points maintain door panel integrity, prevent door warpage, improve weather resistance and increase security.

Finishes



Consumer friendly with 1/4 turn deadbolt lock indicator.

Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Available in Satin Nickel and Oil Rubbed Bronze
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- Adjustable Strike Plates
- Dummy Sets Available for Double Door Units
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Schlage Keyway

Savoy



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Windsor



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Lumina



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Only Available on Fiberglass Door Units.

**CODEL
DOORS**



MultiPoint - Lever Series

TRIPLE LATCH SYSTEM



3 latches automatically engage when door closes to prevent door warpage and increase security.

Consumer friendly with 1/4 turn deadbolt lock indicator.



Adjustable strikes for optimum operation.

Extended strike for outswing units.



Finishes



Satin Nickel Bronze



Bright Chrome

(Available on Times Verona ONLY)

Only Available on Fiberglass Door Units.

Classique



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Classique Monaco



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Classique Verona



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Times



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Times Verona



Available in Satin Nickel, Oil Rubbed Bronze & Bright Chrome finishes.

Dahli



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Dahli Verona



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- Adjustable Strike Plates
- Dummy Sets Available for Double Door Units
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Schlage Keyway

Contemporary Door Pulls



Roller Catch

Two heavy-duty roller catches located near the top and bottom of the door ensure a secure closure. Available in Satin Nickel and Oil Rubbed Bronze.



Only Available on Fiberglass Door Units.



**24"
Round
Door
Pull**

**60"
Round
Door
Pull**

Finishes



Satin Nickel



Black

60" Round Door Pull only available in 3-0 lip lite configuration.

**CODEL
DOORS**

Door Configurations



Single Prehung



Also available with Sidelite on hinge side.

Single Prehung with Sidelite on the Strike Side
(This is Trimlite's STANDARD)



Also available with Sidelite on hinge side.

*Single Prehung with "Direct-Set" Style Sidelite on the Strike Side
(Available with Smooth or Oak Grain Textured Fiberglass Panel ONLY)



Also available with Direct Sidelite option.

Single Prehung with Two Sidelites



Double Prehung



Also available with Direct Sidelite option.

**Double Prehung with Two Sidelites



***Patio Unit (Hinged off the Mull Post)
R-H Active / L-H Swing



***Patio Unit (Hinged off the Mull Post)
L-H Active / R-H Swing

*Single Prehung with "Direct-Set" Style Sidelite: Available 6/8 and 7/0 Only. 8/0 Direct sidelite available on hinge side.

** Double Prehung Unit: (aka "Pair of Doors" and "French Doors") Both Doors Open - One active door and one inactive (passive) door. The inactive door has an astragal with flush bolts attached to it to keep it stationary when not in use.

*** Patio Unit: (aka "Atrium Unit") Only ONE door opens - One operable door and one fixed door - The fixed door will never open.



Single Prehung with Transom Above



Single Prehung with Sidelite on the Strike Side and Transom Above

Also available with Direct Sidelite option.



Single Prehung with Sidelite on the Hinge Side and Transom Above

Also available with Direct Sidelite option.



Single Prehung with Two Sidelites and Transom Above

Also available with Direct Sidelite option.



**Double Prehung with Transom Above



**Double Prehung with Two Sidelites and Transom Above

Also available with Direct Sidelite option.




***Patio Unit (Hinged off the Jamb) R-H Active / R-H Swing



***Patio Unit (Hinged off the Jamb) L-H Active / L-H Swing

Decorative Transom Sizes & Door Handing



*See page 60 for Patio Door Handing.

Prehung Net Unit Measurements

Add 5/8" to any Net Unit Width and 3/8" to any Net Unit Height **IF IT IS AN OUTSWING** with the NAILING FLANGE.

NET UNIT WIDTHS*							NET UNIT HEIGHTS		
DOOR WIDTH	NET SLAB SIZE	NET UNIT WIDTH	PLUS 1 EACH 12" SIDELITE	PLUS 2 EACH 12" SIDELITES	PLUS 1 EACH 14" SIDELITE	PLUS 2 EACH 14" SIDELITES	FIXED OR ADJ INSWING SILL	BUMPER OUTSWING SILL	ADA LOW-PRO IN/OUT SWING SILL
2-0 x 6-8	23-3/4" x 79"	25-1/2"	38-7/8"	52-1/4"	40-7/8"	56-1/4"	81-3/4"	80-1/2"	81"
2-4 x 6-8	27-3/4" x 79"	29-1/2"	42-7/8"	56-1/4"	44-7/8"	60-1/4"	81-3/4"	80-1/2"	81"
2-6 x 6-8	29-3/4" x 79"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	81-3/4"	80-1/2"	81"
2-8 x 6-8	31-3/4" x 79"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	81-3/4"	80-1/2"	81"
2-10 x 6-8	33-3/4" x 79"	35-1/2"	48-7/8"	62-1/4"	50-7/8"	66-1/4"	81-3/4"	80-1/2"	81"
3-0 x 6-8	35-3/4" x 79"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	81-3/4"	80-1/2"	81"
3-6 x 6-8	41-3/4" x 79"	43-1/2"	56-7/8"	70-1/4"	58-7/8"	74-1/4"	81-3/4"	80-1/2"	81"
4-0 x 6-8	47-3/4" x 79"	49-1/2"	62-7/8"	76-1/4"	64-7/8"	80-1/4"	81-3/4"	80-1/2"	81"
4-0 x 6-8 DBL	--	50"	63-3/8"	76-3/4"	65-3/8"	80-3/4"	81-3/4"	80-1/2"	81"
4-8 x 6-8 DBL	--	58"	71-3/8"	84-3/4"	73-3/8"	88-3/4"	81-3/4"	80-1/2"	81"
5-0 x 6-8 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	81-3/4"	80-1/2"	81"
5-4 x 6-8 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	81-3/4"	80-1/2"	81"
5-8 x 6-8 DBL	--	70"	83-3/8"	96-3/4"	85-3/8"	100-3/4"	81-3/4"	80-1/2"	81"
6-0 x 6-8 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	81-3/4"	80-1/2"	81"
7-0 x 6-8 DBL	--	86"	99-3/8"	112-3/4"	101-3/8"	116-3/4"	81-3/4"	80-1/2"	81"
8-0 x 6-8 DBL	--	98"	111-3/8"	124-3/4"	113-3/8"	128-3/4"	81-3/4"	80-1/2"	81"
2-6 x 7-0	29-3/4" x 83"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	85-3/4"	84-1/2"	85"
2-8 x 7-0	31-3/4" x 83"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	85-3/4"	84-1/2"	85"
3-0 x 7-0	35-3/4" x 83"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	85-3/4"	84-1/2"	85"
5-0 x 7-0 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	85-3/4"	84-1/2"	85"
5-4 x 7-0 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	85-3/4"	84-1/2"	85"
6-0 x 7-0 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	85-3/4"	84-1/2"	85"
2-6 x 8-0	29-3/4" x 95"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	97-3/4"	96-1/2"	97"
2-8 x 8-0	31-3/4" x 95"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	97-3/4"	96-1/2"	97"
3-0 x 8-0	35-3/4" x 95"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	97-3/4"	96-1/2"	97"
3-6 x 8-0	41-3/4" x 95"	43-1/2"	56-7/8"	70-1/4"	58-7/8"	74-1/4"	97-3/4"	96-1/2"	97"
5-0 x 8-0 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	97-3/4"	96-1/2"	97"
5-4 x 8-0 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	97-3/4"	96-1/2"	97"
6-0 x 8-0 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	97-3/4"	96-1/2"	97"
7-0 x 8-0 DBL	--	86"	99-3/8"	112-3/4"	101-3/8"	116-3/4"	97-3/4"	96-1/2"	97"
2-6 x EZ FIT	28-1/4" x 76-3/4"	30"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
3-0 x EZ FIT	34-1/4" x 76-3/4"	36"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
5-0 x EZ DBL	--	59"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
6-0 x EZ DBL	--	71"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"

Paint Colors



Fremont



Proctor



Cougar



Tomato



Burgundy



Hunter



Artichoke



Navy



Pacific



Ballard



Denim



Carbon




Iron




Flint



Concrete



Espresso




Truffle




Taupe



Sand



Ivory



Bright


Stain Colors



Medium Oak



Cedar



Red Cherry



Mahogany



Walnut

Fir Grain Stain Colors



Ginger



Clove

Available on Fir-Grain Doors (See pages 45-51)

Why doesn't the color on my product look exactly like it does in the catalog or website?

Due to the limitations of photography, there is no guarantee that your product's colors will have the same appearance as they do in print or online. We always recommend you see an actual sample before deciding on a color choice. Contact a CODEL dealer to request a color chip sample.