Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Preventive Health Services [Post USPSTF (Including Women's Preventive)]		
Policy effect date:	Revision date:	
07/02/2012	09/16/2026	
Market Segment (Line of Business)	**Medical Plan Types:**	**Grandfather Status:**
IFP- On & Off Exchange Small Business – On & Off Exchange Large Group (Core & Premier)	HMO PSP EPO POS PPO	Non-Grandfathered Plans
Regulator:	**Funding:**	
Department of Managed Healthcare (DMHC California Department of Insurance (CDI)	Fully Insured Flex Funded	
Market Segment Out of Scope of this Policy (Line of Business)	**Product Types out of Scope for this Policy**	
FEP Shared Advantage Medi-Cal Medicare	Dental Embedded Vision Embedded Pharmacy	

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Policy Purpose

This policy incorporates the Affordable Care Act (ACA) of the health reform legislation, adopting United States (US) Preventive Services Task Force (USPSTF) recommendations; the US Department of Health and Human Services, Health Resources and Services Administration (HRSA) recommendations for infants, children, adolescents and women; immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC), Bright Future for Infants and Children, and additional requirements mandated by the state of California***.

The USPSTF has been conducting rigorous reviews of research evidence to create evidence-based recommendations for preventive services since 1984. The recommendations are intended to improve health outcomes from heart disease, cancer, infectious diseases, and other conditions and events that impact the health of children, adolescents, adults, and pregnant women. The USPSTF recommendations are routinely used to provide high-quality and appropriate preventive care. All recommendations are linked to a letter grade that reflects the magnitude of net benefit and the strength and certainty of the evidence supporting the provision of a specific preventive service. Aligning with the ACA of the Health Care Reform legislation, the recommendations with a grade of A and B (recommended) have been adopted by Blue Shield of California (BSC). Additional evidence-based preventive care services and screenings provided for in the comprehensive guidelines supported by HRSA and immunizations recommended by ACIP have been adopted by BSC.

Benefit Policy

These preventive care services, when criteria are met and the primary reason for the visit is preventive care, will be provided under the preventive care services benefits with no cost sharing to the member, when applicable procedure code and diagnosis codes are billed.

When the primary reason for a visit is non-preventive, however, the entire visit will be provided under the medical benefit of the members' plan, and cost sharing may apply per member benefits.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Annual Health Appraisal - [USPSTF (2012) & HRSA (2016)]

Annual Health Appraisal is a covered service for all patients:

- Annual preventive care visits for adult, well woman and adolescents
- Scheduled well baby visits

Annual health appraisal visits are a covered service across the lifetime of the individual. The primary purpose of these visits should be the delivery and coordination of recommended preventive services as determined by age and risk factors.

Applicable procedure codes – 81000, 81001, 81002, 81003, 99381, 99382, *99383, *99384, *99385, *99386, *99387, 99391, 99392, *99393, *99394, *99395, *99396, *99397, *99459, *G0101, G0513, G0514, *S0302, *S0610, *S0612, *S0613

Pregnancy diagnosis table only allowed with procedure codes marked with
All diagnosis codes noted below apply to all the procedure codes.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Annual Health Appraisal - [USPSTF (2012) & HRSA (2016)] Applicable ICD-10 diagnoses codes (continued)

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
D24.1	D24.2	D24.9	E28.2	E66.01	E66.09	E66.1	E66.2	E66.3
E66.811	E66.812	E66.813	E66.89	E66.9	E78.00	E78.01	E78.1	E78.2
E78.3	E78.41	E78.49	E78.5	E78.6	E88.81	E88.811	E88.818	E88.819
E88.82	E88.89	E88.9	F10.10	F10.120	F10.12	F10.90	F10.929	I10
I15.0	I15.1	I15.2	I15.8	I15.9	I20.0	I20.1	I20.81	I20.89
I20.9	I47.10	I47.11	I47.19	I47.20	I47.21	I47.29	N60.01	N60.02
N60.09	N60.11	N60.12	N60.19	N60.21	N60.22	N60.29	N60.31	N60.32
N60.39	N60.41	N60.42	N60.49	N60.81	N60.82	N60.89	N60.91	N60.92
N60.99	O99.81	Q87.40	Q87.410	Q87.41	R00.0	R00.1	R00.2	R00.8
R00.9	R01.0	R01.1	R03.0	R06.00	R06.01	R06.02	R06.03	R06.09
R06.9	R07.1	R07.2	R07.82	R07.89	R07.9	R53.1	R55	R56.9
T83.31XA	T83.31XD	T83.31XS	T83.32XA	T83.32XD	T83.32X	T83.39XA	T83.39XD	T83.39XS
Z00.00	Z11.51	Z12.4	Z12.5	Z12.72	Z12.79	Z13.1	Z13.30	Z13.31
Z13.39	Z00.01	Z00.110	Z00.111	Z00.121	Z00.12	Z00.3	Z01.411	Z01.419
Z01.42	Z11.3	Z13.40	Z13.41	Z13.42	Z13.49	Z13.6	Z15.01	Z15.02
Z15.04	Z17.31	Z17.32	Z17.410	Z17.411	Z17.42	Z17.421	Z20.2	Z20.9
Z29.3	Z30.011	Z30.012	Z30.013	Z30.014	Z30.01	Z30.016	Z30.017	Z30.018
Z30.019	Z30.02	Z30.09	Z30.2	Z30.40	Z30.41	Z30.42	Z30.430	Z30.431
Z30.432	Z30.433	Z30.44	Z30.45	Z30.46	Z30.49	Z30.8	Z30.9	Z32.00

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Annual Health Appraisal - [USPSTF (2012) & HRSA (2016)] Applicable ICD-10 diagnoses codes (continued)

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
Z32.01	Z57.8	Z68.1	Z68.20	Z68.21	Z68.22	Z68.23	Z68.24	Z68.25
Z68.26	Z68.27	Z68.28	Z68.29	Z68.30	Z68.31	Z68.32	Z68.33	Z68.34
Z68.35	Z68.36	Z68.37	Z68.38	Z68.39	Z68.41	Z68.42	Z68.43	Z68.44
Z68.45	Z68.54	Z68.55	Z68.56	Z70.0	Z70.1	Z70.2	Z70.3	Z70.8
Z71.41	Z71.51	Z71.83	Z71.7	Z72.51	Z72.52	Z72.53	Z72.89	Z78.0
Z79.3	Z80.3	Z80.41	Z80.42	Z80.49	Z82.41	Z82.49	Z82.69	Z83.3
Z83.42	Z85.3	Z85.43	Z85.44	Z86.000	Z86.001	Z86.002	Z86.32	Z86.79
Z91.841	Z91.842	Z91.843	Z91.849	Z92.0	Z97.5	Z98.51		

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0307	0309	0500	0509	0510	0514	0515	0517	0519
0520	0521	0522	0523	0529	0760	0761	0769	0770	0780
0920	0940	0960	0969	0971	0982	0983	0988		

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Adverse Childhood Experiences Screening (ACE Screening) – SB 428 (2022)

Adverse Childhood Experience is defined as an event, series of events or set of circumstances that is experienced by an individual as physically or emotionally harmful or threatening and has lasting adverse effects on the individual's functioning and physical, social, or spiritual well-being.

ACE Screenings and re-screenings are covered for the following individuals:

- Children and Adolescents under the age of 21 – 1 per year
- Individuals 22 years of age and older - 1 per lifetime

Applicable procedure codes-G9919, G9920

ApplicableICD-10 diagnoses codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
Z02.84	Z55.6	Z59.10	Z59.11	Z59.12	Z59.19	Z59.41	Z59.48	Z59.71
Z59.72	Z59.811	Z59.812	Z59.819	Z62.21	Z62.22	Z62.810	Z62.811	Z62.812
Z62.813	Z62.814	Z62.815	Z62.819	Z62.820	Z62.821	Z62.822	Z62.823	Z62.831
Z62.832	Z62.833	Z62.892	Z63.0	Z63.31	Z63.32	Z63.4	Z63.5	Z63.71
Z63.72	Z63.79	Z63.8	Z63.9	Z64.0	Z64.1	Z65.0	Z65.4	Z65.5
Z69.010	Z69.020	Z69.11	Z69.81	Z72.51	Z72.52	Z72.53	Z81.1	Z81.3
Z81.4	Z81.8	Z86.51	Z86.59	Z91.410	Z91.411	Z91.412	Z91.419	Z91.42
Z91.49	Z91.51	Z91.52	Z91.85					

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780			

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Abdominal Aortic Aneurysm: Screening - [USPSTF (2014)]

Screening for abdominal aortic aneurysm (AAA) is a covered service for patients who meet all the following criteria:

- 65 to 75 years of age
- History of smoking
- One-time screening
- Performed by ultrasonography

Applicable procedure codes - 76706

Applicable ICD-10 diagnosis codes – F17.200, F17.201, F17.203, F17.208, F17.209, F17.210, F17.211, F17.213, F17.218, F17.219, F17.290, F17.291, F17.293, F17.298, F17.299, Z87.891

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0402, 0770

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Preventive Drug and Alcohol Screenings:
Adolescent Drug and Substance Use: Screening - (Bright Futures)
Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions - [USPSTF (2013) (2018)]
Unhealthy Drug Use: Screening [USPSTF (2020)]

Criteria for Adolescent Drug and Substance Use: Screening - (Bright Futures) Screening for alcohol use in primary care for all adolescents 10 to 21 years of age. Screening should be performed as part of an age-appropriate comprehensive history and/or when the following risk factors have been identified.

Risk factors are as follows:

- A family history of substance use or mood disorders
- Poor parental supervision and household disruption associated with involvement in substance use and other risky behaviors.
- Low academic achievement and/or academic aspirations
- Perceived peer acceptance of substance use, and substance use in peers.

Applicable procedure codes- 99408, 99409, G0396, G0397, G2011, G0442 and G0443

Applicable ICD-10 diagnosis codes-F10.10, F10.120, F10.129, F10.90, F10.929, Z71.41, O99.310, O99.311, O99,312, O99.313

Applicable revenue codes-0500, 0509,0510, 0514, 0515, 0517,0519, 0520, 0521, 0522, 0523, 0529,0760, 0761, 0769, 0770, 0780

Criteria for Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions:

Screening for unhealthy alcohol use in primary care settings in adults, including pregnant women; and providing persons engaging in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealth alcohol use.

Screening and behavioral counseling interventions in primary care to reduce alcohol misuse are a covered service for:

- All adults and pregnant individuals (age 10 and older)
- Covered once per year

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Preventive Drug and Alcohol Screenings: (continued)

Applicable procedure codes - 99408, 99409, G0396, G0397, G2011, G0442, G0443, Q3014

Applicable ICD-10 diagnosis – F10.10, F10.120, F10.129, F10.90, F10.929, Z71.41, O99.310, O99.311, O99.312, O99.313

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0988								

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Criteria for Unhealthy Drug Use Screening for Adolescents, Adults and pregnant women: [USPSTF (2020)]

Screening for unhealthy drug use should be implemented when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred to.

"Unhealthy drug use" is defined as the use of substances (not including alcohol or tobacco products) that are illegally obtained or the nonmedical use of prescription psychoactive medication; that is, use of medications for reasons, for duration, in amounts, or with frequency other than prescribed or by persons other than the prescribed individual.

The screening is a covered service for patients who meet any of the following:

- This applies to all individuals age 10 years and older including Pregnant and postpartum adults

Applicable procedure codes – 99408, 99409, G0396, G0397, G2011

Applicable ICD-10 diagnosis codes – F11.10 F12.10, F13.10, F13.90, F14.10, F15.90, F16.90, Z00.00, Z00.01, Z01.411, Z01.419, Z71.51, O99.320, O99.321, O99.322, O99.323

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0988								

(Screening for unhealth drug use can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Alpha-Fetoprotein – [SB75] – Retired (September 2022)

Alpha-Fetoprotein has been retired. Please refer to the Prenatal Screening Program.

Prenatal Screening Program – [CA Health & Safety Code 1367.54 (2022)]

Prenatal screening which helps to identify pregnant women who are at increased risk of having a baby with a birth defect are covered benefit for:

- All pregnant individuals between 10- and 21-weeks' gestation—once per pregnancy

Applicable procedure codes – 81420, 82105, 0327U

Applicable ICD-10 diagnosis codes – Z36.0, Z36.1, Z36.2, Z36.3, Z36.4, Z36.5, Z36.81, Z36.82, Z36.83, Z36.84, Z36.85, Z36.86, Z36.87, Z36.88, Z36.89, Z36.8A, Z36.9

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code 0300, 0301, 0302, 0309, 0310, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Anemia - [Bright Futures]

Screening, annually, for iron deficiency anemia is a covered service for patients who meet the following criteria:

- Ages newborn to 21 years of age

Applicable procedure codes –- 85018, 36415, 36416 (preventive benefits apply to 36415 or 36416 when 36415 or 36416 is billed with the applicable diagnosis and procedure codes)

ApplicableICD-10 diagnosis codes –Z13.0

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0305	0306	0309	0500	0509	0510	0514	0515
0517	0519	0520	0521	0523	0529	0770	0960	0969	0971
0982	0983								

Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality: Preventive Medication - [USPSTF (2017) (2021)]

The services below are considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

- Pregnant Women Who are at High Risk for Preeclampsia---Potential benefit with the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia

Applicable procedure codes – None (This is a pharmacy benefit)

Applicable ICD-10 diagnosis codes – None

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality: Preventive Medication - [USPSTF (2017) (2021)]

The services below are considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

- Pregnant Women Who are at High Risk for Preeclampsia---Potential benefit with the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia

Applicable procedure codes – None (This is a pharmacy benefit)

Applicable ICD-10 diagnosis codes – None

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Asymptomatic Bacteriuria in Adults- Screening: pregnant persons [USPSTF (2008) (2019)]

Screening for asymptomatic bacteriuria, through urine culture, is a covered service for patients who meet either of the following criteria:

- Pregnant individuals at 12 to16 weeks' gestation
- Pregnant individuals at their first prenatal visit, if after 16 weeks' gestation
- Pregnant adolescents ages 10 years and older

Applicable procedure codes – 81007, 87081, 87084, 87086, 87088

ApplicableICD-10 diagnosis codes – Pregnancy diagnosis code (see list below)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0306	0307	0309	0500	0509	0510	0514	0515	0517
0519	0520	0521	0523	0529	0770	0960	0969	0971	0982
0983									

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Breastfeeding-Primary Care Behavioral Counseling Interventions [USPSTF (2016) & HRSA (2016) (2022) (2025)]

USPSTF and HRSA recommend providing interventions during pregnancy and after birth to support breastfeeding. Interventions include breastfeeding support during pregnancy and through the early life of the child. Clinicians can support women directly or through referral, to help women make an informed choice about breastfeeding and breastfeeding benefits.
HRSA recommends lactation support services (including consultation, counseling, education by clinicians, and breastfeeding equipment and supplies) during the antenatal, perinatal, and postpartum period to ensure the successful initiation and maintenance of breastfeeding.

Please Note--Lactation support services are considered part of the global obstetrics package and maybe a part of office and counseling services. Only services for complications, illness, or disease can be excluded from the routine postpartum care and billed in addition to global services.

Applicable lactation counseling codes-

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
99401	99402	99403	99404	96156	96158	96159	96164	96165
96167	96168	96170	96171	98960	98961	98962	99202	99203
99204	99205	99212	99213	99214	99215	99411	99412	Q3014
S9443								

Applicable supply procedure codes – A4281, A4282, A4283, A4284, A4285, A4286, A4287, A4288, E0602, E0603, E0604

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Breastfeeding - Primary Care Behavioral Counseling Interventions [USPSTF (2016) & HRSA (2016) (2022) (2025)] Cont.

Applicable ICD-10 diagnosis codes –

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
B37.2	L01.00	O91.02	O91.03	O91.12	O91.13	O91.22	O91.23	O92.03	O92.13
O92.29	O92.3	O92.4	O92.5	O92.6	O92.70	O92.79	Q83.8	R20.3	Z39.1

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code-

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0270	0271	0272	0290	0294	0942	0500	0509	0510	0514
0515	0517	0519	0520	0521	0522	0523	0529	0761	0769
0770	0780	0960	0969	0982	0983	0988			

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Breast Cancer Screening: Mammogram - [USPSTF (2009) & HRSA (2016) (2026)]

Screening for breast cancer is a covered service for patients who meet all the following criteria:

- 40 years and older
- Performed every 1 to 2 years.

If additional imaging and pathology evaluation are indicated these services are recommended to be completed during the screening process for malignancies and will be considered preventive when they meet specific criteria.

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
19000	19001	19081	19082	19083	19084	19085
19086	19100	19101	76376	76377	76641	76642
76942	77021	77046	77047	77048	77049	77061
77062	*77063	77065	77066	77067	88305	C8903
C8905	C8906	C8908	G0202	G0279		

*Please note that 77063 is an add-on code.

Applicable ICD-10 diagnosis codes

DX code	DX code	DX code	DX code	DX code	DX code	DX code	DX code	DX code
R92.2	R92.30	R92.311	R92.312	R92.313	R92.321	R92.322	R92.323	R92.331
R92.332	R92.333	R92.341	R92.342	R92.343	Z00.00	Z00.01	Z01.411	Z01.419
Z12.31	Z12.39							

Applicable revenue codes when billed with an applicable CPT/ HCPCS Procedure code

REV code	REV code	REV code	REV code	REV code	REV code	REV code	REV code	REV code
0300	0301	0302	0305	0306	0309	0310	0319	0403
0500	0509	0510	0514	0517	0519	0520	0521	0523
0529	0760	0761	0769	0770	0940	0949	0960	0969
0971	0982	0983	0988					

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing - [USPSTF (2013) (2019)]

USPSTF recommends screening women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA ½) gene mutations with an appropriate brief familial risk assessment tool. Women with positive screening results should receive genetic counseling and, if indicated after counseling, genetic testing.
This service is included as part of the Preventive Benefit, per ACA, with no cost-sharing by members, if medically necessary – please see BSC medical policy Genetic Testing for Hereditary Breast and/or Ovarian Cancer):

- Personal or family history associated with an increased risk for deleterious mutations in BRCA1 or BRCA2 genes

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
36415	81162	81163	81164	81165	81166	81167	81211	81212	81213
81214	81215	81216	81217	81432	81433	81479	96041	99401	99402
99403	99404	Q3014	S0265						

Applicable ICD-10 diagnosis codes – Z15.01, Z15.02, Z15.05, Z80.3, Z80.41, Z80.44

Preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing - [USPSTF (2013) (2019)] Cont.

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0310	0319	0500	0509
0510	0514	0517	0519	0520	0521	0522	0523	0529	0760
0761	0769	0770	0780	0940	0942	0949	0960	0969	0971
0982	0983	0988							

(BRCA assessment, genetic counseling and testing can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Breast Cancer: Medications Use to Risk Reduction - [USPSTF (2013) (2019)]

The USPSTF recommends that clinicians offer to prescribe risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors, to women who are at increased risk for breast cancer and at low risk for adverse medication effects, also includes asymptomatic women 35 years and older, including women with previous benign breast lesions on biopsy (such as atypical ductal or lobular hyperplasia and lobular carcinoma in situ) to all individuals who meet all of the following criteria:

- At high risk for breast cancer
- At low risk for adverse medication effects

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
99202	99203	99204	99205	99211	99212	99213	99214	99215
99384	99385	99386	99387	99394	99395	99396	99397	99401
99402	99403	99404	Q3014					

Applicable ICD-10 diagnoses codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
D24.1	D24.2	D24.9	N60.01	N60.02	N60.09	N60.11	N60.12	N60.19
N60.21	N60.22	N60.29	N60.31	N60.32	N60.39	N60.41	N60.42	N60.49
N60.81	N60.82	N60.89	N60.91	N60.92	N60.99	Z00.00	Z00.01	Z01.411
Z01.419	Z15.01	Z80.3	Z86.000					

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0517	0519	0520	0521	0522	0523
0529	0760	0761	0769	0770	0780	0960	0969	0982	0983
0988									

(Screening and discussion can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening - [USPSTF (2012) (2018), HRSA (2016) and Bright Futures]

Screening for cervical cancer is a covered service for patients who meet all the following criteria:

- Women aged 12 to 29 years
- Individuals who have a cervix
- Within three years of onset of sexual activity Age 21 if not sexually active by age 18 years.

Service covered once every 3 years with cytology alone

Screening for cervical cancer is a covered service for patients who meet at least one of the following criteria:

- Women aged 30 to 65 years
- Every 3 years with cytology alone
- Every 3 years with high-risk HPV testing alone
- Every 3 years with co-testing (high-risk HPV testing with cytology)

*Please note-- Human papillomavirus (HPV) is a covered service for patients who are age 30 years and older, in conjunction with cervical cancer screening (Pap smear), covered once every 3 years.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.3, Z11.51, Z12.4, Z12.72, Z12.79, Z20.2, Z20.9, Z72.51, Z72.52, Z72.53

Cervical Cancer Screening applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
88141	88142	88143	88147	88148	88150	88152
88153	88164	88165	88166	88167	88174	88175
G0123	G0124	G0141	G0143	G0144	G0145	G0147
G0148	G0476	P3000	P3001	Q0091		

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening - [USPSTF (2012) (2018), HRSA (2016) and Bright Futures] (continued)

*Screening for human papillomavirus (HPV) is a covered service for patients who meet all the following criteria:

- Sexually active
- Age 30 years of age and older
- And in conjunction with cervical cancer screening (Pap smear)

*HPV screening with cervical cancer screening is allowed once every 3 years.

HPV screening applicable procedure codes – 87623, 87624, 87625, 87626, G0476, 0502U

HPV applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.3, Z11.51, Z12.4, Z12.72, Z12.79, Z20.2, Z20.9, Z72.51, Z72.52, Z72.53

Applicable revenue codes for Cervical Cancer and HPV Screening when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0310	0311	0319
0500	0509	0510	0514	0515	0517	0519	0520	0521
0522	0523	0529	0760	0761	0769	0770	0920	0923
0940	0960	0969	0971	0982	0983	0988		

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Chlamydia and Gonorrhea Screening- [SB 306 (2023), USPSTF (2014) (2021) Bright Futures]

Screening for Chlamydia infection and/or gonorrhea is a covered service for patients who meet any of the following criteria:

Sexually active individuals aged 10 years and older
Sexually active asymptomatic individuals aged 24 years and older with any of the following risk factors:

- History of Chlamydia, Gonorrhea, or other sexually transmitted infection
- New or multiple sexual partners
- Inconsistent condom use
- Commercial sex worker
- Drug use

Pregnant individuals in a high-risk group:

- At first prenatal visit
- Second screening during the third trimester for those who are at continued risk or who acquire a new risk factor

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Applicable procedure codes – 0483U, 86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87494, 87590, 87591, 87592, 87810, 87850

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.8, Z20.2, Z20.9, Z57.8, Z72.51, Z72.52, Z72.53 and pregnancy diagnosis code (see list below)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Chlamydia and Gonorrhea Screening- [SB 306 (2023), USPSTF (2014) (2021) Bright Futures] Cont.

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code.

REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0310	0500	0509
0510	0514	0515	0517	0519	0520	0521	0522	0523
0529	0770	0920	0929	0960	0969	0971	0982	0983
0988								

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Colorectal Cancer - [USPSTF (2016) (2021) (2022) and State Mandate AB 342]

Screening for colorectal cancer is a covered service for patients who meet either of the following criteria:

- Non-high risk individuals ages 45 to 75 years of age
- Individuals defined as high-risk (see high-risk Criteria)

"High Risk for developing colorectal cancer" is defined as anyone with:

- Close relative (sibling, parent, or child) who has had colorectal cancer or an adenomatous polyp
- Family history of familial adenomatous polyposis
- Family history of hereditary nonpolyposis colorectal cancer
- Personal history of adenomatous polyps
- Personal history of colorectal cancer
- Personal history of inflammatory bowel disease, including Crohn's Disease and ulcerative colitis
- (See high-risk DX table for medical necessity criteria)

Beginning age and screening intervals can be reduced for patients at high risk for colorectal cancer any of the following procedures and intervals:

- Fecal occult blood performed annually
- Screening barium enemas every 5 years
- Sigmoidoscopy performed every 5 years
- Colonoscopy performed every 10 years
- Multi-targeted stool DNA testing every 3 years

"High Risk for developing colorectal cancer" is defined in the Code of Federal Regulations (CFR) at 42 CFR 410.37(a)(3)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Colorectal Cancer - [USPSTF (2016) (2021) (2022) and State Mandate AB 342] (continued)

Applicable ICD-10 diagnosis codes for non-high-risk screening – Z12.10, Z12.11, Z12.12

Modifier 33 or PT have been created to append to services furnished in connection with or in relation to a colorectal cancer screening test that starts as preventive and becomes diagnostic. BSC recognizes this modifier for claims billed for preventive services as outlined in this policy and will process accordingly if performed on the same date of service and in the same encounter.

The 33 modifier will be recognized and accepted with the use of the following codes: 44389, 44392, 44394, 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 81528, 82270, 82274, G0104, G0105, G0121, G0327, G0328

The PT modifier will be recognized and accepted with the use of the following codes: 44389, 44392, 44934, 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 81528, 82270, G0104, G0105, G0121, G0327, G0328

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
00811	00812	00813	44389	44392	44394	45330	45331	45332
45333	#45335#	45338	45378	45380	45381	45384	45385	74280
81528	82270	82274	88305	99000	99140	99152	99153	99156
99157	G0104	G0105	G0121	G0327	G0328	G0500	J0300	J2001
J2002	J2003	J2004	J2175	J2180	J2250	J2251	J2252	J2253
J2704	J3010++	J3360	J3490	J7120	S0285			

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Colorectal Cancer - [USPSTF (2016) (2021) (2022) and State Mandate AB 342] (continued)

**High Risk ICD-10 diagnosis codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
C18.0	C18.2	C18.3	C18.4	C18.5	C18.6	C18.7	C18.8	C19	C20
C21.0	C21.1	C21.2	C21.8	C49.A3	C49.A4	C49.A5	C78.5	C7A.021	C7A.022
C7A.023	C7A.024	C7A.025	C7A.026	D01.0	D01.1	D01.2	D01.3	D12.0	D12.2
D12.3	D12.4	D12.5	D12.7	D12.8	D12.9	D37.4	D37.5	D37.9	D3A.021
D3A.022	D3A.023	D3A.024	D3A.025	D3A.026	D3A.029	K50.00	K50.011	K50.012	K50.013
K50.014	K50.018	K50.019	K50.10	K50.111	K50.112	K50.113	K50.114	K50.118	K50.119
K50.80	K50.811	K50.812	K50.813	K50.814	K50.818	K50.819	K50.90	K50.911	K50.912
K50.913	K50.914	K50.918	K50.919	K51.00	K51.011	K51.012	K51.013	K51.014	K51.018
K51.019	K51.20	K51.211	K51.212	K51.213	K51.214	K51.218	K51.219	K51.30	K51.311
K51.312	K51.313	K51.314	K51.318	K51.319	K51.40	K51.411	K51.412	K51.413	K51.414
K51.418	K51.419	K51.50	K51.511	K51.512	K51.513	K51.514	K51.518	K51.519	K51.80
K51.811	K51.812	K51.813	K51.814	K51.818	K51.819	K51.90	K51.911	K51.912	K51.913
K51.914	K51.918	K51.919	K52.1	K52.89	K52.9	K57.20	K57.21	K57.30	K57.31
K57.32	K57.33	K57.40	K57.41	K57.50	K57.51	K57.52	K57.53	K57.80	K57.81
K57.90	K57.91	K57.92	K57.93	K62.0	K62.1	K62.6	K63.3	K63.5	Z15.060
Z15.068	Z15.09	Z80.0	Z83.71	Z83.710	Z83.711	Z83.718	Z83.719	Z83.72	Z85.038
Z85.048	Z86.004	Z86.010	Z86.0100	Z86.0101	Z86.0102	Z86.0109			

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Colorectal Cancer - [USPSTF (2016) (2021) (2022) and State Mandate AB 342] (continued)

45335## is only applicable when Medical Criteria has been met. Please see Medical Policy for Injectable Bulking Agents for the Treatment of Urinary and Fecal Incontinence.

J3010++ is only applicable when Medical Criteria has been met

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0250	0251	0252	0258	0259	0300	0301	0305	0309	0310
0312	0319	0320	0329	0360	0361	0369	0370	0371	0372
0379	0490	0499	0500	0509	0510	0517	0519	0520	0521
0523	0529	0631	0632	0636	0710	0750	0760	0761	0769
0770	0960	0963	0964	0969	0971	0972	0975	0982	0983

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Contraception - [HRSA (2016) (2022)]

The full range of female contraceptives approved, granted, or cleared by the Food and Drug Administration, which include but not limited to hormonal methods such as birth control and vaginal rings, implanted devices such as intrauterine devices (IUD), barrier methods such as diaphragms and sponges, emergency contraception, female sterilization procedures, patient education and counseling related to birth control.

Covered benefits apply to:

All female individuals of reproductive capacity (Adolescents and adult) Contraceptive care should include contraceptive counseling, screening, education, provision of contraceptives (including in the immediate postpartum period), initiation of contraceptive use, and follow-up care (e.g., management, evaluation, and changes, including the removal, continuation, and discontinuation of contraceptives).

Applicable procedure codes:

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
00840	00851	00940	00952	0567T	0568T	11976	11981	11982
11983	57170	58300	58301	58340	58562	58565	58600	58605
58611	58615	58661	58670	58671	58700	74740	76856	81025
84703	88305	96372	99000	99140	99202	99203	99204	99205
99211	99212	99213	99214	99215	99384	99385	99386	99387
99394	99395	99396	99397	99401	99402	99403	99404	99411
99412	A4261	A4264	A4266	A4267	A4268	A4269	***A9293	G0463
H1010	J1050	**J1790	J1885	J2001	J2002	J2003	J2004	J2060
**J2175	**J2180	**J2250	**J2251	**J2252	J2253	**J2704	**J3010	**J3360
J7120	J7294	J7295	J7296	J7297	J7298	J7299	J7300	J7301
J7303	J7304	J7306	J7307	Q3014	Q9984	S0190	S0191	S4981
S4989	S4993							

*Please note— Emergency contraception is allowed when the emergency drug (Ulipristal acetate)-CPT code *S4993 is administered in an office or outpatient setting

*96372 is allowable with all the diagnosis listed when billed with J1050

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Contraception - [HRSA (2016) (2022)] (continued)

*96372 is allowable when billed with J3490 and diagnosis code Z30.012

**Anesthesia medications could be administered for Contraception Services.

***Please note that Natural Cycles software application subscription requires a licensed healthcare provider prescription and will be reimbursed under procedure code A9293.

Applicable ICD-10 procedure codes – will only apply to inpatient facility claims based on the ICD 10 PCS guidelines for the specific contraception procedures noted above.

ApplicableICD-10 diagnosis codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
Z30.011	Z30.012	Z30.013	Z30.014	Z30.015	Z30.016	Z30.017	Z30.018	Z30.019	Z30.02
Z30.09	Z30.2	Z30.40	Z30.41	Z30.42	Z30.430	Z30.431	Z30.432	Z30.433	Z30.44
Z30.45	Z30.46	Z30.49	Z30.8	Z30.9	Z79.3	Z92.0	Z97.5	Z98. 51	T83.31XA
T83.31XD	T83.31XS	T83.32XA	T83.32XD	T83.32XS	T83.39XA	T83.39XD	T83.39XS		

Applicable Revenue Codes- when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV
0250	0251	0252	0259	0270	0272	0278	0279	0300
0301	0307	0320	0329	0360	0361	0369	0370	0371
0372	0379	*0450	*0451	*0452	*0456	*0459	0490	0499
0500	0509	0510	0514	0515	*0516	0517	0519	0520
0521	0522	0523	*0526	0529	0636	0710	0760	0761
0762	0769	0770	0780	0960	0963	0964	0969	0975
0982	0983	0988						

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Contraception - [HRSA (2016) (2022)] Cont.

*Revenue codes 0450, 0451, 0452, 0456, 0459, 0516, and 0526 are only allowed for removal of contraception devices or implants.

(Contraception counseling can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

COVID-19 Vaccine [SB 510 [(2020) (2021) (2022)]

United States Preventive Services Task Force (USPSTF) and Center for Disease (CDC) recommends individuals be vaccinated to mitigate the spread and prevent COVID19. FDA has approved and recommends vaccines be given as a covered service for all patients who meet the criteria as established by the Center for Disease Control (CDC), the Advisory Committee on Immunization Practices (ACIP), utilizing standard industry procedure coding.
Before vaccination, providers should counsel COVID-19 vaccine recipients, parents, or guardians about possible post-vaccination reactions. Vaccines and immunization counselling will be covered at no cost under the Preventive Benefit (see Appendix for codes)

- All adults
- Pregnant women
- Infants, young children, and adolescents

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Depression and Suicide Risk in Adults: Screening - [USPSTF (2016) (2023) Bright Futures (2022)], Depression and Suicide Risk in Children and Adolescents: Screening – [USPSTF (2016) (2022) Bright Futures (2022)], Screening for Anxiety Disorders in Children, Adolescents and Adults – [HRSA (2020) USPSTF (2022) (2023) Bright Futures (2022)]

Criteria for Screening for Depression and Suicide Risk in Adults:

Clinicians should screen for major depression disorder in individuals who do not have a diagnosed mental health disorder or recognizable signs or symptoms of depression or suicide risk.
Screening is a covered service for:

- All adults including pregnant and postpartum women
- To achieve the benefit of depression screening and reduce disparities in depression- associated morbidity, it is important that persons who screen positive are evaluated further for diagnosis and, if appropriate, are provided or referred for evidence-based care

Criteria for Screening for Depression and Suicide Risk in Children and Adolescents:

Screening for major depressive disorder (MDD) is a covered service for children and adolescents who do not have a diagnosed mental health condition or are not showing recognized signs or symptoms of depression or suicide:

- All children and adolescents (12 years to 21 years of age)

Criteria for Screening for Anxiety in Children, Adolescents and Adults:

The Women's Preventive Services Initiative recommends screening for anxiety in adolescent and adult women, including those who are pregnant or postpartum. Optimal screening intervals are unknown, and clinical judgement should be used to determine screening frequency.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Depression and Suicide Risk in Adults: Screening - [USPSTF (2016) (2023) Bright Futures (2022)], Depression and Suicide Risk in Children and Adolescents: Screening – [USPSTF (2016) (2022) Bright Futures (2022)], Screening for Anxiety Disorders in Children, Adolescents and Adults – [HRSA (2020) USPSTF (2022) (2023) Bright Futures (2022)] (continued)

Given the high prevalence of anxiety disorders, lack of recognition in clinical practice, and multiple problems associated with untreated anxiety; clinicians should consider screening women who have not been recently screened. The USPSTF recommends screening for anxiety disorders in adults, including pregnant and postpartum, children and adolescents who do not have a diagnosed mental health disorder or are not showing recognized signs and symptoms of anxiety. Conditions reviewed should include generalized anxiety disorder, social anxiety disorder, panic disorder, and anxiety not otherwise specified. Screening instruments may be utilized for detecting anxiety. The optimal interval is unknown. Repeated screening may be most productive in adolescents with risk factors for anxiety. Opportunistic screening may be appropriate for adolescents, who may have infrequent health care visits.

Clinicians may consider screening for anxiety in conjunction with screening for depression, which is recommended by the USPSTF, because of the frequent co-occurrence of anxiety and depressive disorders.
This is a covered service for:

- Children and adolescents, age 8 to 21 years
- Adults, pregnant and nonpregnant women ages 10 and older

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Depression and Suicide Risk in Adults: Screening - [USPSTF (2016) (2023) Bright Futures (2022)], Depression and Suicide Risk in Children and Adolescents: Screening – [USPSTF (2016) (2022) Bright Futures (2022)], Screening for Anxiety Disorders in Children, Adolescents and Adults – [HRSA (2020) USPSTF (2022) (2023) Bright Futures (2022)] Cont.

Applicable procedure codes – 96127, 96160, 96161, G0444, S3005

Applicable ICD-10 diagnosis codes – Z13.30, Z13.31, Z13.32, Z13.39, and Pregnancy diagnosis code (see list below)

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0940	0949	0960
0969	0982	0983	0984	0988					

(Depression, Suicide and Anxiety screening can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Perinatal Depression: Preventive Interventions – [USPSTF (2019)]

Clinicians provide or refer counseling interventions for pregnant and postpartum adolescents and adults who are less than 1 year postpartum who do not have a current diagnosis of depression but are at increased risk of developing depression.

Applicable procedure codes –

CPT	CPT	CPT	CPT	CPT	CPT	CPT	CPT	CPT
99401	99402	99403	99404	96156	96158	96159	96164	96165
96167	96168	96170	96171	Q3014				

Applicable ICD-10 diagnosis codes –

DX	DX	DX	DX	DX	DX	DX	DX	DX
Z13.32	Z34.00	Z34.01	Z34.02	Z34.80	Z34.81	Z34.82	Z34.83	Z34.90
Z34.91	Z34.92	Z34.93	Z39.2	Z86.59				

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code **-**

REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521
0522	0523	0529	0760	0761	0769	0770	0780	0920
0940	0949	0960	0969	0982	0983	0984	0988	

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Developmental/Autism and Behavioral/Social/Emotional Screening - [Bright Futures (2019) (2022)]

Screening for developmental/autism is a covered service for asymptomatic patients age 0 to 2.5 years of age/30 months of age. Clinicians should provide developmental surveillance and screening using standardized screening or assessment instruments.

- Assessment for children age 0 and 2.5 years of age/30 months of age
- Screening should be performed at the 9-month visit
- Screening should be performed at 18-month visit (includes Autism Spectrum Disorder screening)
- Screening should be performed at 2.5 year / 30 months of age visit (includes Autism Spectrum Disorder screening)

Applicable procedure code for Developmental & Autism Screening: 96110, Q3014

Applicable ICD 10 diagnosis code Developmental & Autism Screening: Z13.41, Z13.42

Behavioral/Social/Emotional screenings are a covered service for asymptomatic patients age 0 to 21 years of age.

Applicable procedure code for Behavioral/Social/Emotional Screening – 96127, Q3014

Applicable ICD 10 diagnosis code for Behavioral/Social/Emotional Screening –Z13.31, Z13.39

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0984	0988							

(Developmental/Autism and behavioral/social/emotional screening can also be performed during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Fall Prevention in Community-Dwelling Older Adults: Interventions - [USPSTF (2012, 2018)]

Preventive care visits to discuss exercise interventions to prevent falls is a covered service for patients who meet all the following criteria (OTC medications are not a covered benefit):

- Community-dwelling adults (excluding institutionalized, facility-based adults, such as those in Skilled Nursing Facilities)
- Aged 65 years or older
- At increased risk for fall

Applicable procedure codes – 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0159, S8990, S9131

ApplicableICD-10 diagnosis codes – Z91.81

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0420	0421	0422	0424	0429	0500	0509	0510	0517	0519
0520	0521	0522	0523	0529	0760	0761	0769	0770	0780
0977	0982	0983							

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Folic Acid Supplements to Prevent Neural Tube Defects: Preventive Medication- [USPSTF (2009) (2017)]

Discussion of the use of 0.4 to 0.8 mg daily of folic acid is a covered benefit for all patients who meet the following criteria (OTC medications are not a covered benefit):

- Planning or capable of pregnancy

These services are considered inclusive in the preventive care visit, and therefore not separately Reimbursable.

Applicable procedure codes – None

Applicable ICD-10 diagnosis codes – None

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Screening For Diabetes in Pregnancy- [USPSTF (2014) & HRSA (2016) (2019) (2021) (2023)] Screening for Diabetes After Pregnancy - [HRSA (2020) (2023)] Screening for Prediabetes and Type 2 Diabetes Mellitus: - [USPSTF (2008) (2015) (2020) (2021)]

Criteria for Screening For Diabetes in Pregnancy:

Screening pregnant women for gestational diabetes is a covered service for asymptomatic pregnant individuals who meet any of the following criteria:

- 2 screenings per pregnancy between 24-28 weeks of gestation (or later in persons who enter prenatal care after 28 weeks of gestation)
- At the first prenatal visit for women identified to be at high risk for diabetes
- This applies to all individuals, age 10 years and older

Criteria for Screening For Prediabetes and Type 2 Diabetes Mellitus: Screening for abnormal blood glucose and screening for Diabetes Mellitus (Type 2) in a primary care setting is a covered service for:

- Adults aged 35 to 70 years who are overweight (BMI equal or greater than 25) or obese (BMI equal or greater than 30) and have no obvious symptoms of diabetes.
- Adults who have a family history of diabetes, history of gestational diabetes, or history of polycystic ovarian syndrome
- Adults who are members of certain racial/ethnic groups may be at increased risk

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Screening For Diabetes in Pregnancy- [USPSTF (2014) & HRSA (2016) (2019) (2021) (2023)] Screening for Diabetes After Pregnancy - [HRSA (2020) (2023)] Screening for Prediabetes and Type 2 Diabetes Mellitus: - [USPSTF (2008) (2015) (2020) (2021)] Cont.

Criteria for Screening For Diabetes After Pregnancy:

The Women's Preventive Services Initiative recommends screening for type 2 diabetes in women with a history of gestational diabetes mellitus (GDM) who are not currently pregnant and who have not previously been diagnosed with type 2 diabetes mellitus. Initial testing should ideally occur within the first year postpartum and can be conducted as early as 4–6 weeks postpartum.

Women with a negative initial postpartum screening test result should be rescreened at least every 3 years for a minimum of 10 years after pregnancy. For women with a positive postpartum screening test result, testing to confirm the diagnosis of diabetes is indicated regardless of the initial test (e.g., oral glucose tolerance test, fasting plasma glucose, or hemoglobin A1c).

Repeat testing is indicated in women who were screened with hemoglobin A1c in the first 6 months postpartum regardless of the result.

- This applies to all individuals, age 10 years and older
- This applies to all individuals within the first postpartum year.

Applicable procedure codes for Screening for Prediabetes and Type 2 Diabetes Mellitus, Screening for Diabetes After Pregnancy, Screening for Diabetes in Pregnancy – 82946, 82947, 82948, 82950, 82951, 82952, 83036, 36415

Applicable ICD-10 diagnosis codes for Screening for Prediabetes and Type 2 Diabetes Mellitus, Screening for Diabetes After Pregnancy, Screening for Diabetes in Pregnancy – 099.815, Z13.1, Z83.3, Z86.32, and Pregnancy diagnosis table (see list below)

Company Internal Use Only
Confidential Property of Blue Shield of California
Use and distribution permitted only by authorized personnel.
Do not duplicate or distribute without the express permission of the policy owner.
Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Screening For Diabetes in Pregnancy- [USPSTF (2014) & HRSA (2016) (2019) (2021) (2023)] Screening for Diabetes After Pregnancy - [HRSA (2020) (2023)] Screening for Prediabetes and Type 2 Diabetes Mellitus: - [USPSTF (2008) (2015) (2020) (2021)] Cont.

Applicable revenue codes for Screening for Prediabetes and Type 2 Diabetes Mellitus, Screening for Diabetes After Pregnancy, Screening for Diabetes in Pregnancy

REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0305	0306	0309	0500	0509	0510	0514
0515	0517	0519	0520	0521	0522	0523	0529	0760
0761	0769	0770	0969	0971	0982	0983		

Criteria for Counseling For Prediabetes and Type 2 Diabetes Mellitus:

Clinicians should offer or refer patients with prediabetes to effective preventive interventions to promote a healthful diet and physical activity.

- Adults aged 35 to 70 years with abnormal blood glucose levels

Applicable procedure codes for Counseling for Prediabetes and Type 2 Diabetes Mellitus – 0403T, 0488T, G9871, G9886, G9887, Q3014

Applicable ICD-10 diagnosis codes for Counseling for Prediabetes and Type 2 Diabetes Mellitus

Company Internal Use Only
Confidential Property of Blue Shield of California
Use and distribution permitted only by authorized personnel.
Do not duplicate or distribute without the express permission of the policy owner.
Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Screening For Diabetes in Pregnancy- [USPSTF (2014) & HRSA (2016) (2019) (2021) (2023)] Screening for Diabetes After Pregnancy - [HRSA (2020) (2023)] Screening for Prediabetes and Type 2 Diabetes Mellitus: - [USPSTF (2008) (2015) (2020) (2021)] Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
E28.2	E66.01	E66.09	E66.1	E66.2	E66.3	E66.811	E66.812	E66.813	E66.89
E66.9	Z68.25	Z68.26	Z68.27	Z68.28	Z68.29	Z68.30	Z68.31	Z68.32	Z68.33
Z68.34	Z68.35	Z68.36	Z68.37	Z68.38	Z68.39	Z68.41	Z68.42	Z68.43	Z68.44
Z68.45									

Applicable revenue codes for Counseling for Prediabetes and Type 2 Diabetes Mellitus

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983									

(Counseling for Prediabetes and Diabetes Mellitus (Type 2) screening can also be performed during the Annual Health Appraisal)

Company Internal Use Only
Confidential Property of Blue Shield of California
Use and distribution permitted only by authorized personnel.
Do not duplicate or distribute without the express permission of the policy owner.
Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Gonorrhea (STD) - [USPSTF (2014)]

Gonorrhea (STD) has been combined with the Chlamydia (STD) Infection category, as of September 2019.

Please refer to the Chlamydia category for criteria.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Healthy Diet and Physical Activity for Cardiovascular Disease Prevention in Adults with Cardiovascular Risk Factors/Abnormal Blood Glucose Screening/Obesity: Behavioral Counseling - [USPSTF (2014) (2020)]

Offering or referring adults aged 18 years and older, with cardiovascular disease risk factors (known hypertension or elevated blood pressure, elevated lipid levels or dyslipidemia, and mixed or multiple risk factors (e.g., metabolic syndrome or estimated 10-year CVD risk of ≥7.5%) to behavioral counseling interventions to promote a healthful diet and physical activity for CVD prevention.

Applicable procedure codes – 99401, 99402, 99403, 99404, 99411, 99412, 97802, 97803, 97804, G0446, Q3014

**97802, 97803, 97804-only allowable with the following DX codes –
E78.2, E78.3, E78.41, E78.49, E78.5, E78.6, E88.810, E88.811, E88.818, E88.819

Applicable ICD-10 diagnosis codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
E78.00	E78.01	E78.1	E78.2	E78.3	E78.41	E78.49	E78.5	E78.6
E88.810	E88.811	E88.818	E88.819	E88.89	E88.9	I10	I15.0	I15.1
I15.2	I15.8	I15.9	R03.0					

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0984	0988							

(Healthy Diet and Physical Activity for CVD Prevention in Adults with Cardiovascular Risk Factors: Behavioral Counseling can also be included during Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Healthy Weight and Weight Gain in Pregnancy: Behavioral Counseling Interventions – [USPSTF (2021)]

The USPSTF recommends that clinicians offer pregnant persons effective behavioral counseling interventions aimed at promoting healthy weight gain and preventing excess gestational weight gain in pregnancy.

Primary care clinicians can deliver effective in-person behavioral counselling interventions or refer patients to behavioral counselling interventions in other settings.

This applies to all pregnant individuals, age 10 years and older.

Applicable procedure codes –
99401, 99402, 99403, 99404, 99411, 99412, G0473, G0447, Q3014

Applicable ICD-10 diagnosis codes - Pregnancy diagnosis table (see list below)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0988								

(The Healthy Weight screening and counseling can also occur and be inclusive of prenatal or antepartum care)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Hepatitis B Virus Infection in Adolescents and Adults: Screening- [USPSTF (2014) (2020) Bright Futures (2022)] and Hepatitis B Virus Infection in Pregnant Woman: Screening USPSTF 2019

Screening and risk assessment for hepatitis B virus infection is a covered service for patients who meet the following criteria:

- Pregnant individuals at their first prenatal visit

Applicable procedure code – 80074, 80076, 86704, 86705, 86706, 86707, 87340, 87341, 87350, 87467, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

(See coverage of 80055 with pregnancy diagnosis codes under Syphilis Infection and Rh (D) Screening)

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis table (see list below)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code –

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0500	0509	0510	0514
0515	0517	0519	0520	0521	0522	0523	0529	0770	0960
0969	0971	0982	0983						

- Non-pregnant, asymptomatic, adolescents and adults at increased risk for HBV infection- including those who were vaccinated before being screened for HBV infection.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z11.3, Z11.59, Z20.2, Z20.5, Z57.8, Z72.51, Z72.52, Z72.53, Z77.21

Applicable procedure code – 80074, 80076, 86704, 86705, 86706, 86707, 87340, 87341,87350, 87467, G0499, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Hepatitis B Virus Infection in Adolescents and Adults: Screening- [USPSTF (2014) (2020) Bright Futures (2022)] and Hepatitis B Virus Infection in Pregnant Woman: Screening USPSTF 2019. Cont.

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0500	0509	0510	0514
0515	0517	0519	0520	0521	0522	0523	0529	0770	0960
0969	0971	0982	0983						

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Hepatitis C Virus Infection in Adolescents and Adults: Screening - [USPSTF (2013) (2020)]

Screening for hepatitis C virus infection is a covered service for all asymptomatic adults, including pregnant women, age 10 to 99 years of age, without known liver disease. This is a one-time screening.

Applicable procedure code – 86803, 86804, 87520, 87521, 87522, 87902, G0472, G0567, 36415
(preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis)

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z11.3, Z11.59, Z20.2, Z20.5, Z20.6, Z72.51, Z72.52, Z72.53, Z72.89, Z77.21, and Pregnancy diagnosis table (see list below)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code –

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0500	0509	0510	0514
0515	0517	0519	0520	0521	0522	0523	0529	0770	0960
0969	0971	0982	0983						

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Hypertension in Adults: Screening – [USPSTF (2015) (2021)]

Screening for high blood pressure is a covered service for:

- All adults aged 18 years or older
- Annually

The USPSTF recommends screening for hypertension in adults with office blood pressure measurement (OBPM). The USPSTF also recommends obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment (Ambulatory Blood Pressure Measurement is payable as preventive as listed below)

Applicable procedure codes – 93784, 93786, 93788, 93790, 99473, 99474
(High blood pressure screening can also be included during the Annual Health Appraisal)

Applicable ICD-10 diagnosis codes – R03.0

Hypertensive Disorders of Pregnancy: Screening – USPSTF (2023)

The USPSTF recommends screening for hypertensive disorder of pregnant persons with blood pressure measurements throughout pregnancy.

- Screening applies to all pregnant women and pregnant persons of all genders without a known diagnosis of a hypertensive disorder of pregnancy or chronic hypertension
- Blood pressure measurements should be obtained during each prenatal care visit throughout pregnancy. If a patient has elevated blood pressure reading, the reading should be confirmed with repeated measurements
- To achieve the benefit of screening, it is important that persons who screen positive receive evidence-based management of hypertensive disorders of pregnancy

Applicable procedure codes – None

Applicable ICD-10 diagnosis codes – None

This service is considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Human Immunodeficiency Virus (HIV) Infection: Screening adolescents, adults, and pregnant persons - [SB 306 (2023), USPSTF (2013) (2019) (2022) & HRSA (2016) (2022) Bright Futures (2023)]

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.
Screening for human immunodeficiency virus (HIV) is a covered service for patients who meet any of the following criteria:

- Pregnant individuals, including women who present in labor and are untested
- All adolescents and adults aged 10-65 years in age
- All adolescents younger than 10 years of age and adults older than 65 years of age with any of the following risk factors:
- Receives health care in a high-prevalence or high-risk clinical setting.
- Men who have had sex with men
- Individuals having unprotected sex with multiple partners.
- Past or present injection drug user
- Commercial sex worker
- Individuals whose past or present sex partners were any of the following:
- HIV-infected
- Bisexual individual
- Injection drug users
- Individuals being treated for sexually transmitted diseases

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis – [SB 306 (2023), USPSTF (2019) (2021) (2022)] Cont.

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
36415	80081	81025	82565	82570	82575	84702	84703	86689
86701	86702	86703	87389	87390	87391	87534	87535	87536
87537	87538	87539	87806	99202	99203	99204	99205	99211
99212	99213	99214	99215	99401	99402	99403	99404	G0432
G0433	G0435	G0475	J0738	J0752	S3645			

Preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z20.2, Z22.6, Z11.3, Z11.4, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53, Z77.21

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code.

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0306	0307	0309	0310	0311	0319	0500
0509	0510	0514	0515	0517	0519	0520	0521	0522	0523
0529	0760	0761	0769	0770	0780	0920	0940	0960	0969
0971	0982	0983	0984	0988					

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Prevention of Acquisition of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis – [SB 306 (2023), USPSTF (2019) (2021) (2022)]

Clinicians should offer pre-exposure prophylaxis (PrEP) with effective antiretroviral therapy to persons who are not infected with HIV and who are at high risk of HIV acquisition.
The USPSTF recommended should be received by a participant, enrollee, or beneficiary prior to being prescribed anti-retroviral medication as part of the determination of whether PrEP is appropriate, as well as ongoing follow-up and monitoring.
These services include:

- HIV testing (includes home tests), both at initial baseline and ongoing every 2-3 months to monitor the patient on PrEP.
- Hepatitis B and C testing
- Creatinine testing and calculated estimated creatine clearance (eCrCl) or glomerular filtration rate (eGFR) to assess kidney function, conducted both at baseline and periodically thereafter, consistent with CDC guidelines
- Pregnancy testing, both at baseline and periodically thereafter
- Sexually transmitted infection (STI) screening, including home tests, and counseling
- Adherence counseling
-

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
36415	80061	81025	82565	82570	82575	84702	84703	86592
86593	86631	86632	86704	86705	86706	86780	86803	86804
87110	87270	87320	87340	87341	87467	87490	87491	87590
87591	87592	87810	87850	96372	99202	99203	99204	99205
99211	99212	99213	99214	99215	99384	99385	99386	99387
99394	99395	99396	99397	99401	99402	99403	99404	99411
99412	G0011	G0012	G0013	J0738	J0739	J0750	J0751	J0752
J0799	J3490	Q0516	Q0517	Q0518	Q0519	Q0520	Q0521	

Applicable ICD-10 diagnosis codes –

Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53, Z77.21

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis – [SB 306 (2023), USPSTF (2019) (2021) (2022)] (continued)

Applicable procedure codes – 36415, 96372, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99401, 99402, 99403, 99404, 99411, 99412, G0011, G0012, G0013, J0739, J0750, J0751, J0799, J3490, Q3014

* Counseling for human immunodeficiency virus (HIV) is a covered benefit with the following ICD 10 diagnosis and procedure codes:

Applicable ICD-10 diagnosis codes – Z71.7

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0250	0251	0252	0259	0300	0301	0302	0306	0307	0309
0310	0311	0319	0500	0509	0510	0514	0515	0517	0519
0520	0521	0522	0523	0529	0636	0760	0761	0769	0770
0780	0920	0940	0960	0969	0971	0982	0983	0984	0988

Prevention of Human Immunodeficiency Virus Infection (HIV Preexposure Prophylaxis Medication or PrEP) allows for coverage of Apretude (cabotegravir extended-release injectable suspension) when administered in an office or outpatient setting using procedure code J0739 (or until a more appropriate procedure code is developed) and the administration code 96372 with one of the applicable ICD 10 codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53, Z77.21

*All other benefits can be found under Hepatitis B and Hepatitis C, Human Immunodeficiency Virus (HIV), and Sexually Transmitted Infection (STI) screening and counseling categories. (The pre-exposure prophylaxis (PrEP) with effective antiretroviral therapy is a pharmacy benefit)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Human Papillomavirus (HPV) - [USPSTF (2012) & HRSA (2016) Bright Future] Screening for human papillomavirus (HPV) is a covered service for patients who meet all the following criteria:

- Sexually active
- Age 30 and older
- In conjunction with cervical cancer screening (Pap smear)

(Please see Cervical Cancer Screening for Human Papillomavirus (HPV) criteria)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Immunizations / Vaccines – [CDC]

Immunizations / vaccines are covered services for all patients who meet the criteria as established by the Advisory Committee on Immunization Practices (ACIP) utilizing standard industry coding (see Appendix for codes): Vaccines & Immunizations

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening - [USPSTF (2013, 2018) & HRSA (2016)]

The USPSTF and HRSA recommends that clinicians screen for intimate partner violence (IPV) in women of reproductive age, including those who are pregnant and postpartum, and provide or refer women, who screen positive, to ongoing support services. These services will pertain to individuals 10 years of age and older.

Applicable procedure codes

Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code	Procedure Code
99384	99385	99386	99387	99394	99395	99396
99397	99401	99402	99403	99404	99411	99412
Q3014						

Applicable ICD-10 diagnosis codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O9A.311	O9A.312	O9A.313	O9A.319	O9A.32	O9A.33	O9A.411	O9A.412	O9A.413
O9A.419	O9A.42	O9A.43	O9A.511	O9A.512	O9A.513	O9A.519	O9A.52	O9A.53
T74.01XA	T74.01XD	T74.01XS	T74.02XA	T74.02XD	T74.02XS	T74.11XA	T74.11XD	T74.11XS
T74.12XA	T74.12XD	T74.12XS	T74.21XA	T74.21XD	T74.21XS	T74.22XA	T74.22XD	T74.22XS
T74.31XA	T74.31XD	T74.31XS	T74.32XA	T74.32XD	T74.32XS	T74.51XA	T74.51XD	T74.51XS
T74.52XA	T74.52XD	T74.52XS	T74.61XA	T74.61XD	T74.61XS	T74.62XA	T74.62XD	T74.62XS
T74.91XA	T74.91XD	T74.91XS	T74.92XA	T74.92XD	T74.92XS	T74.A1XA	T74.A1XD	T74.A1XS
T74.A2XA	T74.A2XD	T74.A2XS	T76.01XA	T76.01XD	T76.01XS	T76.02XA	T76.02XD	T76.02XS
T76.11XA	T76.11XD	T76.11XS	T76.12XA	T76.12XD	T76.12XS	T76.21XA	T76.21XD	T76.21XS
T76.22XA	T76.22XD	T76.22XS	T76.31XA	T76.31XD	T76.31XS	T76.32XA	T76.32XD	T76.32XS
T76.51XA	T76.51XD	T76.51XS	T76.52XA	T76.52XD	T76.52XS	T76.61XA	T76.61XD	T76.61XS
T76.62XA	T76.62XD	T76.62XS	T76.91XA	T76.91XD	T76.91XS	T76.92XA	T76.92XD	T76.92XS
T76.A1XA	T76.A1XD	T76.A1XS	T76.A2XA	T76.A2XD	T76.A2XS	Y07.010	Y07.011	Y07.020
Y07.021	Y07.030	Y07.031	Y07.040	Y07.041	Y07.050	Y07.051	Y07.11	Y07.12
Y07.13	Y07.14	Y07.410	Y07.411	Y07.420	Y07.421	Y07.430	Y07.432	Y07.433
Y07.434	Y07.435	Y07.436	Y07.44	Y07.45	Y07.46	Y07.47	Y07.490	Y07.491
Y07.499	Y07.50	Y07.510	Y07.511	Y07.512	Y07.513	Y07.519	Y07.521	Y07.528
Y07.529	Y07.53	Y07.54	Y07.59	Y07.6	Y07.9	Z04.41	Z04.71	Z13.89
Z62.810	Z69.11	Z69.12	Z69.81	Z69.82	Z91.410	Z91.411	Z91.412	Z91.413
Z91.414	Z91.419							

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening - [USPSTF (2013, 2018) & HRSA (2016)] (continued)

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0528	0529	0760	0761	0769	0770	0780	0920	0940
0960	0969	0982	0983	0984	0988				

(Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Latent Tuberculosis Infection: Screening - [USPSTF (2016) (2023) & Bright Futures]

Screening for tuberculosis and latent tuberculosis infection (LTBI) is a covered service for patients at increased risk who meet any of the following criteria:

- Asymptomatic individuals age 1 month and older, who are at increased risk for infection of LTBI
- Risk assessments at preventive health visits
- Testing if risk identified for all ages

Applicable procedure codes – 86480, 86481, 86580, 36415, 99211

Applicable ICD-10 diagnosis codes – R76.11, R76.12, Z00.00, Z00.01, Z00.121, Z00.129, Z11.1, Z11.7, Z20.1, Z22.7, Z86.15

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0302	0309	0500	0509	0510	0511	0512	0513	0514
0515	0517	0519	0520	0521	0522	0523	0529	0761	0769
0770	0960	0969	0971	0982	0983				

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Lead Screening- [State Mandate, AB 1316, Bright Futures]

Screening for elevated blood lead levels is a covered service for patients who meet any of the following criteria:

- Risk assessments for children up to 19 years identified as at risk when prescribed by a physician or health care provider
- Lead poisoning based on the concentration of lead in whole "venous, arterial, or cord" blood
- Screened annually

Applicable procedure code – 83655, 36415, 36416 (preventive benefits apply to 36415 and 36416 when 36415 or 36416 is billed with the applicable diagnosis and procedure codes)

Applicable ICD-10 diagnosis codes – Z00.121, Z00.129, Z13.88, Z77.011

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0309	0500	0509	0510	0514	0515
0517	0519	0520	0521	0523	0529	0760	0761	0769	0770
0960	0969	0971	0982	0983	0988				

Lipid Disorders - [USPSTF (2008) Retired July 2015] Lipid Disorder has been retired. Please refer to Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: Prevention Medication.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Lung Cancer Screening - [USPSTF (2013) (2021)]

Annual screening for lung cancer with low-dose computed tomography in adults ages 50 to 80 years who have a 20 pack-year smoking history and currently smoke or have quit within the past 15 years.
Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that limits life expectancy or the ability or willingness to have curative lung surgery.

Applicable procedure codes – G0296, 71271

Applicable ICD-10 diagnosis codes – F17.210, F17.211, F17.213, F17.218, F17.219, Z72.0, Z87.891

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0350	0352	0359	0500	0509	0510	0514	0517	0519	0520
0521	0522	0523	0529	0770	0780	0960	0969	0972	0982
0983									

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Newborn Screening Panel – (HRSA 2018 & Bright Futures)

Conditions listed on the Recommended Uniform Screening Panel (RUSP) are part of the comprehensive preventive health guidelines supported by HRSA and Bright Futures for infants and children. Non grandfathered health plans are required to cover screenings included in the HRSA-Bright Futures supported comprehensive guidelines without charging a co-payment, co-insurance, or deductible for plan years beginning on or after the date that is one year from the Secretary's adoption of the condition for screening.
Screening for Bilirubin is a one-time screening for newborns - 82247, 88720
Screening for congenital hypothyroidism is a one-time screening and can be administered during the initial newborn care - 84443
Screening for phenylketonuria (PKU) is a covered service for all newborn infants and includes the following criteria:

- Newborns tested within the first 24 hours after birth should receive a repeat screening by two weeks of age
- Premature infants and those with illnesses should be tested at or near seven days of age, but in all cases before discharge from the newborn nursery
- Screening for sickle cell disease is a covered service for:
- All newborn infants

Applicable procedure code – 83020, 83021, 84030, S3620, 36415, 36416

Applicable ICD-10 diagnosis code – Z00.110, Z00.111, Z13.0, Z13.228, Z13.21, Z13.29

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0305, 0309, 0310, 0319, 0770, 0960,
0969, 0971, 0982, 0983

*Please refer to Health Resources & Service Administration (HRSA) for an outline of all the recommended uniform screening tests.
https://www.hrsa.gov/advisoryhttps://www.hrsa.gov/advisory-committees/heritable-disorders/rusp/index.htmlcommittees/heritable-disorders/rusp/index.html

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication - [USPSTF (2011 & 2019)]

Prophylactic ocular topical medication to prevent gonococcal ophthalmia neonatorum is a covered service for:

- Newborns (typically administered during the initial hospital newborn care)

These services are considered inclusive in the newborn care visit, and therefore not separately reimbursable.

Applicable procedure codes – None

Applicable ICD-10 diagnosis codes – None

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

High Body Mass Index in Children & Adolescents Interventions USPSTF [(2012, 2013 & 2017, 2022)] Weight Loss to Preventive Obesity in Adults [(USPSTF 2018)] Obesity Prevention in Midlife Woman [(HRSA 2023)]

Clinicians should screen for obesity in children, adolescents, and adults, and offer behavioral interventions and counseling to promote eating, prevent obesity, and promote improvements to weight status and physical activity.
Services are covered for:

- Children and adolescents 6 years of age and older with a body mass index of 18.5 – 29.9 kg/m2
- Adults with a BMI of 30 or higher
- Woman ages 40 to 60 years of age

Applicable procedure codes – G0447, G0473, Q3014

Applicable ICD-10 diagnosis codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
E66.01	E66.09	E66.1	E66.2	E66.3	E66.811	E66.812	E66.813	E66.89	E66.9
E88.82	Z68.1	Z68.20	Z68.21	Z68.22	Z68.23	Z68.24	Z68.25	Z68.26	Z68.27
Z68.28	Z68.29	Z68.30	Z68.31	Z68.32	Z68.33	Z68.34	Z68.35	Z68.36	Z68.37
Z68.38	Z68.39	Z68.41	Z68.42	Z68.43	Z68.44	Z68.45	Z68.54	Z68.55	Z68.56

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521
0522	0523	0529	0760	0761	0769	0770	0780	0960
0969	0982	0983	0988					

(Obesity screening and counseling can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Osteoporosis to Prevent Fractures: Screening- [USPSTF (2012) (2018)]

Screening for osteoporosis is a covered service for patients who meet any of the following criteria (medical policy applies for testing intervals for osteoporosis):

- Females65 years of age and older
- Postmenopausal females younger than 65 years of age with one or more risk factors for osteoporosis- related fractures
- Minimum interval of two years for repeat screening

Applicable procedure codes – 77080, 77081, 76977, 77085, G0130

Applicable ICD-10 diagnosis codes for females over the age of 65 years of age: Z00.00, Z00.01, Z01.411, Z01.419, Z13.820, Z78.0

ApplicableICD-10 diagnosis codes for post-menopausal females younger than 65 years of age: E28.310, E28.319, N95.0, N95.1, N95.2, N95.8, N95.9, Z78.0

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0320, 0329, 0350, 0352, 0359, 0402, 0770, 0960, 0969, 0972, 0982, 0983.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Patient Navigation Services for Breast and Cervical Cancer Screening – [HRSA (2025)]

The Women's Preventive Services Initiative recommends patient navigation services for breast and cervical cancer screening and follow-up, as relevant, to increase utilization of screening recommendations based on an assessment of the patient's needs for navigation services.

Patient navigation services involve person-to-person (e.g., in-person, virtual, hybrid models) contact with the patient. Components of patient navigation services should be individualized. Services include, but are not limited to, person-centered assessment and planning, health care access and health system navigation, referrals to appropriate support services (e.g., language translation, transportation, and social services), and patient education.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Prevention of Dental Caries and Oral Fluoride in Children from Birth Through Age 5 Years: Screening - [USPSTF (2014) (2021) (Bright Futures (2021)]

Primary care clinicians should prescribe oral fluoride supplementation, and apply fluoride varnish to the primary teeth of infants and children, starting at the age of primary tooth eruption in primary care practices, is a covered benefit for:

- Children 6 months to 5 years of age
- Children 6 months to 16 years of age for fluoride supplementation
- Primary water source is deficient in fluoride
- Limit of 2 times a year

Preventive benefits do not include OTC supplements—these are not covered benefits. The prescription of fluoride supplement is covered under the pharmacy benefits.

Applicable procedure codes – 99188, 0792T

Applicable ICD-10 diagnosis codes – Z00.121, Z00.129, Z29.3, Z91.841, Z91.842, Z91.843, Z91.849

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0512, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0761, 0769, 0770, 0960, 0969, 0982, 0983, 0988

(Assessing the need for an oral fluoride supplement can be performed during the annual health appraisal)

Oral Fluoride – [USPSTF (2014)]

Oral Fluoride has been combined with Dental Caries category, as of August 2019. Please see Dental Caries and Oral Fluoride for additional information.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Prostate Cancer Screening - [State Mandate]

(Cal. Ins. Code § 10123.835 (2017)) / (Cal. Health & Safety Code § 1367.64 (2017))
Screening for prostate cancer*** (which includes both a prostate-specific antigen (PSA) test and a digital rectal exam) is a covered service for all patients annually who meet the following criteria:

- Individuals 50 years of age and older
- Individuals 40 to 50 years of age with one of the following risk factors who have been advised to have screening or who have requested screening:
- African American
- Family history of prostate cancer

Applicable procedure codes – 84152, 84153, 84154, G0102, G0103, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

ApplicableICD-10 diagnosis codes – Z00.00, Z00.01, Z12.5, Z80.42, Z86.002

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code - 0300, 0301, 0309, 0500, 0509, 0510, 0517, 0519, 0520, 0521, 0523, 0529, 0760, 0761, 0769, 0770, 0960, 0982, 0983

(Prostate cancer screening can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Rh (D) Incompatibility: Screening - [USPSTF (2004)]

Screening for Rh (D) incompatibility is a covered service for patients who meet any of the following criteria:

- All Pregnant individuals (10 years and older)
- During first visit for pregnancy-related care
- Unsensitized Rh (D) negative pregnant individuals
- Repeat testing at 24 to 28 weeks' gestation unless the biological father to be, is known
- Rh (D) negative

Applicable procedure codes – 80055, 80081, 86850, 86900, 86901, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable ICD-10 diagnosis codes – Z32.01and Pregnancy diagnosis code (see list below)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0309, 0390, 0770, 0960, 0969, 0971, 0982, 0983, 0988

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Screening for Hearing Loss in Newborn and Children- [Bright Future]

Screening for hearing loss is a covered service for:

- Newborn infants (typically administered during the initial hospital newborn care)
- Children and adolescents 0 to 21 years-Pure Tone audiometry and tympanometry
- Screening will be conducted using a one- or two-step validated screening process.

Newborn infants aged 28 days and under:

Applicable procedure codes - 92558, 92587, 92588, 92650

ApplicableICD-10 diagnosis codes – Z00.110, Z00.111, Z00.121, Z00.129, P09.6

Children and adolescents 0 to 21 years of age:

Applicable procedure codes – V5008, 92551, 92552, 92567

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0470	0471	0479	0500	0509	0510	0514	0515	0517	0519
0520	0521	0523	0529	0760	0761	0769	0770	0960	0969
0982	0983	0988							

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Screening for Urinary Incontinence – [HRSA (2018) (2025)]

The Women's Preventive Services Initiative recommends screening women for urinary incontinence annually. Screening should ideally assess whether women experience urinary incontinence and whether it impacts their activities and quality of life. The Women's Preventive Services Initiative recommends referring women for further evaluation and treatment if indicated.
The Women's Preventive Services Initiative recommends screening women for urinary incontinence as a preventive service. Factors associated with an increased risk for urinary incontinence include increasing parity, advancing age, and obesity; however, these factors should not be used to limit screening.

These services are considered included in the Annual Health Appraisal or Well Women Visit, and therefore not separately reimbursable.

Applicable procedure codes – 99401, 99402, 99403, 99404, 99411, 99412

Applicable ICD-10 diagnosis codes – N36.42, N39.3, N39.41, N39.42, N39.43, N39.44, N39.45, N39.46, N39.490, N39.491, N39.492, N39.498

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0307	0309	0500	0509	0510	0514	0515	0517	0519
0520	0521	0522	0523	0529	0760	0761	0769	0770	0780
0920	0940	0960	0969	0971	0982	0983	0988		

(This service could be included as part of the Annual Health Appraisal, or the Well Women visit)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Sexually transmitted infections / diseases (STI / STD) Behavioral Counseling- [USPSTF (2014) (2020) & HRSA (2016) Bright Futures]

Behavioral counseling to prevent sexually transmitted infections is a covered service for patients who meet any of the following criteria:

- Sexually active individuals with risk factors, but not limited to, any of the following:
- Current STIs or STDs within the past year
- Multiple current sexual partners
- In non-monogamous relationships if they reside in a community with a high rate of STIs

Individuals being treated for sexually transmitted diseases may be more likely than others to engage in high-risk behavior.

Applicable procedure codes – 99401, 99402, 99403, 99404, G0445, Q3014

Applicable ICD-10 diagnosis codes – Z70.0, Z70.1, Z70.2, Z70.3, Z70.8, Z72.89

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0988								

(Sexually transmitted infections/ diseases (STI/STD) behavioral counseling can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Skin Cancer Prevention: Behavioral Counseling- [USPSTF (2012) (2018)]

Behavioral counseling for young adults, adolescents, and children about minimizing exposure to ultraviolet radiation to reduce risk for skin cancer is a covered service for patients with fair skin who meet any of the following criteria:

- Ages 6 months to 24 years of age

These services are considered inclusive in the preventive care visit, and therefore not separately reimbursable.

Applicable procedure codes – None

Applicable ICD-10 diagnosis codes – None

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: Prevention Medication (USPSTF (2016) (2022)]

Statin Use for the Primary Prevention of Cardiovascular Disease in Adults – The USPSTF recommends that adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate dose statin for the prevention of CVD events and mortality when all the following criteria are met:

- 10 to 75 years of age
- have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking)
- have a calculated 10-year risk of a cardiovascular event of 10% or greater.
- Screening annually

(Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults aged 40 to 75 years)

The USPSTF also recommended clinicians may choose to offer a low-to-moderate-dose statin to adults without a history of CVD who meet the following criteria:

- 10 to 75 years of age
- have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking)
- have a calculated 10-year risk of a CVD event of 7.5% to less than 10%
- Screening annually

Applicable procedure codes – 80061, 82465, 83718, 83719, 83721, 84478, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z13.220

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0305, 0309, 0310, 0319, 0960, 0969, 0971, 0982, 0983, 0770

(Statin medications are a pharmacy benefit)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Sudden Cardiac Arrest/Sudden Cardiac Death Screening– [Bright Futures (2022)]

Clinicians should provide screening for sudden cardiac arrest or sudden cardiac death risk factors using a standardizes screening or assessment instruments.
These screenings are a covered service for asymptomatic patients-age 11 years of age to 21 years of age.

Applicable procedure codes – 96160, 93000, 93005, 93010

Applicable ICD-10 diagnosis codes

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
I10	I20.0	I20.1	I20.81	I20.89	I20.9	I47.10	I47.11	I47.19	I47.20
I47.21	I47.29	Q87.40	Q87.410	Q87.418	R00.0	R00.1	R00.2	R00.8	R00.9
R01.0	R01.1	R03.0	R06.00	R06.01	R06.02	R06.03	R06.09	R06.9	R07.1
R07.2	R07.82	R07.89	R07.9	R53.1	R55	R56.9	Z13.6	Z82.41	Z82.49
Z82.69	Z83.42	Z86.79							

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0730, 0770, 0780, 0985

(Screening for sudden cardiac arrest/sudden cardiac death use can also be included during the Annual Health Appraisal)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Syphilis Infection in Nonpregnant Adults and Adolescents, Pregnant Adults: Screening- [SB 306 (2023) USPSTF (2016) (2022) (2025) Bright Futures]

Screening for syphilis infection is a covered service for patients who meet any of the following criteria:
Asymptomatic, nonpregnant adults and adolescents who are at increased risk for syphilis infection with any of the following risk factors:

- Receives health care in a high-prevalence or high-risk clinical setting
- Men who have had sex with men
- Individuals with HIV
- Commercial sex worker
- Those in adult correctional facilities
- Male younger than 29 years of age

Pregnant individuals

- At first prenatal visits or at the first available opportunity
- Second screening during the third trimester for those who are in high-risk groups
- At delivery for those who are in high-risk groups

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Applicable procedure codes – 80055, 80081, 86592, 86593, 86780, 0064U, 0065U, 0210U, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable ICD-10 diagnosis codes - Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.2, Z11.3, Z11.9, Z20.2, Z20.9, Z72.51, Z72.52, Z72.53, and pregnancy diagnosis code (see list below)

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Syphilis Infection in Nonpregnant Adults and Adolescents, Pregnant Adults: Screening- [SB 306 (2023) USPSTF (2016) (2022) (2025) Bright Futures] Cont.

Applicable revenue codes

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0300	0301	0302	0305	0306	0309	0310	0500	0509	0510
0514	0515	0517	0519	0520	0521	0522	0523	0529	0760
0761	0769	0770	0960	0969	0971	0982	0983	0988	

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Tobacco Smoking Cessation in Adults, Including Pregnant Women: Interventions - [USPSTF (2015) (2021)] Tobacco Use in Children and Adolescents: Primary Care Interventions (USPSTF (2013) (2020))

Clinicians should ask all children, adolescents, adults, including pregnant persons, about tobacco use, including e-cigarettes, advise them to stop using tobacco, and provide behavioral interventions.

- Children 5 years of age and older
- Adolescents and adults
- Pregnant women

As defined by the US Food and Drug Administration, tobacco products include any product made or derived from tobacco intended for human consumption (except products that meet the definition of drugs), including, but not limited to, cigarettes, cigars (including cigarillos and little cigars), dissolvable, hookah tobacco, nicotine gels, pipe tobacco, roll-your-own tobacco, smokeless tobacco products (including dip, snuff, snus, and chewing tobacco), vapes, electronic cigarettes (e-cigarettes), hookah pens, and other electronic nicotine delivery systems.

Applicable procedure codes – 99406, 99407, Q3014

Pharmacotherapy interventions approved by the FDA for the treatment of tobacco smoking dependence are covered for non-pregnant adults include nicotine replacement therapy (NRT) are covered with:

Applicable procedure codes - S4990, S4991, S4995

Applicable ICD-10 diagnosis codes – F17.200, F17.203, F17.208, F17.209, F17.210, F17.213, F17.218, F17.219, F17.220, F17.223, F17.228, F17.229, F17.290, F17.293, F17.298, F17.299, Z87.891, Z71.6, Z72.0, and pregnancy diagnosis code (see list below)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code

REV	REV	REV	REV	REV	REV	REV	REV	REV	REV
0500	0509	0510	0514	0515	0517	0519	0520	0521	0522
0523	0529	0760	0761	0769	0770	0780	0960	0969	0982
0983	0988								

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Vision Screening in Children- [USPSTF (2008) & Bright Futures]

Vision screening to detect the presence of amblyopia or its risk factors is a covered service for children who meet the following criteria:

- 0 to 21 years of age
- Risk assessments at preventive health visits.

Applicable procedure codes – 99173, 99174, 99177

Applicable ICD-10 diagnosis codes – Z01.00, Z01.01, Z01.020, Z01.021, Z00.121, Z00.129, Z13.5

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0760, 0761, 0769, 0770, 0920, 0929

*****Reflects additional state requirements for covered services.**

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Pregnancy Diagnosis Table

The following Pregnancy Diagnosis Codes are required where indicated in the Preventive Care Services table (above):

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O0000	O0001	O09A0	O09A1	O09A2	O09A3	O9A111	O9A112	O9A113	O9A119
O00101	O00102	O00109	O00111	O111	O00112	O112	O113	O00119	O119
O00121	O00122	O00129	O00131	O131	O00132	O132	O133	O134	O00139
O00529	O0900	O0901	O0902	O0903	O0910	O0911	O0912	O0913	O0930
O09211	O09212	O09213	O09219	O9220	O9229	O09291	O09292	O09293	O09299
O0931	O0932	O0933	O0940	O0941	O0942	O0943	O0970	O0971	O0972
O09511	O09512	O09513	O09519	O09521	O09522	O09523	O09529	O09611	O09612
O09613	O09619	O09621	O09622	O09623	O09629	O09811	O09812	O09813	O09819
O0973	O0990	O0991	O0992	O0993	O1200	O1201	O1202	O1203	O1210
O09821	O09822	O09823	O09829	O09891	O09892	O09893	O09899	O10011	O10012
O10013	O10019	O10111	O10112	O10113	O10119	O10211	O10212	O10213	O10219
O10311	O10312	O10313	O10319	O10411	O10412	O10413	O10419	O10911	O10912
O10913	O10919	O23511	O23512	O23513	O23519	O23521	O23522	O23523	O23529
O1211	O1212	O1213	O1220	O1221	O1222	O1223	O1400	O1402	O1403
O139	O151	O159	O161	O162	O163	O169	O200	O00201	O00202
O1404	O1410	O1412	O1413	O1420	O1422	O1423	O1490	O1492	O1493
O1500	O1502	O1503	O2200	O2201	O2202	O2203	O2210	O2211	O2212
O208	O00209	O209	O210	O00211	O211	O00212	O212	O218	O00219
O219	O228X1	O228X2	O228X3	O228X9	O280	O0281	O281	O282	O283
O2213	O2220	O2221	O2222	O2223	O2230	O2231	O2232	O2233	O2240
O2241	O2242	O2243	O2250	O2251	O2252	O2253	O2290	O2291	O2292
O2293	O2300	O2301	O2302	O2303	O2310	O2311	O2312	O2313	O2320
O2321	O2322	O2323	O2330	O2331	O2332	O2333	O2340	O2341	O2342
O2343	O2390	O2391	O2392	O2393	O2510	O2511	O2512	O2513	O2600
O23591	O23592	O23593	O23599	O24011	O24012	O24013	O24019	O24111	O24112
O24113	O24119	O24311	O24312	O24313	O24319	O24410	O24414	O24415	O24419
O24811	O24812	O24813	O24819	O24911	O24912	O24913	O24919	O26611	O26612
O2601	O2602	O2603	O2610	O2611	O2612	O2613	O2620	O2621	O2622
O2623	O2630	O2631	O2632	O2633	O2640	O2641	O2642	O2643	O2650

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Pregnancy Diagnosis Table Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O2651	O2652	O2653	O2686	O2690	O2691	O2692	O2693	O2940	O2941
O26613	O26619	O26641	O26642	O26643	O26649	O26711	O26712	O26713	O26719
O26811	O26812	O26813	O26819	O26821	O26822	O26823	O26829	O26831	O26832
O26833	O26839	O26841	O26842	O26843	O26849	O26851	O26852	O26853	O26859
O26872	O26873	O26879	O26891	O26892	O26893	O26899	O29011	O29012	O29013
O284	O285	O288	O289	O293X1	O293X2	O293X3	O293X9	O295X1	O295X2
O29019	O29021	O29022	O29023	O29029	O29091	O29092	O29093	O29099	O29111
O29112	O29113	O29119	O29121	O29122	O29123	O29129	O29191	O29192	O29193
O29199	O29211	O29212	O29213	O29219	O29291	O29292	O29293	O29299	O30001
O2942	O2943	O2960	O2961	O2962	O2963	O2990	O2991	O2992	O2993
O295X3	O295X9	O298X1	O298X2	O298X3	O298X9	O318X10	O318X11	O318X12	O318X13
O30002	O30003	O30009	O30011	O30012	O30013	O30019	O30021	O30022	O30023
O30029	O30031	O30032	O30033	O30039	O30041	O30042	O30043	O30049	O30091
O30092	O30093	O30099	O30101	O30102	O30103	O30109	O30111	O30112	O30113
O30119	O30121	O30122	O30123	O30129	O30131	O30132	O30133	O30139	O30191
O30192	O30193	O30199	O30201	O30202	O30203	O30209	O30211	O30212	O30213
O30219	O30221	O30222	O30223	O30229	O30231	O30232	O30233	O30239	O30291
O30292	O30293	O30299	O30801	O30802	O30803	O30809	O30811	O30812	O30813
O30819	O30821	O30822	O30823	O30829	O30831	O30832	O30833	O30839	O30891
O30892	O30893	O30899	O34211	O34212	O34218	O34219	O34511	O34512	O34513
O3090	O3091	O3092	O3093	O3100X0	O3100X1	O3100X2	O3100X3	O3100X4	O3100X5
O3100X9	O3101X0	O3101X1	O3101X2	O3101X3	O3101X4	O3101X5	O3101X9	O3102X0	O3102X1
O3102X2	O3102X3	O3102X4	O3102X5	O3102X9	O3103X0	O3103X1	O3103X2	O3103X3	O3103X4
O3103X5	O3103X9	O3110X0	O3110X1	O3110X2	O3110X3	O3110X4	O3110X5	O3110X9	O3111X0
O3111X1	O3111X2	O3111X3	O3111X4	O3111X5	O3111X9	O3112X0	O3112X1	O3112X2	O3112X3
O3112X4	O3112X5	O3112X9	O3113X0	O3113X1	O3113X2	O3113X3	O3113X4	O3113X5	O3113X9
O3120X0	O3120X1	O3120X2	O3120X3	O3120X4	O3120X5	O3120X9	O3121X0	O3121X1	O3121X2
O3121X3	O3121X4	O3121X5	O3121X9	O3122X0	O3122X1	O3122X2	O3122X3	O3122X4	O3122X5
O3122X9	O3123X0	O3123X1	O3123X2	O3123X3	O3123X4	O3123X5	O3123X9	O3130X0	O3130X1
O3130X2	O3130X3	O3130X4	O3130X5	O3130X9	O3131X0	O3131X1	O3131X2	O3131X3	O3131X4
O3131X5	O3131X9	O3132X0	O3132X1	O3132X2	O3132X3	O3132X4	O3132X5	O3132X9	O3133X0
O3133X1	O3133X2	O3133X3	O3133X4	O3133X5	O3133X9	O3140X0	O3140X1	O3140X2	O3140X3

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Pregnancy Diagnosis Table Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O3140X4	O3140X5	O3140X9	O3141X0	O3141X1	O3141X2	O3141X3	O3141X4	O3141X5	O3141X9
O3142X0	O3142X1	O3142X2	O3142X3	O3142X4	O3142X5	O3142X9	O3143X0	O3143X1	O3143X2
O3143X3	O3143X4	O3143X5	O3143X9	O3400	O3401	O3402	O3403	O3410	O3411
O318X14	O318X15	O318X19	O318X20	O318X21	O318X22	O318X23	O318X24	O318X25	O318X29
O318X30	O318X31	O318X32	O318X33	O318X34	O318X35	O318X39	O318X90	O318X91	O318X92
O318X93	O318X94	O318X95	O318X99	O320XX0	O320XX1	O320XX2	O320XX3	O320XX4	O320XX5
O320XX9	O321XX0	O321XX1	O321XX2	O321XX3	O321XX4	O321XX5	O321XX9	O322XX0	O322XX1
O322XX2	O322XX3	O322XX4	O322XX5	O322XX9	O323XX0	O323XX1	O323XX2	O323XX3	O323XX4
O323XX5	O323XX9	O324XX0	O324XX1	O324XX2	O324XX3	O324XX4	O324XX5	O324XX9	O326XX0
O326XX1	O326XX2	O326XX3	O326XX4	O326XX5	O326XX9	O328XX0	O328XX1	O328XX2	O328XX3
O328XX4	O328XX5	O328XX9	O329XX0	O329XX1	O329XX2	O329XX3	O329XX4	O329XX5	O329XX9
O330	O331	O332	O333XX0	O333XX1	O333XX2	O333XX3	O333XX4	O333XX5	O333XX9
O334XX0	O334XX1	O334XX2	O334XX3	O334XX4	O334XX5	O334XX9	O335XX0	O335XX1	O335XX2
O335XX3	O335XX4	O335XX5	O335XX9	O336XX0	O336XX1	O336XX2	O336XX3	O336XX4	O336XX5
O336XX9	O337XX0	O337XX1	O337XX2	O337XX3	O337XX4	O337XX5	O337XX9	O338	O339
O3412	O3413	O3422	O3429	O3430	O3431	O3432	O3433	O3440	O3441
O3442	O3443	O3460	O3461	O3462	O3463	O3470	O3471	O3472	O3473
O34519	O34521	O34522	O34523	O34529	O34531	O34532	O34533	O34539	O34591
O34592	O34593	O34599	O42011	O42012	O42013	O42019	O42111	O42112	O42113
O3480	O3481	O3482	O3483	O3490	O3491	O3492	O3493	O3500X0	O3500X1
O3500X2	O3500X3	O3500X4	O3500X5	O3500X9	O3501X0	O3501X1	O3501X2	O3501X3	O3501X4
O3501X5	O3501X9	O3502X0	O3502X1	O3502X2	O3502X3	O3502X4	O3502X5	O3502X9	O3503X0
O3503X1	O3503X2	O3503X3	O3503X4	O3503X5	O3503X9	O3504X0	O3504X1	O3504X2	O3504X3
O3504X4	O3504X5	O3504X9	O3505X0	O3505X1	O3505X2	O3505X3	O3505X4	O3505X5	O3505X9
O3506X0	O3506X1	O3506X2	O3506X3	O3506X4	O3506X5	O3506X9	O3507X0	O3507X1	O3507X2
O3507X3	O3507X4	O3507X5	O3507X9	O3508X0	O3508X1	O3508X2	O3508X3	O3508X4	O3508X5
O3508X9	O3509X0	O3509X1	O3509X2	O3509X3	O3509X4	O3509X5	O3509X9	O3510X0	O3510X1
O350XX0	O350XX1	O350XX2	O350XX3	O350XX4	O350XX5	O350XX9	O351XX0	O351XX1	O351XX2
O3510X2	O3510X3	O3510X4	O3510X5	O3510X9	O3511X0	O3511X1	O3511X2	O3511X3	O3511X4
O3511X5	O3511X9	O3512X0	O3512X1	O3512X2	O3512X3	O3512X4	O3512X5	O3512X9	O3513X0
O3513X1	O3513X2	O3513X3	O3513X4	O3513X5	O3513X9	O3514X0	O3514X1	O3514X2	O3514X3
O3514X4	O3514X5	O3514X9	O3515X0	O3515X1	O3515X2	O3515X3	O3515X4	O3515X5	O3515X9

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Pregnancy Diagnosis Table Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O3519X0	O3519X1	O3519X2	O3519X3	O3519X4	O3519X5	O3519X9	O3620X0	O3620X1	O3620X2
O351XX3	O351XX4	O351XX5	O351XX9	O352XX0	O352XX1	O352XX2	O352XX3	O352XX4	O352XX5
O352XX9	O353XX0	O353XX1	O353XX2	O353XX3	O353XX4	O353XX5	O353XX9	O354XX0	O354XX1
O354XX2	O354XX3	O354XX4	O354XX5	O354XX9	O355XX0	O355XX1	O355XX2	O355XX3	O355XX4
O355XX5	O355XX9	O356XX0	O356XX1	O356XX2	O356XX3	O356XX4	O356XX5	O356XX9	O357XX0
O357XX1	O357XX2	O357XX3	O357XX4	O357XX5	O357XX9	O358XX0	O358XX1	O358XX2	O358XX3
O358XX4	O358XX5	O358XX9	O359XX0	O359XX1	O359XX2	O359XX3	O359XX4	O359XX5	O359XX9
O35AXX2	O35AXX3	O35AXX4	O35AXX5	O35AXX9	O35BXX0	O35BXX1	O35BXX2	O35BXX3	O35BXX4
O35BXX5	O35BXX9	O35CXX0	O35CXX1	O35CXX2	O35CXX3	O35CXX4	O35CXX5	O35CXX9	O35DXX0
O35DXX1	O35DXX2	O35DXX3	O35DXX4	O35DXX5	O35DXX9	O35EXX0	O35EXX1	O35EXX2	O35EXX3
O35EXX4	O35EXX5	O35EXX9	O35FXX0	O35FXX1	O35FXX2	O35FXX3	O35FXX4	O35FXX5	O35FXX9
O35GXX0	O35GXX1	O35GXX2	O35GXX3	O35GXX4	O35GXX5	O35GXX9	O35HXX0	O35HXX1	O35HXX2
O35HXX3	O35HXX4	O35HXX5	O35HXX9	O0041	O0042	O0080	O0081	O0090	O0091
O360115	O360119	O360120	O360121	O360122	O360123	O360124	O360125	O360129	O360130
O360131	O360132	O360133	O360134	O360135	O360139	O360190	O360191	O360192	O360193
O360194	O360195	O360199	O360910	O360911	O360912	O360913	O360914	O360915	O360919
O360920	O360921	O360922	O360923	O360924	O360925	O360929	O360930	O360931	O360932
O360933	O360934	O360935	O360939	O360990	O360991	O360992	O360993	O360994	O360995
O360999	O361110	O361111	O361112	O361113	O361114	O361115	O361119	O361120	O361121
O361122	O361123	O361124	O361125	O361129	O361130	O361131	O361132	O361133	O361134
O361135	O361139	O361190	O361191	O361192	O361193	O361194	O361195	O361199	O361910
O361911	O361912	O361913	O361914	O361915	O361919	O361920	O361921	O361922	O361923
O361924	O361925	O361929	O361930	O361931	O361932	O361933	O361934	O361935	O361939
O361990	O361991	O361992	O361993	O361994	O361995	O361999	O365110	O365111	O365112
O3620X3	O3620X4	O3620X5	O3620X9	O3621X0	O3621X1	O3621X2	O3621X3	O3621X4	O3621X5
O3621X9	O3622X0	O3622X1	O3622X2	O3622X3	O3622X4	O3622X5	O3622X9	O3623X0	O3623X1
O3623X2	O3623X3	O3623X4	O3623X5	O3623X9	O3660X0	O3660X1	O3660X2	O3660X3	O3660X4
O364XX0	O364XX1	O364XX2	O364XX3	O364XX4	O364XX5	O364XX9	O401XX0	O401XX1	O401XX2
O365113	O365114	O365115	O365119	O365120	O365121	O365122	O365123	O365124	O365125
O365129	O365130	O365131	O365132	O365133	O365134	O365135	O365139	O365190	O365191
O365192	O365193	O365194	O365195	O365199	O365910	O365911	O365912	O365913	O365914
O365915	O365919	O365920	O365921	O365922	O365923	O365924	O365925	O365929	O365930

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Pregnancy Diagnosis Table Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O365931	O365932	O365933	O365934	O365935	O365939	O365990	O365991	O365992	O365993
O365994	O365995	O365999	O368120	O368121	O368122	O368123	O368124	O368125	O368129
O3660X5	O3660X9	O3661X0	O3661X1	O3661X2	O3661X3	O3661X4	O3661X5	O3661X9	O3662X0
O3662X1	O3662X2	O3662X3	O3662X4	O3662X5	O3662X9	O3663X0	O3663X1	O3663X2	O3663X3
O3663X4	O3663X5	O3663X9	O3670X0	O3670X1	O3670X2	O3670X3	O3670X4	O3670X5	O3670X9
O3671X0	O3671X1	O3671X2	O3671X3	O3671X4	O3671X5	O3671X9	O3672X0	O3672X1	O3672X2
O3672X3	O3672X4	O3672X5	O3672X9	O3673X0	O3673X1	O3673X2	O3673X3	O3673X4	O3673X5
O3673X9	O3680X0	O3680X1	O3680X2	O3680X3	O3680X4	O3680X5	O3680X9	O3690X0	O3690X1
O368130	O368131	O368132	O368133	O368134	O368135	O368139	O368190	O368191	O368192
O368193	O368194	O368195	O368199	O368210	O368211	O368212	O368213	O368214	O368215
O368219	O368220	O368221	O368222	O368223	O368224	O368225	O368229	O368230	O368231
O368232	O368233	O368234	O368235	O368239	O368290	O368291	O368292	O368293	O368294
O368295	O368299	O368310	O368311	O368312	O368313	O368314	O368315	O368319	O368320
O368321	O368322	O368323	O368324	O368325	O368329	O368330	O368331	O368332	O368333
O368334	O368335	O368339	O368390	O368391	O368392	O368393	O368394	O368395	O368399
O368910	O368911	O368912	O368913	O368914	O368915	O368919	O368920	O368921	O368922
O368923	O368924	O368925	O368929	O368930	O368931	O368932	O368933	O368934	O368935
O368939	O368990	O368991	O368992	O368993	O368994	O368995	O368999	O411010	O411011
O3690X2	O3690X3	O3690X4	O3690X5	O3690X9	O3691X0	O3691X1	O3691X2	O3691X3	O3691X4
O3691X5	O3691X9	O3692X0	O3692X1	O3692X2	O3692X3	O3692X4	O3692X5	O3692X9	O3693X0
O3693X1	O3693X2	O3693X3	O3693X4	O3693X5	O3693X9	O4100X0	O4100X1	O4100X2	O4100X3
O401XX3	O401XX4	O401XX5	O401XX9	O402XX0	O402XX1	O402XX2	O402XX3	O402XX4	O402XX5
O402XX9	O403XX0	O403XX1	O403XX2	O403XX3	O403XX4	O403XX5	O403XX9	O409XX0	O409XX1
O409XX2	O409XX3	O409XX4	O409XX5	O409XX9	O418X10	O418X11	O418X12	O418X13	O418X14
O4100X4	O4100X5	O4100X9	O4101X0	O4101X1	O4101X2	O4101X3	O4101X4	O4101X5	O4101X9
O4102X0	O4102X1	O4102X2	O4102X3	O4102X4	O4102X5	O4102X9	O4103X0	O4103X1	O4103X2
O4103X3	O4103X4	O4103X5	O4103X9	O4190X0	O4190X1	O4190X2	O4190X3	O4190X4	O4190X5
O411012	O411013	O411014	O411015	O411019	O411020	O411021	O411022	O411023	O411024
O411025	O411029	O411030	O411031	O411032	O411033	O411034	O411035	O411039	O411090
O411091	O411092	O411093	O411094	O411095	O411099	O411210	O411211	O411212	O411213
O411214	O411215	O411219	O411220	O411221	O411222	O411223	O411224	O411225	O411229
O411230	O411231	O411232	O411233	O411234	O411235	O411239	O411290	O411291	O411292

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Pregnancy Diagnosis Table Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O411293	O411294	O411295	O411299	O411410	O411411	O411412	O411413	O411414	O411415
O411419	O411420	O411421	O411422	O411423	O411424	O411425	O411429	O411430	O411431
O411432	O411433	O411434	O411435	O411439	O411490	O411491	O411492	O411493	O411494
O411495	O411499	Z322	Z331	Z333	Z362	Z368A	Z369	Z0379	Z1332
O418X15	O418X19	O418X20	O418X21	O418X22	O418X23	O418X24	O418X25	O418X29	O418X30
O418X31	O418X32	O418X33	O418X34	O418X35	O418X39	O418X90	O418X91	O418X92	O418X93
O418X94	O418X95	O418X99	O458X1	O458X2	O458X3	O458X9	O468X1	O468X2	O468X3
O4190X9	O4191X0	O4191X1	O4191X2	O4191X3	O4191X4	O4191X5	O4191X9	O4192X0	O4192X1
O4192X2	O4192X3	O4192X4	O4192X5	O4192X9	O4193X0	O4193X1	O4193X2	O4193X3	O4193X4
O4193X5	O4193X9	O4200	O4202	O4210	O4212	O4290	O4292	O4390	O4391
O42119	O42911	O42912	O42913	O42919	O43011	O43012	O43013	O43019	O43021
O43022	O43023	O43029	O43101	O43102	O43103	O43109	O43111	O43112	O43113
O43119	O43121	O43122	O43123	O43129	O43191	O43192	O43193	O43199	O43211
O43212	O43213	O43219	O43221	O43222	O43223	O43229	O43231	O43232	O43233
O43239	O43811	O43812	O43813	O43819	O43891	O43892	O43893	O43899	O45001
O4392	O4393	O4400	O4401	O4402	O4403	O4410	O4411	O4412	O4413
O4420	O4421	O4422	O4423	O4430	O4431	O4432	O4433	O4440	O4441
O4442	O4443	O4450	O4451	O4452	O4453	O4590	O4591	O4592	O4593
O45002	O45003	O45009	O45011	O45012	O45013	O45019	O45021	O45022	O45023
O45029	O45091	O45092	O45093	O45099	O46001	O46002	O46003	O46009	O46011
O46012	O46013	O46019	O46021	O46022	O46023	O46029	O46091	O46092	O46093
O46099	O88011	O88012	O88013	O88019	O88111	O88112	O88113	O88119	O88211
O468X9	O471	O479	O480	O481	O00511	O00512	O00519	O00521	O00522
O4690	O4691	O4692	O4693	O4700	O4702	O4703	O6000	O6002	O6003
O88212	O88213	O88219	O88311	O88312	O88313	O88319	O88811	O88812	O88813
O88819	O91011	O91012	O91013	O91019	O91111	O91112	O91113	O91119	O91211
O91212	O91213	O91219	O92011	O92012	O92013	O92019	O92111	O92112	O92113
O92119	O98011	O98012	O98013	O98019	O98111	O98112	O98113	O98119	O98211
O98212	O98213	O98219	O98311	O98312	O98313	O98319	O98411	O98412	O98413
O98419	O98511	O98512	O98513	O98519	O98611	O98612	O98613	O98619	O98711
O98712	O98713	O98719	O98811	O98812	O98813	O98819	O98911	O98912	O98913
O98919	O99011	O99012	O99013	O99019	O99111	O99112	O99113	O99119	O99210

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Pregnancy Diagnosis Table Cont.

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O99211	O99212	O99213	O99280	O99281	O99282	O99283	O99310	O99311	O99312
O99313	O99320	O99321	O99322	O99323	O99324	O99330	O99331	O99332	O99333
O99335	O99340	O99341	O99342	O99343	O99350	O99351	O99352	O99353	O99411
O99412	O99413	O99419	O99511	O99512	O99513	O99519	O99611	O99612	O99613
O99619	O99711	O99712	O99713	O99719	O99810	O99820	O99830	O99840	O99841
O99842	O99843	O99891	O99892	O99893	O360110	O360111	O360112	O360113	O360114
O9A211	O9A212	O9A213	O9A219	O9A311	O9A312	O9A313	O9A319	O9A411	O9A412
O9A413	O9A419	O9A511	O9A512	O9A513	O9A519	O0031	O0032	O35AXX0	O35AXX1
Z3400	Z3401	Z3402	Z3403	Z3480	Z3481	Z3482	Z3483	Z3490	Z3491
Z3492	Z3493	Z3689							

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Covid Immunization / Vaccine code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
91304	D1701	D1710
91318	D1702	D1711
91319	D1703	D1712
91320	D1704	D1713
91321	D1705	D1714
91322	D1706	
91323	D1707	
	D1708	
	D1709	

Covid Immunization / Vaccine Administration code table

CPT/HCPCS	CPT/HCPCS
90480	M0201
90481	

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Preventive Immunization / Vaccination code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
90380	90381	90382	90460	90476	90477	90482	90483	90484
90587	90619	90620	90621	90623	90624	90630	90632	90633
90634	90635	90636	90644	90647	90648	90649	90650	90651
90653	90654	90655	90656	90657	90658	90660	90661	90662
90664	90670	90671	90672	90673	90674	90675	90676	90677
90678	90679*	90680	90681	90682	90683	90684	90685	90686
90687	90688	90689	90694	90696	90697	90698	90700	90702
90707	90710	90713	90714*	90715*	90716	90723	90732	90733
90734	90736	90739	90740	90743	90744	90746	90747	90748
90750*	90756	90759	Q2034	Q2035	Q2036	Q2037	Q2038	Q2039

*Age range applies to 90714-90715 age 7yrs. and above, 90750 & 90679 age range 50yrs. and above

Preventive Immunization / Vaccine Administration and Vaccine Counseling code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
90461	90471	90472	90473
90474	90667	90668	96380
96381	D1301	D1720	D1781
D1782	D1783	G0008	G0009
G0010			

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003
Effective Date: 07/02/2012
Revision/Last Review: 08/19/2026

Policy Guidelines

The appropriate preventive service codes should be billed when preventive services are performed. Unless limitations are noted above, services are available as appropriate.

Over the counter (OTC) medications are not a covered benefit.

The AMA/CPT has created Modifier 33 for preventive services. BSC recognizes this modifier for claims billed for preventive services as outlined in this policy and will process accordingly.

Effective for claims with dates of service on or after January 1, 2018, prolonged preventive services will be payable by Blue Shield when billed as an add-on to an applicable preventive service, and both deductible and coinsurance do not apply. Blue Shield will apply correct coding rules from industry standard sources such as;

Center for Medicare & Medicaid Services (CMS) and American Medical Association (AMA), to the claims adjudication process.

The materials provided to you are guidelines used by this plan to authorize, modify, or deny care for persons with similar illness or conditions. Specific care and treatment may vary depending on individual need and the benefits covered under your contract. These Policies are subject to change as new information becomes available.

Medical Policy Application

For most services, a medical necessity determination by Blue Shield according to medical policy is not required. The services that require determination of medical necessity are noted in the Policy Section above.

Definitions

Asymptomatic: Having no symptoms.

Medically Necessary: A treatment, procedure or drug is medically necessary only when it has been established as safe and effective for the symptoms or diagnosis, is not investigational or experimental, is not being provided primarily for the convenience of the patient or the provider and is provided at the most appropriate level to treat the condition.

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

References

Covered preventive health services are based on the recommendations of:

- The United States Preventive Services Task Force (USPSTF) in "The Guide to Clinical Preventive Services". http://www.ahrq.gov/clinic/uspstfix.htm#pocket
- The U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA) comprehensive guidelines. https://www.hrsa.gov/womensguidelines2016/index.html
- The Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC). http://www.cdc.gov/vaccines/acip/index.html
- The U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA) comprehensive guidelines for infants, children, adolescents, and women. http://mchb.hrsa.gov/
- USPSTF Published Recommendations, Index: http://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browserecommendations
- American Academy of Pediatrics / Bright Futures / Recommendations for Pediatric Preventive Healthcare. (For ages 0-21) https://brightfutures.aap.org/materialsandtools/PerfPrevServ/Pages/default.aspx

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

Benefit Intent Policy BI-003

Effective Date: 07/02/2012

Revision/Last Review: 08/19/2026

Policy History

Effective Date	Action	Reason
10/1/2010	New Policy adoption	Preventive Health Guidelines
1/1/2011	Coding Update	Administrative Review
2/22/2011	Criteria Revised to align with USPSTF recommendations	Administrative Review
5/25/2011	Coding Update	Administrative Review
7/1/2011	Coding Update	Administrative Review
7/22/2011	Coding Update	Administrative Review
9/1/2011	Criteria Revised to align with USPSTF recommendations	Administrative Review
1/6/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
7/1/2012	Clarification of effective date	Administrative Review
7/17/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
8/1/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
10/31/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
3/1/2013	Added link for ACIP guidelines	Administrative Review
6/15/2013	Coding Update	Administrative Review
9/1/2013	Criteria Revised to Align with USPSTF recommendations, coding update	Administrative Review
1/1/2014	Coding Update	Administrative Review
3/1/2014	Coding Update	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

4/11/2014	Coding Update	Administrative Review
5/1/2014	Coding Update	Administrative Review
7/15/2014	Coding Update	Administrative Review
9/30/2014	Coding Update	Administrative Review
1/15/2015	Criteria added for Aspirin and CVD Risk Factors to Align with USPSTF, coding update	Administrative Review
4/30/2015	ICD-10codes added in the policy, & 2015 code updates	Administrative Review
5/8/2015	ICD-9 and ICD-10 codes updated for "Behavioral Counseling for Prevention of CVD"	Administrative Review
8/19/2015	Aligned the policy in accordance with USPSTF Preventive Benefits Changed title from "Preventive Health Services Including Women's Preventive" Explained age criteria for Developmental Screening Added 2016 New Code 0403T to Behavioral Counseling for CVD	Administrative Review
10/30/2015	AddedG0464 to Colorectal Cancer Screening	Administrative Review
3/1/2016	Anemia– Added 80081 BRCA Mutation – Added 81162 Colorectal CA Screening- Replaced G0464 with 81528 Contraception - Added J7297, J7298 and removed J7302. Diabetes Mellitus – Added 83036, ICD-9 Dx (278.00, 278.01, 278.02, 278.03), and ICD-10 Dx (E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9) Gestational DM – Added 83036 Hepatitis B(Pregnant) – Added 80081 HIV – Added 80081 and G0475 HPV– AddedG0476 Lung Cancer Screening – Added G0296, G0297 and V15.82 Rh (D) – Added 80081 Syphilis– Added 80081 Visual Impairment – Added 99177 Immunizations- Removed 90645, 90646, 90669, 90703,90704, 90705, 90706, 90708, 90712, 90719, 90720, 90721	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

4/1/2016	Annual Health Appraisal – Updated Dx V19.2 Autism: Changed Age criteria to 18- and 30-months Behavioral counseling for prevention of CVD: ICD-10 codes and CPT codes updated Breastfeeding: E0604 removed from coverage as preventive Colorectal CA Screening – Added 45349, 45390 and Dx codesZ80.0, Z83.71, Z83.79, Z85.038, Z86.010 Contraception – Removed A4264 Diabetes: Added 82950 and 82951 Tuberculosis: Removed children as criteria Pregnancy diagnosis code table added: Applies to Anemia screening, Asymptomatic bacteriuria, Chlamydia infection, Syphilis, Gonorrhea, gestational diabetes, Hepatitis B virus, Rh (D) incompatibility Screening Diabetes Diagnosis code Table added: Applies to Behavioral counseling for CVD Atherosclerosis diagnosis code table added: Applies to Behavioral counseling for CVD Lung Cancer: S8032 Removed effective 09.30.2016. Syphilis Screening: ICD-10 code updates Tobacco Cessation: Updated guideline for 2015. Sexually Transmitted Infection: ICD-10 Code updates Pregnancy Diagnosis Table: ICD-10 Code updates Diabetes Diagnosis Table: ICD-10 code updates Immunizations – Added 90674, 90682, 90750 effective 01.01.2017	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

7/1/2017	Aspirin Use to Prevent Cardiovascular Disease and Colorectal Cancer: Preventive Medication - NEW USPSTF recommendation for aspirin use in adults 50- 59 years with risk factors such as CVD or CRC Colorectal Cancer Screening: G0464, 8152 applicable to all LOBs. Chlamydia Screening - Added ICD-10 code updates Gonorrhea Screening- Added ICD-10 code updates Hepatitis C Screening – Added ICD- 10 code updates HIV Screening – Added ICD-10 code updates Syphilis Screening - NEW USPSTF recommendation for asymptomatic, nonpregnant adults and adolescents who are at increased risk for syphilis infection Tuberculosis Screening: NEW USPSTF recommendation for latent tuberculosis infection in population at increased risk Behavioral Counseling for CVD: ICD-10 codes removed.	Administrative Review
1/1/2018	Breast Cancer Mammogram: G0202 expired. Contraception: J7296 added. Colorectal Cancer Screening: 00810 expired, 00811 and00812 added Lead Screening: Age criteria and diagnosis codes updated Annual Health Appraisal: 99401, 99402, 99403, 99404, 99411, 99412added Behavioral Counseling Interventions - CVD: Age criteria added. ICD-10 code added back to Policy which got omitted in last update. USPSTF ACIP: 90756added Add-on Codes: G0513 andG0514 added.	Administrative Review
4/1/2018	Pre-Eclampsia Screening-new requirement. USPSTF-screening using blood pressure measurement throughout prenatal visits Skin Cancer-Behavioral Counseling: Age criteria updated (6months to 24 years) Immunization appendix: 90682 is FDA approved now. * removed from code in table Immunization: Link updated Fall Prevention: Removed Vitamin D supplementation language per USPTF	Administrative Review
7/11/2018	Breast Pump-remove home grown code ofZ0012	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

10/1/2018	Cervical Cancer Screen—remove 88154 (deleted 1/1/2018) Behavioral Counseling for Prevention of CVD—Remove G0447-not appropriate for this benefit Obesity Screening—Removed G0446 Breastfeeding Counseling-Remove Homegrown code of Z0012 Colorectal Screening-added G0500, 00813, 99152, 99153 Hepatitis B-Pregnant-Added 86704, 86705, 86706 Depression-Added Dx Codes-Z13.31 Autism-Added DX code Z13.41 Domestic and Interpersonal Violence-Added Z04.81 Pregnancy Diagnosis Table: ICD-10 code updates.	Administrative Review
1/1/2019	Asymptomatic Bacteriuria—CPT Code 36415 was removed-not appropriate for this benefit Autism— CPT code 99381 and 99391 were removed— not appropriate for this benefit BRCA Mutation Testing—CPT codes 81211, 81213, 81214 removed- deleted as of 1/1/2019. CPT codes 81163, 81164, 81165, 81166, 81167 added-new codes. Cervical Cancer (Pap smear) Screen—New language added to benefit-age criteria broken into 2 different age groups. New ICD-10 codes added-- Z12.72, Z12.79, Z12.89, Z72.51, Z72.52, Z72.53, Z77.21, Z77.29, Z91.89, Z92.89. New CPT code added-87624. New HCPCS code added-G0476. New Revenue Codes added—0300, 0301, 0306 Chlamydia (STD) Infection—CPT code 36415 removed-not appropriate for benefit Gonorrhea (STD)—CPT code 36415 removed-not appropriate for benefit Lipid Disorders—New ICD-10 code Z13.6 added. New CPT code 83722 added Osteoporosis Screening—CPT code 77085 added. Pregnancy Diagnosis Table: ICD-10 code updates.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

5/1/2019	Annual Health Appraisal-Added language to reflect hearing loss in adults. Added age parameters of 3 years of age, for 99173. Removed G0402, 99172, 99497, 99498, 92558-these codes are not appropriate for category. 92551, 92552, 92553— age updated to reflect 18 years and older. Added-revenue code 0770 Abdominal Aortic Aneurysm—title updated to include screening. Added revenue code 0770 Alcohol Use—title update to "Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions. Updated age to reflect 12 years and older, instead of 18. Removed Z13.89. Added G2011-new code Anemia-updated words "21 years of age". Added 85013-new code Aspirin-title updated "Aspirin Use to Prevent CVD and Colorectal Cancer: Preventive Medication." Language updated to reflect USPSTF language. Removed the pregnancy Language moved to new Preeclampsia category Asymptomatic Bacteriuria-title updated to include "in Adults." Added language to reflect "Pregnant adolescents ages 12 years and older" Autism-updated age to reflect 0 to 3 years of age (instead of months). Added language for screening at 9 months and 18 months visits. Removed CPT codes 99382 and 99392-not appropriate. Added CPT code 96110 Behavioral Counseling for Preventive of CVD-title updated to "Healthful Diet and Physical Activity for Cardiovascular Disease preventive in Adults with Cardiovascular Risk. Factors: Behavioral Counseling." Removed G0270, G0271, 0403T, S9470not appropriate. Remove rev codes 0914, 0915, 0916-not appropriate Blood Pressure-title updated to include "High Blood Pressure Screening-in Adults."	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

5/1/2019	Removed revenue codes 0480, 0920, 0969, 0983 Breast Cancer Mammogram-title updated to include "Breast Cancer Screening: Mammogram." Breastfeeding-language updated to reflect "Lactation support services are inclusive in maternal care visits and annual health appraisal. Removed listed ICD-10 DX codes updated to reflect "ALL" DX codes. Removed 99201,99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412-not appropriate. Removed revenue codes 0271, 0272-not appropriate BRCA Mutation Testing—title update to include "BRCA-Related Cancer: Risk Assessment, Genetic counseling, and Genetic Testing. Language updated to reflect USPSTF language. CPT codes 81432 and 81433 added-new codes. Chemoprevention of Breast Cancer-title updated to "Breast Cancer: Medications for Risk Reduction." Language updated to reflect USPSTF language. Chlamydia (STD) Infection-added "years" to age 24 Add asymptomatic to sexually active, per USPSTF and added "years" to age 25. Cervical Cancer (Pap Smear) Screen-title updated to "Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening. Combined the criteria of both cervical cancer and HPV-into one category. Colorectal Cancer-removed CPT code 88304-not appropriate. Contraception-updated reproductive capacity language "Adolescents and adult). Updated contraceptive care language to reflect USPSTF language. Depression-added new language regarding perinatal depression to reflect USPSTF language.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

5/1/2019	Abnormal Blood Glucose and DM Screening-removed the 18 year of age criteria and DX codes— not appropriate. Removed 83036 with DX Z00.00, Z00.01, Z01.411, Z01.419, Z13.1 Domestic and Interpersonal Violence-title updated to " Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening." Added language that these services will pertain to individuals 12 years and older. Added DX codes Z69.010, Z69.81. Removed CPT code 90792, 97802, 97803, 97804, G0270, and G0271-not appropriate. Fall Prevention-updated language to reflect exercise interventions. Removed physical therapy language. Gestational Diabetes-added language to reflect Asymptomatic pregnant individuals. Added language to reflect 2 screenings per pregnancy. Gonorrhea added language to reflect asymptomatic individuals. Gonococcal Ophthalmia Neonatorum-title updated to rGeoflenoctc"oOccaular Prop Ohpyhlathxiaslfmo ira Neonatorum Preventive Medication. Language updated to reflect "For prevent" and removed "for." Hear loss—title updated to reflect "Screening for Hearing Los in Children," per USPSTF. Added language under newborn typically administered during the initial hospital newborn care. Added language children and adolescents 0 to 1 years Pure tone audiometry and tympanometry. Added DX codes Z82.2, Z00.121, Z00.129. Added CPT codes 92552 an 92567.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

5/1/2019	: Hepatitis B Virus. Added G0499 and revenue code 0770. Hepatitis C Virus-Language updated to reflect "This is a one-time screening, for adults born between 1945 and 1965. Added revenue code 0770. Removed revenue codes 096X, 097X, 098X. Human Immunodeficiency Virus (HIV)Language added to reflect "Pregnant individuals, including women who present in labor and are untested." Remove DX code Z71.7-not appropriate. Revenue code added-0770 Lipid Disorder-removed ICD-10 DX codes and CPT procedure, and revenue codes (category inactive by USPSTF 2008). Lung Cancer-removed procedure codes 0174T, 0175T, 71250, 71260, 71270, S8092-not appropriate. Obesity Screening-title updated to reflect "Obesity in Children and Adolescents: Screening." Removed the adult criteria and formed a new category per USPSTF. Language updated to reflect "Screening for obesity in children and adolescents." Removed DX codes-Z00.00, Z00.01, Z01.411, Z01.419, Z01.42— not appropriate for children. Removed 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397,G0473not appropriate.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

5/1/2019	Osteoporosis Screening-language changed from "less" to "younger" for age 65. Revenue code 0770 added. Added CPT codes 78350 and 78351. PKU-Added CPT code 36416 New Category-Pre-Eclampsia: Screening. Created a new category to separate the information on pre-eclampsia from high blood pressure-Per USPSTF recommendation. No new information added. Sexually transmitted infections/disease-title updated to reflect "STI/STF Behavioral counseling. Added language to reflect "adolescents (younger than age 25 years). Removed DX code Z71.7-not appropriate. Skin Cancer-title updated to reflect "Skin Cancer Prevention: Behavioral Counseling." Language added to reflect "young adults, adolescents, children, and parents of young children." Updated language to reflect "24 years". Syphilis Screening-removed CPT codes 87205, 87210, 87800, and 87801-not appropriate. Tobacco Screening-title updated to reflect "Tobacco Smoking Cessation in Adults, Including Pregnant Women: Behavioral and Pharmacotherapy Interventions." Updated language to reflect USPSTF language. Removed DX codes F17.201, F17.211, F17.221, F17.291, Z13.83not appropriate.	Administrative Review
5/1/2019	Tobacco Use in Children and Adolescents tobacco into Adults and Children. Added the language to Children section, added DX codes and procedure codes. Tuberculosis Screening-title updated to reflect "Latent Tuberculosis Screening." Removed DX codes R76.11, R76.12-not appropriate. Remove CPT code 36415-not appropriate. Removed revenue codes-not appropriate Visual Impairment-change the age parameters to 3 to 18 years. Added DX codes Z76.1, Z76.2. Remove CPT code 99172, 99381, 99382, 99391, 99392. New Category—Weight Loss to Prevent Obesity-Related Morbidity and Mortality in Adults: Behavioral Interventions. No new information added-just split obesity category into separate categories per USPSTF recommendations.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

7/1/2019	Fall Prevention-added CPT codes 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0151, G0157, G0159, S8990, S9131 Newborn Screening Panel-new category. Added language to reflect HRSA requirements—no coding work BRCA-Added 0102U and 0103U-new codes effective July 1, 2019	Administrative Review
8/15/2020	Annual Health Appraisal-Remove CPT codes 92551, 92552, 92553, 92558, 99497, 99498, (G0101, G0438, G0439-not commercial related- MCR) Unhealthy Alcohol Use-Remove DX code Z71.42. Remove CPT codes 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397Autism Screening-Removed DX code F84.0, F84.9, and Z13.89. Healthful Diet/CVD Prevention-Removed DX code Z13.220, Z71.3, Z72.4, Z87.891. BRCA- Removed DX code Z71.83, not appropriate.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/15/2020	Cervical CA-Removed DX code Z12.79 and Z12.89. Removed CPT code 88155. Removed several DX/CPT combinations-not appropriate combinations. Chlamydia and Gonorrhea-Removed CPT codes 86631, 86632, 87081, 87800, 87801, 36415. Removed Revenue code 0302. Colorectal Cancer- Removed CPT code 45334, 45340, 45341, 45342, 45346, 45347, 45349, 45379, 45382, 45386, 45388, 45389, 45390, 45391, 45392, 88304. Dental caries-Removed DX code Z41.8, Z00.121, and Z00.129. Depression- Removed CPT code 99401, 99402, 99403, 99404 Development/Behavioral Disabilities- Removed CPT code 96127. Diabetes Mellitus Type 2- Removed DX code E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9. Removed CPT code 82948, 82950, 82951, 82952. Hepatitis C-Updated language to reflect USPSTF recommendations. Removed DX codes-not needed as qualifier. Removed Revenue Code 390 High Blood Pressure-Removed R03.0 Human Immunodeficiency (HIV)-Removed DX code Z11.9 and Z77.21. Intimate Partner Violence, Abuse-Removed DX code Z04.81 and Z69.010. Obesity in Children- Removed DX code Z71.3. Osteoporosis-Removed CPT code G0130. Syphilis Screening-Removed CPT 87081 Pregnancy DX Table-Removed several DX codes.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

11/7/2020	Unhealthy Alcohol use in Adults-Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529. Adolescent Alcohol and Substance Use Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 529 Asymptomatic Bacteriuria-Added Rev codes 0307. Breastfeeding-Added HCPCS code K1005. BRCA-Added CPT code 0138U. Breast Cancer-Meds—Removed DX code Z85.3. Chlamydia (STD)-Added CPT code 87563. Colorectal CA-Added DX codes K51.40, K62.0, K62.1, added CPT code 74280. Depression-Adjusted language to align better with USPSTF recommendation (No code changes) Diabetes Mellitus-Added DX codes Z86.32, E28.2 Hepatitis B-Added DX code Z11.3 Hepatitis C-Updated language to align with the USPSTF recommendation. Removed all DX codes (Z00.00, Z00.01, Z01.411, Z01.419, Z20.5, Z72.89, Z77.21, And Preg)-test is now open to anyone age 18 to 79. High Blood Pressure-Added CPT codes 99473, 99474 HIV- Removed DX code Z77.21-not appropriate. Added CPT code 99401, 99402, 99403, 99404. Updated language to align with USPSTF recommendation. Intimate Partner Violence-Removed DX code Z69.010 STI/STD-Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529 Tobacco in Adults—Added DX codes Z71.6, O99.330, O99.331, O99.332, O99.333. Added Rev codes 0510, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0523, 0529. Tobacco in Children and Adolescents Added DX code Z71.6. Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529. Tuberculosis-Added Rev code 0519. Unhealthy Drug Use: Screening-New Category Effective June 2020—Added language, Added DX codes, Added CPT codes, Added Rev codes. Visual Impairment-Added DX codes H53.001, H53.002, H53.003, H53.009. Tobacco in Children and Adolescents Added DX code Z71.6, O99.330, O99.331, O99.332, O99.333. Added Rev codes 0510, 0514- 0517, 0519-0521,0523, 0529	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/21/2021	Annual Health Appraisal-Added HCPCS code G0101 Abnormal Blood Glucose and DM Type 2 Screening-combined the criteria into one category per Task Force(breakout of criteria from Healthful Diet category). Updated the DX codes and CPT codes. Added CPT codes 0403T & 0488T. Removed CPT codes 97801, 97802, 97803-placed these codes under Healthful Diet category. Unhealthy Alcohol Use Adults-Added revenue codes 0510, 0514, 0515, 0517, 0519, 0521, 0523, 0529 Adolescents Alcohol and Substance Use: Screening-Added DX codes F11.10, F11.20, F12.10, F12.20, F12.90, F14.10, F14.20, F18.10, F18.90, F19.10, F19.20, F55.8, to align with Bright Future. HPV Screening-Added CPT code 0500T. Cervical CA Screening/HPV Screening- updated age range to reflect 21-999 yrs for G0476. Adolescents Alcohol and Substance Use: Screening-Added DX codes F11.10, F11.20, F12.10, F12.20, F12.90, F14.10, F14.20, F18.10, F18.90, F19.10, F19.20, F55.8, to align with Bright Future. HPV Screening-Added CPT code 0500T. Cervical CA Screening/HPV Screening- updated age range to reflect 21-999 yrs for G0476. Contraception-Removed Rev codes 0450, 0451, 0452, 0456, 0459, 0516, 0526 from several CPT codes as the procedures were not removal of contraception. Colorectal CA Screening—Added CPT 74280, Modifier 33 to CPT code 82274, updated the intervals for00811, 00812, 00813, 45330, 45331, 45332, 45333, 45335,45338, 45378, 45380, 45381, 45384, 45385, 88305, 99152, 99153, J0300, J2175, J2180,J2250, J2704, J3010, J3360, G0105, G0500, S0285, Removed Rev code 0514(not appropriate)	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/21/2021	Depression-Removed DX code Z13.89 (too vague), added language for 96127 to reflect Z13.31, Z13.32, & Z13.39 only allowable codes for 96127. Dental Caries/Oral Fluoride-added Dx Codes Z29.3, Z91.841, Z91.842, Z91.843, Z91.849 based on Bright Futures guidelines Fall Prevention-Added Rev Codes 0424, 0510, 0517, 0519, 0520, 0521, 0523, 0529. Healthful Diet to Prevent CVD-updated the language to reflect Task Force recommendations (breakout of criteria involving DM Type 2 and Weight Loss Adults). Removed several DX codes (E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9, F17.200, F17.201, F17.203, F17.208, F17.209, F17.210, F17.211, F17.213, F17.218, F17.219, F17.220, F17.221, F17.223, F17.228, F17.229, F17.290, F17.291, F17.293, I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708, I25.709, I25.710, I25.711, I25.718, I25.719, I25.720, I25.721, I25.728, I25.729, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810, I25.811, I25.812, N262., O10.02, O10.03, O10.12, O10.13, O10.22, O10.23, O10.32, O10.33, O10.42, O10.43, O10.92, O10.93, O24.419, O24.429, O24.439, O99.810, O99.814, O99.815, R73.01, R73.02, R73.03, R73.09, R73.9, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z72.0, Z86.32) and CPT codes (G0447, G0473, 0403T, 0488T). Added language to reflect that DX codes E78.2, E78.3, E78.41, E78.49, E78.5, E78.6& E88.81 are the only allowable DX codes for 97802, 97803 & 97804. Added Rev Codes 0520, 0521, 0523, 0529. Updated age to reflect 18 to 999 yrs to align with task force age range change..	Administrative Review
8/21/2021	Hepatitis C Virus-Added DX codes Z00.00& Z00.01 Removed Dx Code N/A. High Blood Pressure Screening-Removed DX codes Z00.00 & Z00.01. Added DX code R03.0. Lung Cancer-Added new CPT code 71271, removed G0297 (deleted 1/2021) Obesity in Children and Adolescents-Removed DX code Z13.89-too vague Osteoporosis Screening-Added CPT codes 0554T, 0555T, 0556T, 0557T. Osteoporosis Screening-Added CPT codes 0554T, 0555T, 0556T, 0557T.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

10/24/2021	Prostate CA Screening- updated age range to reflect 40-999 yrs Tobacco Use in Children-updated age to reflect 5 to 999 yrs. Weight Loss Adults-Updated the language to reflect Task Force recommendations (breakout of criteria from Healthful Diet category). Updated the age to reflect 18 and older. Added several DX codes (E66.01, E66.09, E66.1, E66.2, E66.8, E66.9, O99.210, O99.211, O99.212, O99.213, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45) and CPT codes (99385, 99386, 99387, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, G0447, G0473) to reflect new criteria. Added Rev Codes 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529. Updated age range to reflect 18 – 999 yrs based on the code changes criteria change by task force. Immunizations-Added CPT codes 90476, 90477, 90667, 90689, 90694	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

12/29/2021	Cervical Cancer/HPV Screening – updated age to reflect 12 to 65 years of age, updated intervals to reflect 1 every 3 years for all codes, added DX codes Z00.121, Z00.129, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, Z791.89, Z86.001 Hepatitis B – added revenue codes 0300, 0301, 0302, 0306, 0309, 0390, 0770 to CPT code G0499 and 36415, added DX code Z00.121, Z00.129, Z11.4, Z20.2, Z20.5, Z20.9. Hepatitis C – added DX codes Z11.3, Z20.6, Z20.2, Z20.5, Z72.51, Z72.52, Z72.53, Z11.59 to several CPT codes. HIV – Updated age to reflect 0-999 Yrs, added CPT codes 80081, 87534, 87535, 87536, 87537, 87538, 87539, 86689, 86701, 86702, 86703, 87389, 87390, 87391, 96372, J3490, added DX code Z71.7, Z77.21, Z20.5, Z72.51, Z72.52, added revenue code 0770, removed DX code Z22.8 and Z22.9-not appropriate. PrEP - added CPT code 96372 and J3490, added DX cod Z71.7, added revenue code 0770, removed DX code Z22.8 and Z22.9-not appropriate. STI/STD – removed DX code Z71.89, added DX codes Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.6, Z20.9, Z72.89, Z77.21, Z77.9, added revenue code 0770	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

2/26/2022	Alcohol Misuse – Added DX code Z81.3, added revenue codes 0770, updated intervals, removed DX code Z11.20 with G0396 and G0397-not appropriate for category. Anemia— updated age to reflect 0 to 19 years of age, per legal, added Revenue code 0770. Asymptomatic Bacteriuria – added revenue code 770 Autism Screening – added DX codes G93.40, G93.9, R29.898 per Bright Futures, added revenue code 770 BRCA – Added DX codes Z80.8, Z80.0, Z80.42, Z80.49, Z80.51, Z85.07, Z85.46, Z85.520, Z15.03, Z15.04, Z86.000, added revenue code 0770, updated age for 0138U to reflect 0-999 yrs. Breast Cancer (Chemoprevention) – Added revenue code 0770 Breast Cancer (Mammogram) – Added revenue code 770 Cervical CA/HPV screening – interval update for HPV codes 87623, 87624, 87625, G0476, 0500T (missed by FACETS in Dec 29, 2021 implementation), age update, added revenue codes 0500, 0509 Chlamydia– Added DX codes Z11.4, Z11.59, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, added revenue code 0301, 0302, 0305, 0770. Colorectal cancer screening— updated intervals, removed DX codes Z00.00, Z00.01, Z01.411, Z01.419, 88305 adjusted to reflect modifier 33 and PT only, Added revenue codes 0361, 0369, 0499, 0761, 0769, 770 Contraception – Added CPT codes 58661, 58700, J7294 and J7295-per medical directors. Depression – Added CPT code S3005, added revenue code 770	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

2/26/2022	Screening for Prediabetes and Type 2 DM – added DX codes E66.2, E66.3, E66.8, E66.9, Z83.3, Z13.1, Z86.32, Z86.32, R73.01, R73.02, R73.03, R73.09, R73.9, E28.2, added CPT code 82947, added revenue code 0770, removed DX code O99.810 not appropriate for category. Fall Prevention- Added revenue code 0770. Gestational Diabetes – Updated age to reflect 12 to 999 yrs for DX Pregnancy DX table, added DX code Z86.32, added CPT code 82950. Gonorrhea – Added CPT codes 87660, 87661, and 87808, added revenue code 0770. Hep B Screening– Added DX codes Z20.2, Z20.5 to non-pregnant criteria Hep C Screening – Added DX code Z72.89, Z00.00 and Z00.01 to CPT code 86803 Hearing Loss Screening – Added CPT code 92652. Intimate Partner – Updated age to reflect 0999 Yrs for DX code Z01.411 and Z01.419 with CPT code 99403 and 99404 revenue code 0528. Lead Screening – updated age to reflect 0-19 Yrs, per Legal. Obesity in Children and Adolescents: Screening– Added revenue code 0515 to DX codes Z68.53 and Z68.54 for CPT code 99383.	Administrative Review
2/26/2022	Prevention of Dental Caries – Added revenue code 770 Rh (D) – updated age to reflect 12-999 Yrs for Pregnancy DX code with CPT code 36415 with revenue code 0300 Sexually Transmitted Infection – Updated age to reflect 0-999 Yrs for DX code Z20.2 with CPT code 99402, 99403, 99404, added revenue code 0770. Screening for Diabetes Mellitus After Pregnancy – added category, added DX codes Z13.1, Z86.32, O99.815, R73.01, R73.02, R73.03, R73.09, added CPT codes 82946, 82947, 82948, 82950, 82951, 82952, 83036, 36415,added Revenue codes 0300, 0301, 0309, 0770 Syphilis Infection Screening – Added DX codes Z11.4, Z11.59, Z20.5, Z20.6, Z20.9, Z57.8, Z71.7, Z77.21, Z77.9 Tobacco Screening– Updated age to reflect 5-999 Yrs, added revenue code 0770, removed DX code Z00.121 and Z00.129 for CPT code 99406 and 99407 Unhealthy Drug – Added revenue code 0770 Immunization – Added Rabies vaccines 90671, 90675, 90676, added Hepatitis B new code 90759.	

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/6/2022	Breast Cancer (Mammogram) – removed intervals for the add on code 77063	Administrative Review
9/28/2022	Adverse Childhood – New category – added DX codes Z59.41, Z59.48, Z59.811, Z59.812, Z59.819, Z62.21, Z62.22, Z62.810, Z62.811, Z62.812, Z62.813, Z62.819, Z62.820, Z62.821, Z62.822, Z63.0, Z63.31, Z63.32, Z63.4, Z63.5, Z63.71, Z63.72, Z63.79, Z63.8, Z63.9, Z64.0, Z64.1, Z65.0, Z65.4, Z65.5, Z69.010, Z69.020, Z69.11, Z69.81, Z72.51, Z72.52, Z72.53, Z81.1, Z81.3, Z81.4, Z81.8, Z86.51, Z86.59, Z91.42, Z91.49, Z91.51, Z91.52 and procedure codes G9919, G9920,added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0918 Anemia – updated age to reflect 0-19 yrs, added revenue codes 0301, 0306, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770 Autism Screening/Development– added revenue codes 0500, 0509, 0522 Hepatitis B Virus – Non Pregnant – updated age to reflect 0- 999 yrs on CPT code 86704, 86705, 86706, 87340, 87341, and G0499 for DX code Z11.3 Hepatitis B Virus – Pregnant – updated age to reflect 0-999 yrs. for DX code pregnancy on CPT code 36415 Human Immunodeficiency Virus(HIV) – added CPT code 87806, added revenue codes 0500, 0509, 0522 PrEP– added CPT code 96372, J3490, added revenue codes 0500, 0509, 0522 Intimate Partner Violence – updated age on revenue code 528 Lipid Screening- updating age to reflect 40-75 yrs. Obesity in Children – updated age to reflect 618 yrs. Obesity Preventive in Midlife Women– new category – added DX codes Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, added CPT codes 99401, 99402, 99403, 99404, 99411, 99412, 99386, 99396, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

9/28/2022	Newborn Screening (Phenylketonuria (PKU) – corrected age to reflect 28 days and younger on DX code Z13.228 (Sickle Cell Disease) – corrected ageto reflect 28 days and younger on DX codes Z00.110, Z00.111, Z13.0 Prevention of Dental Caries – updated age to reflect 6 months to 5 yrs. for DX code Z29.3 with CPT code 99188, added dx codes Z00.121 and Z00.129. Prostate Cancer– updated age to reflect 40999 yrs. Screening for Lung Cancer – updated age to reflect 50-80 yrs. On procedure code G0296 for DX code Z12.2, Z87.891 Sexually Transmitted Infections/ Diseases (STI/STD) – updated age to reflect 0-999 yrs., added revenue codes 0500, 0509, 0522 Syphilis Infection – updated age to reflect 0-999 yrs., Added revenue codes 0500, 0509, 0510, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0529, removed DX code Z71.7, removed revenue code 0311 Tobacco Use in Children – updated age to reflect 5 to 18 yrs., added revenue codes 0500, 0509, 0522 Tobacco Smoking Cessation – updated age to reflect 18-999 yrs. on non-pregnant individuals, Added revenue codes 0500, 0509, 0522 Latent Tuberculosis– updated age to reflect 0- 999 yrs., added revenue codes 0500, 0509 Unhealthy Drug Use – added DX code Z71.51, added revenue codes 0500, 0509, 0522 Visual in Children – updated age to reflect 3- 999 yrs., Added revenue codes 0500, 0509, 0514, 770 Weight loss to prevent obesity– added revenue codes 0500, 0509, 0522	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

10/26/2022	BRCA– Added revenue codes 0500, 0509, 0522, 0780 Chlamydia/Gonorrhea – Added CPT codes 86631, 86632, 87800, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 529 Depression Adults – Updated language to reflect suicide risk screening, added DX codes Z91.51, Z91.52, added revenue codes 0500, 0509, 0522 Depression Children - Updated language to reflect suicide risk screening, added DX codes Z91.51, Z91.52, added revenue codes 0500, 0509, 0522 Perinatal Depression – Added DX codes Z13.31, Z13.32, added revenue codes 0500, 0509, 0522, 0780 Healthful Diet – Added revenue codes 0500, 0509, 0522, 0780, verified that all coding reflected age 18 yrs. and older Hepatitis C – Added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, Updated age for Preg Dx to 12 yrs. And older	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

11/30/2022	Breast CA (Chemoprevention)– Added revenue codes 0500, 0509, 0522, 0780 Development Screening-Language updated to reflect Social, Emotional screening, added DX codes Z13.40, Z13.41, Z13.42, Z13.49, F88, F81.9, F89, G93.40, G93.9, R27.0, R27.8, R27.9, R62.0, R29.6, R29.818, R29.898, R29.90, R29.91 to procedure code 96127, revenue codes 0760, 0761 Fall Prevention-Added revenue codes 0500, 0509, 0522 Healthy Weight Pregnancy-Added revenue codes 0500, 0509, 0522, 0780 Hearing Loss-Added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 529 Obesity Preventive Midlife-New category added language, added DX codes Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, added procedure codes 99401, 99402, 99403, 99404, 99411, 99412, 99386, 99396, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780 Osteoporosis-added procedure codes 0743T, 0749T, 0750T Statin Use for CVD-added revenue code 0770 Sudden Cardiac-New category-added language, added DX codes G71.00, I10, I20.0, I20.1, I20.8, I20.9, I34.0, I42.0, I42.1, I42.2, I42.5, I42.8, I42.9, I47.0, I47.1, I47.2, I47.9, I48.20, I49.01, I49.02, Q20.8, Q20.9, Q23.0, Q87.40, Q87.410, Q87.418, Q87.89, R00.0, R00.1, R00.2, R00.8, R00.9, R01.0, R01.1, R01.2, R03.0, R06.00, R06.02, R06.03, R06.09, R06.9, R07.1, R07.2, R07.82, R07.89, R07.9, R53.1, R55, Z13.6, Z14.8, Z15.89, Z36.83, Z79.01, Z79.52, Z82.41, Z82.49, Z82.69, Z83.42, Z84.81,Z84.89, Z86.74, Z86.79, Z95.0, added procedure codes 96160, 93000, 93005, 93010,added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0985	Administrative Review
11/30/2022	Tobacco-added revenue code 0780 Vision – age updated to reflect 3-999 yrs Weight Loss To Prevent Obesity-Added revenue code 780	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

2/8/2023	Breastfeeding-Added counseling procedure codes 99401, 99402, 99403, 99404 with DX code Z39.1 and revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780 Chlamydia/Gonorrhea-Removed revenue code 0522 Healthful Diet CVD-Added revenue code 0780 Intimate Partner Violence-Added DX code Z91.414, added revenue code 0780 Obesity In Children-Added revenue code 0780 Prevention of Dental Caries-Added DX codes Z00.121, Z00.129, added revenue codes 0500, 0509, 0510, 0512, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0982, 0983 STI/STD-Added revenue code 0780 Immunization-Added 90587	Administrative Review
4/26/2023	Colorectal CA Screening- Added High risk DX Z85.060, Z85.068, C18.0, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C19, C20, C21.0, C21.1, C21.2, C21.8, C49.A3, C49.A4, C49.A5, C7A.021, C7A.022, C7A.023, C7A.024, C7A.025, C7A.026, C78.5, D01.0, D01.1, D01.2, D01.3, D12.0, D12.1, D12.7, D12.8, D12.9, D3A.021, D3A.022, D3A.023, D3A.024, D3A.025, D3A.026, D3A.029, D37.1, D37.2, D37.3, D37.5, D37.9, K50.011, K50.012, K50.013, K50.014, K50.018, K50.019, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.811, K50.812, K50.813, K50.814, K50.818, K50.819, K50.911, K50.912, K50.913, K50.914, K50.918, K50.919, K51.011, K51.012, K51.013, K51.014, K51.018, K51.019, K51.211, K51.212, K51.213, K51.214, K51.218, K51.219, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.411, K51.412, K51.413, K51.414, K51.418, K51.419, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.911, K51.912, K51.913, K51.914, K51.918, K51.919, K52.0, K52.1, K52.89, K52.9, K57.20, K57.21, K57.30, K57.31, K57.32, K57.33, K57.40, K57.41, K57.50, K57.51, K57.52, K57.53, K57.80, K57.81, K57.90, K57.91, K57.92, K57.93, K62.6, K63.3, Z08, Z09, Z15.09. Z85.00, Z85.05, Z86.004, Z87.19, added procedure code J2251, added revenue code 780	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

6/13/2023	COVID-updated the language to reflect the end of PH Chlamydia, Gonorrhea, HIV, Syphilis-added home testing language-SB 306.	Administrative Review
7/26/2023	Annual health appraisal- Added DX code Z00.3, added revenue codes 0500, 0509, 0522, 0780 Adolescent Alcohol and Substance Use Screening- Added DX code F10.90, added revenue code 0780 Alpha-Fetoprotein – Added language to reflect category being retired Sept 2022 Prenatal Screening Program – Added language to reflect the new category Asymptomatic Bacteriuria – Added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529 Developmental/Autism and Behavioral /Social/Emotional Screening– Adjusted age range to reflect 2.5 years/30 months of age Gestational DM – Updated category name to reflect Screening for Diabetes in Pregnancy per HRSA name change, added pregnant women to description language Intimate Partner Violence – Added revenue code 0522 Newborn Screening – Added language for Bilirubin screening, added CPT codes 82247, 88720, added DX codes Z00.110, Z00.111, Z13.0, Z13.228, Z13.21, Z13.29, P07.01, P07.02, P07.03 to policy language, added revenue codes 0300, 0301, 0305, 0309, 0770 to policy language	Administrative Review
7/26/2023	Screening for Anxiety – Updated language to reflect anxiety disorders in adults, including pregnant and postpartum, added clarifying age range for children, adolescents, and adults Screening for DM After Pregnancy – Updated category name to Screening for Diabetes After Pregnancy per HRSA update, added screening for type 2 diabetes to description language Unhealthy Alcohol Use in Adults – Added DX code F10.90, added revenue codes 0500, 0509, 0522, 0780 Pregnancy Diagnosis Table – Reformatted the table of DX codes Perinatal Depression Diagnosis Table – Reformatted the table of DX codes Vaccination code table – Reformatted the table of codes Administration code table – Reformatted the table of codes	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/30/2023	Depression in Adults-Title updated to reflect "Depression and Suicide Risk in Adults: Screening", language added" Clinicians should screen for major depression disorder in individuals who do not have a diagnosed mental health disorder or recognizable signs or symptoms of depression or suicide risk" Screening for Anxiety-language added "Conditions reviewed should include generalized anxiety disorder, social anxiety disorder, panic disorder, and anxiety not otherwise specified". Screening for Diabetes in Pregnancy-added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529 Screening for Diabetes After Pregnancy added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529 Screening for Prediabetes and Type 2 DiabetesMellitus-addedrevcodes0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0780	Administrative Review
11/1/2023	Contraception – Added DX codes T83.31XA, T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS, added procedure codes A4267, S0190, S0191, 0567T, 0568T, 76856, 81025, removed procedure code J7303, added rev codes 0307, 0500, 0509, 0780 Healthful Diet – added DX codes E20.810, E88.811, E88.818, E88.819, added rev codes 0515, 0761, 769 Intimate Partner Violence – Added DX codes Z91.414, Z91.A41, Z91.A48, Z91.A51, A91.A58, A91.A91, A91.A98, added rev codes 0500, 0509, 0522	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

12/6/2023	Adverse Childhood Experience (ACE) – Added DX codes Z02.84, Z55.6, Z59.10, Z59.11, Z59.12, Z59.19, Z62.814, Z62.815, Z62.823, Z62.831, Z62.832, Z62.833, Z62.892 Z91.410, Z91.411, Z91.412, Z91.419, Z91.85 Added rev code 0780, removed rev code 0918. Anemia removed CPT codes 85013 and 85014, added rev cod 306 Aspirin Use to Prevent Preeclampsia – moved language regarding blood pressure measurements to new category HTN Disorders of Preg: Screening. Asymptomatic Bacteriuria – Pregnancy DX list updated, age updated to 10 years and older Breastfeeding– Added rev code 0515, 0761, 0769 to the counseling codes, added rev code 0942 to breast pump equipment HTN Disorders of Preg – new category created; language moved from Aspirin Use to Prevent Preeclampsia. Human Immunodeficiency Virus (HIV) – Added DX code Z29.81, removed DX codes Z20.5, Z11.59, added rev codes 0920, 0940, age updated to 10 years and older	Administrative Review
12/6/2023	Prevention of Human Immunodeficiency Virus Preexposure Prophylaxis (PrEP) – Added DX code Z29.81, added HCPCS code J0739, removed rev code 0516 Lead Screening – Removed DX code R78.71 Lung CA Screening – Removed Z12.2, added rev code 780	Administrative Review
12/20/2023	Hepatitis C Virus-Added CPT code 87520, 87521, 87522, 87902 Prevention of Dental Caries- Added CPT code 0792T, added rev code 0761, 0769 Rh (D) Incompatibility – Added rev codes 0302, 0305, 0390	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

3/20/2024	Asymptomatic Bacteriuria in Adults- age update to 10 -999 Pregnancy Diagnosis Table: added codes O99.324, O99.335 BRCA- Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing - added CPT 81211, 81213, 81214. DX removed Z80.0, Z80.42, Z80.51, Z80.8 Z85.07, Z85.46, Z85.520, Z15.03, Z85.048,Z85.09, DX added add Z71.83, Z78.0 and Z15.04, REV codes 0302, 0319, 0760, 0761, 0769 Fall Prevention in Community-Dwelling Older Adults: Interventions- added CPT G0151, G0157, added REVs0420, 0421, 0422,0429, 0760, 0761, 0769, 0977 Screening for Hearing Loss in Newborn and Children- title change added" Newborn" added CPT 92558, 92650, 92587, 92588, V5008; removed CPT 92651, 92652, 92653, added DX codes Z00.110, Z00.111, Z00.121, Z00.129, P09.6, removed DX codes: Z01.10, Z01.118, Z13.5, Z82.2, added REV codes: 0760, 0761,0769	Administrative Review
3/20/2024	Hepatitis B Virus Infection in Adolescents and Adults: Screening- added CPT 87350, 86707, 80074, 80076; removed CPT 80081; REV codes added0305, 0522; DX codes added Z00.121, Z00.129 Immunizations / Vaccines – added CPT codes 90380, 90381, 90671, 90679 Updated Name/codes for Preventive Vaccine Table Preventive Vaccine Administration table Added Covid Vaccine Code Table Added Covid Vaccine Administration table	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

4/26/2024	Healthful Diet-Added DX code E88.810 Tobacco Smoking Cessation in Adults, including Pregnant Women: Interventions combined with Tobacco Use in Children and Adolescents - Removed CPT codes 99401,99402,99403,99404 Removed HCPCS codes S4990, S4991, S4995 Removed DX codes Z00.00, Z00.01, Z01.411, Z01.419. Preventive Breast cancer- Medication for risk-RemovedCPTcodes9241,99242,99243,99244,99245. Added CPT codes 99384, 99385, 99386, 99387, 99394, 99395, 99396,9939. Added DX codes Z86.000, D24.1, D24.2, D24.9, N60.01, N60.02, N60.09, N60.11, N60.12, N60.19, N60.21, N60.22, N60.29, N90.31, N60.32, N60.39, N6041, N60.42, N60.49, N60.81, N60.82, N60.89, N60.91, N60.92, N60.99. Added REV codes 0760, 0761, 0769	Administrative Review
5/29/2024	Combined these three categories-Obesity in Children and Adolescents, Weight Loss to Preventive Obesity in Adults, Obesity Prevention in Midlife Woman-Removed CPT codes 99383, 99384, 99393, 99394, 99401, 99402, 99403, 99404, removed Dx code Z00.121, Z00.129, Added DX code E66.01, E66.09, E66.1, E66.2, E66.3, Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25,Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z6831, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44,Z68.45,Z68.54, Added REV codes 0760, 0761, 769 Osteoporosis screening- Removed CPT codes 77078,78350,78351,0554T,0555T,0557T,0749T,0750T. Added codes G0130 Unhealthy Drug Use-Added DX codes F11.10, F12.10, F13.10, F13.90, F15.90, F16.90, removed DX codes- O99.324and O99.325, addedprocedure codes G0396, G0397, G2011, removed procedure codes 99401, 99402, 99403, 99404, added REV codes 0760, 0761, 0769	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

6/26/2024	Anxiety/Depression-Update age 10-999 for Pregnancy DX List, 8-65 for all other codes and age 0-65 for 96127 (avoid dupe), deleted codes 9920299205, 99211-99215, 99385, 99397, deleted DX codes Z00.00, Z00.01. Z01.411, Z01.419, Z91.51, Z92.52,added DX code Z13.30 BRCA-Related Cancer: Risk Assessment, Genetic Counseling-Added codes 81211, added REV codes 0940, 0942, 0949 Developmental/Autism-Added 96127 applicable procedure code for Behavioral/Social/Emotional Screening, added applicable ICD 10 diagnosis code for Behavioral/Social/Emotional Screening: Z13.41 andZ13.42, added applicable ICD 10 diagnosis codes for Autism and Developmental Screening: Z00.121,Z00.129, Z13.39, Z13.40, Z13.41, Z13.42andZ13.39, Deleted DX codes F88, F81.9, F89, G93.40, G93.9, R27.0, R27.8, R27.9, R62.0, R29.6, E29.898, R29.90, R29.91, Added REV code 0780 HIV/Prep-Added J3490, G0011, G0012, G0013, added REV codes 0250, 0636, 0760, 0761, 0769 Prostate CA-Deleted REV code 0514, added REV codes 0760, 0761, 0769, 0960, 0982, 0983 Vision Screening-Deleted DX codes Z00.110, Z00.111, Z76.1, Z76.2, H53.001-H53.009, added REV codes 0760, 0761, 0769, 0920, 0929 Statin Use CVD-Deleted DX code Z13.6, deleted 83722, added REV code 0305, 0310, 0319 Vision-age update 0-21 years	Administrative Review
7/25/2024	Obesity in Children-Title updated to reflect "Interventions for High Body Mass Index in Children and Adolescents" and added "with a high body mass index (BMI) (>95th percentile for age and sex)"	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/8/2024	Healthy Diet and Physical Activity for Cardiovascular-Deleted Pregnancy DX List for codes 99411, 99412 and G0446. Added codes 97802, 97803, 97804, added REV code 0760. STI/STD-Deleted codes 99384,99385, 99386, 99387, 99394, 99395, 99396, 99397. Deleted DX codes Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.2, Z20.6, Z20.9, Z72.51, Z72.52, Z72.53, Z71.7, Z72.89, Z77.21, Z77.9, Z86.19, added DX codes Z70.0, Z70.1, Z70.2, Z70.3, added REV codes 0760, 0761, 0769. Unhealthy Alcohol Use-Updated age from 12 to 10 years of age. Adolescent Alcohol and Substance Use-updated age from 12to 10years of age Unhealthy Drug Use-Updated age from 12 to 10 years of age, deleted codes 99401, 99402, 99403, 99404, 99411, 99412, added REV codes 0760, 0761, 0769. Deleted Pregnancy DX List and added DX codes O99.310, O99.311, O99.312, O99.313.	Administrative Review
9/11/2024	Perinatal Depression-Added codes 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171 Leaving age open, deleted Perinatal Depression DX Table and added DX codes Z34.00, Z34.01, Z34.02, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z39.2, Z86.59 to DX list, removed procedure code S3005, Added REV codes 0760, 0761, 0769, 0920, 0940, 0949 Smoking Cessation Children Adults Pregnant Woman Screening-Added REV codes 0760, 0761, 769 BRCA- Added missing decimal for DX codes Z71.83 and Z78.0 Immunization-added codes 90624 and 90684 Intimate Partner Violence-updated the last three DX codes from letter A to Z (Z91.A58, Z91.A91, Z91.A98) Preventive Administration-Added Preventive "Vaccine" Administration "and Vaccine Counseling" code table and added code D1301 vaccine counseling code.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

11/6/2024	Cervical CA/HPV Screening-Added DX code Z12.79, removed DX codes Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.6, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, Z91.89, Z86.001, added CPT code 0354U, 0502U, added rev codes 0302, 0305, 0515, 0522 Colorectal CA-added DX code Z12.10, Z83.710, Z83.711, Z83.718, Z86.719, Z83.72, Z86.0100, Z86.0101, Z86.0102, Z86.0109, added CPT codes G0327, J3490, Added rev codes 0259, 0631, 0632, 0969, 0971, 0972, Removed rev code 0780 Screen for Diabetes in Preg, Screen for Diabetes Ater Preg, Screen for Prediabetes – updated age to 10 years for screening for diabetes, added DX codes E28.2, E66.01, E66.09, E66.1 to Prediabetes Counseling, removed DX codes O99.815, R73.01, R73.02, R73.03, R73.09, R73.9, Z13.1 from Prediabetes Counseling, removed DX codes R73.01, R73.02, R73.03, R73.09. R73.9, Z68.22, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45 from Screen for Diabetes, removed DX codes O90.41, O90.49 from Preg DX list, added rev code 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780, 0960, 0969, 0982, 0983 to Prediabetes Counseling, added rev codes 0515, 0522, 0760, 0761, 0769, 0969, 0971, 0982, 0983 to the Screen Diabetes, removed rev code 0780 from the Screen Diabetes Sudden Cardiac Arrest – added DX codes I20.81, I20.89, I47.10, I47.11, I47.20, I47.21, I47.29, R06.01, R56.9, removed DX codes C71.00, I34.0, I42.0, I42.1, I42.2, I42.5, I42.8, I42.9, I47.9, I48.20, I49.01, I49.02, Q20.8, Q20.9, Q23.0, Q87.89. R01.2, Z14.8, Z15.89, Z36.83, Z79.01, Z79.52, Z84.81, Z84.89, Z86.74, Z95.0, added rev codes 0730, 0780	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

12/11/2024	Annual Health Appraisal – Added DX codes D24.1, D24.2, D24.9, E28.2, E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.811, E66.812, E66.813, E66.89, R66.9, E78.00, E78.01, E78.1, E78.2, E78.3, E78.41, E78.49, E78.5, E78.6, E88.81, E88.810, E88.811, E88.818, E88.819, E88.82, E88.89, E88.9, F10.10, F10.120, F10.129, F10.90, F10.929, I10, I15.0, I15.1, I15.2, I15.8, I15.9, I20.0, I20.1, I20.81, I20.89, I20.9, I47.10, I47.11, I47.19, I47.20, I47.21, I47.29, N60.01, N60.02, N60.09, N60.11, N60.12, N60.19, N60.21, N60.22, N60.29, N60.31, N60.32, N60.39, N60.41, N60.42, N60.49, N60.81, N60.82, N60.89, N60.91, N60.92, N60.99, O99.815, Q87.40, Q87.410, Q87.418, R00.0, R00.1, R00.2, R00.8, R00.9, R01.0, R01.1, R03.0, R06.00, R06.01, R06.02, R06.03, R06.09, R06.9, R07.1, R07.2, R07.82, R07.89, R07.9, R53.1, R55, R56.9, T83.31XA, T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS, Z11.3, Z11.51, Z12.4, Z12.5, Z12.72, Z12.79, Z13.31, Z13.40, Z13.41, Z13.42, Z13.49, Z13.6, Z15.01, Z15.02, Z15.04, Z17.31, Z17.32, Z17.410, Z17.411, Z17.420, Z17.421, Z20.2, Z20.9, Z29.3, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z57.8, Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z26.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z68.54, Z68.55, Z68.56, Z70.0, Z70.1, Z70.2, Z70.3, Z70.8, Z71.41, Z71.51, Z71.83, Z71.7, Z72.51, Z72.52, Z72.53, Z72.89, Z78.0, Z79.3, Z80.3, Z80.41, Z80.42, Z80.49, Z82.41, Z82.49, Z82.69, Z83.3, Z83.42, Z85.3, Z85.43, Z85.44, Z86.000, Z86.001, Z86.002, Z86.32, Z86.79, Z91.841, Z79.842, Z91.843, Z91.849, Z92.0, Z97.5, Z98.51,	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

12/11/2024	Pregnancy code list, removed DX codes Z13.21, Z13.228, Z13.29, Z76.1, Z76.2, Z82.2, Z91.81, added procedure codes G0513, G0514, removed procedure codes 99401, 99402, 99403, 99404, 99411, 99412, added rev codes 0760, 0761, 0769, 0920, 0940 Chlamydia Infection and Gonorrhea – Removed DX codes Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.6, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, added procedure codes 0353U, 0354U, 0483U, removed procedure codes 87205, 87210, 87563, 87660, 87661, 87800, 87808, added rev codes 0515, 0522, 0920, 929 Contraception – Added procedure code A9293 HIV/Prep– Added procedure codes 84703, Q0519, Q0520, removed 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397,addedrev codes 0251, 0252, 0259	Administrative Review
2/26/2025	Breastfeeding- Added code A4287 BRCA-Added DX codes Z17.31, Z17.32, Z17.410, Z17.411, Z17.420, Z17.421 Human Immunodeficiency Virus(HIV) Infection: Screening-Added REV codes 0960, 0969, 0971, 0982, 0983, 0984, 0988, Deleted REV code 0636. Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis-Added procedure code Q0521. Added REV codes 0960, 0969, 0971, 0982, 0983, 0984, 0988, Added code 36415 Syphilis-Removed DX codes Z11.4, B20, Z01.42, Z11.59, Z20.5, Z20.6,Z21, Z57.8, Z77.21, Z77.9, Added REV codes 0301, 0305	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

3/19/2025	Preventive Immunization Vaccine codes- Added codes 90671, Q2035 and Q2036. Moved codes D1781-D1783 to Preventive Vaccine Admin table. Added code G0009to Preventive Vaccine Admin table. Annual Health Appraisal- Added code 99459 missing from Policy. Use: Screening - Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions - Unhealthy Drug Use: Screening Adolescent Substance Use: Screening- Added REV codes 0760, 0761, 0769 to Alcohol Use. Substance Use-Added missing DX codes- F1110, F1210, F1310, F1390, F1410, F1590, F1690. Added missing REV codes 0760, 0761, 0769 and updated age from 12 to 10 years. Added code G2011	Administrative Review
4/30/2025	Adverse Childhood Experiences-Added DX codes Z59.71 and Z59.72, added rev codes 0760, 0761, 0769 Breastfeeding-removed K1005 BRCA-removed96040,81433, 81211 Chlamydia-removed 0353U, 0354U Colorectal CA-removed G0106, G0120 Contraception-removed 0567T, 0568T Diabetes-correctedZ68.32from Z68.332 HPV-removed 0500T, 0354U Intimate Partner Violence- Removed DX codes Z00.00, Z00.01, Z01.411, Z01.419, Z91.A41, Z91.Z48, Z91.A51, Z91.A58, Z91.A91, Z91.A98,added several DX codes, added revcodes0760, 0761, 0769, 0920, 0940, 0960, 0969, 0983 PrEP-removedQ0516, Q0517, Q0518, Q0519, Q0520	Administrative Review
5/24/2025	Obesity-added DX codes E66.811, E66.812, E66.813, E66.89, E88.82, Z68.55, Z68.56	Administrative Review
5/31/2025	BRCA-added procedure code 96041	Administrative Review
7/16/2025	Adjusted tables and corrected a clerical typo	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

7/23/2025	Preventive Counseling for Prediabetes & Type2 Diabetes Mellitus – Professional/ Facility Added DX codes-Prediabetes Counsel Screen DX table Added Codes: E66811, E66812, E66813, E6689, Annual Health Appraisal DX table: Adjusted table- Deleted duplicate DXs HCV (Hepatitis C Virus) Screening Professional/Facility Added CPT code: G0567 Newborn Screening Panel Professional/Facility Added CPT Codes: 83021, 83020, 84030 Added REV Codes: Newborn Screening REV code list Codes: 0310, 0319, Covid Immunization/Vaccine code table Added CPT Codes: 90612, 90613, 91323	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/20/2025	Breastfeeding – Added language: Please Note-- Lactation support services are considered part of the global obstetrics package for postpartum services and is, therefore, not reported separately, and therefore not separately reimbursable. Only services for complications, illness, or disease can be excluded from the routine postpartum care and billed in addition to global services. Developmental/Autism and Behavioral/ Social/ Emotional Screening Added CPT Codes: 96110 Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening - Added language- The USPSTF and HRSA recommends that clinicians screen for intimate partner violence (IPV) in women of reproductive age, including those who are pregnant and postpartum, and provide or refer women, who screen positive, to ongoing support services. These services will pertain to individuals 10 years of age and older. Intimate Violence DX code List Added codes: Y07010, Y07011, Y07020, Y07021, Y07030, Y07031 Y07040, Y07041, Y07050, Y07051, Y0711-Y0714, Y07410, Y07411, Y07420, Y07421, Y07430, Y07432- Y07436, Y0744- Y0747, Y07490, Y07491 Y07499, Y0750, Y07510- Y07513, Y07519, Y07521, Y07528, Y07529, Y0753, Y0754, Y0759, Y076, Y079 Updated code- invalid (added 6th digit) Z62810 PX table: deleted codes Added codes: 90791, 99202-99205, 99211-99215 Preventive Immunization / Vaccination code table Updated Immunization Table: Added codes 90382, 90635, 90683	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

8/20/2025	Patient Navigation Services for Breast and Cervical Cancer Screening – [HRSA (2025)] Added category and language Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis Added codes: Procedure table ofcodes that can be billed with DX Z29.81. 80061, 82565, 82570, 82575, 86592,86593, 86631, 86632, 86704, 86705, 86706, 86780 86803, 86804, 87110, 87270, 87320, 87340 87341, 87467, 87490, 87491, 87590, 87591 87592, 87810, 87850, 99202, 99203, 99204 99205, 99211, 99212, 99213, 99214, 99215 99384, 99385, 99386, 99387, 99394, 99395 99396, 99397, 99401, 99402, 99403, 99404 99411, 99412, G0011, G0013 Added codes: Procedure list of codes that can be billed with DX with DX Z71.7 36415, 96372, G0011, G0012, G0013, J0739, J0750,J0751, J0799, J3490, Q0516, Q0517, Q0518, Q0519, Q0520, Q0521 Deleted code: 82540 Hepatitis C Virus Infection in Adolescents and Adults: Screening - [USPSTF (2013) (2020)] Updated age from 12 to 10	Administrative Review
9/24/2025	Annual Health Appraisal – Annual Health Appraisal DX table updated: Changed code from Z79.842 to Z91.842 Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening – Added CPT codes: 87626 Added REV codes: 0760, 0761, 0769, 0920, 0940, 0960, 0969, 0971, 0982, 0983, 0988 Osteoporosis to Prevent Fractures: Screening – Added- language- DX section tocapture females over the age of 65 years of age/ postmenopausal females younger than the age of 65 years of age. DX codes - E28.310, E28.319, N95.0, N95.1, N95.2, N95.8, N95.9, Z78.0 Added REV codes - 0960, 0969, 0972, 0982, 983	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

11/19/2025	Contraception- Added codes: 58562/ 76856/ 84703/ 88305/ 99000/ 99140 G0463/ H1010 *Added codes: J1790/ J1885 J2001- J2004 J2060/J2175/ J2180/ J2250 - J2253 J2704/ J3010/ J3360/ J7120 Updated REV code table Updated DX table Added verbiage: **Anesthesia medications could be administered for Contraception Services. ICD 10 Procedure codes section: added verbiage–"will only apply to inpatient facility claims based on the ICD 10 PCS guidelines for the specific contraception procedures noted above". Breast Cancer Screening: Mammogram	Administrative Review Administrative Review
12/20/2025	Added language: If additional imaging and pathology evaluation are indicated these services are recommended to be complete during the screening process for malignancies and will be consider preventive when they meet the specific criteria. Created DX table: Added new codes R922/ R9230/ R92311- R92313/ R92321- R92323/ R92331 - R92333/ R92341- R92343 Removed Z803/Z853 Created Procedure code table: Added new codes 19000/19001/ 19081- 19086 19100/ 19101/ 76376/ 76377/ 76641/ 76642 76942/ 77021/ 77046- 77049/ 77061/ 77062 77065/ 77066/ 88305/ C8903/ C8905/ C8906 C8908/ G0202/ G0279 Created REV code table: Added new codes 0300 – 0302/ 0305/ 0306/ 0309/ 0310/ 0319 0403/ 0500/ 0509/ 0510/ 0514/ 0517/ 0519-0521/ 0523/ 0529/ 0760/ 0761/ 0769/0770/ 0940/ 0949/ 0960/ 0969/ 0971/ 0982/ 0983/0988 Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis – Updated language- HIV testing (includes home tests), both at initial baseline and ongoing every 2- 3 months to monitor the patient on PrEP.	Administrative

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

1/28/2026	Updated REV Codes: 0960, 0969, 0971, 0982, 0983, 988 Breastfeeding Updated language USPSTF and HRSA recommend providing interventions during pregnancy and after birth to support breastfeeding. Interventions include breastfeeding support during pregnancy and through the early life of the child. Clinicians can support women directly or through referral, to help women make an informed choice about breastfeeding and breastfeeding benefits. HRSA recommends lactation support services (including consultation, counseling, education by clinicians, and breastfeeding equipment and supplies) during the antenatal, perinatal, and postpartum period to ensure the successful initiation and maintenance of breastfeeding. Please Note--Lactation support services are considered part of the global obstetrics package and maybe a part of office and counseling services. Only services for complications, illness, or disease can be excluded from the routine postpartum care and billed in addition to global services Created Procedure code table with procedures added: 99202,99203,99204,99205,99212,99213,99214,99215, 99411,99412, 96156, 96158, 96159, 96164, 96165, 96167,96168, 96170, 96171, 98960,98961, 98962, A4288, E0604, Q3014, S9443 Added Rev Codes: 0500, 0509,0510, 0514, 0517, 0519, 0520, 0521,0522, 0523, 0529, 0761, 0769, 0769, 0770, 0780, 0942, 0960, 0969, 0982, 0983, 0988 Added New DX code table: B37.2, L01.00, O91.02, O91.03, O91.12, O91.13, O91.22, O91.23, O92.03, O92.13, O92.29, O92.3, O92.4, O92.5, O92.6, O92.70, O92.79, Q83.8, R20.3, Z39.1 Immunization- Added Procedure codes: 90482, 90483, 90484, 90667, 90668, D1720 Added New Benefit- Screening for Urinary Incontinence The Women's Preventive Services Initiative recommends screening women for urinary incontinence annually. Screening should ideally assess whether women experience urinary incontinence and whether it impacts their activities and quality of life. The Women's Preventive Services Initiative recommends referring women for further evaluation and treatment if indicated. The Women's Preventive Services Initiative recommends screening women for urinary incontinence as a preventive service. Factors associated with an increased risk for urinary incontinence include increasing parity, advancing age, and obesity; however, these factors should not be used to limit screening. These services are considered included in the Annual Health Appraisal or Well Women Visit, and therefore not separately reimbursable. Added DX codes- N36.42, N39.3, N39.41, N39.42, N39.43, N39.44, N39.45, N39.46, N39.490, N39.491, N39.492, N39.498	Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

	Added procedure codes- 99401, 99402, 99403, 99404, 99411, 99412 Added REV codes- 0300, 0307, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780, 0920, 0940, 0960, 0969, 0971, 0982, 0983, 0988	

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

3/11/2026	Alpha-Fetoprotein-SB75- Removed verbiage from the policy: Alpha-fetoprotein testing is a screening test which helps to identify pregnant women who are at increased risk of having a baby with a birth defect. Alpha-fetoprotein testing is a covered service for patients who meet the following criteria: • All pregnant individuals between 15- and 20-weeks' gestation—once per pregnancy Alpha-Fetoprotein has been retired. Please refer to the Prenatal Screening Program Lipid Disorders- Removed verbiage from the policy: Screening for lipid disorders in adults is a covered service for patients annually who meet any of the following criteria: • Men 40 years of age and to 75 years of age • Adults 40 to 75 years of age or with any of the following risks factors: • Diabetes • Previous personal history of coronary heart disease (CHD) or noncoronary atherosclerosis • Family history of cardiovascular disease before 50 years of age in male relatives and 60 years of age in female relative's • Tobacco use • Hypertension • Obesity (BMI>30) Covid Immunization / Vaccine code table-Added code 90481 and Removed codes 90612 and 90613 Immunization- Added a note in the policy: *Age range applies to 90714-90715 age 7yrs. and above, 90750 & 90679 age range 50yrs. and above Adolescent drug Use: Screening Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions-Unhealthy Drug Use: Screening Adolescent Substance Use: Screening-Updated verbiage and format only for this section.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

4/15/2026	Contraception- Added codes 00840, J2001, J7299 and Q3014 Asymptomatic Bacteriuria in Adults- Update language Prevention of Acquisition of Human Immunodeficiency Virus (HIV- Updated language Human Immunodeficiency Virus (HIV) Infection: Screening: adolescents, adults, and pregnant persons- Updated language Hepatitis B Virus Infection in Adolescents and Adults: Screening-Updated language Folic Acid Supplements to Prevent Neural Tube Defects- Updated language Breastfeeding - Primary Care Behavioral Counseling Interventions- Updated language Vision Screening in children- Updated language Weight Loss to Preventive Obesity- Updated language Breast Cancer: Medications for Risk Reduction Use to Risk Reduction- Updated language Colorectal Cancer- Added language to support high risk criteria	Administrative Review
5/20/2026	Breast Cancer: Medications Use to Risk Reduction- Added code Q3014 Added REV code 0960,0969,0982,0983,0988	Administrative Review
5/27/2026	Prevention of Dental Caries- Added REV codes 0960,0969,0988	Administrative Review
6/3/2026	Contraception- Code A9273 added. Language updated to include "***Please note that Natural Cycles software application subscription requires a licensed healthcare provider prescription and will be reimbursed under procedure code A9293"	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

6/24/2026	BRCA – Added Q3014 Removed 81307, 81308, 0102U, 0103U, 0129U, 0131U, 0132U, 0135U, 0138U, 0172U Added REV codes- 0960, 0969,0971, 0982, 0983, 0988 Added DX- Z15.05, Z80.41, Z80.44 Statin Use- Added 36415 Added REV code: 9,600,969,097,109,820,000 Healthy weight in Pregnancy- Added Q3014 Added REV codes- 0960, 0969, 0982, 0983, 988 Chlamydia Infection (STD) & Gonorrhea- Added 87494. Added REV codes 0960, 0969, 0971, 0982, 0983, 0988. Added DX- Z118 Developmental Autism Behavioral Social Emotional Screening- Added Q3014 Added REV codes 0769, 0960, 0969, 0982, 0983, 0984,0988 Removed DX codes: Z13.49, Z00.121, Z00.129, Z13.39, Z13.40, Z1341 Hearing Screening Children and Newborn- Added REV codes- 0960, 0969,0982,0983, 988 Intimate Partner Violence- Added code Q3014 Added REV code 0982, 0984, 0988	Administrative Review
6/24/2026	Lead Screening- Added REV codes 0302, 0305, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0760, 0761, 0769, 0960, 0969, 0971, 0982, 0983, 0988 Prevent Obesity Adult and Children-Added Q3014. Added REV code 0960, 0969, 0982, 0983, 0988. Human Immunodeficiency Virus (HIV) and Prep- Added Q3014 Counseling for Prediabetes and Type 2 Diabetes Mellitus- Added G9871, Q3014 Screening for Anxiety and Depression- Added REV code 0960, 0969, 0982, 0983, 0984, 0988 Screening for Lung Cancer- Added REV codes 9,600,969,097,209,820,000 Syphilis Screening- Added REV code 0760, 0761,0769, 0960, 0969, 0971, 0982, 0983, 0988 Removed Z11.8	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

7/29/2026	Preventive Drug and Alcohol Screening: Updated Alcohol Screening-Added code Q3014. Added age of 10 years and older and covered once per year. Created REV code table and added REV codes 0960, 0969, 0982, 0983, 0988. Newborn Screening-Deleted code 84479 Added REV codes 0960, 0969, 0971, 0982, 0983 Fall Prevention-Added REV codes 0780, 0982, 983 Rh (D)-Added age of 10 years and older. Added REV codes 0960, 0969, 0971, 0982, 0983, 0988 Healthy Diet CVD-Added code Q3014. Added REV codes 0960, 0969, 0982, 0983, 0984, 0988 Screening for Urinary Incontinence- Created REV code table and added REV code 0960 Preventive HIV Prep-Added codes J0738/J0752. Pregnancy DX List updated Preventive Statin-Updated age low from 40 to age 10 low.	Administrative Review
8/19/2026	Preventive HIV Prep-Added codes J0738/J0752. Pregnancy DX List updated Preventive Statin-Updated age low from 40 to age 10 low. Breastfeeding-Added code E0604 as covered Deleted language from E0602/E0603 as we do not control rental/purchase Deleted expired code 96040 from BRCA	Administrative Review
9/16/2026	Preventive Hep B-36415 already captured on Policy. Added REV codes 0960, 0969, 0971, 0982, 0983. Preventive Asymptomatic Bacteriuria in Adults-Added REV codes 0960, 0969, 0971, 0982, 0983. Perinatal Depression-Added verbiage to capture age low of 10. Updated language. Added code Q3014. Added REV codes 0960, 0969, 0982, 0983, 0984, 0988 Unhealthy Drug Use Screening for Adolescents, Adults and Pregnant Women-Updated age low to age 10. Removed DX codes O99.324 and O99.325. Created table and added REV codes 0960, 0969, 0982, 0983, 0988 and added missing REV codes 0760, 076, 0769.Updated F10.10 to F11.10. Sexually Transmitted Infections/Disease (STI/STD) Behavioral Counseling-Added Q3014. Added REV codes 0960, 0969, 0982, 0983, 0988. Tobacco Smoking Cessation-Added code Q3014. Added 0960, 0969, 0982, 0983, 0988	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

9/16/2026	Latent Tuberculosis Infection-Added REV codes 0960, 0969, 0971, 0982, 0983 Anemia-Updated age high from 19 to 21 years of age. Removed DX Z00.110, Z00.111, Z00.121, Z00.129 and Z76.2. Added REV codes 0960, 0969, 0971, 0982, 0983. Contraception-Updated code A9273 to correct code A9293 (added on Policy 6/3/2026). No action on code 58661-already captured. Preventive Colorectal Screening-Added verbiage for 45-75 years of age to include non-high-risk individuals. Added code 44389, 44392, 44394, 81528, 82270, G0327, G0328, G0104, G0105, G0121, 00811-00813 with modifier 33/PT, Deleted code G0500 with -33, Deleted code 88305 from modifier PT list. Deleted codes G0106/G0120 -expired codes. Deleted DX codes D12.1, D12.6, D13.91, D13.99, D37.1, D37.2, D37.3, D49.0, K52.0, Z08, Z09, Z83.79, Z85.00, Z85.030, Z85.05, Z85.060, Z85.068, Z87.19. Added missing DX Z15.60, Z15.068, Z83.71. Added missing "1" in K51.011 and added missing "4" in K51.214. Added codes 44389, 44392, 44394, 99000, 99140, 99156, 99157, J2001, J2002, J2003, J2004, J2252, J2253, J7120. Added missing REV codes 0251/0252. Updated Developmental/Autism and Behavioral/Social/Emotional Screening. Created verbiage for Developmental/Autism with code 96110, Q3014 and applied DX codes Z13.41 and Z13.42 ages 0-3. Created verbiage for Behavioral Social and Emotional Screening with codes 96127, Q3014 and DX codes Z13.31 and Z13.39 for ages 0-21 years of age. Hep C – Added missing REV codes 0960, 0969, 0971, 0982, 0983 Screening for Diabetes in Pregnancy-Added missing counseling procedure codes 0403T, 0488T, G9886, G9881, G9871, G9887, Q3014. Added missing REV codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761,0769, 0770, 0780, 0960, 0969, 0982, 0983.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022

9/16/2026	Adverse Childhood Experiences Screening- Updated verbiage for age and added limits of 1 per year/1 per lifetime.	Administrative Review

Company Internal Use Only Confidential Property of Blue Shield of California Use and distribution permitted only by authorized personnel. Do not duplicate or distribute without the express permission of the policy owner. Copyright 2022