

AXIS IQ CATALOGUE

WWW.AXISIQ.COM.AU



This page is intentionally left blank

Table of Contents

Axis IQ Plastic Card Printers

Axis IQ Plastic Card Printers	1
Oversize Card Printers	2
Food Card Label Printers	3
Security	4
Gallagher/Cardax Card Printers	5
Rewriteable Cards	6
Clubs	7
Preprinted and Giftcards	8
HoloKote® Additional Security	9
Magicard	10-13
Matica	14-16
Laminators	17
Zebra	18-19
Entrust	20-21
Evolis	22-24
HID Fargo	25-28
IDP	29-31
Swiftcolor	32
Dascom	33
CardExchange®	34
CardExchange® feature comparison	35
Ribbons and Laminates	36
Smart Card Readers/ Signature Pads	37
Barcode Scanners / Receipt & Label Printers	38
Cards, Accessories and Consumables	39
Customised Accessories	40
Standard stock cards	41-42
Accessories and supplies	43
Lanyards	44
Custom lanyards	45-46
Eco-friendly cards & Accessory options	47
Smart Card/Proximity Card/RFID	48-49

About Axis IQ


Located in Coffs Harbour and servicing clients from Sydney to the Gold Coast and out west to Inverell and Gunnedah, Axis IQ is made up of small team of highly experienced pros from a broad range of industries including print and design, marketing agency, mailhouse, digital media, private enterprise and the Registered Club Industry.

After 20 years operating as Axis Print Solutions, we changed our name in late 2016 to Axis IQ to really reflect what it is we do. We don't just print, or design, we provide solutions for our clients and those solutions are quite clever even if we do say so ourselves!

We understand how competitive the marketplace has become and businesses must constantly evolve and refine their offering to continue to appeal to and attract new customers. That's what we do best. We have the experience and the skills to get your business to cut through the noise and be seen and heard.

We love our clients and we always give 110 per cent to get them the results they deserve. SOund like the kind of organisation you'd like to have looking out for you?

OVERSIZE CARD PRINTERS



Many organisations with environments requiring a large number of people in one place are moving to Oversized/large format ID cards. Oversized ID cards make the job of identifying who should or who should not be in a particular area easier to monitor and control.

Oversized credentials are frequently used for; tradeshow, events, concerts, music festivals, motor racing, golf, major sports and stadium special events, parking passes, hotel door hangers, tradeshow, media credentials, university, educational summits and seminars, and more.

There are only a handful of printers that can print to an Oversized card, and we can help identify the right one for your needs.

Our Oversized card printer brands and models include;


- Magicard E+ (Can also Print Standard ID cards)
- Zebra ZC10L
- Matica XL8300
- Swiftcolor SCC4000D (Fast 2s/Card)

Oversized Cards come in several different sizes and suit a wide variety of needs.

Some of the card sizes that you can print in-house include;

- 140 x 88mm (ZC10L/SCC4000D)
- 110 x 54mm Colour (Magicard E+)
- 140 x 54mm Mono (Magicard E+)
- 124 x 85.6mm* (XL8300)
- Various Custom Options (SCC4000D)

* Prints 2 x CR80 Card Areas on a Large Card



FOOD CARD LABEL PRINTERS



Driven by a need to ensure people know what they are eating new food labelling laws are taking effect across the world and plastic card printers are playing a significant part in meeting compliance needs.

Plastic cards are increasingly used for the labelling of foodstuffs in supermarkets, delicatessens and bakeries, replacing hand-written paper-based methods.

Axis IQ has a range of food-safe Card Printer consumables for use with your Magicaard or Zebra Card Printers.

Magicaard has one of the most versatile labelling options with the ability to print to extended length cards. Hygienic, clear to read and versatile, wipe-clean cards up to 140mm (5.5") long can be printed locally using Magicaard desktop printers.


Magicaard's dye film ribbon used to print pricing information or barcodes on the card's surface has been approved by ISEGA for food contact.

Zebra's Food Safe Card Solution ensures your business sends out

the right impression and adheres to food safety legislation.

The EU Food Information for Consumers Regulation No.1169/2011 now requires all food organisations serving unpackaged food or food packaged on site that is for immediate consumption to provide details of all items which contain the EU 14 major allergens.

In just a few quick and simple steps the Zebra Food Safe Card Solution can produce a branded plastic card complete with all the necessary information.



SECURITY



There are many levels of security available to secure ID cards. Importantly choosing the right way to secure your ID cards can save you money without compromising your security.

Axis IQ can advise you on the best fit security for your needs and, contrary to popular belief, they don't need to increase your card production costs.

From a Watermark layer or UV Ink, through to advanced Laminated designs and electronic security, finding the right option for your budget and security demands are critical.

Our most popular security feature is the Holokote, a proprietary Magicard security feature available in both generic and custom designs that, once configured, does not incur any additional costs. (More information on HoloKote's can be found on page 8 of the catalogue.)

Another common form of ID card security is Variable UV Ink, which allows a variable image (e.g. Persons Name, or Photo) to be printed in a UV fluorescent layer under the clear coat of the printing. This is a covert form of security that can be used to detect fraudulent cards through the use of a UV torch.

When security becomes a critical factor in card issuance (e.g. Drivers License or National ID) more advanced levels of security are available. This includes Holographic overlaminates that can incorporate high resolution images and advanced designs that shift and change depending on angle of the card, or highly intricate static UV designs that can only be achieved in a top end facility.

For more information on your ID card security needs, talk to our experienced sales team who can help you navigate the complex field of ID card Security to help secure your ID cards, without blowing the budget.



GALLAGHER/ CARDAX CARD PRINTER INTEGRATION



Axis IQ work closely with Gallagher and the major card printer manufacturers to ensure compatibility across a wide range of printers. The same model supplied by another distributor won't necessarily be compatible with Gallagher/Cardax. You will need to specify that you require a Gallagher integrated printer, including which software version, when you order.



Magicard 600



Matica XID 8300



DEFINE YOUR SECURE IDENTIFICATION NEEDS

FUNCTION

What will the card be used for:

- Visual identification?
- Machine-readable authentication?
- Physical and/or logical access control?

One- or two-sided printing?

Monochrome or full-color cards?

Define use of photos, text and graphics.



ENVIRONMENT

What is the intended ID card lifespan?

What's the daily usage?

Remember to factor in card wear and tear.

What volume of cards will you issue?

Centralized or on-demand production?

Are there plans for scalable growth?



SECURITY

Is there a potential for card tampering, forgery or other threats?

How much does card re-issuance cost your organization?

Does your organization require sophisticated laminates, OVDs or other security print features?

Do you have existing databases for card personalization and data types?

Do you operate through secure web access?

Do you need a truly unique feature for overt security?



REWRITABLE CARDS

Models

Magocard Pront 100

Magocard 300


Zebra ZC300




Rewritable cards are plastic cards that are reusable or erasable. They have one glossy side in PVC for colour/ monochrome dye sublimation printing and a matte finish rewritable side with a blue or black thermo chromic material that can be printed, erased and reused for up to 500 rewrite cycles. With the Magocard 300 you do not require a ribbon to print on the rewritable surface the cards. This is because they print information by heating a special thermo

sensitive material on the surface of a rewritable card. This technology allows you to batch print a colour design on one side of your cards, remove the ribbon and then use the rewrite feature and hand-feed slot to individually print, erase and update information in blue or black over and over on the other side. Rewritable ID cards are ideal for situations where a cardholder's information is updated frequently,


or for companies that process cards for each visitor in high volume and on a regular basis. Using rewritable technology significantly reduces the costs of conventional ID card issuance, which necessitates the use of brand new plastic cards and printer ribbons for each print. For organizations that are concerned about their carbon footprint, reusable cards are a great ecofriendly option.



Print



Erase



Print

CLUBS



Clubs of all sizes use plastic membership cards. While many cards utilise a photo ID, some clubs also print just a name and number on a pre-printed card.

Personalised membership cards are an important form of club branding and loyalty. With competition for walled real estate, being able to personalise your club membership card professionally, along with valuable member benefits, can ensure your card remains relevant and in your members wallet.

The right card printer for club membership cards will typically be determined by volume, peak card production volumes, and available desk space. However, there are often compromises, with smaller card printers look great on a desk but often cannot product the volume to meet a larger clubs need reliably.

While larger card printers normally need to be stored on a desk behind reception, or in an admin office which can also cause some convenience issues.

Axis IQ provide card printers to suit a wide range of club membership card production needs, with most models in stock. Our team can recommend the right machine for the job and often ship the printers same day.



PRE-PRINTED AND GIFTCARDS

Axis IQ provide a full range of custom pre-printed cards including prox cards, RFID (inc. MIFARE) and Magnetic stripe cards.

Our custom pre-printing can be base club membership card designs, through to advanced security based ID card stock for secure applications like drivers licenses. In recent years, one of the more popular applications for pre-printed cards is GIFT cards and Loyalty programs.

If you need some more information or pricing on our pre-printed card range contact our supplies team for a personalised quote.



HOLOKOTE® ADDITIONAL SECURITY



HoloKote

HoloKote technology is a secure watermark that is frosted onto the card surface during the normal print cycle using standard consumables (dye film and cards).

The HoloKote print process produces a watermark-like layer that can be visually verified when the card is tilted in the light. With all Magicard direct-to-card printers, the user can select from three standard secure HoloKote designs using the printer driver.

UltraSecure Key



Standard

Interlocking Rings




Standard

Globe




Standard

Cubes



Magicard 600

Waves




Pronto/300

Custom HoloKote



For enhanced visual security, Custom HoloKote enables an organisation to implement their own personalised logo or other security design. Custom HoloKote is printed in a grid pattern across the card surface and is only available on the Magicard 600.



Custom HoloKote Flex™



Custom HoloKote Flex offers the highest level of HoloKote security by enabling the customised watermark to be printed anywhere across the entire card surface. One standard design is included with the Magicard 600.

Standard HoloKote Flex Magicard 600 only



HoloPatch®

HoloPatch card stock is enhanced with a highly reflective gold 'super diffuser' foil square that intensifies the visibility of any HoloKote logo.





Magicard concentrates on obtaining a technological edge in niche markets, with many of our products and technologies being market leaders in their field.

Magicard is one of the pioneers of ID card printing, having manufactured card printers since 1993 and provide differentiation by providing a quality product with enhanced card security features, and the best support and warranty in the business.

Magicard's patented HoloKote™ anti-counterfeiting visual security feature, 3 year Ultra Cover Plus (Magicard 600) warranty and renowned support sets Magicard apart in the ID card printer industry.

A trusted name for ID card printers Magicards' range of printers print full colour secure photo ID badges, membership cards, smart cards and access control badges.



Magocard Pronto 100



Part Code	Description
HP093100-3001/3	Pronto 100



SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation, Thermal Transfer, 300dpi
Speed	Colour 18 (23HD) sec/card (Per Side) & Mono 4.7 sec/card (Per Side)
Hopper Capacity	50 Card Input / 50 Card Output
Duplex	Manual
Connectivity	USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc)
Dimensions	255mm L x 180mm W x 208mm H (closed hopper/trays) 309mm L x 180mm W x 208mm H (open hopper/trays)
Weight	2.9kg
Warranty	3 Years MagiCover Limited Warranty Including 50,000 card / 250,000 panel printhead warranty
Driver/Software	Windows 7, 8, 10 (32 and 64bit) Windows server 2008, 2012, 2016. Linux with CUPS support and Mac OS X 10.9.0 upwards.

Card Compatibility

Card Dimensions	CR80/CR79 PVC ISO (85.6mm x 54mm)
Card Thickness	0.51mm to 1.27mm
Card Types	PVC, Composite PVC, ABS & PET, Sig Panel and HoloPatch® Cards

Printer Features

Visual Security	3 Standard HoloKote Watermark Images HoloPatch Card Stock
Digital Security	Digital Shredding

Magocard 300



Part Code	Description
HP093300-0001/3	300 Single Sided
HP093300-0002/3	300 Single Sided with Mag Encoder
HP093300-0021/3	300 Double Sided



SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation, Thermal Transfer, 300dpi
Speed	Colour 23 sec/card & Mono 5 sec/card (Single Sided)
Hopper Capacity	100 Card Input / 70 Card Output
Duplex	Optional Upgrade
Connectivity	USB 2.0 & 3.0 and Ethernet
Dimensions/Weight	408mm L x 215mm W x 242mm H, 4.98kg
Warranty	3 Years Return to Base
Driver/Software	Windows 2003 to Windows 10 (32/64bit), Mac OS X 10.9.0 upwards

Card Compatibility

Card Dimensions	CR80/CR79 PVC ISO (85.6mm x 54mm)
Card Thickness	0.51mm to 1.27mm
Card Types	PVC, Composite PVC, ABS & PET HiCo Magnetic Stripe, Smart Cards, Sig Panel and HoloPatch® Cards

Printer Features

Visual Security	3 Standard HoloKote Watermark Images and up to HoloPatch Card Stock
------------------------	---

Optional Features

Printing	Duplex Field Upgrade
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), UltraSecure 125Khz & Contact Chip
Mag Stripe	HiCo and LoCo ISO
Visual Security	3 Custom HoloKote designs

Magocard 600



Part Code	Description
HP093652-5001/3	600 Single Sided
HP093652-5002/3	600 with Mag Encoder



SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation, Thermal Transfer, 300dpi
Speed	Colour 18 sec/card & Mono 5 sec/card (Single Sided)
Hopper Capacity	100 Card Input / 70 Card Output
Duplex	Optional Upgrade
Connectivity	USB and Ethernet
Dimensions/Weight	475.5mm L x 211.5mm W x 248mm H, 4.7kg
Warranty	3 Years Ultra Cover Plus
Driver/Software	Windows 2008 to Windows 10 (32/64bit), Mac OS X 10.9.0 upwards

Card Compatibility

Card Dimensions	CR80/CR79 PVC ISO (85.6mm x 54mm) & PVC ISO
Card Thickness	0.51mm to 1.27mm
Card Types	PVC, Composite PVC, ABS & PET HiCo Magnetic Stripe, Smart Cards, Sig Panel and HoloPatch® Cards

Printer Features

Visual Security	10 Standard HoloKote Watermark Images and up to 10 Custom HoloKote designs HoloPatch Card Stock
------------------------	--

Optional Features

Printing	Duplex Field Upgrade
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), UltraSecure 125Khz & Contact Chip
Mag Stripe	HiCo and LoCo ISO 7811
Security	Custom Design HoloKote & HoloPatch

Magocard E+



Part Code	Description
HP094500-0001-EP/3	600 Single Sided



SPECIFICATIONS

Printer Specs

Print Technology	Colour dye sublimation, monochrome thermal printing and rewritable technology.
Speed	85.6mm Cards colour 190p/h, 85.6mm Cards Monochrome: 750p/h, 109mm cards colour 112p/h, 109mm cards Monochrome 540 p/h, 140mm cards Monochrome 519p/h.
Hopper Capacity	100 Card Input / 70 Card Output
Duplex	Optional Upgrade
Connectivity	USB and Ethernet
Dimensions/Weight	475.5mm L x 210mm W x 251mm H, 4.7kg
Warranty	3 Years Magicover Return to Base
Driver/Software	Windows 11 to Windows 7, Mac OS X 10.9.0 upwards, Linux with CUPS support

Card Compatibility

Card Dimensions	85.6 x 54mm, 109 x 54mm, 140 x 54mm
Card Thickness	0.50mm to 1.27mm
Card Types	PVC, Composite PVC, ABS & PET HiCo Magnetic Stripe, Smart Cards, Sig Panel and HoloPatch® Cards

Printer Features

Visual Security	10 Standard HoloKote Watermark Images and up to 10 Custom HoloKote designs HoloPatch Card Stock
------------------------	--

Optional Features

Printing	Duplex Field Upgrade
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), UltraSecure 125Khz & Contact Chip
Mag Stripe	HiCo and LoCo ISO 7811
Security	Custom Design HoloKote & HoloPatch

MagiCARD Warranty & Support

All MagiCARD printer solutions include a 3 year limited warranty that provides direct access to the global MagiCARD technical support team. A further one-year warranty is available at the time of purchase.



MagiCARD UltraCoverPlus

UltraCoverPlus is a market-leading 3-year unlimited warranty package included with the MagiCARD 600 and includes;

- Direct technical support by phone or email from MagiCARD's experienced engineering team with technicians based across 5 continents.
- Free replacement of a damaged printhead no matter what the cause of failure
- Free loaner if a printer is shipped to our service centre for repair
- Personal guidance on printer use



MATICA



Matica Technologies Group is a fast-growing and innovative global company with a strong international network. The company designs, develops and manufactures card-issuance systems, offering a vast range of products, from centralised systems and mailers to desktop ID card printers for Identification and Financial applications such as national ID, driving licenses, secure corporate ID cards, passports, access control cards, healthcare cards and transportation cards among others, covering all markets such as financial, government, healthcare, corporate, education, transport, telecommunication and retail.

Matica provides all personalisation technologies: color and monochrome direct-to-card and retransfer printing, high-quality laser engraving, embossing/indenting with tipping/infiller, ink-jet, lamination and integrates all encoding technologies such as magnetic stripe, contact and contactless cards and dual interface cards.

Matica solutions provide a huge number of security options such as colour photo ID with MSPI® (Matica Secure Protected Image), microtext, high-secure holographic overlaminates, laser-engraved personal data, printed or laser-engraved ghost image, tactile laser effect, changeable or multiple laser image (CLI/MLI), and MZR among others.

The Matica Technologies Group operates around the world through its offices in Switzerland (HQ), Italy, Spain, India, Malaysia, China the USA and the UAE, and supports its thousands of customers with its global network of Certified Resellers, Value Added Distributors and Integration Partners under the M-Connect Partner Program.

Matica XiD8300



Part Code	Description
HP02DIH10450	XiD8300 Single Sided
HP02DIH10458	XiD8300 Double Sided
HP02DIH10451	XiD8300 Double Sided with Mag Encoder



SPECIFICATIONS

Printer Specs

Print Technology	Thermal Reverse Transfer, Over the Edge, 300dpi
Speed	Colour 30 sec/card (Single Sided)
Hopper Capacity	200 Card Input / 100 Card Output
Duplex	Optional Upgrade
Connectivity	USB and Ethernet
Dimensions/Weight	343mm L x 322mm W x 360mm H, 13.9kg
Warranty	3 Years Return to Base, Lifetime Printhead
Driver/Software	Windows 7, 8 & 10 (32/64bit)

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	0.76mm to 1.02mm
Card Types	PVC, Composite PVC, ABS & PET HiCo Magnetic Stripe, Smart Cards, Sig Panel and Self-Adhesive

Printer Features

Visual Security	UV Image 256 Shades- Via Optional Ribbon, High Detail Design
------------------------	--

Optional Features

Printing	Duplex Unit, Lamination Module
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), PROX 125Khz, Contact Chip
Mag Stripe	HiCo and LoCo ISO 7811
Security	Laser Engraving Module, Hologram Overlamine Varnish & Patch

Matica XiD8600



Part Code	Description
HP02PR000198-AUS	XiD8600 Double Sided
HP02PR000198-AUS-M	XiD8600 Double Sided with Mag Encoder



SPECIFICATIONS

Printer Specs

Print Technology	Thermal Reverse Transfer, Over the Edge, 600dpi
Speed	Colour 30 sec/card (Single Sided)
Hopper Capacity	200 Card Input / 100 Card Output
Duplex	Optional Upgrade
Connectivity	USB and Ethernet
Dimensions/Weight	343mm L x 322mm W x 360mm H, 13.9kg
Warranty	3 Years Return to Base, Lifetime Printhead
Driver/Software	Windows 7, 8 & 10 (32/64bit)

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	0.76mm to 1.02mm
Card Types	PVC, Composite PVC, ABS & PET HiCo Magnetic Stripe, Smart Cards, Sig Panel and Self-Adhesive

Printer Features

Visual Security	UV Image 256 Shades- Via Optional Ribbon, High Detail Design
------------------------	--

Optional Features

Printing	Duplex Unit, Lamination Module
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), PROX 125Khz, Contact Chip
Mag Stripe	HiCo and LoCo ISO 7811
Security	Laser Engraving Module, Hologram Overlamine Varnish & Patch

Matica MC660 Retransfer Printer



Part Code	Description
HP02PR000660	MC660



SPECIFICATIONS

Printer Specs

Print Technology	Dye Sublimation Reverse Transfer, Over the Edge, 600dpi
Speed	Colour 21 sec/card (Single Sided)
Hopper Capacity	250 Card Input / 250 Card Output
Duplex	Standard Configuration
Connectivity	USB and Ethernet
Dimensions/Weight	436mm L x 340mm W x 397mm H, 20kg
Warranty	3 Years Return to Base, Lifetime Printhead
Driver/Software	Windows 7, 8 & 10 (32/64bit), Windows Vista, Windows Server 2008

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	0.25mm to 1.00mm
Card Types	PVC, ABS, PC & PET HiCo Magnetic Stripe, Smart Cards, Sig Panel and Self-Adhesive

Printer Features

Visual Security	UV Image 256 Shades- Via Optional Ribbon, High Detail Design
------------------------	--

Optional Features

Printing	Duplex Unit, Lamination Module
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), PROX 125Khz, Contact Chip
Mag Stripe	HiCo and LoCo ISO 7811
Security	Hologram Overlamine Varnish & Patch

Matica XL8300



Part Code	Description
HP02PR000316	XL8300



SPECIFICATIONS

Printer Specs

Print Technology	Thermal Reverse Transfer, 300dpi
Speed	Colour 45 sec/card & Mono 30 sec/card (Single Sided)
Hopper Capacity	100 Card Input / 100 Card Output
Duplex	N/A
Connectivity	USB and Ethernet
Dimensions/Weight	549mm L x 322mm W x 411mm H, 15.6kg
Warranty	3 Years Return to Base
Driver/Software	Windows 7, 8 & 10 (32/64bit)

Card Compatibility

Card Dimensions	124mm x 85.6mm
Card Thickness	0.76mm-1mm
Card Types	PVC Large Format Cards

Printer Features

Visual Security	None
------------------------	------

Optional Features

Printing	N/A
-----------------	-----

LAMINATORS



MATICA
TECHNOLOGIES

Matica ILM / ILM-DS

SPECIFICATIONS

Laminator Specification

Capability	Single Sided Lamination Optional Double Sided Lamination
Speeds	16 secs/card Single Sided 30 secs/card Double Sided
Dimensions/Weight	210mm L x 326mm W x 360mm H, 9 kg
Warranty	2 Years Return to Base
Security Features	Optional Custom Hologram Patch and Hologram Varnish
Compatible Printers	XID8300, XID8600, XID9300

Part Code	Description
HP02DIH10461	Single Sided
HP02DIH10462	Double Sided

MC-L Laminator



SPECIFICATIONS

Laminator Specification

Capability	Single Sided Lamination Optional Double Sided Lamination
Speeds	19 secs/card Single Sided 19 secs/card Double Sided
Dimensions/Weight	319.4mm L x 215.9mm W x 314mm H, 10 kg
Warranty	2 Years Return to Base
Security Features	Optional Custom Hologram Patch and Hologram Varnish
Compatible Printers	MC660

Part Code	Description
HP02PR00604092	Single Sided

ZEBRA



In more than 90 countries, Zebra card printers produce more than 1.5 million cards every business day. Card after card, Zebra printers deliver reliable performance and excellent print quality.

You can count on Zebra's ZXP printers to produce clear, sharp and colour-rich images when you need them, where you need them. Zebra printers are the most durable on the market, with great standard warranties. Easy to use and feature rich all Zebra card printers offer intuitive user interfaces and colour touch points, making them easy to use and reducing the amount of user training required. Choose from a broad range of printers offering full colour and monochrome card printing.

Options range from USB, wireless, or Ethernet connectivity, smart card, magnetic stripe and ultra high frequency (UHF) RFID encoding, to lamination for higher security and card durability. There is a Zebra card printer to meet all your business needs.

Most Zebra card printers print directly to plastic cards using dye sublimation and/or Thermal Transfer technology. These printing methods offer edge-to-edge, high-quality card printing for a wide variety of uses. Select from models that are ideal for high- or lower-volume printing, with multiple security and encoding options to meet your specific needs.



Zebra ZC300



Part Code	Description
HP01ZC300	ZC300 Single Sided
HP01ZC300-M	ZC300 Single Sided with Mag Encoder
HP01ZC300-D	ZC300 Double Sided
HP01ZC300-DM	ZC300 Double Sided with Mag Encoder

SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation, Thermal Transfer, 300dpi
Speed	Colour 18 sec/card & Mono 4 sec/card (Single Sided)
Hopper Capacity	100 Card Input / 100 Card Output
Duplex	Optional Upgrade
Connectivity	USB and Ethernet
Dimensions/Weight	383mm L x 157mm W x 258mm H, 4kg
Warranty	3 Years Return to Base
Driver/Software	Windows 2003 to Windows 10 (32/64bit), Mac OS X 10.2 & Linux

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	0.25mm to 0.76mm
Card Types	PVC & Composite, PVC HiCo Magnetic Stripe, Sig Panel Cards, Self-Adhesive Cards and Smart Cards

Printer Features

Visual Security	Colour Shifting, Long-Life and 3D Text Effect Ribbons
------------------------	---

Optional Features

Printing	Duplex Upgrade
RFID Smart Card	Contactless 13.5Mhz (MIFARE®), PROX 125Khz, Contact Chip
Mag Stripe	HiCo and LoCo ISO 7811



Zebra ZC10L



Part Code	Description
HP01ZC10L	ZC10L Single Sided

SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card Dye Diffusion, 300dpi
Speed	Colour 18.4 sec/card & Mono 8 sec/card (Single Sided)
Hopper Capacity	150 Card Input / 100 Card Output
Duplex	Manual
Connectivity	USB and Ethernet
Dimensions/Weight	485mm L x 278mm W x 290mm H, 21kg
Warranty	2 Years Return to Base
Driver/Software	Windows 7, 8.1 & 10 (32/64bit)

Card Compatibility

Card Dimensions	140mm x 88mm
Card Thickness	.6mm
Card Types	PVC Large Format Cards

Printer Features

Visual Security	None
------------------------	------



ENTRUST



Entrust card printers are trusted by organisations worldwide to deliver secure, high quality ID cards with precision and consistency. Designed for businesses that demand reliability and advanced security, Entrust printers combine cutting edge technology with user friendly features to make card issuance simple and efficient.

From vibrant, full color images to crisp monochrome text, Entrust printers produce professional results every time. Built for durability and backed by strong warranties, these printers are engineered to handle the demand of high volume environments while maintaining exceptional print quality.

Connectivity options include USB, Ethernet, and wireless, along with advanced encoding for magnetic stripe, smart cards, and contactless technologies. For added protection and card longevity, lamination and security overlays are available across the range.

Entrust printers use industry leading dye sublimation and retransfer technology to deliver edge-to-edge high definition printing on a variety of card types. Whether you need a compact solution for on demand issuance or a robust system for large scale production, Entrust offers flexible models to meet your specific requirements.



Sigma DS3



Part Code	Description
HP12525302-003	Sigma DS3 Duplex



SPECIFICATIONS

Printer Specs

Print Technology	Dye Sublimation/ Resin Thermal Transfer, 300DPI
Speed	Single Side Colour - 250cph, Dual Side Colour - 180cph
Hopper Capacity	125 Card Input / 25 Card Output
Duplex	Optional Upgrade
Connectivity	USB and Ethernet
Dimensions/Weight	44.2cm x 22.1cm x 22.9cm 5.5kg
Warranty	3 Years Return to Base
Driver/Software	Windows 11 Windows 10, 32- and 64-bit Windows Server 2022 Windows Server 2019 Linux Ubuntu 20.04 LTS Linux Kylin 10

Card Compatibility

Card Dimensions	CR79 & CR80
Card Thickness	0.25mm to 1.016mm
Card Types	PVC

Printer Features

Visual Security	Holographic overlay
------------------------	---------------------

Optional Features

RFID Smart Card	Contactless 13.5Mhz (MIFARE®), PROX 125Khz, Contact Chip
--------------------------	--

Mag Stripe

Artista CR805



Part Code	Description
HP12512643-001	Artista CR805



SPECIFICATIONS

Printer Specs

Print Technology	Retransfer pigment ink, 600 DPI
Speed	Single Sided Colour - 110cph, Dual Sided Colour - 65cph
Hopper Capacity	125 Card Input / 25 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	54.3cm x 25.5cm x 39.7cm (L x W x H)
Warranty	3 Years Return to Base
Driver/Software	Windows 11, 10, 32 & 64 bit, Windows server 2010, 2022, Linux Ubuntu 20.04 LTS, Linux Kylin

Card Compatibility

Card Dimensions	CR79 & CR80
Card Thickness	0.76mm to 1.01mm
Card Types	PVC

Printer Features

Visual Security	None
------------------------	------

EVOLIS



Evolis printers deliver high quality card issuance with simplicity and speed, making them ideal for businesses, schools, and organisations that need reliable on demand printing. Known for their compact design and intuitive operation, these printers fit seamlessly into any workspace while producing vibrant edge to edge color cards and crisp monochrome designs.

With advanced direct to card technology, Evolis printers ensure sharp images and clear text for professional grade results. They are perfect for single-sided or dual-sided printing, offering flexibility for a wide range of applications from employee badges to membership cards.

Connectivity options include USB and Ethernet, with models supporting magnetic stripe, smart card and contactless encoding for secure credentials. Optional features such as lamination, UV printing and custom overlays add extra protection and durability. While rewrite technology allows for easy updates to temporary cards.

Evolis also emphasises sustainability, with energy efficient designs and recyclable ribbons that help reduce environmental impact.

The Evolis logo, featuring the word "evolIS" in a stylized font. The "e" is red, and the "VOLIS" is blue. The "o" is a red circle with a blue dot in the center.

Primacy 2



Part Code	Description
HP08EPM2-0025-D	Primacy2

SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation, 300 DPI
Speed	Single-sided (YMCKO): up to 280 cards/hour Double-sided (YMCKOK): 170 cards/hour Single-sided (YMCK) with lamination module: up to 215 cards/hour
Hopper Capacity	100 Card Input / 100 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	247 x 205 x 382 mm 4.11kg
Warranty	3 Years Return to Base
Driver/Software	Windows, Mac, Linux

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	0.25mm to 0.76mm
Card Types	PVC, composite, PET, ABS

Printer Features

Visual Security	Colour Shifting, Long-Life and 3D Text Effect Ribbons
------------------------	---

Optional Features

Lamination	
Smartcard Encoding	

evolis

Zenius



Part Code	Description
HP08EZNCLA	Zenius Printer

SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card Dye Diffusion, 300 DPI
Speed	Colour YMCKO 150 cph, Monochrome 500 cph
Hopper Capacity	50 Card Input / 20 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	195 x 205 x 315mm (H x W x D)
Warranty	2 Years Return to Base
Driver/Software	Windows 7, 8, 10, Linux, Mac

Card Compatibility

Card Dimensions	ISO CR80
Card Thickness	0.25mm to 0.76mm
Card Types	PVC

Printer Features

Visual Security	None
------------------------	------

Optional Features

Magnetic Encoding	
Smartcard Encoding	
Contactless	

evolis

Quantum 2



Part Code	Description
HP08453-1001	Quantum2

SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation/resin thermal transfer, 300 DPI
Speed	Single Sided Colour - 150cph, 115 cph Dual Sided Color Monochrome Single Sided - 1000cph, 320cph Dual Sided
Hopper Capacity	500 Card Input / 500 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	567 x 300 x 850mm 21.7kg
Warranty	1 Years Return to Base
Driver/Software	Windows, Mac, Linux

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	0.25mm to 0.76mm
Card Types	PVC, composite, PET, ABS

Printer Features

Visual Security

Optional Features

Lamination

Smartcard Encoding

Magnetic Stripe

Contactless

evolIS

HID FARGO



For more than 50 years, HID has been a global leader in identity solutions, and Fargo printers are a cornerstone of that legacy. Known for innovation and reliability, Fargo systems are trusted by corporations, governments, and institutions worldwide to produce secure, professional grade ID cards.

Fargo printers combine advanced engineering with user friendly design, offering technologies like High Definition Printing (HDP) for over the edge photo quality results and Direct to Card (DTC) for fast efficient issuance. These solutions are built to scale from compact desktop models for small offices to robust systems for enterprise level production.

Security is at the heart of fargo printing. Optional features include lamination for durability, custom holographic overlays, UV printing, and microtext, along with encoding for magnetic stripe, smart cards, and contactless credentials. Combined with HID's trusted ecosystem, Fargo printers help organisations protect identities and prevent fraud.

With a reputation for durability, flexibility, and cutting edge security. HID Fargo remains the go to choice for businesses that demand more than just a printer.



DTC1250E



Part Code
HP075100

Description
DTC1250E



SPECIFICATIONS

Printer Specs

Print Technology	Direct to Card, Dye Sublimation/Resin Thermal Transfer, 300 DPI
Speed	YMCKO 16 seconds YMCKOK 24 seconds
Hopper Capacity	100 Card Input / 100 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	224mm H x 348mm W x 201mm D
Warranty	3 Years Return to Base
Driver/Software	Windows® XP / Vista™ (32 bit & 64 bit) / Server 2003, 2008, 2012 / Windows® 7, 8 & 10 (32 & 64 bit)

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	.009" - .040" / 9 mil - 40 mil / .229 mm - 1.016 mm
Card Types	PVC or polyester cards with polished PVC finish; monochrome resin required for 100% polyester cards; rewrite

Optional Features

Magnetic Stripe
Smartcard Encoding
Contactless Encoding

DTC1500



Part Code
HP0751405

Description
DTC1500



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation/ Resin Thermal transfer 300 DPI
Speed	YMCKO 16 seconds - YMCKOK 24 seconds
Hopper Capacity	100 Card Input / 100 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	249mm x 475mm 234mm (D x H x W)
Warranty	3 Years Return to Base
Driver/Software	Windows® 7, 8, 8.1 and 10 (32 bit & 64 bit) / Windows Server 2003, 2008, 2012

Card Compatibility

Card Dimensions	ISO CR80
Card Thickness	.009" - .040" / 9 mil - 40 mil / .229 mm - 1.016 mm
Card Types	PVC

Optional Features

Magnetic Encoding
Smartcard Encoding
Contactless Encoding
Lamination

DTC4250E



Part Code
HP0752010

Description
DTC4250E



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation , Resin Thermal transfer 300 DPI
Speed	YMCKO - 16seconds , YMCKOK - 24 seconds
Hopper Capacity	100 Card Input / 100 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	249 mm x 460mm x 234mm (D x H x W)
Warranty	3 Years Return to Base
Driver/Software	Windows® XP / Vista™ (32 bit & 64 bit) / Server 2003, 2008, 2012 / Windows® 7, 8 & 10 (32 & 64 bit)

Card Compatibility

Card Dimensions	CR80
Card Thickness	.009" - .040" / 9 mil - 40 mil / .229 mm - 1.016 mm
Card Types	PVC, composite, PET, ABS

Optional Features

Lamination
Smartcard Encoding
Magnetic Stripe Encoding
Contactless Encoding

DTC4500E



Part Code
HP0755100

Description
DTC4500E



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation, Resin thermal transfer 300 DPI
Speed	YMCKO - 16 seconds , YMCKOK - 24 seconds
Hopper Capacity	100 Card Input / 100 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	249mm H x 460mm W x 234mm D
Warranty	3 Years Return to Base
Driver/Software	Windows® XP / Vista™ (32 bit & 64 bit) / Server 2003, 2008, 2012 / Windows® 7, 8 & 10 (32 & 64 bit)

Card Compatibility

Card Dimensions	ISO CR80
Card Thickness	Print only: .009" - .040" / 9 mil - 40 mil / .229 mm - 1.016 mm; print / lamination: .030" - .040" / 30 mil - 40 mil / .762 mm - 1.02 mm
Card Types	PVC or polyester cards with polished PVC finish; monochrome resin required for 100% polyester cards; rewrite

Optional Features

Magnetic Encoding
Smartcard Encoding
Contactless Encoding
Lamination

HDP5000E



Part Code
HP0796600

Description
HDP5000E



SPECIFICATIONS

Printer Specs

Print Technology	Dye Sublimation, Resin thermal transfer 300 DPI
Speed	YMCKO - 27 seconds, YMCKOK - 33 seconds
Hopper Capacity	100 Card Input / 200 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	30.5cm H x 41.9cm W x 27.9cm D
Warranty	3 Years Return to Base
Driver/Software	Windows® 10 / 11 / Server 2016 / Server 2019 / Server 2022

Card Compatibility

Card Dimensions	CR80 PVC ISO (85.6mm x 54mm)
Card Thickness	.030" (30 mil) to .050" (50 mil) / .762 mm to 1.27 mm
Card Types	PVC, composite, PET, ABS

Optional Features

Lamination
Contactless Smartcard Encoding
Smartcard Encoding
Magnetic Stripe Encoding

HDP6600



Part Code
HP0794600

Description
HDP6600



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation, Resin Thermal Transfer 600 DPI
Speed	YMCKO - 16 seconds, YMCKK - 29 seconds
Hopper Capacity	100 Card Input / 200 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	195 x 205 x 315mm (H x W x D)
Warranty	3 Years Return to Base
Driver/Software	Windows® 11 / 10 / 8.1 / 8 / 7 / Server 2019 / Server 2016 / Server 2012 / Server 2012 R2 / Server 2008 / Server 2008 R2

Card Compatibility

Card Dimensions	ISO CR80
Card Thickness	.030" (30 mil) to .040" (40 mil) / .762 mm to 1.01 mm
Card Types	PVC

Optional Features

Magnetic Encoding
Smartcard Encoding
Contactless Smartcard Encoding
Lamination



IDP



Found in South Korea in 2005, IDP has grown into a trusted name in card printing technology, delivering reliable and cost effective solutions to businesses worldwide. Known for combining smart design with affordability, IDP printers make secure card issuance simple and efficient.

Compact and easy to operate, these printers produce sharp, full colour cards and crisp monochrome designs using advanced direct to card technology. Their streamlined setup and intuitive interface reduce training time, making them ideal for organisations that value simplicity without sacrificing quality.

Security options include magnetic strip and smart card

encoding, with contactless technology available for access control. For added protection, IDP offers UV printing and lamination features to extend card life and deter counterfeiting.

Built for durability and low maintenance, IDP printers are a smart choice for schools, businesses and membership programs seeking dependable performance at an affordable price. With a strong heritage and a focus on practical innovation, IDP delivers confidence in every card.



Smart 31



Part Code	Description
HP16651459	IDP Smart 31



SPECIFICATIONS

Printer Specs

Print Technology	Dye Sublimation, 300 DPI
Speed	Monochrome - 5 seconds, YMCKO - 20 seconds, YMCKOK 27 seconds
Hopper Capacity	100 Card Input / 200 Card Output
Connectivity	USB and Ethernet
Dimensions/Weight	172mm x 377mm x 190mm
Warranty	3 Years Return to Base
Driver/Software	Microsoft Windows 7/ 8 /10, Mac OS, Linux

Card Compatibility

Card Dimensions	CR80
Card Thickness	0.38mm (15mil) ~ 0.76mm (30mil)
Card Types	PVC, composite, PET, ABS

Optional Features

Contactless Smartcard Encoding
Smartcard Encoding
Magnetic Stripe Encoding

Smart 51



Part Code	Description
HP16651302	IDP Smart 51



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation, 300 DPI
Speed	Monochrome - 5 seconds, YMCKO - 17 seconds, YMCKOK - 22 seconds
Hopper Capacity	100 Card Input / 100 Card Output
Connectivity	USB, Ethernet & Wifi
Dimensions/Weight	165mm x 390mm x 210mm 4.5kg
Warranty	3 Years Return to Base
Driver/Software	Microsoft Windows 7/ 8 /10, Mac OS, Linux

Card Compatibility

Card Dimensions	ISO CR80 or ISO CR79
Card Thickness	0.38mm (15mil) ~ 1.0mm (40mil)
Card Types	PVC, PET, Composite PVC

Optional Features

Magnetic Encoding
Smartcard Encoding
Contactless Smartcard Encoding

Smart 81



Part Code	Description
HP16653636	IDP Smart 81



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation/ Resin Thermal Retransfer - 300 DPI
Speed	YMCKO - 25 seconds, YMCKK - 43 seconds
Hopper Capacity	200 Card Input / 100 Card Output
Connectivity	USB, Ethernet & Wifi
Dimensions/Weight	460mm W x 224mm D x 310mm H 11.4kg
Warranty	3 Years Return to Base
Driver/Software	Microsoft Windows 7/ 8 /10 /11, Mac OS, Linux

Card Compatibility

Card Dimensions	CR80
Card Thickness	0.76mm (30mil) ~ 1.2mm (47mil)
Card Types	PVC, PC, PET, Composite PVC

Optional Features

Contactless Smartcard Encoding
Smartcard Encoding
Magnetic Stripe Encoding

Solid 700



Part Code	Description
HP16653124	IDP Solid 700



SPECIFICATIONS

Printer Specs

Print Technology	Dye sublimation, 300 DPI
Speed	Monochrome - 3.6 seconds, YMCKO - 16 seconds, YMCKOK - 22 seconds
Hopper Capacity	500 Card Input / 100 Card Output
Connectivity	USB, Ethernet & Wifi
Dimensions/Weight	240mm W x 214mm L x 305mm H 6.3kg
Warranty	3 Years Return to Base
Driver/Software	Microsoft Windows 2000/ 2003/ XP/ Vista/ 7/ 8/ 10, Mac OS, Linux

Card Compatibility

Card Dimensions	ISO CR80
Card Thickness	0.38mm (15mil), 1.2mm (47mil)
Card Types	PVC, Composite PVC, PET

Optional Features

Magnetic Encoding
Smartcard Encoding
Contactless Smartcard Encoding
Lamination

SWIFTCOLOR

Swiftcolor CX-G6400

SPECIFICATIONS

Printer Specs

Print Technology	Ink Jet, 1200dpi
Speed	8 sec/card (Single Sided)
Duplex	N/A
Connectivity	USB and Ethernet
Dimensions/Weight	463mm L x 618mm W x 410mm H, 25kg
Warranty	1 Year Return to Base
Driver/Software	Windows XP, Vista, 7, 8 & 10 (32/64bit)

Card Compatibility

Card Dimensions	Max. Print Area 107.80mm x 297mm
Card Thickness	0.25-0.76mm
Card Types	PVC Large Format Cards

Printer Features

Visual Security	None
------------------------	------

Optional Features

Printing	N/A
-----------------	-----



Part Code	Description
HP101749C002AB	CX-G6400

 **swiftcolor**™

DASCOM

Dascom DC-8600

SPECIFICATIONS

Printer Specs

Print Technology	Colour dye sublimation, 600dpi
Speed	21 sec/card (Single Sided), 43 sec/card (Dual Sided)
Duplex	Yes
Connectivity	USB and Ethernet
Dimensions/Weight	248mm x 339mm x 408mm (W x D x H)
Warranty	2 Year Return to Base
Driver/Software	Windows 7,8,10,11 (32 and 64 Bit), Windows Server 2012/2016/2019/2022, Linux macOS Monterey (12.x) Ventura (13.x), Sonoma (14.x), Sequia (15.x) for Intel and M chipset, Linux.

Card Compatibility

Card Dimensions	Max. Print Area 107.80mm x 297mm
Card Thickness	20-50 mil
Card Types	PVC, PET, PET-G, PC

Optional Features

Printing	Encoding
-----------------	----------



Part Code	Description
HP2028.BFB.9048	DC-8600

DASCOM®

CARD EXCHANGE®



Desktop ID card printing solutions

Any card personalisation software can help you create a basic card. CardExchange® Producer gives you all the tools you need to create the perfect card in a simple and fun way.

Within a few steps CardExchange® Producer makes it easy to create, connect, encode, and produce cards! With several optional preloaded card designs to choose from all waiting to make it your own.

With our Card Wizard you can create a card in just a few clicks. It's that simple! We also offer the use of one of our existing databases or you can connect to your existing database(s).

With drag and drop features you can easily add fields to your card layout without all the complicated manual mapping of fields other software programs require. And there you have it: a beautifully designed, fresh, high-quality card created in minutes.

Advanced design tools

Create your own design from a blank canvas. CardExchange® Producer makes card layouts easy. Choose fonts and add images, graphics, barcodes, magnetic strip, and more.

Powerful graphic tools let you resize and rotate objects on your card, apply graphic enhancements, remove backgrounds from images and create variable images, all with a simple point and click.

You can even control the text: how it looks, merge fields, and even have an image background in the text field. Move everything around on the layout with the what you see is what you get feature until you see the card you envisioned.

Endless opportunities

Create a unique experience for each user. With the powerful user profile feature, you can customise what each user can see and do when they log in.

For customising your card, you can even adapt CardExchange® with our scripting language feature. With the use of plug-in's we can adapt CardExchange® Producer to be exactly what you need.

From customised calculations to unique prompts, we have it all. You can connect to multiple databases specific for each card you create. All possibilities made just for you.

Software Integrations

Cardexchange is integrated with many different platforms. A few of these include: HID, Salto, TASS, Bus Minder, Paper Cut, Roll Call & more!

Speak with our team to see if your platform is also integrated!



CardExchange® feature comparison

Edition Features	GO	Premium	Professional	Business	Business Network	Enterprise	Enterprise Network
Gateway Features							
Local Single User License	✓	✓	✓	✓	✓	✓	✓
Network Licensing & Data Sharing	x	x	x	x	✓	x	✓
Producer Features							
Various Card Sizes	CR-80	All Sizes	All Sizes	All Sizes	All Sizes	All Sizes	All Sizes
Create Card Templates	5	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Enhanced Properties for Text, Image, and Drawing Objects	✓	✓	✓	✓	✓	✓	✓
1D Barcodes	✓	✓	✓	✓	✓	✓	✓
Manual Data Entries	✓	✓	✓	✓	✓	✓	✓
Background Removal	x	✓	✓	✓	✓	✓	✓
2D Barcodes	x	✓	✓	✓	✓	✓	✓
Export Card Preview as Image	x	✓	✓	✓	✓	✓	✓
Automate Manual Insert Actions	x	✓	✓	✓	✓	✓	✓
Unlimited Layouts per Template	x	x	✓	✓	✓	✓	✓
Customize w/ Python Scripting Language	x	x	x	✓	✓	✓	✓
External Plug In Support	x	x	x	✓	✓	✓	✓
Printing Features							
Batching, Windows Print Manager, Production Reports	x	✓	✓	✓	✓	✓	✓
UV Panel Printing	x	✓	✓	✓	✓	✓	✓
Autoprint Server	x	x	✓	✓	✓	✓	✓
Network Printing Support	x	x	x	x	✓	x	✓
Photos and Signatures							
Directshow, TWAIN, Canon Support	✓	✓	✓	✓	✓	✓	✓
Advanced Photo & Signature Support	x	✓	✓	✓	✓	✓	✓
Face Recognition/Face Crop	x	x	✓	✓	✓	✓	✓
Database Options							
Internal Database (gateway)	200	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
MS Excel, CSV, Paradox, MS Access, SQL Lite	x	✓	✓	✓	✓	✓	✓
MS SQL, My SQL, Oracle, DB2, Postgre, ODBC	x	x	✓	✓	✓	✓	✓
Active Directory Read/Write (LDAP)	x	x	x	x	x	✓	✓
Production Management Features							
Database Record Add, Edit, Filter, Sort	✓	✓	✓	✓	✓	✓	✓
Store Photos in Database	✓	✓	✓	✓	✓	✓	✓
Store Signatures, Counters, Variables	x	✓	✓	✓	✓	✓	✓
Advance Data Management	x	✓	✓	✓	✓	✓	✓
Create and Store User Specific Record Lookup Filters	-	5	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Security Features							
User Login Feature	x	✓	✓	✓	✓	✓	✓
User Groups Features	x	x	✓	✓	✓	✓	✓
Encoding Features							
Magnetic Encoding	✓	✓	✓	✓	✓	✓	✓
HID® / MIFARE® Classic	x	x	x	✓	✓	✓	✓
MIFARE® DESFire EV1 & SAM AV2	x	x	x	x	x	✓	✓
ID Scan Features							
Store ID Image/Photo/OCR	x	x	x	✓	✓	✓	✓
Store/Verify Fingerprint	x	x	x	✓	✓	✓	✓

RIBBONS AND LAMINATES

Axis IQ carry a wide range of ribbons and laminates from all the leading ID Card Printer brands including Fargo, Zebra, Entrust, Magocard, Matica, IDP and more. We supply genuine ID Card Printer Ribbons that will ensure high quality prints every time.

MagiCARD

- Pronto
- Enduro
- Enduro+
- Rio Pro
- Rio Pro 360
- MagiCARD 300
- MagiCARD 600
- Ultima



Matica

- XID8300
- XID8600
- MC660



Zebra

- P330i & P430i
- ZXP3
- ZC300
- ZXP7
- ZXP8 & ZXP9
- ZC10L



Entrust

- SD160
- SD260
- SD360
- SD460
- CD800
- RP90
- Sigma Range
- CR805



Fargo

- DTC1000
- DTC1250E
- DTC1500
- DTC4250e
- DTC4500e
- HDP5000
- HDP5600
- HDP6600



IDP Smart

- Smart 30
- Smart 50
- Smart 70
- Smart 31
- Smart 51
- Solid 700



Evolis

- Pebble
- Zenius
- Primacy
- Avansia
- Agilia
- Quantum



SMART CARD READERS

Axis IQ provide a selection of smart card readers both installed within your card printer, or stand alone for use on PC's, Multi-Function Printers, Photocopiers and other systems.

Whether your need is to read or write detailed information to a smart card (contact or contactless) or to simply read a card serial number and enter it into your systems as if you were typing it, we have a card reader to meet your needs.

Our sales team can help with the best reader for your need and can provide recommendations for matching software solutions if required. Our resellers provide smart card readers to schools, retail point of sale, and membership applications across Australia.



rf **IDEAS**

SYRIS

HID

SIGNATURE PADS

Capturing signatures during card enrollment is essential for many industries, and one of the best ways to do this is with a signature pad. Axis IQ has a range of Signature Pads and Tablets to meet a wide range of signature capture needs.

Electronic Signature Pads allow you to store signatures digitally on various kind of documents, e.g. PDF, Word or any other form generated from a software application.

If you can't find the model you are after, please contact the sales team to see if we can make it available for you.

- Fast and smooth signing
- Document and Signature shown on the screen
- High-Quality capture techniques
- LCD interactive display



TOPAZ
SYSTEMS INC.



BARCODE SCANNERS

Axis IQ offers a wide range of barcode scanners designed for fast and accurate data capture across various applications. Our scanners are available in handheld, cordless, and presentation styles to suit retail, warehouse, healthcare and office environments.

Whether you need to scan 1D or 2D barcodes, QR codes, or capture data from label and tags, we have a solution to meet your requirements. Our scanners deliver high performance, durability, and ease of use, ensuring smooth integration into your existing system.

Our sales team can assist you in selecting the right scanner for your workflow and provide recommendations for compatible software if needed. Our resellers supply barcode scanners for point of sale, inventory management, logistics and membership applications throughout Australia.



cino

 **ZEBRA**

RECEIPT & LABEL PRINTERS

WholesaleID provides a comprehensive range of receipt and label printers designed for reliable, high-quality printing in retail, hospitality, logistics, and office environments. Our printers deliver fast output, crisp text, and durable performance to keep your operations running smoothly.

Whether you need to print receipts at the point of sale or create custom labels for inventory, shipping, or product identification, we have solutions to meet your needs. Our printers support various media sizes and connectivity options, ensuring easy integration with your existing systems.

Our sales team can assist you in selecting the right printer for your application and provide recommendations for compatible software if required.



EPSON®

GoDEX

 **ZEBRA**




Cards, Accessories and Consumables

CUSTOMISED ACCESSORIES

Axis IQ has a range of Lanyards, and ID card accessories allowing your customers to show off their company name, logo, or slogan with unique custom ID accessories – you can choose from a wide variety of lanyards, badge reels, and badge holders. The most popular items to customise are lanyards, which are a popular and eye-catching way to display ID cards or keep keys and other materials close at hand, and Badge Reels with several shapes, sizes, styles, and colours to choose from, you can create custom badge reels that highlight your customers company's name and logo.

Talk to our sales team to find the right match for your clients and create a more engaged customer across a wider range of ID related products.



STANDARD STOCK CARDS

Composite|ABS|PET

Ideal for long life or
Re-Transfer printing


Code: **SC00076C00WHT00P**

Composite

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

HiCo Mag and Sign Panel




Code: **SC00076P01WHT10**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Plain white




Code: **SC00076P00WHT00P**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Signature panel




Code: **SC00076P00WHT10**

Size: 86 x 54 x 0.76mm - sig panel 10 x 76

Quantity: 500 per box

HiCo/LoCo Mag




Code: **SC00076P01WHT00P** HiCo

Code: **SC00076P02WHT00P** LoCo

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Plain colour card




Code: **SC00076P00XXXXX**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

See available colours below

Triple key tag




Code: **SC00076P05WHT01**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Triple key tag - No holes




Code: **SC00076P05WHT00**

Size: 86 x 54 x 0.76mm


Quantity: 500 per box

Available colours

COLOUR - CODE
Light Blue - BLL00
Dark Blue - BLD00
Green - GRN00
Yellow - YEL00
Orange - ORG00
Pink - PNK00
Red - RED00
Grey - GRY00
Beige - BEI00
Bronze - BRZ00
Silver - SLV00
Gold - GLD00



Key tag and mini card




Code: **SC00076P03WHT00**

Size: 63 x 54 & 21 X 54 X 0.76mm

Quantity: 500 per box

Double key tag




Code: **SC00076P04WHT01**

Size: 73 x 27 x 0.76mm

Quantity: 500 per box

Double key tag - No holes



Code: **SC00076P04WHT00**

Size: 73 x 27 x 0.76mm

Quantity: 500 per box

STANDARD STOCK CARDS CONTINUED

Lockout tags – portrait




Code: **SC00076P00WHT01**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Lockout tags – landscape



Code: **SC00076P00WHT02**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Lockout tags – corner



Code: **SC00076P06WHT03**

Size: 86 x 54 x 0.76mm

Quantity: 500 per box

Extra thick name badge stock – Suitable for some retransfer plastic card printers

Thick card



Code: **SC11130P00WHT00**

Size: 86 x 54 x 1.3mm

Quantity: 250 per box

Thick card – Gold



Code: **SC11130P00GLD00**

Size: 86 x 54 x 1.3mm

Quantity: 250 per box

Thick card – Silver




Code: **SC11130P00SLV00**

Size: 86 x 54 x 1.3mm

Quantity: 250 per box

NAME BADGES

2 up 73mm x 27mm – White




Code: **SC11130P06WHT00**

Size: 73 x 27 x 1.3mm

Quantity: 250 per box

2 up 73mm x 27mm – Gold




Code: **SC11130P06GLD00**

Size: 73 x 27 x 1.3mm

Quantity: 250 per box

2 up 73mm x 27mm – Silver



Code: **SC11130P06SLV00**

Size: 73 x 27 x 1.3mm

Quantity: 250 per box

Name bar pin – White



Code: **SA00ABPP**

Quantity: 100 per box


Adhesive lapel clip



Code: **SA00LC0101**

Quantity: 100 per box

Magnetic badge fastener



Code: **SA00MB0000**

Size: 45 x 13mm

Quantity: 100 per box

ACCESSORIES AND SUPPLIES

Rigid portrait / landscape



Code: **SA00CPCLRR** – Portrait
 Code: **SA00CLCLRR** – Landscape
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

Durable soft portrait / landscape



STRONG

Code: **SA00CPCLRS** – Portrait
 Code: **SA00CLCLRS** – Landscape
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

Soft portrait / landscape



POPULAR

Code: **SA00CPCLRS** – Portrait
 Code: **SA00CLCLRS** – Landscape
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

MultiCard holder



Holds up to 5 cards


Code: **SA00CSBLKRM**
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

Rigid switchable card holder



Code: **SA00CSDCLRR** – Clear
 Code: **SA00CSDBLKR** – Black
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 500 per box

Rigid landscape card holder



Code: **SA00CLBLKR**
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

Heavy duty retractable reel



STRONG

Code: **SA00IDRSLV**
 Quantity: 100 per box

Retractable reel



POPULAR

Code: **SA00IDRBLK**
 Quantity: 100 per box

Custom logo reel



Code: **SA001DRCUSTOMREEL**
 Quantity: 100 per box

Lapel clip



Code: **SA00LC0100** – with pin
 Code: **SA00LC0000** – without pin
 Quantity: 100 per box

Lockable card holder



SECURE

Code: **SA00CLCLRRL**
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

Rigid swivel card holder



Code: **SA00CSDBLKR0**
 Fits Card Size: 86 x 54 x 0.76mm
 Quantity: 100 per box

Vinyl luggage loop



Code: **SA00VLLCLR**
 Quantity: 100

Relockable card holder (removeable key)



Code: **SA00CPCLRRRL**
 Fits Card Size: 86 x 54mm
 Quantity: 100 per box

Desktop card punch



Code: **SA00PUNCHS03**
 Quantity: 1 per box

LANYARDS

Standard – Alligator



Code: SA00L13WBLK1AC

Details: 13mm Tube, metal crimp, breakaway, alligator
Quantity: 100 per box

Standard – Swivel



Code: SA00L13WBLK1SC

Details: 13mm Tube, metal crimp, breakaway, swivel
Quantity: 100 per box

Coloured – Premium



Available colours

COLOUR – CODES

Black: SA00L15WBLK1DH

Blue: SA00L15WBLU1DH

Red: SA00L15WRED1DH

Green: SA00L15WGRE1DH

Details:

15mm wide, ribbed,
breakaway, dog clip

Quantity: 100 per box



Key ring – Premium



Code: SA00L15WBLK1KR

Details: 15mm, breakaway, key ring
Quantity: 100 per box

Enviro – Premium



Code: SA00L15BBAM1DH

Details: Bamboo, Eco green Logo, 15mm, breakaway, dog clip
Quantity: 100 per box

Staff lanyard – Premium



Code: SA00L15WBLU1DHST

Details: 15mm, ribbed, breakaway, dog clip
Quantity: 50 per box

Security lanyard – Premium



Code: SA00L15WBLK1DHSE

Details: 15mm, ribbed, breakaway, dog clip
Quantity: 50 per box

Contractor lanyard – Premium



Code: SA00L15WGRE1DHCO

Details: 15mm, ribbed, breakaway, dog clip
Quantity: 50 per box

Visitor lanyard – Premium



Code: SA00L15WRED1DHVI

Details: 15mm, ribbed, breakaway, dog clip
Quantity: 50 per box

CUSTOM LANYARD OPTIONS

MO1 - Tube polyester



Available in: 12mm

MO2 - Ribbed polyester



Available in: 10/15/20/25mm

MO3 - Satin polyester



Available in: 10/15/20/25mm

MO4 - Cotton



Available in: 12mm

MO5 - Bamboo



Available in: 10/15/20/25mm

M12 - Woven in round



Available in: 5mm

MO6 - Smooth nylon



Available in: 10/15/20/25mm

MO7 - Ribbed nylon



Available in: 10/15/20/25mm

MO8 - Finely woven polyester



Available in: 10/15/20/25mm

MO9 - Dye sub polyester



Available in: 10/15/20/25mm

MO10 - Layer lanyard (Woven)



Pricing varies with combination*

MO11 - 2 layer lanyard (Satin)




Pricing varies with combination*

*2 LAYER LANYARDS

These are AVAILABLE with a Ribbed Polyester, Nylon Smooth & Nylon Ribbed base. And with an option of up to 3 colours woven in on the top layer or up to 3 colours printed on satin polyester.

Lanyard widths



Lanyard length:
90 cm (standard size).

Minimum quantity:
300 lanyards (packed
100 pcs per polybag).

Printing tolerance:
+/- 5%

CUSTOM LANYARD OPTIONS CONTINUED

F01 - Swivel hook



Available in:10/15/20/25mm

F03 - Alligator clip



Available in:10/15/20/25mm

FO4 - Lobster




Available in:10/15/20/25mm

FO6 - Dog hook



Available in:10/15/20/25mm

F07 - Spring type



Available in:10/15/20/25mm

FO8 - Split ring



Available in:10/15/20/25mm

A01- Quick release buckle



Available in:10/15/20/25mm

A02 - Safety breakaway



Available in:10/15/20/25mm

A03 - Metal crimp



Available in:10/15/20/25mm

F12 - Badge reel



Available in:10/15/20/25mm

ECO FRIENDLY CARDS & ACCESSORY OPTIONS

BIOCards

Economical & Environmentally Friendly

BIOCards are environmentally friendly cards made from PVC resin which is treated so as to make them completely biodegradable. Under normal conditions, they perform exactly like our standard cards but when introduced into a fertile environment (e.g. compost, landfill, rubbish dump, the ground, lakes, rivers and the ocean) the breakdown process starts, completing in 1-5 years.

The material allows very high quality image reproduction with dye sublimation or thermal overprinting during the personalisation processes as it is PVC rather than an alternative product.

**“Plastics can take
450-1000 years to
decompose”**

 BIOCards



**“90% of the trash
floating in our
oceans is made of
plastic”**

Biodegradable PVC White CR80



Code: SC18076P21WHT00

Recycled PVC White CR80



Code: SC00076P28WHT00

Bamboo Lanyard



Available in: 10/15/20/25mm

Recycled Card Holder



Coming soon

Recycled Card Holder



Coming soon

Recycled Card Holder



Coming soon

SMART CARDS/PROXIMITY CARDS/RFID

Developed with a smooth PVC surface with minimal chip deflection so every card looks great, EZEProx credentials have lower failure rates and higher system integrity than other proximity card alternatives. Available with both EZEProx and durable PET composite construction, EZEProx cards are built to last. These universally-compatible, durable cards combine photo ID with access control. Equivalent to other 1336, 1386, 1536, and 1586 prox cards, EZEProx proximity cards are the economical choice for any access control program.


- 26-bit 125kHz prox (other bit formats available)
- ISO 7810 compliant
- CR80 30mil (Credit card size)
- PVC or PVC-PET construction
- Magnetic stripe card configurations
- Custom EZEProx 125khz option available. Other encoders available on request.



EZEPROX


MIFARE Cards

- MIFARE ULTRALIGHT®
- MIFARE DESFIRE EV3®
- MIFARE CLASSIC®




EZEProx Cards

- ISO Prox
- Clamshell



Dual Format/Frequency Cards

- MIFARE / ISO PROX
- Customise to requirements
- Low & High Frequency Chips



MIFARE® & Programmable Proximity Products

Fobs



Adhesive Discs



Wristbands



Programmed in-house, EZEProx cards can be customised and despatched within 24 hours to suit a broad range of Access Control and other Prox card applications. Our supplies team are experienced at determining the right card for your needs, the first time.

Many organisations are saving hundreds of dollars without any compromise in quality or compatibility.

Find out how much you can save by talking to our supplies team today.

SMART CARDS/PROXIMITY CARDS/RFID CONT'D

Adhesive




Code: SC00038P09WHT00

Size: 86 x 54 x 38mm

Quantity: 500 per box


MAY NOT SUIT ALL PRINTERS

Prox / RFID / Access cards



Axis IQ provides a full range of brand and styles of contactless smart, RF, and Access control cards. Call for a competitive custom quote on your card needs.

Contact chip card



Contact chip cards come in a variety of compatibilities and capacities. With the precise information you require on the cards Axis IQ can provide fast delivery at the right price.

Adhesive - Mylar



Code: SC18025P19WHT00

Size: 86 x 54 x 25mm

Quantity: 500 per box

RELIABLE QUALITY FEEDING

MIFARE Classic



MIFARE Classic

The MIFARE Classic is one of the world's most popular contactless smart cards. Axis IQ keep the MIFARE Classic 1K and 4K cards in stock in a high quality laminated printable white stock at competitive prices.

MIFARE Family



MIFARE Family of Cards

- MIFARE Cards come in a range of models including:
- MIFARE Ultralight®/ C
- MIFARE Classic
- MIFARE Plus®
- MIFARE DESFire EV2/EV3

Pricing on application seasonally variable, depending on volume.

MIFARE and MIFARE Classic are trademarks of NXP B.V. MIFARE, MIFARE Ultralight, MIFARE DESFire and MIFARE Plus are trademarks of NXP B.V. and are used under license.



**MIFARE
DESFire EV1/EV2**





02 6652 6652



sales@axisiq.com.au