











welcome

TO OUR 2025 RANGE

IN 2025 KALORA IS CONTINUING TO BRING YOU AFFORDABLE QUALITY; STRIKING THE PERFECT BALANCE BETWEEN COST AND VALUE.

Whether it's a traditional upright freestanding wood heater, or a modern contemporary design, our wood heaters come in a range of styles to compliment any decor. The Kalora range offers great value for home-owners while still delivering exceptional performance and craftsmanship.

Our wood heaters have a unique charm that truly does make them the heart of any home. Their warm, crackling flames evoke a sense of nostalgia and comfort, creating a cozy ambiance that no other heating solution can match.



Urban Inbuilt



Urban Inbuilt

Our most contemporary and luxurious Urban range is now available as inbuilt wood heaters.

Free up your floor space while still enjoying the ambiance and heat of a traditional wood heater.

TECHNICAL SPECIFICATIONS



Fascia Urban PT (SG030700948) & Fascia Urban LS (SG030700947)



Zero Clearance Box Urban PT (SG030700341) & Zero Clearance Box Urban LS (SG030700338)



Hot Air Dilution & Distribution Kit (SG060300001) compatible





Urban PT



Urban PT

Bring luxury to any size home with the Kalora Urban PT, a unique upright wood fire meticulously designed and engineered in Australia for our unique conditions.

With the Urban PT's eye-catching aesthetics, user-centric features, and innovative interchangeable base system you'll enjoy clean, low-emission combustion and contemporary styling that defines modern elegance.

THE BENEFITS

SLIMLINE DESIGN

The stylish upright configuration ensures the Urban PT can effortlessly blend into any space.



IMPRESSIVE PERFORMANCE

At 68% efficiency and 0.5g/kg emissions the Urban PT is a cleaner, greener choice for you and the environment.



ELEVATE THE LOOK

Choose the space saving inbuilt option, place the Urban PT on the plinth, or create the minimalist dream with the PT custom woodbox.

TECHNICAL SPECIFICATIONS



Heat up to 200m²



Optional 3 Speed wireless fan



5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 365w x 320d x 500h



Heater: 518w x 586d x 720h



Log size to 300mm



Optional fan available



Efficiency 68%



Emissions 0.5g/kg



Avg. kW Rating 7.3kW

WHAT YOU WILL NEED

FLUE KIT OPTIONS


Default matte black flue kit 50010400034 Default black mesh flue kit FFK64M2 SG020100018 Insulated flue kit


ROOF FLASHING OPTIONS

Metal Roof Flashing FF036 Tile Roof Flashing FF037

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1250mm x 1250mm (FHPT125C)





DESIGN OPTIONS







URBAN PT DEPICTED WITH OPTIONAL PLINTH



Urban LS



Urban LS

Immerse yourself in fireside luxury with the Kalora Urban LS wood fire, meticulously designed and engineered in Australia for our unique conditions.

Elevate your home with the innovative eye-catching aesthetics and user-centric features. Enjoy clean, low-emission combustion and contemporary styling that defines modern elegance.

THE BENEFITS

1

HEAT PROJECTION

Vermiculite liners will give you a more efficient, cleaner burn, projecting heat into the room.



YOUR FIRE, YOUR WAY

Style this wood heater with a plinth, woodbox, pedestal, or create your own custom concrete plinth. In-built option also available.



FOLD AWAY HANDLES

Clever design means that protruding handles are a thing of the past for the Urban LS.

TECHNICAL SPECIFICATIONS



Heat up to 300m²



Optional 3 Speed wireless fan control



5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 795w x 317d x 328h



Heater: 950w x 586d x 504h



Log size to 350mm



Optional fan available



Efficiency 61%



Emissions 0.7g/kg



Avg. kW Rating 9.0kW

WHAT YOU WILL NEED

FLUE KIT OPTIONS


Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2
Insulated flue kit SC020100018

ROOF FLASHING OPTIONS

Metal Roof Flashing FF036
Tile Roof Flashing FF037

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1200mm x 1200mm (FHPT120)



DESIGN OPTIONS



URBAN LS DEPICTED WITH OPTIONAL PEDESTAL



URBAN LS DEPICTED WITH OPTIONAL PLINTH









425R

Beautifully crafted compact and affordable without compromising on performance and efficiency.

Small in size, the Kalora 425R is the perfect investment for a cottage, holiday house or man-cave.

THE BENEFITS

1

SMALL BUT MIGHTY

Ideal heating solution for a cottage, man-cave or holiday house

2

DUAL AIR CONTROLS

Achieve a better, more efficient burn with dual air controls*



TRADITIONAL STYLE

Cast iron door and stylish features enables the 425R to create a cosy ambiance like no other.

TECHNICAL SPECIFICATIONS



Heat up to 140m²



Firebox: 440w x 330d x 428h



Efficiency 63%



Radiant heating - no fan



Heater: 500w x 470d x 735h



Emissions 1.5g/kg



5mm heavy duty firebox



Radiant cooking surface



Avg. kW Rating 15.6kW



Fifteen year firebox warranty



Log size to 300mm

WHAT YOU WILL NEED

FLUE KIT OPTIONS

Default matte black flue kit SG010400034

Default black mesh flue kit FFK64M2

Insulated flue kit SG020100018

ROOF FLASHING OPTIONS

Metal Roof Flashing FF036
Tile Roof Flashing FF037

CONSUMABLE ITEMS

 Firebrick Set
 SP14008

 Baffle
 SP14017


 Brick Retainer
 SP14007


 Glass Retainer
 SP14015

 Rope Seal
 SC030300004

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1250mm x 1250mm (FHPT125C)





MUST HAVES

 $Complete \ your \ setup \ with \ a \ comprehensive \ range \ of \ Forge-designed \ fireside \ accessories, \ cleaning, \ and \ maintenance \ products.$



Forge Hexagon 500 Wood Storage



Forge Mahogany Fire Tool Set



Forge Dry Glass Cleaner



Forge Exo Fan Swing *When operated correctly as per user manual





Introducing our revolutionary Chalet range of wood fires; the epitome of affordability and functionality. Unleash the warmth of high-end features without breaking the bank.

Elevate your home with a stylish, cost-effective heating solution that embodies both comfort and sophistication.

THE BENEFITS

1

MODERN TAKE ON A CLASSIC

Sharp lines, flat finish, and square shape bring a contemporary edge to the timeless comfort it provides.



PEACE OF MIND

Know that we back our products; with Kalora Chalet you'll get a 10 firebox warranty.



IMPROVED COMFORT

Heat up rooms quickly and maintain a comfortable temperature with convection fan forced heating.

TECHNICAL SPECIFICATIONS



Heat up to 200m²



Firebox: 500w x 360d x 300h



Efficiency 67%



Convection heating - fan forced



Heater: 595w x 509d x 724h



Emissions 1.1g/kg



5.5mm heavy duty firebox



Log size to 300mm



Avg. kW Rating 7.9kW

10

Ten year firebox warranty

WHAT YOU WILL NEED

FLUE KIT OPTIONS


Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2
Insulated flue kit SG020100018


ROOF FLASHING OPTIONS

Metal Roof Flashing FF036
Tile Roof Flashing FF037

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1250mm x 1250mm (FHPT125C)





MUST HAVES



Forge Hexagon 850 Corten Wood Storage



Forge Iron Grey Fire Tool Set



Senotherm Metallic Black Paint



Forge Corner Heater Guard





Introducing our revolutionary Chalet range of wood fires; an epitome of affordability and functionality. Unleash the warmth of high-end features without breaking the bank.

Elevate your home with a stylish, cost-effective heating solution that embodies both comfort and sophistication.

THE BENEFITS



GENEROUS CAPACITY

Experience ample space for larger logs, allowing for longer burning times and fewer reloads.



AFFORDABLE QUALITY

Enjoy the warmth of quality wood fires without straining your budget.



ONE FOR THE ENVIRONMENT

Efficiently heating large areas reduces energy use and environmental impact.

TECHNICAL SPECIFICATIONS



Heat up to 300m²



Firebox: 600w x 400d x 360h



Efficiency 62%



Convection heating - fan forced



Heater: 695w x 569d x 767h



Log size to 350mm



kW

Emissions 1.3g/kg



Avg. kW Rating 10.1kW

10

d

Ten year firebox warranty

5.5mm heavy duty firebox

WHAT YOU WILL NEED

FLUE KIT OPTIONS


Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2 Insulated flue kit SG020100018

ROOF FLASHING OPTIONS

Metal Roof Flashing FF036 Tile Roof Flashing FF037

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1425mm x 1425mm (FHPT1425C)






MUST HAVES



Forge Hexagon 850 Corten Wood Storage



Forge Iron Grey Fire Tool Set



Senotherm Metallic Black Paint



Forge Corner Heater Guard







500C

Create an irresistible atmosphere of beauty and warmth with this beautifully crafted fireplace.

The fan forced convection heating allows minimal clearance requirements which makes it a great choice for homes where space and proximity to combustible items presents a challenge.

THE BENEFITS



WE'VE GOT YOU COVERED 15 year firebox warranty means

IT'S IN THE DETAILS

Choose stunning oak finishes & stainless steel highlights, or understated black stain wood finishes & black grill.



MINIMAL CLEARANCES

This is the perfect solution for any home where space and proximity to combustible items present a challenge,

TECHNICAL SPECIFICATIONS



Heat up to 200m²

quality you can trust



Convection heating - fan forced



5.5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 500w x 330d x 397h



Heater: 672w x 490d x 720h



Log size to 300mm



Efficiency 67%



Emissions 1.1g/kg



Avg. kW Rating 7.9kW

WHAT YOU WILL NEED

FLUE KIT OPTIONS

Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2 Insulated flue kit SG020100018

ROOF FLASHING OPTIONS


Metal Roof Flashing Tile Roof Flashing


CONSUMABLE ITEMS

Firebrick Set SP20009 Baffle SP20033 Brick Retainer SP20035 Glass Retainer SP20017 Rope Seal SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1250mm x 1250mm (FHPT125C)





MUST HAVES



Forge Hexagon 500 Wood Storage



Forge Ellipse Fire Tool Set



Forge Gloves



Forge Large Safety Guard







600C

Love the romance of an open fire and the cosy warmth of an efficient slow combustion wood heater?

We found your match!

The largest wood fire in the Kalora range, the 600C is a powerhouse with fan assisted heating capable of spreading warmth throughout large homes and open plan spaces.

THE BENEFITS

1

MAXIMISED BURN TIMES

Keep your home warmer for longer with a large 600w x 400d firebox



ROBUST CONSTRUCTION

Built to withstand the rigours of regular use, providing long-lasting durability and reliability.



CUSTOMISE YOUR COMFORT

3 adjustable fan speeds enables you to control the intensity of the warmth.

TECHNICAL SPECIFICATIONS



Heat up to 300m²



Convection heating - fan forced



5.5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 600w x 400d x 430h



Heater: 772w x 565d x 792h



Log size to 350mm



Efficiency 62%



Emissions 1.3g/kg



Avg. kW Rating 10.1kW

WHAT YOU WILL NEED

FLUE KIT OPTIONS

Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2
Insulated flue kit SG020100018

ROOF FLASHING OPTIONS

Metal Roof Flashing FF036
Tile Roof Flashing FF037

CONSUMABLE ITEMS

 Firebrick Set
 SP30010

 Baffle
 SP30033


 Brick Retainer
 SP30035


 Class Retainer
 SP30017

 Rope Seal
 SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1425mm x 1425mm (FHPT1425C)





MUST HAVES



Forge Oblique Wood Storage



Forge Valyrian Fire Tool Set



Forge Easy Soot Remover



Forge 6" Flue Brush





500BX

Say goodbye to the winter blues this year and look forward to toasty nights by the fire with your loved ones.

Get the amazing performance and quality you expect from a Kalora 500 with the added advantage of a wood storage pedestal, ideal for this nights when it is just too cold to go outside for more wood.

THE BENEFITS

1

KEEPING YOU WARM

Easily heat up to 200m² with the generously sized 500BX



NEAT AND TIDY

No need to worry about extra wood storage when you've got the woodbox pedestal included.



QUALITY GUARANTEED

5.5mm heavy duty firebox with a 15 year warranty* and 8mm heavy duty steel baffle plate,

TECHNICAL SPECIFICATIONS

Heat up to 200m²



Convection heating - fan forced



5.5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 500w x 330d x 397h



Heater: 672w x 490d x 852h



In-built wood storage



Log size to 300mm



Efficiency 67%



Emissions 1.1g/kg



Avg. kW Rating 7.9kW

WHAT YOU WILL NEED

FLUE KIT OPTIONS

Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2 Insulated flue kit SG020100018

ROOF FLASHING OPTIONS


Metal Roof Flashing FF036 Tile Roof Flashing FF037


CONSUMABLE ITEMS

Firebrick Set SP20009 SP20033 SP20035 Brick Retainer Glass Retainer SP20017 SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1250mm x 1250mm (FHPT125C)





MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Zero 1000 Wood Storage



Forge Valyrian Fire Tool Set



Forge Gloves



Forge Rope Seal Kit

*Warranty is covered as stated in manual and is subject to warranty criteria.



600BX



600BX

Love the romance of an open fire and the cosy warmth of an efficient slow combustion wood heater?

We found your match!

The largest wood fire in the Kalora range, the 600BX is a powerhouse with fan assisted heating capable of spreading warmth throughout large homes and open plan spaces.

THE BENEFITS



BIG HEAT WHERE YOU NEED IT 600BX is the largest of the Kalora range, boasting a huge 600w x 400d firebox



MINIMALIST DESIGN

No need for additional wood storage - the 600BX has one built in.



ENHANCED EFFICIENCY

The 600BX boasts an average efficiency of 62%, ensuring that you get the most out of every wood burn.

TECHNICAL SPECIFICATIONS



Heat up to 300m²



Firebox: 600w x 400d x 430h



Efficiency 62%



Convection heating - fan forced



Heater: 772w x 565d x 890h



Emissions 1.3g/kg



5.5mm heavy duty firebox



In-built wood storage



Avg. kW Rating 10.1kW



Fifteen year firebox warranty

B

Log size to 350mm

WHAT YOU WILL NEED

FLUE KIT OPTIONS

Default matte black flue kit SG010400034

Default black mesh flue kit FFK64M2

Insulated flue kit SG020100018

ROOF FLASHING OPTIONS

Metal Roof Flashing FF036
Tile Roof Flashing FF037

CONSUMABLE ITEMS

 Firebrick Set
 SP30010

 Baffle
 SP30033


 Brick Retainer
 SP30035


 Class Retainer
 SP30017

 Rope Seal
 SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1425mm x 1425mm (FHPT1425C)





MUST HAVES



Forge Iron Grey Fire Tool Set



Forge Easy Soot Flue Cleaner



Senotherm Metallic Black Paint



Forge Corner Heater Guard



Fusion



Fusion

Traditional living at it's finest. The Fusion is the result of the synergy that can be achieved when you combine the features of a modern high performance wood heater with the nostalgic feel and benefits of a traditional wood fired stove.

THE BENEFITS

TEMP. CONTROLLED OVEN

Manage cooking effortlessly with the temperature-controlled, spacious baking oven.



X-LARGE COOKTOP

A thick steel cooktop measuring W65cm x D54cm with 2 removable trivets, gives you plenty of stove-top space.



HOT WATER JACKET

Attaching to the rear of the unit, the hot water jacket heats water using the wood fire's heat, which can be used throughout the home.

TECHNICAL SPECIFICATIONS



Heat up to 200m²



Firebox: 420w x 340d x 380h



Fifteen year firebox warranty



Radiant heating - no fan



Heater: 650w x 600d x 861h



Log size to 300mm



5mm heavy duty firebox



Oven: 440w x 350d x 230h



Optional hot water jacket



Radiant cooking surface



Large baker's oven



Replaceable steel firebox liners

WHAT YOU WILL NEED

FLUE KIT OPTIONS

Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2 SG020100018 Insulated flue kit

ROOF FLASHING OPTIONS

FF036 Metal Roof Flashing Tile Roof Flashing FF037

CONSUMABLE ITEMS


SP50116 SP50135 Firebox liner (Left) Firebricks SP50115 Firebox liner (Right) Brick retainer SP50127 Firebox Bottom Plate SP50130 Temperature Gauge Glass Retainer Firebox Door SG030700631 Hot Plates SP0121


Glass Retainer Oven Door SG030700632 Rope Seal SG030300004

SP50109

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

HEARTH OPTIONS: Straight 1050mm x 1200mm (FHPT105120) Corner 1250mm x 1250mm (FHPT125C)





MUST HAVES



Forge Hinterland Wood Storage



Forge Valyrian Fire Tool Set



Forge Hot Water Jacket



Forge Exo Fan



Accent



Accent

The Kalora Accent inbuilt wood heater has been specifically designed for installation into existing masonry fireplaces overcoming the inefficiencies associated with traditional open fires such as excessive fuel burn, uncontrollable heat levels and energy that is lost straight out of the chimney.

The Accent also accommodates for those who love the look of an inbuilt wood heater but do not have an existing open fireplace. Our zero clearance solutions avail the opportunity to install the Kalora Accent into a timber-framed wall with the need for only minimal clearances.

THE BENEFITS



PERFECT FOR THE PRE-EXISTING

Designed to fit into existing masonry fireplaces to overcome inefficiencies giving you more control.



ZERO CLEARANCE OPTION

Allows you to install the Accent into a timber-framed wall with minimal clearances.



MINIMALIST DESIGN

Clean lines and minimalist features, paired with gentle touch controls, allow the flame to be the focal point of the room.

TECHNICAL SPECIFICATIONS



Heat up to 280m²



Firebox: 600w x 480d x 354h



Efficiency 61%



To suit mid or floor mount install



Heater: 672w x 480d x 592h



Emissions 1.4g/kg



Zero clearance option



5.5mm heavy duty firebox



Log size to 300mm



Avg. kW Rating 12.8kW

15

Fifteen year firebox warranty

WHAT YOU WILL NEED

INBUILT MASONRY CAVITY INSTALL

6" 4M Inbuilt Flue Kit SCFK64MINB

INBUILT TIMBER STUD CAVITY INSTALL

Zero Clearance Box SG010400052

Triple Skin Zero Clearance Flue Kit SCFKZCB06

ROOF FLASHING OPTIONS

Metal Roof Flashing FF036
Tile Roof Flashing FF037

CONSUMABLE ITEMS

 Firebrick Set
 \$C030600024

 Baffle
 \$C030700263

 Brick Retainer
 \$C030700269

 Door Assembly
 \$C030700825

 Rope Seal
 \$C030300005

FASCIA DIMENSIONS

Mid-mount 769w x15d x 649h
Floor-mount 769w x 15d x 629h

HEARTH OPTIONS:

Matt Black Inbuilt Hearth Pad SG040100015 1050w x 550d x 30h



Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES



Forge Geo Flex Wood Storage



Forge Heritage Fire Tool Set



Forge Rope Seal Kit



Forge Fireplace Gloves



Sorrento



Sorrento

Enhance your home with a beautifully crafted, elegant Kalora Sorrento.

Inspired by winter's spent on the Mornington Peninsula, Sorrento embodies the "heart of the home" philosophy with beach side themed flame media encased in an expansive firebox lined with high gloss reflective panels, a glass primary shield and framed in your choice of a beautiful black or (optional) stunning stainless one piece fascia.

Engineered to a precise specification this space heating appliance comes with a fully programmable remote control, is 4 star rated and offers four alternative burn media options.

THE BENEFITS

ENJOY THE CONVENIENCE

With just the press of a button you can easily ignite, control and program the flames.



CHOOSE YOUR MEDIA

Customise the media inside the Sorrento to suit your home, style and design



ENHANCED AIR CIRCULATION

The dual multi-speed fans ensure efficient distribution of heat, maximizing comfort and even heating.

TECHNICAL SPECIFICATIONS



Heat up to 90m²



Black & stainless fascia options



Average efficiency 79%



To suit mid or floor mount install



4 decorative media options



Thermostatic control (7 day programming)



Heater: 672w x 480d x 592h



High gloss reflective firebox liners



Dual multi speed fans



Gas log fire



Ten year firebox warranty



Remote control (Included with appliance)

CHOOSE YOUR FASCIA



Beautiful Black Fascia (included)



Stunning Stainless Fascia (optional)

CHOOSE YOUR MEDIA

With Sorrento's range of options you can create a truly personal statement customised by you and tailored to your own individual taste.



Driftwood, pebbles and glass (Included)



Pebbles and glass



Driftwood, pebbles and coal effect



Pebbles and coal effect



Zenith



Zenith

Discover the epitome of warmth and style with the Zenith Electric Flame Effect Fireplace from Kalora.

Elevate your space with versatile installation options: front mount, 2 side corner mount, or 3-sided mount.

Boasting 1500W heating power, wifi app control, and customizable flame settings, it's where modern convenience meets Kalora's timeless cosiness.

THE BENEFITS

3 DIFFERENT MOUNTING OPTIONS
Choose 1, 2 or all 3 sides of the
Zenith exposed for a greater ambient
experience by removing the left, right
or both side panels.

WIFI APP CONTROL
Control anywhere, anytime
using the wifi/ app control
from your phone or tablet.

AESTHETIC APPEAL
The trueFLAME log & coal setting creates a realistic fireplace ambiance, adding warmth and character to your living space.

TECHNICAL SPECIFICATIONS

Wifi app control & Remote control

3 flame flicker speeds

Flame colour adjustment

Flame brightness setting

750W or 1500W heating capacity

Stylish contemporary design

Realistic trueFLAME log & coal setting

5 sizes to choose from

2 Two year warranty

Safety over temperature cut-out

3 installation options
(front, 2-side corner or 3-sided mount

| | Electric flame effect

CHOOSE YOUR SIZE





Zenith 36" Zenith 42" Zenith 60"







Nexus



Nexus

Transform your space with Kalora's Nexus Electric Flame Effect Fireplace, a fusion of elegance and innovation

Seamlessly sync with Google and Alexa for smart home control. Choose between 750W or 1500W heating options, creating a cosy haven. Its refined design and versatile installation, whether recessed or wall-mounted, make it an exquisite focal point.

THE BENEFITS

1

PERSONALISED AMBIENCE

With 13 flame and fuel bed colour options, you can tailor the ambiance to suit any mood or space.



SAFETY FIRST

The cool-to-touch toughened glass feature ensures safety even with extended use,



PEACE OF MIND

A 2 year warranty means your investment is backed by reliable performance and durability.

TECHNICAL SPECIFICATIONS



Wifi app control & Remote control



13 flame and fuel bed colour options



Flame illumination with energy-efficient LED technology



750W or 1500W heating options



Elegant focal point with balanced proportions



Seamlessly integrate with Google and Alexa for smart home control



Cool-to-touch toughened glass ensures safety



Flexible installation: recessed or wall mounted



Two year warranty



Overheat protection for added safety



Set a timer for 1-9 hours



4 sizes to choose from

CHOOSE YOUR SIZE



Nexus 36"




Nexus 50"



Nexus 60"




Nexus 74"



	Α	В	С	D	E	F	G	Н	I	J	K	L
Kalora 425R	500	735	120	470	625	470	275	350	745	1005	385	1115
Kalora Chalet 5	595	724	173	509	475	298	125	450	900	1075	225	1175
Kalora Chalet 6	695	767	186	569	500	311	125	500	1000	1195	300	1370
Kalora 500C	672	720	197	490	250	347	150	450	900	1070	100	1020
Kalora 600C	772	792	205	560	250	355	150*	300	1000	1000	100	950
Kalora 500BX	672	852	197	490	250	347	150	450	900	1070	100	1020
Kalora 600BX	772	890	205	565	250	355	150*	300	1000	1000	100	950
Kalora Fusion	650	860	120	609	400	289	170	300	818	994	200	1024
Kalora Urban PT	518	720	292	586	500	402	150	300	740	805	350	1155
Kalora Urban LS	950	828	295	586	550	555	300	600	1175	1100	n/a	n/a

Inbuilt

Unit Size and Clearances (mm)




^{*} When installed with an additional 900mm x 180° stainless steel flue shield between the active flue and decorative mesh casing.

С

Illustrations and photos reflect typical installations and are for design purposes only. Illustrations/diagrams are not drawn to scale. Actual product may vary from pictures in brochure.

Inbuilt Wood Heaters in a masonry fireplace MUST be fully flued as per recommendations from a qualified installer. Inbuilt Wood Heaters in a timber-frame MUST be installed with a Clearance Box.



Kalora appliance comparison chart

	Part No.	Heating capacity	Emissions	Efficiency	Avg. kW Rating	Net Weight	Gross weight	Packaged W x D x H
Kalora 425R	KA425R	140m²	1.5g/kg	63%	15.6kW	95kg	109kg	585 x 585 x 870
Kalora Chalet 5	SG010100019	200m²	1.1g/kg	67%	7.9kw	118kg	133kg	710 x 610 x 868
Kalora Chalet 6	SG010100020	300m²	1.3g/kg	62%	10.1kw	148kg	168kg	810 x 675 x 905
Kalora 500C	KA500C	200m²	1.1g/kg	67%	7.9kW	137kg	156kg	780 x 645 x 880
Kalora 600C	KA600C	300m²	1.3g/kg	62%	10.1W	175kg	200kg	885 x 710 x 965
Kalora 500BX	KA500BX2	200m²	1.1g/kg	67%	7.9kW	160kg	179kg	780 x 650 x 1010
Kalora 600BX	KA600BX2	300m²	1.3g/kg	62%	10.1kW	205kg	220kg	890 x 710 x 1075
Kalora Fusion	KAF50	200m²	-	-	-	231kg	251kg	770 x 710 x 1070
Kalora Urban PT	SG010100016	200m²	0.5g/kg	68%	7.3kw	183kg	198kg	633 x 633 x 1152
Kalora Urban LS	SG010100006	300m²	0.7g/kg	61%	9.0kw	208kg	223kg	1065 x 715 x 895
Kalora Accent	Accent	280m²	1.4g/kg	61%	12.8kW	133kg	150kg	595 x 850 x 815
Kalora Sorrento	KAGAS10	90m²	-	79%	-	90kg	110kg	1350 x 585 x 1000

PLEASE NOTE

It is COMPULSORY to have your heater installed by a qualified person whose work conforms to Australian standards, local council regulations and manufacturer's recommendations. Your warranty and any home insurance may be void, on failure to do so.



Please refer to your units online user manual for the most up to date clearance information & hearth requirements.



PROFESSIONAL INSTALLATION

It is a requirement that all Kalora solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.

Distributed by Kalora Pty Ltd

58 Access Way, Carrum Downs, 3201

03 8579 5905

Orders: orders@kalora.com.au

Service Inquiries: service@kalora.com.au

kalora.com.au

Due to our policy of continuous improvement of our products and services, technical specifications and claims, correct at the time of going to print, may be subject to variation without prior notice. Kalora has endeavoured to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission.

Kalora Pty Ltd accepts no liability whatsoever for their interpretation of AS/NZS 2918-2001. AS/NZS 4012-4013. All heating capacities quoted are based on units tested with quality hardwood. Minimal performance reduction may result due to large glassed areas, vaulted ceilings, draughts or insufficient insulation. We reserve the right to alter specifications without

notice. The images depicted in this brochure are digitally produced for display purposes only and are not representative of the standard required to meet warranty specification. The effectiveness and performance of the overnight burning is influenced significantly by individual installation and environmental conditions and the quality of fuel used.

