

**WORLD
PROVEN
WORLD CLASS**



2023



WORLDLAWN®
POWER EQUIPMENT

VIPER

FEATURES

- Fabricated steel deck with front reinforcement
- Hydro-Gear EZT transmissions on 42" and 46" mower
- 3-year residential warranty
- Hydro-Gear ZT-2800 transmissions on 50" and 60" mower
- Discharge, mulch, or collect



42" & 46" VIPER

MODEL NUMBER	WYZ42XP22LS	WYZ46XP22LS	WYZ46XP20KW
LENGTH	1829mm	1829mm	1829mm
WIDTH	1295mm	1397mm	1397mm
WIDTH W/ DEFLECTOR UP	1117mm	1206mm	1206mm
WHEELBASE	1117mm	1117mm	1117mm
WHEEL TRACK WIDTH	858mm	858mm	858mm
WEIGHT	232kg	246kg	246kg
FRONT TIRES	11 - 4.00 x 5 smooth	11 - 4.00 x 5 smooth	11 - 4.00 x 5 smooth
REAR TIRES	18-8.50-8 turf	18-9.50-8 turf	18-9.50-8 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	42"	46"	46"
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	15lt	15lt	15lt
ENGINE BRAND	Worldlawn V TWIN	Worldlawn	Kawasaki
ENGINE HP	22	22	18
FORWARD SPEED	11kph	11kph	11kph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 14.5"	3 - 16"	3 - 16"
TRANSMISSION	Hydro-Gear EZT	Hydro-Gear EZT	Hydro-Gear EZT

50" VIPER XP

MODEL NUMBER	WYZ50XP22LS	WYZ50XP26BS	WYZ50XP24KW
LENGTH	1829mm	1829mm	1829mm
WIDTH	1500mm	1500mm	1500mm
WIDTH W/ DEFLECTOR UP	1295mm	1295mm	1295mm
WHEELBASE	1117mm	1117mm	1117mm
WHEEL TRACK WIDTH	858mm	858mm	858mm
WEIGHT	267kg	267kg	267kg
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	20-10.00 X 8 Turf	20-10.00 X 8 Turf	20-10.00 X 8 Turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	50"	50"	50"
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	15lt	15lt	15lt
ENGINE BRAND	Worldlawn VTWIN	B&S	KAW
ENGINE HP	22	26	23
FORWARD SPEED	11kph	11kph	11kph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 17.3"	3 - 17.3"	3 - 17.3"
TRANSMISSION	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800

60" VIPER XP

MODEL NUMBER	WYZ60XP24LS	WYZ60XP26BS	WYZ60XP24KW
LENGTH	1829mm	1829mm	1829mm
WIDTH	1740mm	1740mm	1740mm
WIDTH W/ DEFLECTOR UP	1550mm	1550mm	1550mm
WHEELBASE	1117mm	1117mm	1117mm
WHEEL TRACK WIDTH	858mm	858mm	858mm
WEIGHT	289 kg	289 kg	289 kg
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	20-10.00 x 8 Turf	20-10.00 x 8 Turf	20-10.00 x 8 Turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	60"	60"	60"
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	15lts	15lts	15lts
ENGINE BRAND	Worldlawn VTWIN	B&S	KAW
ENGINE HP	24	26	23
FORWARD SPEED	11 kph	11 kph	11 kph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 20.5"	3 - 20.5"	3 - 20.5"
TRANSMISSION	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800

GATER

FEATURES

- 34" Deck to get through 36" gates
- 10 ga. fabricated floating steel deck reinforced with 7 ga. top plate and side skirts
- Hydro-Gear ZT-3100 Transmissions
- Small footprint to allow more on your trailer
- Discharge, mulch, or collect

2YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



34" GATER

MODEL NUMBER	WYZ34FS600V
LENGTH	1854 mm
WIDTH	1143 mm
WIDTH W/ DEFLECTOR UP	889 mm
WHEELBASE	1092 mm
WHEEL TRACK WIDTH	850 mm
WEIGHT	254 kg
FRONT TIRES	4.10-3.50 x 4
REAR TIRES	18 -7.50- 8 turf
DECK MATERIAL	7 ga. Steel
CUT WIDTH	34
CUTTING HEIGHTS	1" - 4.5"
PTO	Electric
FUEL CAPACITY	22 lts
ENGINE BRAND	KAW
ENGINE HP	18
FORWARD SPEED	13 kph
POWERED REVERSE	Yes
BLADES	1 - 14.25", 1 - 20.25"
TRANSMISSION	Hydro-Gear ZT-3100



DIAMONDBACK

FEATURES

- 3200 Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- Worldlawn 803 V-Twin

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



48" 52" DIAMONDBACK

MODEL	WYDB48LS2P82F32	WYDB52LS2P82F32
LENGTH	1966 mm	1966 mm
WIDTH	1524 mm	1663 mm
WIDTH W/ DEFLECTOR UP	1224 mm	1346 mm
WHEELBASE	1282 mm	1282 mm
WHEEL TRACK WIDTH	1194 mm	1257 mm
WEIGHT	425 kg	431 kg
FRONT TIRES	13-5.00 x6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23-9.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8ga. Steel	8 ga. Steel
CUT WIDTH	48	52
CUTTING HEIGHTS	1.5" -4.75"	1.5" - 4.75"
PTO	Electric	Electric
FUEL CAPACITY	36 lts	36 lts
ENGINE BRAND	Worldlawn V twin	Worldlawn V twin
ENGINE HP	24	24
FORWARD SPEED	16 kph	16 kph
POWERED REVERSE	Yes	Yes
BLADES	3 -16.25"	3 - 18"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

60" DIAMONDBACK

MODEL	WYDB60LS2P82F32
LENGTH	1966 mm
WIDTH	1854 mm
WIDTH W/ DEFLECTOR UP	1550 mm
WHEELBASE	1282 mm
WHEEL TRACK WIDTH	1257 mm
WEIGHT	463 kg
FRONT TIRES	13-5.00 x 6 smooth
REAR TIRES	23-10.50 x 12 turf
DECK MATERIAL	8ga. Steel
CUT WIDTH	60"
CUTTING HEIGHTS	1.5" -4.75"
PTO	Electric
FUEL CAPACITY	36 lts
ENGINE BRAND	Worldlawn V twin
ENGINE HP	24
FORWARD SPEED	16 kph
POWERED REVERSE	Yes
BLADES	3 -20"
TRANSMISSION	Hydro-Gear ZT-3200

DIAMONDBACK XP

FEATURES

- 3400 Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- Mid Back Suspension Seat
- FX Kawasaki Series

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



48" & 52"**DIAMONDBACK XP**

MODEL	WYDB48FX691V34P	WYDB52FX691V34P
LENGTH	1966 mm	1966 mm
WIDTH	1524 mm	1663 mm
WIDTH W/ DEFLECTOR UP	1224 mm	1346 mm
WHEELBASE	1282 mm	1282 mm
WHEEL TRACK WIDTH	1194 mm	1257 mm
WEIGHT	425 kg	431 kg
FRONT TIRES	13-5.00 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23-9.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8ga. Steel	8 ga. Steel
CUT WIDTH	48	52
CUTTING HEIGHTS	1.5" -4.75"	1.5" - 4.75"
PTO	Electric	Electric
FUEL CAPACITY	36 lts	36 lts
ENGINE BRAND	KAW	KAW
ENGINE HP	22	22
FORWARD SPEED	16 kph	16 kph
POWERED REVERSE	Yes	Yes
BLADES	3 - 16.25"	3 - 18"
TRANSMISSION	Hydro-Gear ZT-3400	Hydro-Gear ZT-3400

60" DIAMONDBACK XP

MODEL NUMBER	WYDB60FX730V34P
LENGTH	1966 mm
WIDTH	1854 mm
WIDTH W/ DEFLECTOR UP	1550 mm
WHEELBASE	1282 mm
WHEEL TRACK WIDTH	1257 mm
WEIGHT	463 kg
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	60
CUTTING HEIGHTS	1.5" - 4.75"
PTO	Electric
FUEL CAPACITY	36 lts
ENGINE BRAND	KAW
ENGINE HP	23.5
FORWARD SPEED	16 kph
POWERED REVERSE	Yes
BLADES	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3400

KING COBRA

FEATURES

- Kawasaki FX Series Engines
- Maintenance free sealed non-greasable spindles
- Single point height setting with four fine adjustments
- Suspension seat standard
- Triple laminate cutter housing mounting
- Hydro-Gear ZT-5400 transmissions
- Discharge, mulch, or collect
- 8 ga. steel deck
- Standard R.O.P.S.



3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



King Cobra | Floating Foot Platform



60" KING COBRA

MODEL NUMBER	WYK60FX921V5S
LENGTH	2006 mm
WIDTH	1854 mm
WIDTH W/ DEFLECTOR UP	61"
WHEELBASE	1550 mm
WHEEL TRACK WIDTH	1276 mm
WEIGHT	503 kg
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	24 - 12.50 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	60
CUTTING HEIGHTS	1" - 5.25"
PTO	Electric
FUEL CAPACITY	53 lts
ENGINE BRAND	KAW
ENGINE HP	31
FORWARD SPEED	19 kph
POWERED REVERSE	Yes
BLADES	3 - 20"
TRANSMISSION	Hydro-Gear ZT-5400

PYTHON

FEATURES

- Electric Deck Lift
- Articulating Front End
- Suspension Seat
- 1 ¼ receiver mounts on front and back
- Powered by: Kawasaki
- Hydro-Gear ZT-5400
- Isolated Foot Platform
- Available in Rear or Side Discharge



Python | Control Panel



Python | Electric Deck Lift



72" PYTHON

MODEL NUMBER	WYP72FX1000V
LENGTH	2311 mm
WIDTH	2184 mm
WIDTH W/ DEFLECTOR UP	1854 mm
WHEELBASE	1549 mm
WHEEL TRACK WIDTH	1244 mm
WEIGHT	703 kg
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	72
CUTTING HEIGHTS	1.5" - 5.5"
PTO	Electric
FUEL CAPACITY	53 lt
ENGINE BRAND	KAW
ENGINE HP	34
FORWARD SPEED	19 kph
POWERED REVERSE	Yes
BLADES	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400

72" PYTHON REAR DISCHARGE

MODEL NUMBER	WYP72FX1000V5RD
LENGTH	2311 mm
WIDTH	2184 mm
WIDTH W/ DEFLECTOR UP	N/A
WHEELBASE	1549 mm
WHEEL TRACK WIDTH	1244 mm
WEIGHT	703 kg
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	72
CUTTING HEIGHTS	1.5" - 5.5"
PTO	Electric
FUEL CAPACITY	53 lts
ENGINE BRAND	KAW
ENGINE HP	35
FORWARD SPEED	19 kph
POWERED REVERSE	Yes
BLADES	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400



SUN TRADING PTY LTD