

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
3/16 OD					3/8 OD Cont.				
.035	.118	.057	CDS	MECH	.058	.259	.196	CDS	MECH
.035	.118	.057	CDS	HYDR	.058	.259	.196	DOM	MECH
.049	.090	.072	CDS	MECH	.065	.245	.215	CDS	MECH
.049	.090	.072	DOM	MECH	.065	.245	.215	CDS	HYDR
.065	.058	.085	CDS	MECH	.065	.245	.215	W&D	HYDR
1/4 OD					.065	.245	.215	DOM	MECH
.028	.194	.066	CDS	MECH	.083	.209	.258	CDS	MECH
.028	.194	.066	CDS	HYDR	.083	.209	.258	DOM	MECH
.028	.194	.066	WLD	MECH	.083	.209	.258	CDS	HYDR
.028	.194	.066	DOM	MECH	.095	.185	.284	CDS	MECH
.035	.180	.080	CDS	MECH	.095	.185	.284	DOM	MECH
.035	.180	.080	CDS	HYDR	.120	.135	.327	CDS	MECH
.035	.180	.080	DOM	MECH	7/16 OD				
.035	.180	.080	WLD	MECH	.028	.382	.122	DOM	MECH
.049	.152	.105	CDS	MECH	.035	.367	.150	CDS	MECH
.049	.152	.105	CDS	HYDR	.049	.340	.203	DOM	MECH
.049	.152	.105	DOM	MECH	.049	.340	.203	CDS	MECH
.058	.134	.118	CDS	MECH	.058	.322	.235	CDS	MECH
.065	.120	.128	CDS	MECH	.058	.322	.235	DOM	MECH
.065	.120	.128	CDS	HYDR	.065	.307	.258	CDS	MECH
.083	.084	.148	CDS	MECH	.083	.272	.314	CDS	MECH
5/16 OD					.083	.272	.314	DOM	MECH
.028	.257	.085	CDS	MECH	.095	.248	.348	CDS	MECH
.028	.257	.085	DOM	MECH	.095	.248	.348	DOM	MECH
.028	.257	.085	CDS	HYDR	.109	.220	.382	CDS	MECH
.035	.243	.103	CDS	MECH	.120	.197	.407	CDS	MECH
.035	.243	.103	DOM	MECH	.120	.197	.407	DOM	MECH
.035	.243	.103	CDS	HYDR	1/2 OD				
.049	.215	.138	CDS	MECH	.022	.456	.106	CDS	MECH
.049	.215	.138	CDS	HYDR	.028	.444	.141	CDS	MECH
.058	.196	.158	CDS	MECH	.035	.430	.173	DOM	MECH
.065	.182	.172	CDS	MECH	.035	.430	.173	CDS	MECH
.083	.147	.203	CDS	MECH	.035	.430	.173	CDS	HYDR
.095	.122	.221	CDS	MECH	.035	.430	.173	WLD	MECH
.120	.072	.247	CDS	MECH	.049	.402	.236	DOM	MECH
.120	.072	.247	DOM	MECH	.049	.402	.236	CDS	MECH
3/8 OD					.049	.402	.236	CDS	HYDR
.028	.319	.103	CDS	MECH	.049	.402	.236	WLD	MECH
.028	.319	.103	DOM	MECH	.058	.384	.273	DOM	MECH
.035	.305	.127	DOM	MECH	.058	.384	.273	CDS	MECH
.035	.305	.127	CDS	MECH	.065	.370	.302	DOM	MECH
.035	.305	.127	CDS	HYDR	.065	.370	.302	CDS	MECH
.035	.305	.127	WLD	MECH	.065	.370	.302	CDS	HYDR
.049	.277	.170	DOM	MECH	.065	.370	.302	W&D	HYDR
.049	.277	.170	CDS	MECH	.065	.370	.302	WLD	MECH
.049	.277	.170	CDS	HYDR	.083	.334	.369	CDS	MECH
.049	.277	.170	W&D	HYDR	.083	.334	.369	DOM	MECH
.049	.277	.170	WLD	MECH	.083	.334	.369	CDS	HYDR
					.095	.310	.410	CDS	MECH
					.095	.310	.410	DOM	MECH

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
1/2 OD Cont.					5/8 OD Cont.				
.095	.310	.410	CDS	HYDR	.156	.312	.781	DOM	MECH
.109	.282	.455	CDS	MECH	.188	.250	.877	DOM	MECH
.109	.282	.455	DOM	MECH	.219	.187	.949	CDS	MECH
.120	.260	.487	DOM	MECH	.219	.187	.949	DOM	MECH
.134	.232	.523	CDS	MECH	11/16 OD				
.134	.232	.523	DOM	MECH	.035	.618	.244	CDS	MECH
.156	.188	.573	CDS	MECH	.049	.589	.334	CDS	MECH
.156	.188	.573	DOM	MECH	.049	.589	.334	DOM	MECH
.188	.125	.626	CDS	MECH	.065	.557	.432	CDS	MECH
.188	.125	.626	DOM	MECH	.083	.522	.536	CDS	MECH
9/16 OD					.095	.498	.601	CDS	MECH
.049	.465	.269	CDS	MECH	.095	.498	.601	DOM	MECH
.049	.465	.269	DOM	MECH	.120	.447	.727	CDS	MECH
.065	.432	.345	CDS	MECH	.120	.447	.727	DOM	MECH
.065	.432	.345	DOM	MECH	3/4 OD				
.083	.397	.425	CDS	MECH	.035	.680	.267	CDS	MECH
.083	.397	.425	DOM	MECH	.035	.680	.267	DOM	MECH
.095	.374	.474	CDS	MECH	.035	.680	.267	CDS	HYDR
.095	.374	.474	DOM	MECH	.035	.680	.267	WLD	MECH
.109	.344	.528	CDS	MECH	.049	.652	.366	CDS	MECH
.120	.323	.567	CDS	MECH	.049	.652	.366	DOM	MECH
.120	.323	.567	DOM	MECH	.049	.652	.366	CDS	HYDR
5/8 OD					.049	.652	.366	W&D	HYDR
.035	.555	.220	CDS	MECH	.049	.652	.366	WLD	MECH
.035	.555	.220	WLD	MECH	.058	.634	.428	DOM	MECH
.035	.555	.220	CDS	HYDR	.065	.620	.475	DOM	MECH
.049	.527	.301	CDS	MECH	.065	.620	.475	CDS	MECH
.049	.527	.301	DOM	MECH	.065	.620	.475	CDS	HYDR
.049	.527	.301	WLD	MECH	.065	.620	.475	W&D	HYDR
.049	.527	.301	CDS	HYDR	.065	.620	.475	WLD	MECH
.058	.509	.351	CDS	MECH	.083	.584	.591	WLD	MECH
.058	.509	.351	DOM	MECH	.083	.584	.591	DOM	MECH
.065	.495	.388	DOM	MECH	.083	.584	.591	CDS	HYDR
.065	.495	.388	W&D	HYDR	.095	.560	.664	DOM	MECH
.065	.495	.388	CDS	HYDR	.095	.560	.664	WLD	MECH
.065	.495	.388	WLD	MECH	.095	.560	.664	CDS	MECH
.083	.459	.480	DOM	MECH	.095	.560	.664	W&D	HYDR
.083	.459	.480	CDS	MECH	.095	.560	.664	CDS	HYDR
.083	.459	.480	WLD	MECH	.109	.532	.746	CDS	MECH
.083	.459	.480	CDS	HYDR	.109	.532	.746	DOM	MECH
.095	.435	.537	CDS	HYDR	.109	.532	.746	CDS	HYDR
.095	.435	.537	DOM	MECH	.120	.510	.807	CDS	MECH
.095	.434	.537	CDS	HYDR	.120	.510	.807	DOM	MECH
.109	.407	.600	CDS	MECH	.120	.510	.807	WLD	MECH
.109	.407	.600	DOM	MECH	.134	.482	.881	CDS	MECH
.120	.385	.647	CDS	MECH	.156	.437	.989	CDS	MECH
.120	.385	.647	DOM	MECH	.156	.437	.989	DOM	MECH
.134	.357	.702	CDS	MECH	.156	.437	.989	CDBW	MECH
.134	.357	.702	DOM	MECH	.188	.375	1.128	CDS	MECH
.156	.312	.781	CDS	MECH	.219	.312	1.242	CDS	MECH

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026 ASTM-A-513 ERW 1010
 ASTM-A-519 HFS 1026 AMS-5050F CDS Hydraulic
 ASTM-A-513 DOM 1020/1026

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
3/4 OD Cont.					15/16 OD				
.219	.312	1.242	DOM	MECH	.065	.808	.606	CDS	MECH
.250	.250	1.335	CDS	MECH	.095	.748	.855	DOM	MECH
.250	.250	1.335	DOM	MECH	.120	.698	1.048	DOM	MECH
13/16 OD					1 OD				
.035	.743	.291	CDS	MECH	.035	.930	.360	CDS	MECH
.049	.715	.400	CDS	MECH	.035	.930	.360	WLD	MECH
.049	.715	.400	DOM	MECH	.049	.902	.497	DOM	MECH
.065	.683	.519	CDS	MECH	.049	.902	.497	WLD	MECH
.065	.683	.519	DOM	MECH	.049	.902	.497	CDS	HYDR
.083	.646	.677	CDS	MECH	.058	.884	.583	CDS	MECH
.095	.622	.728	CDS	MECH	.058	.884	.583	DOM	MECH
.120	.572	.888	CDS	MECH	.065	.870	.649	DOM	MECH
.120	.572	.888	DOM	MECH	.065	.870	.649	CDS	HYDR
7/8 OD					1 OD				
.035	.805	.314	CDS	MECH	.065	.870	.649	WLD	MECH
.035	.805	.314	DOM	MECH	.083	.834	.812	CDS	MECH
.035	.805	.314	WLD	MECH	.083	.834	.812	DOM	MECH
.049	.777	.432	DOM	MECH	.083	.834	.812	WLD	MECH
.049	.777	.432	W&D	HYDR	.083	.834	.812	CDS	HYDR
.049	.777	.432	WLD	MECH	.095	.810	.918	DOM	MECH
.058	.759	.506	DOM	MECH	.095	.810	.918	W&D	HYDR
.065	.745	.562	CDS	MECH	.095	.810	.918	CDS	HYDR
.065	.745	.562	DOM	MECH	.095	.810	.918	WLD	MECH
.065	.745	.562	CDS	HYDR	.109	.782	1.037	CDS	MECH
.065	.745	.562	WLD	MECH	.109	.782	1.037	CDS	HYDR
.083	.709	.702	CDS	MECH	.109	.782	1.037	DOM	MECH
.083	.709	.702	DOM	MECH	.120	.760	1.128	DOM	MECH
.083	.709	.702	WLD	MECH	.120	.760	1.128	CDS	MECH
.095	.685	.791	DOM	MECH	.120	.760	1.128	CDS	HYDR
.095	.685	.791	WLD	MECH	.120	.760	1.128	WLD	MECH
.109	.657	.891	DOM	MECH	.134	.732	1.239	CDS	MECH
.120	.635	.967	DOM	MECH	.156	.687	1.406	CDS	MECH
.120	.635	.967	CDS	MECH	.156	.687	1.406	DOM	MECH
.120	.635	.967	CDS	HYDR	.156	.687	1.406	CDBW	MECH
.120	.635	.967	WLD	MECH	.188	.625	1.630	CDS	MECH
.156	.562	1.198	DOM	MECH	.188	.625	1.630	DOM	MECH
.156	.562	1.198	CDS	MECH	.213	.574	1.790	CDBW	MECH
.156	.562	1.198	CDBW	MECH	.219	.562	1.827	DOM	MECH
.188	.500	1.379	CDS	MECH	.250	.500	2.003	CDS	MECH
.188	.500	1.379	DOM	MECH	.250	.500	2.003	DOM	MECH
.219	.437	1.534	CDS	MECH	.281	.438	2.158	CDS	MECH
.219	.437	1.534	DOM	MECH	.281	.438	2.158	DOM	MECH
.250	.375	1.669	CDS	MECH	.313	.375	2.297	CDS	MECH
.250	.375	1.669	DOM	MECH	.375	.250	2.503	CDS	MECH
.281	.313	1.783	CDS	MECH	1 1/16 OD				
.313	.250	1.879	CDS	MECH	.049	.965	.530	CDS	MECH
					.049	.965	.530	DOM	MECH
					.065	.932	.692	DOM	MECH

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
1 1/16 OD Cont.					1 1/4 OD Cont.				
.083	.897	.868	DOM	MECH	.083	1.084	1.034	DOM	MECH
.095	.873	.982	DOM	MECH	.083	1.084	1.034	WLD	MECH
.095	.873	.982	CDS	MECH	.095	1.060	1.172	W&D	HYDR
.120	.823	1.209	DOM	MECH	.095	1.060	1.172	DOM	MECH
.156	.751	1.511	DOM	MECH	.095	1.060	1.172	CDS	MECH
.188	.687	1.757	DOM	MECH	.095	1.060	1.172	WLD	MECH
.250	.562	2.171	CDS	MECH	.109	1.032	1.328	WLD	MECH
.250	.562	2.171	DOM	MECH	.109	1.032	1.328	DOM	MECH
1 1/8 OD					1 5/16 OD				
.035	1.055	.407	WLD	MECH	.058	1.197	.777	DOM	MECH
.049	1.027	.563	DOM	MECH	.065	1.182	.866	CDS	MECH
.049	1.027	.563	WLD	MECH	.095	1.123	1.236	DOM	MECH
.065	.995	.735	DOM	MECH	.109	1.095	1.401	DOM	MECH
.065	.995	.735	WLD	MECH	.120	1.072	1.529	CDS	MECH
.083	.959	.923	CDS	MECH	.120	1.072	1.529	DOM	MECH
.083	.959	.923	DOM	MECH	.134	1.045	1.687	DOM	MECH
.083	.959	.923	WLD	MECH	.156	1.000	1.928	DOM	MECH
.095	.935	1.045	DOM	MECH	.156	1.000	1.928	CDS	MECH
.120	.885	1.288	DOM	MECH	.188	.938	2.259	DOM	MECH
.120	.885	1.288	WLD	MECH	.219	.875	2.559	CDS	MECH
.156	.812	1.614	DOM	MECH	.250	.813	2.839	DOM	MECH
.156	.812	1.614	CDBW	MECH	.281	.750	3.097	DOM	MECH
.188	.750	1.881	DOM	MECH	.313	.687	3.343	CDS	MECH
.219	.688	2.119	CDS	MECH	1 3/8 OD				
.219	.688	2.119	DOM	MECH	.049	1.277	.693	WLD	MECH
.250	.625	2.336	CDS	MECH	.065	1.245	.909	DOM	MECH
.250	.625	2.336	CDBW	MECH	.065	1.245	.909	CDS	MECH
.313	.499	2.714	CDS	MECH	.065	1.245	.909	WLD	MECH
.313	.499	2.714	DOM	MECH	.083	1.209	1.145	WLD	MECH
1 3/16 OD					.095	1.185	1.299	DOM	MECH
.065	1.058	.779	DOM	MECH	.095	1.185	1.299	CDS	MECH
.065	1.058	.779	CDS	MECH	.109	1.157	1.473	CDS	MECH
.083	1.022	.980	DOM	MECH	.120	1.135	1.608	CDS	MECH
.083	1.022	.980	CDS	MECH					
.095	.998	1.109	CDS	MECH					
.095	.998	1.109	DOM	MECH					
.188	.812	2.008	DOM	MECH					
.250	.688	2.503	DOM	MECH					
1 1/4 OD									
.035	1.180	.454	WLD	MECH					
.035	1.180	.454	DOM	MECH					
.049	1.151	.628	DOM	MECH					
.049	1.151	.628	CDS	MECH					
.049	1.151	.628	WLD	MECH					
.065	1.120	.822	DOM	MECH					
.065	1.120	.822	CDS	MECH					
.065	1.120	.822	WLD	MECH					

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
1 3/8 OD Cont.					1 1/2 OD Cont.				
.125	1.125	1.668	DOM	MECH	.313	.875	3.968	CDS	MECH
.134	1.107	1.776	DOM	MECH	.313	.875	3.968	DOM	MECH
.156	1.062	2.031	DOM	MECH	.344	.812	4.247	DOM	MECH
.156	1.062	2.031	CDS	MECH	.375	.750	4.506	CDS	MECH
.188	1.000	2.383	DOM	MECH	.375	.750	4.506	DOM	MECH
.219	.938	2.704	CDS	MECH	.438	.625	4.968	CDS	MECH
.219	.938	2.704	DOM	MECH	.500	.500	5.340	CDS	MECH
.250	.875	3.004	CDS	MECH	1 9/16 OD				
.250	.875	3.004	DOM	MECH	.125	1.323	1.849	DOM	MECH
.281	.813	3.283	CDS	MECH	.156	1.250	2.344	DOM	MECH
.313	.750	3.550	CDS	MECH	.188	1.187	2.760	DOM	MECH
.313	.750	3.550	DOM	MECH	.250	1.062	3.506	DOM	MECH
.375	.625	4.005	CDS	MECH	.250	1.062	3.506	CDS	MECH
.375	.625	4.005	DOM	MECH	1 5/8 OD				
1 7/16 OD					.049	1.527	.824	DOM	MECH
.065	1.308	.953	DOM	MECH	.049	1.527	.824	WLD	MECH
.083	1.272	1.201	DOM	MECH	.065	1.495	1.083	WLD	MECH
.120	1.198	1.689	DOM	MECH	.065	1.495	1.083	DOM	MECH
.134	1.170	1.866	CDS	MECH	.095	1.435	1.553	DOM	MECH
.156	1.126	2.135	DOM	MECH	.120	1.385	1.929	WLD	MECH
.188	1.062	2.509	DOM	MECH	.125	1.375	2.003	DOM	MECH
.219	1.000	2.850	DOM	MECH	.134	1.357	2.134	DOM	MECH
.250	.938	3.171	DOM	MECH	.134	1.357	2.134	WLD	MECH
1 1/2 OD					.156	1.313	2.447	DOM	MECH
.035	1.430	.547	WLD	MECH	.188	1.250	2.885	DOM	MECH
.049	1.402	.759	WLD	MECH	.219	1.187	3.289	DOM	MECH
.065	1.370	.996	DOM	MECH	.250	1.125	3.671	DOM	MECH
.065	1.370	.996	CDS	MECH	.250	1.125	3.671	CDS	MECH
.065	1.370	.996	CDS	HYDR	.313	1.000	4.386	CDS	MECH
.065	1.370	.996	WLD	MECH	.313	1.000	4.386	DOM	MECH
.083	1.334	1.256	DOM	MECH	.375	.875	5.006	CDS	MECH
.083	1.334	1.256	WLD	MECH	1 3/4 OD				
.095	1.310	1.426	DOM	MECH	.049	1.652	.890	WLD	MECH
.095	1.310	1.426	CDS	MECH	.049	1.652	.890	DOM	MECH
.095	1.310	1.426	WLD	MECH	.065	1.620	1.170	DOM	MECH
.109	1.282	1.619	DOM	MECH	.065	1.620	1.170	WLD	MECH
.120	1.260	1.769	CDS	MECH	.083	1.584	1.478	DOM	MECH
.120	1.260	1.769	CDS	HYDR	.083	1.584	1.478	WLD	MECH
.120	1.260	1.769	WLD	MECH	.095	1.560	1.679	DOM	MECH
.125	1.250	1.888	DOM	MECH	.095	1.560	1.679	CDS	MECH
.134	1.232	1.955	DOM	MECH	.095	1.560	1.679	WLD	MECH
.156	1.188	2.239	DOM	MECH	.109	1.532	1.910	CDS	MECH
.188	1.125	2.634	DOM	MECH	.120	1.510	2.089	WLD	MECH
.188	1.125	2.634	CDS	MECH	.125	1.500	2.168	DOM	MECH
.219	1.062	2.996	DOM	MECH	.134	1.482	2.313	DOM	MECH
.250	1.000	3.338	DOM	MECH	.134	1.482	2.313	WLD	MECH
.250	1.000	3.338	CDS	MECH					
.281	.938	3.658	DOM	MECH					
.281	.938	3.658	CDS	MECH					

Service is our middle name

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
1 3/4 OD Cont.					2 OD Cont.				
.156	1.438	2.656	DOM	MECH	.219	1.562	4.166	DOM	MECH
.188	1.375	3.136	DOM	MECH	.250	1.500	4.673	DOM	MECH
.250	1.250	4.005	DOM	MECH	.281	1.438	5.159	DOM	MECH
.281	1.188	4.409	CDS	MECH	.313	1.375	5.639	DOM	MECH
.281	1.188	4.409	DOM	MECH	.375	1.250	6.508	DOM	MECH
.313	1.125	4.804	DOM	MECH	.438	1.124	7.307	CDS	MECH
.313	1.125	4.804	CDS	MECH	.500	1.000	8.010	CDS	MECH
.375	1.000	5.510	CDS	MECH	.625	.750	9.178	CDS	MECH
.375	1.000	5.510	DOM	MECH	.750	.500	10.013	CDS	MECH
.500	.750	6.675	CDS	MECH					
1 7/8 OD					2 1/8 OD				
.049	1.777	.955	WLD	MECH	.065	1.995	1.430	DOM	MECH
.049	1.777	.955	DOM	MECH	.065	1.995	1.430	WLD	MECH
.065	1.745	1.257	DOM	MECH	.083	1.959	1.810	DOM	MECH
.065	1.745	1.257	WLD	MECH	.095	1.935	2.060	CDS	MECH
.083	1.709	1.588	DOM	MECH	.095	1.935	2.060	DOM	MECH
.095	1.685	1.806	WLD	MECH	.109	1.907	2.347	DOM	MECH
.095	1.685	1.806	DOM	MECH	.125	1.875	2.670	DOM	MECH
.120	1.635	2.249	WLD	MECH	.156	1.813	3.281	DOM	MECH
.125	1.625	2.336	DOM	MECH	.188	1.750	3.889	DOM	MECH
.156	1.563	2.864	DOM	MECH	.219	1.687	4.458	DOM	MECH
.188	1.500	3.387	DOM	MECH	.250	1.625	5.006	DOM	MECH
.219	1.438	3.873	DOM	MECH	.313	1.500	6.057	DOM	MECH
.219	1.438	3.873	DOM	MECH	.375	1.375	7.009	CDS	MECH
.250	1.375	4.339	DOM	MECH	.375	1.375	7.009	DOM	MECH
.281	1.313	4.784	CDS	MECH	.500	1.125	8.678	CDS	MECH
.281	1.313	4.784	DOM	MECH	.563	.999	9.392	DOM	MECH
.313	1.250	5.222	CDS	MECH					
.375	1.125	6.008	CDS	MECH	2 1/4 OD				
.375	1.125	6.008	DOM	MECH	.049	2.152	1.152	WLD	MECH
.500	.875	7.343	CDS	MECH	.065	2.120	1.517	DOM	MECH
					.065	2.120	1.517	WLD	MECH
					.083	2.084	1.921	WLD	MECH
					.095	2.060	2.186	WLD	MECH
					.095	2.060	2.186	DOM	MECH
					.109	2.032	2.493	DOM	MECH
					.120	2.010	2.730	WLD	MECH
					.125	2.000	2.837	DOM	MECH
					.134	1.982	3.028	DOM	MECH
					.156	1.938	3.489	DOM	MECH
					.188	1.875	4.140	DOM	MECH
					.219	1.813	4.750	DOM	MECH
					.250	1.750	5.340	DOM	MECH
					.313	1.625	6.475	CDS	MECH
					.313	1.625	6.475	DOM	MECH
					.375	1.500	7.509	CDS	MECH
					.375	1.500	7.509	DOM	MECH
					.500	1.250	9.345	CDS	MECH
					.625	1.000	10.847	CDS	MECH

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
2 3/8 OD					2 3/4 OD Cont.				
.065	2.245	1.604	DOM	MECH	.083	2.584	2.364	DOM	MECH
.065	2.245	1.604	WLD	MECH	.083	2.584	2.364	WLD	MECH
.095	2.186	2.313	DOM	MECH	.095	2.560	2.699	DOM	MECH
.120	2.135	2.890	DOM	MECH	.125	2.500	3.504	DOM	MECH
.156	2.063	3.697	DOM	MECH	.156	2.438	4.322	DOM	MECH
.188	2.000	4.391	DOM	MECH	.188	2.375	5.144	DOM	MECH
.219	1.937	5.043	DOM	MECH	.219	2.312	5.920	CDS	MECH
.250	1.875	5.674	DOM	MECH	.250	2.250	6.675	DOM	MECH
.313	1.750	6.893	CDS	MECH	.250	2.250	6.675	CDS	MECH
.375	1.625	8.010	CDS	MECH	.375	2.000	9.512	CDS	MECH
.500	1.375	10.010	CDS	MECH	.375	2.000	9.512	DOM	MECH
2 1/2 OD					.438	1.874	10.820	DOM	MECH
.049	2.402	1.283	WLD	MECH	.500	1.750	12.020	CDS	MECH
.065	2.370	1.690	DOM	MECH	.625	1.500	14.180	CDS	MECH
.065	2.370	1.690	WLD	MECH	.625	1.500	14.180	DOM	MECH
.083	2.334	2.143	DOM	MECH	.750	1.250	16.020	CDS	MECH
.083	2.334	2.143	WLD	MECH	1.000	.875	15,019	CDS	MECH
.095	2.310	2.440	DOM	MECH	2 7/8 OD				
.109	2.282	2.783	DOM	MECH	.065	2.745	1.951	DOM	MECH
.120	2.260	3.050	WLD	MECH	.120	2.635	3.531	DOM	MECH
.125	2.250	3.171	DOM	MECH	.156	2.563	4.530	DOM	MECH
.134	2.232	3.386	DOM	MECH	.188	2.500	5.395	DOM	MECH
.188	2.125	4.642	DOM	MECH	.250	2.375	7.009	DOM	MECH
.219	2.062	5.335	DOM	MECH	.281	2.313	8.554	DOM	MECH
.250	2.000	6.008	DOM	MECH	.313	2.249	9.610	DOM	MECH
.281	1.938	6.659	DOM	MECH	.375	2.125	10.010	DOM	MECH
.313	1.875	7.311	DOM	MECH	.438	2.000	11.400	CDS	MECH
.375	1.750	8.511	DOM	MECH	.500	1.875	12.680	CDS	MECH
.438	1.625	9.646	CDS	MECH	.625	1.625	15.019	DOM	MECH
.500	1.500	10.680	CDS	MECH	3 OD				
.563	1.375	11.650	CDS	MECH	.049	2.902	1.544	WLD	MECH
.625	1.250	12.520	CDS	MECH	.065	2.870	2.037	DOM	MECH
.750	1.000	14.020	CDS	MECH	.065	2.870	2.037	WLD	MECH
2 5/8 OD					.083	2.834	2.586	DOM	MECH
.065	2.495	1.777	DOM	MECH	.083	2.834	2.586	WLD	MECH
.095	2.435	2.567	DOM	MECH	.095	2.810	2.947	WLD	MECH
.120	2.387	3.210	DOM	MECH	.095	2.810	2.947	DOM	MECH
.188	2.250	4.893	DOM	MECH	.120	2.760	3.691	WLD	MECH
.250	2.125	6.341	DOM	MECH	.125	2.750	3.838	DOM	MECH
.281	2.063	7.035	CDS	MECH	.134	2.732	4.102	DOM	MECH
.375	1.875	9.011	CDS	MECH	.156	2.688	4.738	DOM	MECH
.438	1.751	10.230	CDS	MECH	.188	2.625	5.646	DOM	MECH
.500	1.625	11.348	CDS	MECH	.219	2.562	6.505	DOM	MECH
.625	1.375	13.350	DOM	MECH	.250	2.500	7.342	DOM	MECH
2 3/4 OD					.313	2.375	8.982	DOM	MECH
.065	2.620	1.864	DOM	MECH	.375	2.250	10.510	DOM	MECH
.065	2.620	1.864	WLD	MECH	.375	2.250	10.510	CDS	MECH
					.438	2.125	11.980	CDS	MECH

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
3 OD Cont.					3 1/2 OD Cont.				
.469	2.062	12.600	CDS	MECH	.375	2.750	12.520	DOM	MECH
.500	2.000	13.350	DOM	MECH	.438	2.625	14.320	DOM	MECH
.500	2.000	13.350	CDS	MECH	.438	2.625	14.320	CDS	MECH
.563	1.875	14.650	CDS	MECH	.500	2.500	16.020	CDS	MECH
.563	1.875	14.650	DOM	MECH	.563	2.375	17.660	CDS	MECH
.625	1.750	15.850	CDS	MECH	.563	2.375	17.660	DOM	MECH
.750	1.500	18.020	HFS	MECH	.625	2.250	19.190	CDS	MECH
.875	1.250	19.860	HFS	MECH	.750	2.000	22.030	HFS	MECH
1.000	1.000	21.360	HFS	MECH	.875	1.750	24.531	HFS	MECH
3 1/4 OD					1.000	1.500	26.700	HFS	MECH
.065	3.120	2.211	WLD	MECH	3 5/8 OD				
.065	3.120	2.211	DOM	MECH	.188	3.250	6.901	DOM	MECH
.095	3.060	3.201	DOM	MECH	.250	3.125	9.011	DOM	MECH
.125	3.000	4.172	DOM	MECH	.313	3.000	11.070	DOM	MECH
.156	2.938	5.155	CDS	MECH	.375	2.875	13.016	DOM	MECH
.188	2.875	6.148	DOM	MECH	.500	2.625	16.688	DOM	MECH
.250	2.750	8.010	DOM	MECH	.750	2.375	23.029	DOM	MECH
.313	2.625	9.818	DOM	MECH	3 3/4 OD				
.375	2.500	11.510	CDS	MECH	.065	3.620	2.558	WLD	MECH
.375	2.500	11.510	DOM	MECH	.125	3.500	4.652	DOM	MECH
.438	2.374	13.150	CDS	MECH	.188	3.375	7.152	DOM	MECH
.500	2.250	14.690	CDS	MECH	.250	3.250	9.345	DOM	MECH
.625	2.000	17.250	CDS	MECH	.313	3.124	11.400	DOM	MECH
.750	1.750	20.030	HFS	MECH	.375	3.000	13.520	DOM	MECH
.875	1.500	22.190	HFS	MECH	.500	2.750	17.360	DOM	MECH
1.000	1.250	24.030	HFS	MECH	.500	2.750	17.360	CDS	MECH
3 3/8 OD					.625	2.500	20.860	CDS	MECH
.120	3.135	4.172	DOM	MECH	.750	2.250	24.030	HFS	MECH
.188	3.000	6.399	DOM	MECH	.875	2.000	26.867	CDS	MECH
.250	2.875	8.344	DOM	MECH	1.000	1.750	29.370	CDS	MECH
.500	2.375	15.350	CDS	MECH	3 7/8 OD				
3 1/2 OD					.188	3.500	7.403	DOM	MECH
.049	3.402	1.806	WLD	MECH	.250	3.375	9.679	DOM	MECH
.065	3.370	2.385	DOM	MECH	.375	3.125	14.018	DOM	MECH
.065	3.370	2.385	WLD	MECH	4 OD				
.083	3.334	3.029	DOM	MECH	.065	3.870	2.732	DOM	MECH
.083	3.334	3.029	WLD	MECH	.065	3.870	2.732	WLD	MECH
.095	3.310	3.455	DOM	MECH	.083	3.834	3.472	DOM	MECH
.120	3.260	4.332	WLD	MECH	.083	3.834	3.472	WLD	MECH
.125	3.250	4.332	DOM	MECH	.095	3.810	3.962	DOM	MECH
.134	3.232	4.817	DOM	MECH	.095	3.810	3.962	WLD	MECH
.156	3.188	5.571	DOM	MECH	.120	3.760	4.973	WLD	MECH
.188	3.124	6.650	DOM	MECH	.125	3.750	5.172	DOM	MECH
.219	3.063	7.674	DOM	MECH	.134	3.732	5.533	WLD	MECH
.250	3.000	8.678	DOM	MECH	.134	3.732	5.533	DOM	MECH
.250	3.000	8.678	CDS	MECH					
.313	2.875	10.650	DOM	MECH					

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
4 OD Cont.					4 1/2 OD Cont.				
.188	3.625	7.654	DOM	MECH	.500	3.500	21.360	DOM	MECH
.250	3.500	10.010	DOM	MECH	.625	3.250	25.870	DOM	MECH
.250	3.500	10.010	WLD	MECH	.750	3.000	30.040	HFS	MECH
.375	3.250	14.520	DOM	MECH	.875	2.750	33.880	HFS	MECH
.438	3.125	16.662	CDS	MECH	1.000	2.500	37.380	HFS	MECH
.500	3.000	18.690	DOM	MECH	1.250	2.000	43.388	HFS	MECH
.625	2.750	22.530	CDS	MECH	4 5/8 OD				
.750	2.500	26.030	CDS	MECH	.250	4.125	12.348	DOM	MECH
.875	2.250	29.200	HFS	MECH	.375	3.875	17.020	DOM	MECH
1.000	2.000	32.040	HFS	MECH	.500	3.625	22.028	DOM	MECH
1.250	1.500	36.710	HFS	MECH	4 3/4 OD				
4 3/32 OD					.125	4.500	6.174	DOM	MECH
.182	3.732	7.566	DOM	MECH	.188	4.375	9.160	DOM	MECH
4 1/8 OD					.250	4.250	12.020	DOM	MECH
.188	3.749	7.905	DOM	MECH	.375	4.000	17.520	DOM	MECH
.250	3.625	10.690	DOM	MECH	.500	3.750	22.700	DOM	MECH
.313	3.500	12.470	DOM	MECH	.625	3.500	27.530	CDS	MECH
4 1/4 OD					.750	3.250	32.040	HFS	MECH
.095	4.060	4.216	DOM	MECH	.875	3.000	36.210	HFS	MECH
.125	4.000	5.507	DOM	MECH	1.000	2.750	40.050	HFS	MECH
.188	3.874	8.156	DOM	MECH	1.500	1.750	52.065	HFS	MECH
.250	3.750	10.680	DOM	MECH	5 OD				
.375	3.500	15.520	DOM	MECH	.065	4.870	3.426	WLD	MECH
.500	3.250	20.030	DOM	MECH	.120	4.760	6.254	WLD	MECH
.500	3.250	20.030	CDS	MECH	.125	4.750	6.254	DOM	MECH
.625	3.000	24.200	CDS	MECH	.188	4.625	9.662	DOM	MECH
.750	2.750	28.040	CDS	MECH	.250	4.500	12.680	DOM	MECH
.875	2.500	31.540	HFS	MECH	.375	4.250	18.520	DOM	MECH
1.000	2.250	32.710	HFS	MECH	.438	4.125	21.340	DOM	MECH
1.250	1.750	40.050	HFS	MECH	.500	4.000	24.030	DOM	MECH
4 3/8 OD					.563	3.875	26.680	CDS	MECH
.188	4.000	8.407	DOM	MECH	.625	3.750	29.200	CDS	MECH
4 1/2 OD					.625	3.750	29.200	DOM	MECH
.065	4.370	3.079	WLD	MECH	.750	3.500	34.040	CDS	MECH
.083	4.334	3.915	WLD	MECH	.875	3.250	38.550	CDS	MECH
.120	4.260	5.613	WLD	MECH	1.000	3.000	42.750	HFS	MECH
.125	4.250	5.841	DOM	MECH	1.125	2.750	46.560	HFS	MECH
.134	4.232	6.248	DOM	MECH	1.250	2.500	50.060	HFS	MECH
.180	4.140	8.305	WLD	MECH	1.500	2.000	56.070	HFS	MECH
.188	4.125	8.658	DOM	MECH	5 1/4 OD				
.250	4.000	11.350	DOM	MECH	.125	5.000	6.842	DOM	MECH
.313	3.875	14.000	DOM	MECH	.250	4.750	13.350	DOM	MECH
.375	3.750	16.520	DOM	MECH	.313	4.625	16.500	DOM	MECH
					.375	4.500	19.520	DOM	MECH
					.500	4.250	25.370	DOM	MECH

Service is our middle name

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
5 1/4 OD Cont.					6 1/4 OD				
.625	4.000	30.870	CDS	MECH	.125	6.000	8.177	DOM	MECH
.750	3.750	36.050	CDS	MECH	.188	5.874	12.172	DOM	MECH
1.000	3.250	45.390	CDS	MECH	.250	5.750	16.020	DOM	MECH
1.125	3.000	49.560	HFS	MECH	.375	5.500	23.530	DOM	MECH
1.250	2.750	53.400	HFS	MECH	.500	5.250	30.710	DOM	MECH
5 1/2 OD					6 1/2 OD				
.065	5.370	3.773	WLD	MECH	.625	5.000	37.550	HFS	MECH
.125	5.250	7.176	DOM	MECH	.750	4.750	44.060	HFS	MECH
.188	5.125	10.670	DOM	MECH	1.000	4.250	56.070	HFS	MECH
.250	5.000	14.020	DOM	MECH	1.500	3.250	76.095	HFS	MECH
.313	4.875	17.340	DOM	MECH	6 3/4 OD				
.375	4.750	20.530	DOM	MECH	.188	6.125	12.670	DOM	MECH
.500	4.500	26.700	DOM	MECH	.250	6.000	16.690	DOM	MECH
.625	4.250	32.540	CDS	MECH	.375	5.750	24.530	DOM	MECH
.750	4.000	38.050	CDS	MECH	.500	5.500	32.040	DOM	MECH
.875	3.750	43.221	CDS	MECH	.750	5.000	46.060	HFS	MECH
1.000	3.500	48.060	HFS	MECH	1.000	4.500	58.740	HFS	MECH
1.250	3.000	56.738	HFS	MECH	1.250	4.000	70.088	HFS	MECH
1.500	2.500	64.080	HFS	MECH	1.500	3.500	80.100	HFS	MECH
5 3/4 OD					7 OD				
.125	5.500	7.509	DOM	MECH	.250	6.250	17.360	DOM	MECH
.188	5.374	11.170	CDS	MECH	.375	6.000	25.530	DOM	MECH
.250	5.250	14.690	DOM	MECH	.500	5.750	33.380	DOM	MECH
.375	5.000	21.530	DOM	MECH	.750	5.250	48.060	CDS	MECH
.500	4.750	28.040	DOM	MECH	1.000	4.750	61.410	HFS	MECH
.625	4.500	34.210	CDS	MECH	7 1/4 OD				
.750	4.250	40.050	CDS	MECH	.188	6.874	14.180	DOM	MECH
.875	4.000	45.560	CDS	MECH	.250	6.750	18.690	DOM	MECH
1.000	3.750	50.730	CDS	MECH	.375	6.500	29.540	DOM	MECH
1.250	3.250	60.080	CDS	MECH	.500	6.250	36.045	DOM	MECH
6 OD					7 1/2 OD				
.065	5.870	4.120	WLD	MECH	.250	7.000	19.360	DOM	MECH
.083	5.834	5.245	WLD	MECH	.375	6.750	28.540	DOM	MECH
.104	5.792	6.750	WLD	A135	.500	6.500	37.380	DOM	MECH
.120	5.760	7.536	WLD	MECH	7 3/4 OD				
.125	5.750	7.843	DOM	MECH	.188	7.125	15.670	DOM	MECH
.188	5.625	11.670	DOM	MECH	.250	7.000	20.530	DOM	MECH
.250	5.500	15.350	DOM	MECH	.375	6.750	29.540	DOM	MECH
.313	5.374	19.011	DOM	MECH	.500	6.500	38.045	DOM	MECH
.375	5.250	22.530	DOM	MECH	8 OD				
.500	5.000	29.370	DOM	MECH	.125	8.000	12.172	DOM	MECH
.625	4.750	35.880	DOM	MECH	.188	7.874	16.020	DOM	MECH
.750	4.500	42.050	HFS	MECH	.250	7.750	20.530	DOM	MECH
.875	4.250	47.890	HFS	MECH	.375	7.500	29.530	DOM	MECH
1.000	4.000	53.400	HFS	MECH	.500	7.250	38.045	DOM	MECH
1.500	3.000	72.090	HFS	MECH	8 1/4 OD				
2.000	2.000	85.440	HFS	MECH	.125	8.500	16.020	DOM	MECH
					.188	8.374	20.530	DOM	MECH
					.250	8.250	25.530	DOM	MECH
					.375	8.000	34.530	DOM	MECH
					.500	7.750	44.060	HFS	MECH
					.750	7.500	54.060	HFS	MECH
					1.000	7.250	64.095	HFS	MECH
					1.500	6.500	84.100	HFS	MECH
					2.000	5.500	104.100	HFS	MECH

CARBON TUBING

Specifications: ASTM-A-519 CDS 1018/1026
 ASTM-A-519 HFS 1026
 ASTM-A-513 DOM 1020/1026

ASTM-A-513 ERW 1010
 AMS-5050F CDS Hydraulic

WALL	THEOR. I.D.	WT. PER FOOT	TYPE		WALL	THEOR. I.D.	WT. PER FOOT	TYPE	
7 1/2 OD Cont.					9 OD				
.750	6.000	54.070	HFS	MECH	.250	8.500	23.360	DOM	MECH
1.000	5.500	69.420	HFS	MECH	.375	8.250	34.540	DOM	MECH
1.250	5.000	83.440	HFS	MECH	.500	8.000	45.390	DOM	MECH
7 3/4 OD					9 1/4 OD				
.250	7.250	20.030	DOM	MECH	.250	8.750	24.030	DOM	MECH
.375	7.000	29.540	DOM	MECH	.375	8.500	35.544	DOM	MECH
.500	6.750	38.715	DOM	MECH	1.250	6.750	106.800	HFS	MECH
.750	6.250	56.070	HFS	MECH	9 1/2 OD				
1.000	5.750	72.090	HFS	MECH	.250	9.000	24.700	DOM	MECH
1.250	5.250	86.780	HFS	MECH	.375	8.750	36.550	DOM	MECH
1.500	4.750	100.130	HFS	MECH	.500	8.500	48.060	DOM	MECH
8 OD					9 3/4 OD				
.109	7.782	9.186	WLD	A135	.250	9.250	25.370	DOM	MECH
.250	7.500	20.690	DOM	MECH	.375	9.000	35.547	DOM	MECH
.375	7.250	30.540	DOM	MECH	.500	8.750	49.400	DOM	MECH
.500	7.000	40.050	DOM	MECH	10 OD				
.750	6.500	58.070	HFS	MECH	.134	9.730	14.520	WLD	A135
1.000	6.000	74.760	HFS	MECH	.250	9.500	26.030	DOM	MECH
1.250	5.500	90.110	HFS	MECH	.375	9.250	38.550	DOM	MECH
1.500	5.000	104.100	HFS	MECH	.500	9.000	50.730	DOM	MECH
2.000	4.000	128.160	HFS	MECH	.750	8.500	74.090	CDS	MECH
8 1/4 OD					10 1/2 OD				
.250	8.000	21.360	DOM	MECH	.500	9.500	53.400	DOM	MECH
.375	7.500	32.540	DOM	MECH	.750	9.000	78.098	CDS	MECH
.500	7.250	41.390	DOM	MECH	1.000	8.500	101.046	HFS	MECH
8 1/2 OD					11 OD				
.250	8.000	22.030	DOM	MECH	.500	10.000	56.070	DOM	MECH
.375	7.750	32.540	DOM	MECH	.750	9.500	82.100	HFS	MECH
.500	7.500	42.720	DOM	MECH	1.000	9.000	106.800	HFS	MECH
.750	7.000	62.080	HFS	MECH	1.500	8.000	152.190	HFS	MECH
1.000	6.500	80.100	HFS	MECH	12 OD				
1.125	6.250	88.610	HFS	MECH	.250	11.500	31.370	DOM	MECH
1.500	8.500	112.140	HFS	MECH	.375	11.250	46.560	DOM	MECH
2.000	4.500	138.840	HFS	MECH	.500	11.000	61.410	DOM	MECH
8 5/8 OD					11 1/2 OD				
.109	9.914	8.407	WLD	MECH	.750	10.500	90.118	HFS	MECH
8 3/4 OD					12 1/2 OD				
.375	8.000	33.540	DOM	MECH	1.000	10.000	117.500	HFS	MECH
.500	7.750	44.060	DOM	MECH	2.000	8.000	213.600	HFS	MECH
.750	7.250	64.080	HFS	MECH					
1.000	6.750	82.770	HFS	MECH					

CARBON SHAPES

Square

WALL	WT. PER FOOT	TYPE	WALL	WT. PER FOOT	TYPE
1/2 × 1/2 OD			2 × 2 OD		
.049	.301	EW	.065	1.711	EW
.065	.385	EW	.083	2.164	EW
5/8 × 5/8 OD			2 1/4 × 2 1/4 OD		
.049	.384	ED	.095	2.785	EW
.065	.495	EW	.180	5.067	EW
.083	.612	EW	2 1/2 × 2 1/2 OD		
3/4 × 3/4 OD			3 × 3 OD		
.049	.467	EW	.065	2.594	EW
.065	.606	EW	.120	4.700	EW
.083	.753	EW	.188	7.172	EW
.095	.846	EW	.250	9.110	EW
.120	1.028	EW	.313	11.080	EW
7/8 × 7/8 OD			3 1/2 × 3 1/2 OD		
.049	.550	EW	.188	8.300	EW
.065	.716	EW	.250	10.810	EW
1 × 1 OD			4 × 4 OD		
.049	.634	EW	.120	6.332	EW
.065	.826	EW	.188	9.590	EW
.083	1.035	EW	.250	12.510	EW
.095	1.169	EW	.313	15.330	EW
.120	1.436	EW	.375	18.020	EW
1 1/4 × 1 1/4 OD			4 1/2 × 4 1/2 OD		
.049	.800	EW	.250	13.910	EW
.065	1.048	EW	5 × 5 OD		
.083	1.317	EW	.120	7.840	EW
.095	1.492	EW	.180	12.140	EW
.120	1.844	EW	.250	15.910	EW
.188	3.000	EW	.375	23.120	EW
1 1/2 × 1 1/2 OD			5 × 5 OD		
.049	.967	EW	.500	28.430	EW
.065	1.269	EW	6 × 6 OD		
.083	1.600	EW	.188	14.650	EW
.095	1.815	EW			
.120	2.252	EW			
.188	3.230	EW			
.250	4.250	EW			
1 3/4 × 1 3/4 OD					
.065	1.169	EW			
.083	1.881	EW			
.095	2.138	EW			
.120	2.660	EW			

CARBON SHAPES

Rectangular

WALL	WT. PER FOOT	TYPE	WALL	WT. PER FOOT	TYPE
6 × 6 OD Cont.			1 × 4 OD		
.250	19.310	EW	.120	3.448	EW
.375	28.220	EW	1 1/4 × 2 OD		
.500	36.720	EW	.083	1.740	EW
8 × 8 OD			1 1/2 × 2 OD		
.188	19.650	EW	.065	1.490	EW
.250	26.040	EW	.083	1.882	EW
.313	31.840	EW	.095	2.138	EW
.375	38.420	EW	.120	2.660	EW
10 × 10 OD			1 1/2 × 2 1/2 OD		
.250	32.630	EW	.065	1.710	EW
.375	48.610	EW	.120	3.068	EW
.500	63.910	EW	.188	4.454	EW
1/2 × 1 OD			1 1/2 × 3 OD		
.065	.605	EW	.060	1.787	EW
.083	.753	EW	.083	2.446	EW
1/2 × 1 1/2 OD			.120	3.476	EW
.065	.823	EW	.188	5.272	EW
3/4 × 1 1/2 OD			.250	6.800	EW
.065	.937	EW	1 1/2 × 3 1/2 OD		
.083	1.176	EW	.120	3.884	EW
.120	1.640	EW	1 1/2 × 4 OD		
3/4 × 2 OD			.120	4.292	EW
.065	1.158	EW	.180	6.210	EW
1 × 1 1/2 OD			2 × 3 OD		
.065	1.048	EW	.065	2.153	EW
.083	1.317	EW	.083	2.723	EW
.095	1.492	EW	.120	3.884	EW
.120	1.844	EW	.188	5.750	EW
1 × 2			.250	7.410	EW
.065	1.269	EW	2 × 4 OD		
.083	1.600	EW	.083	3.293	EW
.095	1.815	EW	.120	4.700	EW
.120	2.252	EW	.188	7.190	EW
1 × 2 1/2 OD			.250	9.110	EW
.065	1.490	EW	2 × 5 OD		
.120	2.660	EW	.120	5.515	EW
1 × 3 OD			.188	8.300	EW
.065	1.711	EW	.250	10.810	EW
.083	2.164	EW			
.120	3.068	EW			

CARBON SHAPES

Rectangular

WALL	WT. PER FOOT	TYPE	WALL	WT. PER FOOT	TYPE
2 x 6 OD			4 x 6 OD		
.120	6.332	EW	.188	12.140	EW
.188	9.590	EW	.250	15.910	EW
.250	12.510	EW	.375	23.120	EW
2 x 8 OD			4 x 8 OD		
.250	16.15	EW	.188	14.640	EW
3 x 4 OD			4 x 10 OD		
.120	5.515	EW	.375	28.220	EW
.188	8.300	EW	.500	36.720	EW
.250	10.870	EW	6 x 10 OD		
3 x 5 OD			6 x 12 OD		
.188	9.590	EW	.250	26.35	EW
.250	12.510	EW	.375	38.420	EW
.375	18.020	EW	.500	50.310	EW
3 x 6 OD			8 x 10 OD		
.120	7.148	EW	8 x 12 OD		
.188	10.840	EW	.375	43.98	EW
.250	14.210	EW	.500	55.660	EW
.375	21.038	EW	8 x 10 OD		
3 x 8 OD			8 x 12 OD		
.188	13.390	EW	8 x 12 OD		
.250	17.610	EW	.375	48.610	EW
3 x 10 OD			8 x 12 OD		
.250	20.72	EW	8 x 12 OD		



CARBON PIPE

Specifications: ASTM A-120 / ASTM A-106

	WALL	THEOR. I.D.	WT. PER FOOT		WALL	THEOR. I.D.	WT. PER FOOT	
½ Sch 40 (.840)	.109	.632	.850	A120	2 Sch 80 (2.375)	.218	1.939	5.022 A120
¾ Sch 40 (1.050)	.113	.824	1.130	A120	2 ½ Sch 40 (2.875)	.203	2.469	5.793 A120
1 Sch 40 (1.315)	.133	1.049	1.679	A120	3 Sch 40 (3.500)	.216	3.068	7.576 A120
1 ¼ Sch 40 (1.660)	.140	1.380	2.273	A120	3 Sch 80 (2.300)	.300	2.900	10.25 A120
1 ½ Sch 40 (1.900)	.145	1.610	2.718	A120	12 Sch 40 (12.75)	.406	11.938	53.53 A106
2 Sch 40 (2.375)	.154	2.067	3.650	A120				

