



Real Fyre • 2025 Vent-Free Collection Brochure • R H Peterson Co.



PREMIUM GAS LOG SETS

Vent-Free Collection

Dual listed for vented applications

RH  PETERSON CO.



Vent-Free Burners and Gas Log Sets



Pictured above: 24" G10 Burner System with Charred Gnarled Split Gas Logs (CHGS).

G10 Series

Featuring the popular burnt through front log, the G10 Series is available in five attractive log styles: Charred Frontier Oak, Charred Aged Split Oak, the striking Charred Alpine Birch, Charred Gnarled Split, and Gnarled Oak (all ceramic refractory log sets). Lively flames and a large ember bed with Bryte Coals highlight the handcrafted logs, adding efficient heat and unmatched beauty to your fireplace.



Charred Gnarled Split (CHGS-24)



Charred Alpine Birch (CHAB-24)



Gnarled Oak (GNO-24)



Charred Frontier Oak (CHFR-24)



Charred Aged Split Oak (CHAS-24)

The G10 Series is available for Natural or Propane gas in 16"/18", 24", & 30" sets, with variable BTU ratings from 19,000 to 37,000. Lava granules, embers, and Bryte Coals are included with the unit. Stainless steel models are available for added durability and use in outdoor rooms.

5 log styles to choose from, sizes 16/18", 24", & 30":

CHFR-** Charred Frontier Oak Gas Logs

CHAS-** Charred Aged Split Oak Gas Logs

CHAB-** Charred Alpine Birch Gas Logs

CHGS-** Charred Gnarled Split Gas Logs

GNO-** Gnarled Oak Gas Logs


** Insert size (e.g. CHFR-24). Add "P" for Propane (e.g. G10-24/30P).

A number of control options are available including:

- Manual control
- Remote with variable flame height control (-15)
- Remote with variable flame height control, electronic ignition, & on demand pilot (-01V)



G10-24/30
Gas Burner
w/ manual control



G10-24/30-SS
Stainless Steel Gas Burner
w/ manual control

G18 Series

The Evening Fyre, Evening Fyre Charred, and the Evening Fyre Split log sets are featured on the advanced G18 Vent-Free Burner System. The logs are sculpted and hand-painted with distinctive charring on the front log, mimicking a wood fire. The dramatic ember bed, with Bryte Coals and two wood chunk decorative covers, enhance the warmth and beauty of the log set.



Evening Fyre Split (ESV-24)



Evening Fyre (EFV-24)



Evening Fyre Charred (ECV-24)



Evening Fyre (EFV-16/18)



Evening Fyre Split See Thru (ESV-2-16/18)

The G18 Series is available for Natural or Propane gas in 16/18", 24", & 30" sets, with variable BTU ratings from 22,000 to 38,000. Lava granules, embers, and Bryte Coals are included with the unit. See-thru sets are also available in 16/18" and 24" sizes with BTU's ranging from 29,000 to 40,000.

3 log styles to choose from, sizes 16/18", 24", & 30":

- EFV-**** Evening Fyre Gas Logs
- ECV-**** Evening Fyre Charred Gas Logs
- ESV-**** Evening Fyre Split Gas Logs

** Insert size (e.g. EFB-24). Add "P" for Propane (e.g. G18-24/30P).

A number of control options are available including:

- Manual control
- Remote with variable flame height control (-15)[†]
- Remote with variable flame height control, electronic ignition, & on demand pilot (-01V)

[†] See-thru burners are only available with "-15" control valve option.



G18-24/30
Gas Burner
w/ ON/OFF remote



G18-2-24-15
See-thru Gas Burner w/
variable flame height remote

G19A Series

The newest innovation in vent-free gas logs is the G19A Burner System. This clean burning system provides a dazzling flame pattern and offers two distinctive styles of logs. The uniquely designed front log mimics real wood and the glowing embers enhance the beauty and realism of this system.



The G19A & ODG15 Series is available for Natural or Propane gas in 18"/20" and 24"/30" sets, with variable BTU ratings from 23,000 to 40,000. Lava granules and embers are included with the unit.

2 log styles to choose from, sizes 18", 24", & 30":

FTO-** Foothill Oak Gas Logs

FTSO-** Foothill Split Oak Gas Logs

** Insert size (e.g. FTO-24). Add "P" for Propane (e.g. G19A-24/30-15P).



G19A-24/30-15

Gas Burner w/ electronic variable control

A number of control options are available including:

- Remote with variable flame height control (-15)
- Remote with variable flame height control, electronic ignition, & on demand pilot (-01V)

ODG15 Outdoor Only Burner System

The new ODG15 is the first Real Fyre **ventless** burner system designed for outdoor installation only. Certified to the ANSI Z21.97/CSA 2.41 outdoor decorative gas appliance standard, the ODG15 is offered in 24/30" size with variable BTU ratings from 22,000 to 55,000, remote operated electronic controls (-02 or -2VT) and your choice of Foothill Oak or Foothill Split Oak log sets. The burner pan is constructed of stainless steel and comes in either natural gas or propane versions (add **P** at the end of the model # for propane).



ODG15-24/30-2VT

Outdoor Gas Burner w/ elec. variable control



The **ODG15 Burner** is compatible with both Foothill Oak and Foothill Split Oak log sets (shown above).

A number of control options are available including:

- Remote with electronic ON/OFF control (-02)
- Remote with electronic variable flame height control (-2VT)

G9 Series

The traditional beauty of Golden Oak Designer, Split Oak or the new Meadow Oak logs add to the elegant burn of the G9 Vent-Free Burner System. Dancing flames and an ember bed, featuring an innovative reflective panel, offer comforting heat and fireside charm.



The G9 Series is available for Natural or Propane gas in 20", 24", and 30" sets, with BTU ratings from 21,000 to 36,000. Lava granules, embers, and Bryte Coals are included with the unit. See-thru sets are also available in 24" size with BTU rating of 39,000.

3 log styles to choose from, sizes 20", 24", & 30":

RD9-** Golden Oak Designer Gas Logs

S9-** Split Oak Gas Logs

M9-** Meadow Oak Gas Logs

** Insert size (e.g. RD9-24). Add "P" for Propane (e.g. G9-20/24/30P).

A number of control options are available for single-sided sets only; they include:

- Manual control
- Remote ON/OFF control (-12)
- Bluetooth Remote ON/OFF (for -12 control valve)
- Remote with variable flame adjusted control (-15)




• **RF-BTSR1-G** (w/ Golden Oak Cover)

• **RF-BTSR1-B** (w/ White Birch Cover)

Bluetooth ON/OFF Remote

Use your cell phone to control your log set.
(Compatible with -12 Control Valve only)



G9-20/24/30

Gas Burner
with manual control



G9-2-24-12

See-Thru Gas Burner
with ON/OFF remote only

G8E Series

Ideal for smaller fireplaces, the Valley Oak and the Split Valley Oak logs are featured on the G8E Vent-Free Burner System. Simple in design and function, this reliable system comes standard with a 20,000 BTU model. Also available is a unit designed for bedrooms[†] with 9,500 BTU's. A decorative front panel and knob cover are included to enhance the realistic look of your fireplace.



[†]Where permitted by code.

Valley Oak (VO8E-16)

The G8E Series is available for Natural or Propane gas in 16", 20", and 24" sets, with BTU ratings of 20,000 or 9,500.

2 log styles to choose from, sizes 16", 20", & 24":

VO8E-** Valley Oak Gas Logs

SV08E-** Split Valley Oak Gas Logs

Burner Kits:

G8E-16/20/24 G8E Series Burner Kit (20,000 BTU)

G8E-16/20/24R G8E Series Burner Kit (9,500 BTU)
(can be installed in bedrooms)




Split Valley Oak (SV08E-20)

** Insert size (e.g. VO8E-24). Add "P" for Propane (e.g. G8E-16/20/24P).


A number of control options are available including:

- Manual control
- Remote ON/OFF control (-12)
- Bluetooth Remote ON/OFF (for -12 control valve)
- Remote with variable flame height control (-15)



G8E-16/20/24-15

Gas Burner with variable flame height remote



•RF-BTSR1-G (w/ Golden Oak Cover)

•RF-BTSR1-B (w/ White Birch Cover)

Bluetooth ON/OFF Remote

Use your cell phone to control your log set.
(Compatible with -12 Control Valve only)

Further enhance your hearth with our selection of Premium Accessories (see page 11)



Pine Cones
(PC-4)



Acorns
(AC-6)



Lava Fyre Coals
(LFC-6)




Wood Chips
(WCH-6)



Pine Cone/Wood Chip
Decor Pack (DP-2)

Vent-Free Contemporary Burners and Options



Pictured above: 24" G23 Burner System with Carrera Marble Fyre Spheres (US4-24-CM).

G23 Series

Designed to showcase the modern look of Fyre Spheres in a vent-free setting, the new G23 burner system comes in popular 18" and 24" sizes with a choice of ODS equipped and ANSI certified millivolt or electronic remote control. The 4" diameter model US4 Carrera Marble, Epic Black and Graystone spheres are designed specially for pinned placement on the burner pan. Choose natural gas or propane models.



4" Carrera Marble (US4-**-CM)



4" Epic Black (US4-**-EB)



4" Graystone (US4-**-GS)

The G23 Series is available for Natural or Propane gas in 18" and 24" sizes, with BTU ratings from 28,000 to 37,000. ODS Safety System, removable front panel and connector kit are included with the unit.

3 Fyre Sphere styles to choose from, sizes 18" & 24":

US4--CM** 4" Carrera Marble (18"= 16 pcs. // 24"= 22 pcs.)

US4--EB** 4" Epic Black (18"= 16 pcs. // 24"= 22 pcs.)

US4--GS** 4" Graystone (18"= 16 pcs. // 24"= 22 pcs.)

** Insert size (e.g. US4-24-CM). Add "P" for Propane.

A number of control options are available including:

- Remote ON/OFF control (-12)
- Bluetooth Remote ON/OFF (for -12 control valve)
- Remote with variable flame height control, electronic ignition, & on demand pilot (-01V)



G23-24-12

Fyre Spheres Gas Burner with ON/OFF remote



• **RF-BTSR1-G** (w/ Golden Oak Cover)

• **RF-BTSR1-B** (w/ White Birch Cover)

Bluetooth ON/OFF Remote

Use your cell phone to control your log set.
(Compatible with -12 Control Valve only)

G21 Series

CONTEMPORARY BURNER

This all 304 stainless steel burner burns cleanly with glass/gems directly on burner ports, providing a beautiful sea of flames. Only 10½" front-to-back, the mirrored front and back panels create a high and deep flame appearance. With its sleek lines, wide variety of choices for accessorizing (many unique colors in Fyre Gems and Fyre Glass), and a striking polished mirror finish, the G21 is the perfect addition to any contemporary hearth.



Gold Reflective Fyre Glass (GL-10-HR)

Burner Kits:

G21-GL--12** G21 Series Glass Burner Kit

G21-GL-2--12** G21 Series Glass Burner Kit (see-thru)

** Insert size (e.g. G21-GL-24-12). Add "P" for Propane.


See-Thru models available in 18" & 24" sizes only.



- **RF-BTSR1-G** (w/ Golden Oak Cover)
- **RF-BTSR1-B** (w/ White Birch Cover)

Bluetooth ON/OFF Remote

Use your cell phone to control your log set.
(Compatible with -12 Control Valve only)



Remove front mirrored panel to reveal the hidden, easy access, pilot controls.

Amount of glass or gems required is 7½ lbs for 18", 10 lbs for 24", 15 lbs for 30" burner, 10 lbs for 18" see-thru, and 12½ lbs for 24" see-thru.

Fyre Glass



Azuria
(GL-xx-F)



Black
(GL-xx-B)



Bronze
(GL-xx-Z)



Caribbean Blue
(GL-xx-N)



Clear
(GL-xx-C)



Emerald
(GL-xx-E)



Star Fyre
(GL-xx-W)

Reflective Fyre Glass



Azuria
Reflective
(GL-xx-FR)



Black
Reflective
(GL-xx-BR)



Bronze
Reflective
(GL-xx-ZR)



Caribbean Blue
Reflective
(GL-xx-NR)



Copper
Reflective
(GL-xx-QR)



Emerald
Reflective
(GL-xx-ER)



Gold
Reflective
(GL-xx-HR)



Champagne
Reflective
(GL-xx-CR)

Fyre Gems



Black Pearl
(GLG-xx-J)



Blue Topaz
(GLG-xx-T)



Champagne
(GLG-xx-D)



Deep Amber
(GLG-xx-A)



Emerald
(GLG-xx-E)



Glacier
(GLG-xx-C)



Sapphire
(GLG-xx-S)



Ruby
(GLG-xx-RY)

** When ordering glass or gems insert the amount desired in place of the "xx". 5 for 5 lbs, 7 for 7½ lbs, 10 for 10 lbs, and 40 for 40 lbs. Example: GL-10-HR.

The total amount of glass and gems used must not exceed the amount listed above.

Premium Accessories

Bluetooth Control

Use your smart phone to control your Real Fyre gas logs! Compatible with selected Real Fyre vent-free ON/OFF controlled burners (-12), the compact battery operated **Real Fyre Bluetooth Control** connects easily to your appliance...then download the app and you're ready to go. Choose oak or white birch wood chunk covers to conceal and protect the receiver in your fireplace.



Fyrebacks

The Real Fyre® collection of Fyrebacks is specially designed to augment the flame reflection in your fireplace while providing a functional backdrop for your fire logs or Contemporary Alternative products. Contemporary or Traditional styles are available in either satin stainless steel, polished stainless steel, or a black porcelain finish.



FBS-24 (Satin Stainless)



FBCB-24 (Black Porcelain)

Traditional Fyrebacks

FINISHES	SMALL	MEDIUM	LARGE	X-LARGE
Satin Stainless	FBS-18	FBS-24	FBS-30	FBS-36
Polished Stainless	FBSP-18	FBSP-24	FBSP-30	FBSP-36
Black Porcelain	FBSB-18	FBSB-24	FBSB-30	FBSB-36

Contemporary Fyrebacks

FINISHES	SMALL	MEDIUM	LARGE	X-LARGE
Satin Stainless	FBC-18	FBC-24	FBC-30	FBC-36
Polished Stainless	FBCP-18	FBCP-24	FBCP-30	FBCP-36
Black Porcelain	FBCB-18	FBCB-24	FBCB-30	FBCB-36

Decorative Accessories

Create a cozy and elegant environment in your home with Real Fyre® Gas Logs. To further enhance your hearth, select from an array of additional wood chunks, acorns, pine cones and lava media.



Charred Birch Decorative Cover
(WCBC-1)



Charred Birch Decorative Wood Chunk
(WCAB-1)



Wood Chip Ring
(WCRD-1)



Wood Chips
(WCH-6)



Pine Cone/Wood Chip Decor Pack
(DP-2)



Pine Cones
(PC-4)



Acorns
(AC-6)



Lava Fyre Coals
(LFC-6)



Lava Fyre Granules
(LF-5)

Burner BTU Ratings and Warranty Info.

Vent-Free Burner Systems BTU Ratings * (BTU x 1000)

BURNER SYSTEM	16/18"		18"		18/20"		24"		24/30"		30"		16/20/24"		20/24/30"	
	NG	LP														
G8E Series	--	--	--	--	--	--	--	--	--	--	--	--	20	20	--	--
G9 Series	--	--	--	--	--	--	--	--	--	--	--	--	--	--	36	36
G9 Series (See-Thru)	--	--	--	--	--	--	39	39	--	--	--	--	--	--	--	--
G10 Series	35	32	--	--	--	--	--	--	37	37	--	--	--	--	--	--
G18 Series	30	30	--	--	--	--	--	--	38	38	--	--	--	--	--	--
G18 Series (See-Thru)	39	39	--	--	--	--	40	40	--	--	--	--	--	--	--	--
G19A Series	--	--	--	--	34	30	--	--	40	36	--	--	--	--	--	--
ODG15 Series	--	--	--	--	--	--	--	--	55	45	--	--	--	--	--	--
G21 Series	--	--	30	27	--	--	35	30	--	--	40	35	--	--	--	--
G21 Series (See-Thru)	--	--	37	35	--	--	40	40	--	--	--	--	--	--	--	--
G23 Series	--	--	28	28	--	--	37	37	--	--	--	--	--	--	--	--

* BTU Ratings when burners are on **High Setting** (when applicable).

