



ROCKY SOFA

## ROCKY SOFA





Rocky by Ricardo Barddal – Revolutionary. That's the word that best defines the ROCKY sofa bed. Unlike conventional sofa beds, which simply switch between sofa and double-bed modes, the Rocky sofa is a true 5-in-1 marvel of versatility! An exclusive mechanism—developed in-house by Bell'Arte—allows a sofa with clean lines and slim arms to transform into two armchairs, one armchair and one chaise, two chaises, two single beds, or one double bed. In its open configuration, the model even offers a convenient coffee table equipped with a USB port.

SIGNED BY RICARDO BARDDAL


ROCKY  
SOFA

## GENERAL MEASUREMENTS

As it is a handcrafted product, variations in the provided measurements may occur. Bell'Arte reserves the right to make modifications to the product without prior notice.




Seat depth (closed with cushions)	24,4"
Seat height from floor	18,9"
Seat height (open)	13,8"
Arm height from seat	10,6"
Leg height	1,2"
Arm width	3,1"
Table height	5,1"
Total internal opening width	22,8"
Internal opening depth	32,7"



# ROCKY SOFA


## AVAILABLE MODULATIONS

As it is a handcrafted product, variations in the provided measurements may occur. Bell'Arte reserves the right to make modifications to the product without prior notice.



Module – 2 Arms

1 Seat of 35,4" + 2 Arms of 3,1" = 41,3"



Module – 2 Arms (closed)


2 Seats of 31,5" + 2 Arms of 3,1" = 69,7"

2 Seats of 35,4" + 2 Arms of 3,1" = 77,6"

2 Seats of 39,4" + 2 Arms of 3,1" = 85,4"

2 Seats of 43,3" + 2 Arms of 3,1" = 93,3"

2 Seats of 43,3" + 2 Arms of 3,1" = 101,2"



Module – 2 Arms open + Table

2 Seats of 31,5" + 2 Arms of 3,1" = 92,5"

2 Seats of 35,4" + 2 Arms of 3,1" = 100,3"

2 Seats of 39,4" + 2 Arms of 3,1" = 108,2"

2 Seats of 43,3" + 2 Arms of 3,1" = 116,1"

2 Seats of 47,2" + 2 Arms of 3,1" = 124"

Table: 22,8" x 32,6"

# ROCKY SOFA

## TECHNICAL INFORMATION

### Structure

Certified reforested wood (Eucalyptus Grandis and OSB panels) kiln-dried with controlled humidity.

### Structure assembly

Galvanized staples and special adhesive are used at the wood joints to keep the structure firm and sturdy.

### Foam

Foams certified according to ISO 9001, produced without CFC.

### Comfort system

Foam.

### Seats

Fixed – Soft foam [density 35 kg/m<sup>3</sup>] upholstered with polyester fiber padding.

Loose – Soft foam [density 35 kg/m<sup>3</sup>] upholstered with polyester fiber padding.

### Backrests

Fixed – Soft foam [density 26 kg/m<sup>3</sup>] upholstered with polyester fiber padding.

Loose – Hiper Flex foam [density 26 kg/m<sup>3</sup>] and Soft foam [density 20 kg/m<sup>3</sup>] upholstered with polyester fiber padding.

### Arms

Fixed – Soft foam [density 26 kg/m<sup>3</sup>] upholstered with polyester fiber padding.

### Legs

Wood – [1,2"] height.

### Removable parts

Backrest, seats, table and legs.





ASSEMBLE WITH THE  
Creator **MOD**



CHECK OUT THIS PRODUCT  
ON THE [WEBSITE](#)

