

# ÁRGILA SOFA




The plasticity of clay, which when molded can take on organic and delicate shapes, inspired the project. The Árgila sofa meets the basic requirements to be present in any environment. Its versatility is evident in its compact dimensions, despite offering perfect ergonomics that provide support and a very comfortable seating experience. With a clean, compact design and rounded lines, it offers a light and fluid appearance. The natural wood veneer base, in addition to warming the piece, completes the composition.

SIGNED BY LARISSA DIEGOLI

# **ÁRGILA** SOFA

# GENERAL MEASUREMENTS

As it is a handcrafted product, variations in the provided measurements may occur. Bell'Arte reserves the right to make modifications to the product without prior notice.




Seat depth	25,2"
Leg height	1,2"


# ÁRGILA SOFA


# GENERAL MEASUREMENTS

As it is a handcrafted product, variations in the provided measurements may occur. Bell'Arte reserves the right to make modifications to the product without prior notice.









Mod	lule ·	- 2	Arms	-	1	Seat	
Mod	lule ·	- 2	Arms	-	1	Seat	

1 Seat of 61,8" + 2 Arms of 11" = 83,9"	
1 Seat of 69,7" + 2 Arms of 11" = 91,7"	
1 Seat of 77,6" + 2 Arms of 11" = 99,6"	
1 Seat of 85,4" + 2 Arms of 11" = 107,5"	
1 Seat of 93,3" + 2 Arms of 11" = 115,4"	
1 Seat of 101,2" + 2 Arms of 11" = 123,2"	

Module - 1 Arm - 1 Seat	
1 Seat of 30,7" + 1 Arm of 11" = 41,7"	
1 Seat of 34,6" + 1 Arm of 11" = 45,7"	
1 Seat of 38,6" + 1 Arm of 11" = 49,6"	
1 Seat of 42,5" + 1 Arm of 11" = 53,5"	
1 Seat of 46,5" + 1 Arm of 11" = 57,5"	_
1 Seat of 50 $A'' + 1$ Arm of $11'' = 61 A''$	

Module - NO Arms - 1 Seat
1 Seat of 30,7"
1 Seat of 34,6"
1 Seat of 34,6"
1 Seat of 42,5"
1 Seat of 46,5"
1 Seat of 50,4"

# ÁRGILA SOFA

## TECHNICAL INFORMATION

## Structure:

Certified reforested wood (Eucalyptus Grandis and Laminated Plates), dried in a kiln with controlled humidity.

Frame Assembly: Non-oxidizing clips and special glue are used at the joints of the woods to maintain a firm and resistant structure.

### Foam:

Foams certified according to ISO 9001, produced without CFC.

Comfort System: Elastic webbing woven with helical springs with high carbon content.

### Seats:

Fixed - Hiper Flex foam [density 29 kg/m³], Soft foam [density 35 kg/m³], and 120g polyester fiber blanket.

## Backrests:

Fixed - Hiper Flex foam [density 29 kg/m³], foam [density 28 kg/m³], Soft foam [density 20 kg/m³], and 120g polyester fiber blanket.

### Feet:

Laminated base

## Removable Parts:

Body and Laminated Base



