



GENERAL MEASUREMENTS | LIVING

PIZZANE SOFA

Pizzane by Ricardo Barddal – With simple, well-defined lines that don't compromise on comfort or outstanding ergonomics, it's the ideal model for contemporary living spaces. Multiple size and configuration options, including an armchair version, make this sofa an excellent choice for both residential and corporate environments.

SIGNED BY **RICARDO BARDDAL**






PIZZANE

SOFA

GENERAL MEASUREMENTS

As it is a handcrafted product, variations in the provided measurements may occur. Bell'Arte reserves the right to make modifications to the product without prior notice.



Seat depth	24,0"
Arm height from seat	4,7"
Arm height from floor	23,6"
Leg height	6,3"
Arm width	10,2"

GENERAL MEASUREMENTS | LIVING





USB




PIZZANE

SOFA


AVAILABLE MODULATIONS

As it is a handcrafted product, variations in the provided measurements may occur. Bell'Arte reserves the right to make modifications to the product without prior notice.



Module – 2 Arms 1 Seat of 29,5" + 2 Arms of 10,2" = 49,9"

GENERAL MEASUREMENTS | LIVING



2 Seats of 45,3" + 2 Arms of 10,2" = 111,0"





PIZZANE

SOFA

TECHNICAL INFORMATION

Structure

Certified reforested wood (Eucalyptus Grandis and OSB panels) kiln-dried with controlled humidity.

Structure assembly Galvanized staples and special adhesive are used at the wood joints to keep the structure firm and sturdy.

Foam

Foams certified according to ISO 9001, produced without CFC.

Comfort system Braided elastic straps.

Seats

Loose – Soft foam [density 35 kg/m³] and Hiper Flex foam [den-sity 26 kg/m³] upholstered with polyester fiber padding.

Backrests

Fixed – Soft foam [density 26 kg/m³] upholstered with polyester fiber padding.

Loose – Hiper Flex foam [density 26 kg/m³] and Soft foam [den-sity 26 kg/m³] upholstered with polyester fiber padding.

Arms

Fixed – Soft foam [density 26 kg/m³] upholstered with polyester fiber padding.

Legs Galvanized steel – [6,3"] height.

Removable parts Legs.





