



SOFA LUI

SOFA LUI




With an 80s feel, the Lui sofa brings a rigor to its shape that is broken by the asymmetry and variation of the arms, sometimes round, sometimes materialized in a generous rectangular block. The structure of the sofa, completely covered in leather, already offers the necessary support on one of the sides, acting as a table made of folded steel sheet and covered with natural wood veneer.

SIGNED BY LARISSA DIEGOLI

GENERAL MEASUREMENTS

As it is a handcrafted product, variations in the provided measurements may occur. Bell’Arte reserves the right to make modifications to the product without prior notice.




Seat depth	25,6"
Steel arm height:	24,0"
Upholstered arm height:	24,0"
Leg height	10,6"
Steel upper arm width:	10,6"
Steel arm base width:	17,7"
Upholstered arm width	17,7"

Optional:

 USB


MEDIDAS GERAIS

Por ser um produto artesanal, poderão ocorrer variações nas medidas informadas. A Bell’Arte se reserva o direito de efetuar modificações no produto sem prévio aviso.



Module – 1 upholstered arm

43,3" seat + 17,7" arm = 61,0"
51,2" seat + 17,7" arm = 68,9"
59,1" seat + 17,7" arm = 76,8"
66,9" seat + 17,7" arm = 84,6"
74,8" seat + 17,7" arm = 92,5"



Module – 1 steel arm

43,3" seat + 17,7" arm = 61,0" 1 bolster cushion 19,7"×19,7"
51,2" seat + 17,7" arm = 68,9" 1 bolster cushion 19,7"×19,7"
59,1" seat + 17,7" arm = 76,8" 1 bolster cushion 19,7"×19,7"
66,9" seat + 17,7" arm = 84,6" 1 bolster cushion 19,7"×19,7"
74,8" seat + 17,7" arm = 92,5" 1 bolster cushion 19,7"×19,7"

S O F A
L U I

TECHNICAL INFORMATION

Structure
Certified reforested wood (Eucalyptus Grandis and multilayer boards), kiln-dried with controlled moisture.

Frame Assembly
Galvanized staples and special adhesive are used at all wood joints to ensure a strong, durable structure, with dowels at strategic points.

Foam
Foams certified to ISO 9001, manufactured without CFCs.

Comfort System
Foam.

Seats
Fixed – foam [density 35 kg/m³] with Soft foam [density 20 kg/m³], covered with 120gr polyester fiber batting.

Backrests
Fixed – foam [density 35 kg/m³], Soft foam [density 20 kg/m³] with a layer of 120gr polyester fiber batting.

Feet
Carbon steel and wood – 6,7” height

Removable Parts
Non-removable



ASSEMBLE WITH THE
Creator **MOD**



CHECK OUT THIS PRODUCT
ON THE **WEBSITE**

