

OM AWE SOFA



OMAWE SOFA





According to the Maori language, native to New Zealand, Omawe means “to shine”. With generous dimensions, arms, seats and backs made of large foam segments, this is exactly what this sofa does in any contemporary environment. A combination of special foams and exclusive comfort systems mounted on retractable seats give this sofa extreme versatility, which combines a sophisticated look with the unparalleled practicality and comfort of the best home theater sofas.

SIGNED BY RICARDO BARDDAL


OMAWE
SOFA

GENERAL DIMENSIONS

As this is a handcrafted product, variations in the stated dimensions may occur. Bell’Arte reserves the right to make changes to the product without prior notice.




Open module depth	63,8"
Closed seat depth	31,1"
Closed chaise depth	63,8"
Open chaise depth	79,5"
Closed chaise seat depth	46,9"
Open chaise seat depth	62,6"
Arm height from seat	9,1"
Arm height from floor	26,4
Leg height	1,2"
Arm width	12,6"



OMAWE
SOFA

GENERAL DIMENSIONS


As this is a handcrafted product, variations in the stated dimensions may occur. Bell’Arte reserves the right to make changes to the product without prior notice.



Module – 1 Arm

41,3" seat + 12,6" arm = 53,9"
1 cushion 27,6"×27,6" + 1 cushion 23,6"×23,6"


55,1" seat + 12,6" arm = 67,7"
1 cushion 27,6"×27,6" + 1 cushion 23,6"×23,6"



Module – Armless

41,3" seat
3 cushions 23,6"×23,6"


55,1" seat
3 cushions 23,6"×23,6"



Module – Chaise


41,3" seat + 12,6" arm = 53,9"
1 cushion 27,6"×27,6" + 1 cushion 23,6"×23,6"

55,1" seat + 12,6" arm = 67,7"
1 cushion 27,6"×27,6" + 1 cushion 23,6"×23,6"



Module – Corner

48,8" width × 48,8" depth



Puff Table

31,5" width × 45,3" depth

31,5" width × 59,1" depth

OMAWE
SOFA

TECHNICAL INFORMATION

Structure
Certified reforested wood (Eucalyptus Grandis and OSB panels), kiln-dried with controlled moisture.

Frame Assembly
Galvanized staples and special adhesive are used at all wood joints to ensure a strong, durable structure.

Foam
Foams certified to ISO 9001, manufactured without CFCs.

Comfort System
Foam and goose down.

Seats
Fixed – D-26 Hiperflex / D-35 Soft foam covered with goose down.

Backrests
Fixed – D-20 Soft foam covered with polyester fiber.
Loose – goose down cushion.

Feet
Galvanized carbon steel – 7,5” height

Removable Parts
Feet



ASSEMBLE WITH THE
Creator **MOD**



CHECK THIS PRODUCT
ON THE **SITE**

