


MINI COUCH



- Versatile segments offering flexibility
- Integrated kneeling mat & stool
- Additional covers available
- Meets all requirements for Infection Control
- Designed in consultation with midwives & mothers
- Non-slip base
- Comfortable flat surface when fully assembled
- Removes the need for a bed for suturing / examinations
- Choice of colours: heather, royal blue, ocean, navy blue, sage green



	MINI COUCH
DIMENSIONS	1.15m x 0.9m x 0.42m
CONSTRUCTION	Foam - 33/190 (base) & 30/125 (top) grade
COVER MATERIAL	Vapour-impermeable 2-way stretch medical grade PU material
CLEANING & DISINFECTION	Hydrogen Peroxide 3-25% Chlorine & compounds 1000-10,000ppm
WARRANTY	CORE: 3 years COVERS: 12 months

+44 (0)1526 344266

orders@dpek.co.uk

ENQUIRIES TO: thebirthroom@dpek.co.uk

MINI COUCH



MATERIAL PROPERTY:	
COMPOSITION	Coating: Polyurethane Basecloth: Polyester
WEIGHT	224gsm
ABRASION	Hydrostatic head of >100 kPa after 50,000 cycles
BURST STRENGTH	Breaking Strength (warp) tested to EN ISO 1421 - >450N Breaking Strength (weft) tested to EN ISO 1421 - >200N Breaking Extension (warp) tested to EN ISO 1421 - >80% Breaking Extension (weft) tested to EN ISO 1421 - >120%
COLOUR FASTNESS	Colourfastness to water (EN ISO 105:E01) - grade 5 Colourfastness to perspiration (EN ISO 105:E04) - grade 5 Colourfastness to dry rub (EN ISO 105:x12) - grade 4/5

	2-WAY STRETCH No delamination
	ANTI-MICROBIAL Tested to AATCC Test Method 30 (Aspergillus Niger) and ISO 22916 (k. pneumoniae)
	BIO-COMAPTIBILITY (ISO10993-5) Cytotoxicity = <Grade 1 (ISO10993-10) Skin Irritation - classed as non-irritant; Skin Sensitisation - considered to be non-sensitiser
	ECO FLAME RETARDANT: CRIB 5 BS6807, sources 0,1 & 5 conforms when used with a suitable combustion modified foam RoHS Directive 2011/65/EU compliant
	FUNGITASTIC Contains an anti-fungal agent to control microbial deterioration; the products do not contain any nano materials
	MACHINE WASHABLE Dyed and Scour fabrics available No delamination
	MVP BS 3424-34 - 10%
	WATERPROOF Water penetration resistance / Hydrostatic head (kPa) 35 minimum; typical 100 (BS3424-26)
	WIPE CLEAN For infection control
	UV PRINTABLE Innovative, no odour ink that does not crack when stretched - 5 colour print process

+44 (0)1526 344266

orders@dpek.co.uk

ENQUIRIES TO: thebirthroom@dpek.co.uk



MINI COUCH



+44 (0)1526 344266

orders@dpek.co.uk

ENQUIRIES TO: thebirthroom@dpek.co.uk