

quikfence®

Fencing made easy

Fast **FENCER**

Making light work of fencing





FFD1300/2400

The **FFD1300/2400** is ideal for skid steers and smaller tractors, offering a compact and efficient solution for fencing tasks.

Perfect for tight spaces or smaller operations, it ensures precise handling and easy maneuverability, giving users the flexibility and convenience of using the Fast Fencer in various environments.

The standard FFD1300/2400 has a 3 roll capacity up to 250 metre lengths. Longer lengths can be handled on this machine, but depending the rolls have an apron you may be restricted to only carrying two rolls due to the width.

Dimensions: 1300 high x 2400, wide x 850 deep, weighs 540kg

Your price





FFD1300/3000

The **FFD1300/3000**, is ideal for larger tractors, backhoes, loaders, and telehandlers. This model is 3 metres wide and designed keep fence netting clear of wheels to prevent snags and the wire from being entangled in the wheels.

The FFD1300/3000 model has a 3 roll capacity up to 250m lengths for the standard model. Like the FFD1300/2400 it can also handle longer lengths depending on the type of fabricated netting being used. The option to carry 500m rolls is available.

Dimensions: 1300mm high x 3000mm wide x 850mm deep, weighs 565kg

The FFD1300/3000 is ideal for sheep, goats and other livestock, crop protection, external and internal fencing.

Your price

Option for 500m rolls

FastFencers can be reinforced and reconfigured to carry three 500m rolls saving significant amounts of time and increasing productivity. We do recommend to check your parent machine can safely carry this amount of weight. On smaller machines it may be safer to carry two rolls until there's an upgrade of machinery.



FFD1300/2400/Side Shift

The **FFD1300/2400/Side Shift** allows the FastFencer to move 300mm to the left or the right while the parent machine is stationary. This is just like the forks on a forklift.

Effectively extending the sideways reach of the FastFencer by 300mm either side without moving the tractor comes very handy for tractors and larger parent machines are in a tight spot to move to and from the line.

The FFD1300/2400/Side Shift base 2.4 metres wide, making it ideal to cart on a ute or trailer without being a wide load.

The Side Shift model has a 3 roll capacity up to 250m lengths for the standard model. The option to carry 500m rolls is also available.

Dimensions: 1300mm high x 2400mm, wide x 850mm deep, weighs 580kg

The FFD13/2400/Side Shift is suited for running out hinge joint, fabricated netting, various rural fencing projects, exclusion netting, and feral netting.

The Side Shift model is ideal for hilly and open country.

Your price



FastFencer Machine moves 30cms left and right of the Parent machine



FFD2100/2400

The **FFD2100/2400** is 2.4 metres wide suits telehandlers, small tractors, loaders.

The FFD2100/2400 has 3 roll capacity, and designed to carry 1800mm rolls with a hinged apron, up to 250 metres in length.

500m option

Due to the weight of carrying three, 1800mm, 500m rolls, we recommend upgrading. The 500m model is built with a heavier base and reinforced structure to handle the punishment of this load.

This machine is heavy duty and purposed built to go the distance,

Dimensions: 2100mm high x 2400mm wide x 850mm deep, weighs 710kg,
500 metre roll model weighs 740kg

Your price





FFD2100/3000

The **FFD2100/3000**, is 3 metres wide and ideal for larger tractors, loaders, and telehandlers. The 3 metre width avoids the fence netting being caught and being snagged in the wheels


The FFD2100/3000 has 3 roll capacity, 1800mm plus hinged apron, up to 250 metres. The 500 metre x 3 roll capacity option available, ideal for exclusion fencing projects

This machine is ideal for running out standard hinge joint, fabricated netting for Kangaroo proof fencing and exclusion projects.

Dimensions: 2100mm high x 3000mm wide x 850mm deep, weighs 780kg,

Your Price





FFD2100/2400/Side Shift

The **FFD2100/2400/Side Shift**, allows the FastFencer to extend its reach by 300mm either side without moving the tractor comes very handy for tractors and larger parent machines are in a tight spot to move to and from the line. The base is 2.4 metres wide, making it ideal to cart on a ute or trailer without being a wide load.

Dimensions: 2100mm high x 2400mm, wide x 850mm deep, weighs 580kg


The FFD2100/2400/Side Shift is suited for exclusion fencing and major fencing projects.

Your price



Bolt On Hitches

Using a different hitch, the Bolt on Hook Plate allows the same FastFencer to be attached to a different parent machine. This is ideal when working with a nimble skid steer for heavily treed land, or a heavy powerful tractor for a big loads of wire. Talk to us, to discuss what option suits your operation the best, including what's down the track.





Barbara the handy barbed wire attachment

The FastFencer with the option of the Barbara can now run out barbed wire increasing productivity for farmers and contractors.

To tension the wire to tie it off, a pin is placed to lock Barbara in place, and the power of the parent machine moves forward to gain the desired tension.

To find out more about the Barbara contact us to discuss what you're using to get you kitted up.

Your price





5k Barbed Wire Roll

The 5,000m roll of barb is the ultimate solution for large-scale fencing projects. With the ability to load three rolls on a FastFencer, you can lay down 15 kilometres of fencing with only three joins, significantly reducing downtime and increasing efficiency. This means fewer roll changes and more time spent getting the job done without unnecessary interruptions, making it the ideal choice for farmers and contractors working on extensive fencing projects.

The 5,000m roll is easy to handle on the FastFencer which can carry three rolls, while the FastFencer Jr is built to handle one or two rolls.





Post Drivers

QuikFence offers a comprehensive range of post drivers designed to meet the needs of farmers, contractors, and variety of projects.

The selection starts with nimble nitro-powered jackhammer percussion post drivers, ideal for smaller parent machines, and extends to extra heavy-duty hydraulic models capable of lifting 500kg hammers for demanding fencing projects. Top brands like FencePro, KingHitter, ThunderPro, Bryce Suma, and PostPuncher, ensures there's a machine suited to every workload and parent machine whether it's a tractor, skid steer, or excavator.

The extensive range means you get the right post driver for the job, improving efficiency, reducing labour, and making fencing faster and easier.

Finance Calculator

QuikFence offers a convenient finance option to help you invest in quality fencing equipment without the upfront financial strain.

Using the handy finance calculator, you can estimate your repayments and plan your budget accordingly. Financing allows you to get the right equipment for your project immediately, ensuring efficiency and productivity without effecting the cash flow.

Before applying it's recommended to get an obligation free quote to streamline the process. Plus, by having a chat we'll make sure you have the right equipment suited to your fencing needs.



Fast **FENCER**



No more heavy lifting with the FastFencer, ever.
You will build a better fence in less time, and save on labour costs.



quikfence®
Fencing made easy

www.quikfence.com.au | 1800 062 723

sales@quikfence.com.au | 449 East St, Warwick QLD, 4370, Australia