



# PROWEAVE™ - S


Openness | 0% 1% 3% 5%




Sandlot



Ultra White




White




Natural



Alabaster




Platinum



Slate



Husky Grey



Jet Black

# PROWEAVE™ - S

## Specifications



### COMPOSITION

70% PVC, 30% Polyester



### WEAVE STYLE

2x2 Basket Weave



### WIDTH

116" (300 cm)



### FABRIC WEIGHT

- 0% 550 g/m<sup>2</sup> (16.22 oz/sqyd)
- 1% 530 g/m<sup>2</sup> (15.63 oz/sqyd)
- 3% 510 g/m<sup>2</sup> (15.04 oz/sqyd)
- 5% 460 g/m<sup>2</sup> (13.57 oz/sqyd)



### FABRIC THICKNESS

- 0% 0.72 mm (0.029") ± 5%
- 1% 0.68 mm (0.027") ± 5%
- 3% 0.67 mm (0.026") ± 5%
- 5% 0.60 mm (0.024") ± 5%



### UV BLOCKAGE

- 0% 99.5%
- 1% 99%
- 3% 97%
- 5% 95%



### GREEN STANDARDS

GreenGuard Gold  
Oeko-Tex Standard 100



### FIRE CLASSIFICATION

Canada: CAN/ULC S-109  
USA: NFPA 701 2010 TM#1



### FIRE CLASSIFICATION



## ProWeave™ - S | 0% Openness

Colour	Rs	As	Ts	Tv
Ultra White	78%	6%	16%	12%
White	75%	13%	12%	10%
Natural	70%	17%	13%	9%
Alabaster	66%	23%	12%	8%
Platinum	55%	39%	6%	4%
Sandlot	27%	70%	3%	1%
Slate	44%	51%	5%	2%
Husky Grey	16%	83%	1%	1%
Jet Black	4%	96%	0%	0%

## ProWeave™ - S | 1% Openness

Colour	Rs	As	Ts	Tv
Ultra White	80%	6%	14%	10%
White	74%	12%	14%	11%
Natural	68%	17%	15%	11%
Alabaster	62%	24%	14%	10%
Platinum	57%	36%	7%	4%
Sandlot	28%	68%	4%	2%
Slate	42%	52%	6%	3%
Husky Grey	15%	83%	2%	2%
Jet Black	4%	95%	2%	1%

## ProWeave™ - S | 3% Openness

Colour	Rs	As	Ts	Tv
Ultra White	76%	6%	18%	14%
White	74%	11%	15%	12%
Natural	66%	18%	16%	12%
Alabaster	63%	22%	15%	11%
Platinum	53%	39%	8%	6%
Sandlot	29%	64%	7%	5%
Slate	46%	50%	7%	4%
Husky Grey	14%	82%	4%	4%
Jet Black	4%	94%	2%	2%

## ProWeave™ - S | 5% Openness

Colour	Rs	As	Ts	Tv
Ultra White	76%	6%	18%	15%
White	70%	11%	19%	16%
Natural	62%	18%	20%	16%
Alabaster	58%	23%	19%	14%
Platinum	46%	41%	13%	10%
Sandlot	31%	58%	11%	9%
Slate	41%	48%	11%	8%
Husky Grey	12%	80%	8%	7%
Jet Black	4%	89%	7%	7%

As (Solar absorption) + Rs (Solar Reflection) + Ts (Solar Transmission) = 100% of solar energy. Tv = Visible Light Transmission. SHGC = Solar Heat Gain Coefficient is measured using 1/4" heat absorbing glass + fabric. All performance values are measured within tolerances of ±5%.

Contact ELITE PRO for larger fabric swatches.

© 2024, ELITE PRO, A division of Elite Vertical Blinds Mfg. Co. Ltd.