

PARKING MANAGEMENT

AUTOMATIC PAY STATION (LPR)

Provides casual users with an unmanned parking payment service prior to exit. Incorporating LPR technology.









OFF STREETPARKING

MANAGEMENT

AUTOMATIC PAY STATION (LPR)

The PARKi Automatic Pay Stations are vandal resistant and highly secure. They accept payments by coins, credit cards andmobile phones. The front face can be modified to suit customers brand as well as providing an extra screen for advertising.



TECHNICAL SPECIFICATIONS

DIMENSIONS:

- H1750mm x W800mm x D500mm
- **ENCLOSURE:**
- 2mm thick zinc plated Steel, powdercoated in grey crinkle powder coat finish

FRONT DOOR:

• CDS Generic CDS facia or custom artwork to suit customer needs.

POWER SUPPLY

- 240 Vac 50 Hz, single phase
- COMMUNICATION
- TCP/IP LAN or RS485

DRIVER DISPLAY

• 15" LCD colour monitor

FACILITIES

- Barcode receipt laser scanner or insert reader
- EMV.3 credit card reader
- Receipt / Exit pass printer
- Coin Recycler 3 bins
- Coins Acceptor
- Note acceptor with note recycler supporting 3 Vaults, 1 note storage
- Notes Dispenser (\$5; \$10; \$20)
- Coin change dispenser (10c, \$1, \$2)
- UPS
- Tamper alarms

INPUTS:

- Cancel this transaction push button
- Lost Pass push button
- Help
- Receipt
- Intercom
- Pre-Pay ticket

ASSISTANCE

- In built 2 way hands free audio intercom
- Push button for audio Help

COMPLIANCE

- EMV.3 insert credit card
- PayWave/PayPass contactless reader





AUTOMATIC PAY STATION (LPR)

CAN BE CONFIGURED TO SUPPORT **DIFFERENT TICKETING SOLUTIONS:**

TICKETING SOLUTION

Enables controlled Free Parking for periods of time: 1 - 2 hours to genuine customers. Any re-entries by same vehicle registration within the free period of parking are flagged and a charge can be applied after the accumulated free period is used. Thereby stopping the abuse of all day parking without consequences.

TICKETLESS SOLUTION

Vehicle registration numbers are captured on entry via LPR cameras which are transmitted to the CDS server.

Motorist can now pay either at the preferred Pay Station kiosk prior to leaving, using coin, credit card, notes, pay wave or mobile phone via the CDS touch screen (see reverse of flyer) or alternatively when leaving the carpark at the exit gate.

Permanent registered users now have the convenience of drive-in/drive-out without having to stop at the exit station on leaving with automatic activation of boom gate.

Casual users can either pay at the APS or at the exit station. If payment is made at the APS the boom gate activates automatically for the casual user on exit.

CONFIGURATIONS

TICKETING SOLUTIONS:

- Low cost thermal barcode disposable paper tickets
- Durable Fan Folded tickets.
- Ticketless systems using licence plate recognition and touch screen interface.

PAYMENT SOLUTIONS:

- Accepts multiple payment methods: coin, notes, credit card, pay-by-phone and special parking fee discount vouchers. Dispenses change if needed.
- Secure, robust ,vandal resistant metal cabinet
- Fast unmanned payment for casual car park users.
- Issues a receipt for exiting the car park.
- Improves payment collection methods to facilitate efficient car park operation.
- Recharges "stored value" car park access cards

PAYMENT OPTIONS



Pay Wave



Notes










Tue 25 Mar 08:35:40











TOUCH SCREEN

The touch screen provides the instructions to quide the customer through the payment process.

When used with the PARKi Ticketless LPR Solution the screen allows the customer to easily select the LPR image of their car on entry to confirm the amount of time they have used the carpark.

They are then guided through the payment process.

Upon exit the LPR recognises the customers licence plate and the boomgate opens automatically.

This benefits the customer and the carpark management allowing fast egress at all exit points.



OFF STREETPARKING
MANAGEMENT

AUTOMATIC PAY STATION (LPR)

ACCESSIBILITY

CDS Pay station fully complies with Australian Standard AS1428.2 to enable this Pay Station to be used by all persons including physically challenged (disabled) persons, in wheel chairs.

Pay Station Dimensions are: 1750mm H x 800mm W x 500mm D Main Screen Size: 15 Inch

Advertising Screen Size: 10.7inch

1200mm

All controls on CDS pay station are between height of 1200 mm and 450mm from the ground.

Australian standards require controls to be between 1220 and 230mm,

450mm

