



BUYER'S GUIDE

Full Line of PPE, Plant and Safety Products



- Hand Protection
- Eye Protection
- Head & Face Protection
- Respiratory Protection
- Protective Clothing
- Welding & FR
- Water Safety
- ... and so much more!

(800) 421-7081
www.R3Safety.com



Phone:
(800) 421-7081

8:00am – 6:00pm EST
Monday – Friday

Fax:
(888) 822-5665

24 Hours a Day
7 Days a Week



eMail:
r3so@r3safety.com

24 Hours a Day
7 Days a Week



Website:
www.R3Safety.com

24 Hours a Day
7 Days a Week



Chat:
8:00am – 6:00pm EST
Monday – Friday
-Visit www.r3safety.com

**-Click the smiley face to chat
with a member of our team.**

KEY DISTRIBUTOR BENEFITS



SIMPLE BUSINESS RULES

- No minimum order
- Low Prepaid Freight
- 26,000+ SKUs
- Blind Drop Ship capabilities - R3 will ship direct with your name on packing list



SUPPORT TOOLS

- R3 on demand available 24/7 providing access to pricing, inventory and order history
- Live chat with our friendly customer service staff on R3safety.com
- Marketing tools for distributors from catalogs to ecommerce programs



WIDE-REACHING

- Strategically located Distribution Centers in the US
- Deliveries to most US destinations within 2 days

Table of Contents

Being your complete source means more than just offering you a full line of safety equipment — it also means we will provide you with the knowledge and tools to select the right product, for the right application, at the right price.



New Products _____ 2 - 19

PPE Safety Products _____ 20 - 221

Eye Protection _____	22 - 51
Head & Face Protection _____	52 - 63
Hearing Protection _____	64 - 79
Respiratory Protection _____	80 - 95
Hand Protection _____	96 - 141
Welding & FR Safety _____	142 - 151
Footwear _____	152 - 159
Ergonomics _____	160 - 163
Fall Protection _____	164 - 185
Water Safety _____	186 - 191
Protective Clothing _____	192 - 205
Cold Weather Gear _____	206 - 215
Hi-Viz Apparel _____	216 - 221

Plant & Workzone Safety Products _____ 222 - 259

Lighting _____	224 - 229
Instrumentation _____	230 - 233
Confined Space _____	234 - 237
Heat Stress _____	238 - 241
First Aid _____	242 - 243
Showers & Eyewash _____	244 - 249
Lockout/Tagout _____	250 - 251
Wipes & Cleaners _____	252 - 253
Sorbents _____	254 - 255
Hazardous Storage _____	256 - 259
Resources & Index _____	260 - 272

As you find the safety products you need within our catalog, keep a lookout for helpful information to guide you along the way.



For Your Information icons provide you with generalized (non-regulatory) information about associated products.



Cross References will direct you to another page and can help you find related products throughout our catalog.



Shipping icons indicate products that require shipping directly from the manufacturer.



Stock icons indicate a specific SKU's availability. Non-stock item. Minimum quantity may apply.

New Products



9435 Remote Area Lighting Systems

Battery-powered, safety-approved handheld remote area light. Made with polycarbonate body. Features 1,500-lumen output on high, 750-lumen output on low and up to 10 hours of run time. Closed dimensions: 7.87" W x 15.75" L x 9.06" H. Extended mast height: 32.28". Powered by (1) NiMH battery (included) with battery level indicator. Certifications: RoHS Compliant, CE Approved, Class I, Division 2, IECEx ic, ATEX Zone 2 Orange.

PAGE
224



9435



2380R



2380R Tactical Flashlight

Features slide-beam technology, USB recharge-ability and full battery level indication. Offers high performance LED lamp, multiple modes (high, strobe, low) and high carbon steel clip. Provides up to 25 hours of run time, 305-lumen output on high and 30-lumen output on low. Powered by (2) CR-123 disposable, rechargeable batteries (included). Lifetime warranty. 6.48" Length. Black.

PAGE
226



SabreLite™ 2010 LED™ Flashlights

Made with durable, lightweight EXL body. Produces white collimated beam as bright as incandescent light. Twist on/off lens shroud eliminates accidental discharge. Features submersible design, 161-lumen output and 22-hour run time. Powered by (3) C alkaline batteries (included). Lifetime warranty. 8.11" Length.

PAGE
228



2010C-BLK



**PAGE
227**

3310ELS



3310ELS Emergency Lighting Station

Features self-contained glowing beacon and flashlight that's easy to locate in the dark. Made with photoluminescent polycarbonate body, polycarbonate lens and high/low/flashing modes. Housed in clear tamper-proof case that mounts to wall, making it highly visible during a power outage. Offers 234-lumen output, up to 202 hours of run time and IPX7 waterproof design. Powered by (3) AA alkaline batteries (included). Lifetime warranty. 6.14" Length.



2745

**PAGE
228**



2745 LED Headlamp

Made with polycarbonate body, lens and shroud. Features ultra-compact and lightweight design, provides 33-lumens and up to 40 hours of run time. Offers multiple modes including high, low and flashing. Includes cloth and rubber head straps as well as center mount adhesive helmet clip. Class I, Division 1 certified. Powered by (3) AAA alkaline batteries (included). 2.25" Length.



**PAGE
137**



Ironclad® Motor Grip Gloves

Features Diamonclad® silicone-fused palm, terry cloth sweat wipe, TPR cuff puller, TPR Velcro® wrist closure and neoprene knuckle impact protection.

EXO-MGG



KONG® Original Gloves

The original oil and gas glove features KONG metacarpal and knuckle protection and exclusive palm material. Features hi-viz palm, extended neoprene cuff and ID tag.



**PAGE
140**

SDX2



**PAGE
110**



Knit Cut 3 Gloves

Features polyethylene cut-resistant yarn with polyurethane-dipped palm. Ideal for tool pushing, construction and mining. Safety yellow. EN388 level 3.

IKC3-HSY



**PAGE
138**

Hi-Viz Utility Gloves

Features EXO-embossed palm, suede cuff puller and terry cloth sweat wipe. Hi-viz color and reflective accents for safety and visibility.



EXO-HSO



Industrial Impact Rigger Cut 5 Gloves

Features Duraclad reinforced palm for grip and Airprene cuff for snug fit. Extra impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage. Reflective fabric offers nighttime visibility. ENN388 cut level 5 palm liner. Ideal for heavy industrial environments, oil extraction, refining, mining and rigging.



**PAGE
111**



INDI-RC5



3590543

**PAGE
177**



Rebel™ Self-Retracting Lifelines

Lightweight, compact and durable. Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Durable thermoplastic housing on both web and cable models incorporates a swiveling anchorage ring, allowing for ultimate functionality in heavy-use environments. Unique speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Web models feature unique, thin webbing that enables a compact size with a load capacity of 310 lbs. Galvanized steel cable models feature a maximum arresting force of 900 lbs. and support capacity of 420 lbs. and 5 mm cable diameter. Hooks have 3,600-lb. gate compliance. Two year warranty, no annual re-certification required. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.



**PAGE
171**



ExoFit STRATA™ Construction Style Positioning Harnesses

1112536 Features LIFTech™ weight distribution system, Repel™ webbing, built-in lanyard keepers that automatically reset, impact indicator, integrated suspension trauma straps, customizable name tag, and label protectors. Includes PolarMesh™ back pad, EZ-Link™ SRL adapter, Revolver™ quick-connect leg straps, Revolver vertical torso adjusters, stand-up Tech-Lite™ aluminum back and side D-rings, and body belt/hip pad with thermoformed EVA padding. i-Safe™ enabled with RFID technology.



**PAGE
126**



Heavy-Duty Drivers Gloves

Top-grain cowhide palm with added split leather, index finger and thumb reinforcement. Palm-sewn with Kevlar® for strength and heat resistance. Features wing thumb and elastic on cuff for snug fit. Unlined for maximum dexterity.

1464



**PAGE
128**



1470 TrueFit™ Goatskin Performance Gloves



Top-grain goatskin construction for dexterity. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

1470

TrustFit™ Pod Push-In Foam Earplugs

Push-in foam earplugs designed with an ergonomic stem and dimpled foam tip so they are easy to fully insert and remove without picking up dirt from workers' fingers, and comfortable to wear during the work day. Meets ANSI S.3.19-1974.

TRUSTFITPOD-1



Honeywell

N10R020000

North Zone™ Hard Hats

Contemporary high density polyethylene (HDPE) shell design with 4 large areas for custom logo imprinting or other personalization options. Features slots for cap-mounted earmuffs, faceshields and other PPE accessories, removable and replaceable rear comfort cradle, 3-level height adjustment (Low, Medium, High), and ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL). Includes moisture-wicking, breathable sweatband that is easily removable, washable and replaceable. Meets ANSI Type I, Class C, G and E requirements.



Honeywell
HOWARD
LEIGHT

Thunder® for North® Hardhats

Features sleek design and easy height adjustment. Lower profile cups attract less dirt for better hygiene. Ear cups snap in place during use and swing back when not in use.

EM2177-HL

EM4157-HL





**PAGE
239**



Instant Wide Base Shelter

Quickly put up some shade that stays stable in all kinds of conditions. Made of rugged Polyguard 2X™ double-thick fabric with UVGuard™ material for 50+ UPF protection. Features telescoping poles with Comfort Grip™ technology, and wide slanted legs with large feet that can be stepped on for easy setup. Includes ground stakes, pre-attached guy lines and wheeled carry bag for easy storage and transport. 12' x 12' Tent provides 100 sq. ft. of shade.



**PAGE
239**

5-Gal. OSHA Beverage Cooler

Cooler includes cup dispenser and insulated case to keep drinks cold. Features Comfort Grip over-molded handles, easy-to-use faucet and antimicrobial liner. ANSI color and reflective accents meet OSHA compliance.



3000004064



TD200-HVY



**PAGE
238**

Wicking and Cooling Products

Comfortable, soft hand, lightweight fabric helps reduce effects of heat stress. Skull caps feature tie-back to ensure close fit to the head. Bandanas and towels can be worn multiple ways or used to wipe down. 23% More cooling power than microfiber.

TD400-NAVY

DuPont
Personal Protection

**PAGE
196**

DuPont™ ProShield® 50 Coveralls

Suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with microporous film that is laminated to spunbonded polypropylene substrate. Features serged seams. Applications include: janitorial, sanitation and general industrial maintenance. White.



NB120SWH4X002500



**PAGE
45**



S1201SGAF-KT



3M

**3M™ Solus™
1000-Series**

3M™ Solus™ 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which withstands disinfection with diluted bleach soaking or alcohol wipes without losing its anti-fog performance. Kit includes optional elastic strap and removable foam gasket.

MOLDEX



**PAGE
83**

2-Strap Respirators

Dura-Mesh® shell protects the filter media so that it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy comfortable fit. Optional exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. Optional carbon layer helps filter out nuisance levels of ozone and organic vapors, or nuisance levels of acid gases (less than OSHA PEL). All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

2300N95



2200N95

**PAGE
141**



Electric Service Gloves, Class 0

Protects up to 1000 Volts AC/1500 Volts DC. Features 12" length for added protection. Must be worn with leather protector gloves. Electric Service gloves are Class 0, Type 1 and made with natural rubber. Meets or exceeds ASTM D120-09 specifications.



6417



25676

**PAGE
46**



Jackson Safety* V30 Nemesis* Safety Eyewear

Sporty, flexible, and lightweight design for comfort and compliance. Enhanced nosepiece design with integrated ridges to divert sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Comes with a gravity feed display box. Base curve 8. Nemesis* S fits a smaller, slimmer head without adjustments with a base curve 8.25. Nemesis* Polarized has superior polarized-lens technology to reduce eye stress and fatigue caused by excessive glare. Meets ANSI Z87.1+ requirements for high-impact protection. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act, except for Nemesis* Polarized.



25627

25631

**PAGE
47**



Jackson Safety* V10 Element* Safety Eyewear

Lightweight, popular styling with an economical price. Metal-free design with screw-less hinges. Base curve 10 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act.



N-Ferno® 6821 Fleece Balaclava

Features 340 g stretch polyester fleece for warmth and comfort. Reflective accent for higher visibility. Universal. Black.

16821

**PAGE
54**



**PAGE
41**



DM1310P



Dominator™ DM3

Designed to provide solution-based eyewear protection. Features wire core, independently adjustable nose pads. Available with MAX3™ scratch-resistant coating which provides three times greater scratch resistance, MAX6™ anti-fog coating which is proven to provide six times greater fog-resistance and dissipation, or BOSSMAN™ mirror lens coatings. Offers co-injected TPR wire core adjustable nose pads and temples for complete adjustability. Available in 4 frame options; Gun Metal/Red TPR, Clear/Blue TPR, Black/Black TPR, or Yellow/Blue TPR. Meets or exceeds Z87+ and Military High Velocity Impact standards. Includes cord and cleaning case.



The Safety Company

**PAGE
175**

Latchways Mini Personal Fall Limiters

Compact and lightweight self-retracting lanyard uses multiple spring radial energy-absorbing technology. Eliminates the need for an external energy-absorber outside of housing. Features aluminum swivel carabiner and top steel carabiner (single leg only). Twin-leg version is available when dual connection is needed for 100% tie-off.



63011-00C

63111-00C



**PAGE
165**

MSA
The Safety Company

Gravity® Harness

Curvilinear Comfort System provides total comfort during use. Integral belt and comfortable saddle assist with support, position, restraint and climb movements. Teflon® fabric protected webbing resists water, oil, grease and dirt. Uses a special urethane web coating to resist stains and wear and tear that are common when working in dirty environments. Rated to a 400-lb./180 kg capacity. Suitable for controlled descent, positioning, ladder climbing, rescue, and fall arrest. Includes load-indicator to alert when the harness has been involved in a fall event. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

10155875



11-927

**PAGE
106**



Ansell

HyFlex® 11-927 Medium-Duty Oil-Repellent Gloves

RIPEL® Liquid Repellence Technology provides oil repellence without compromising flexibility. Unique 3/4-dip geometry provides added protection against oil exposure and knuckle abrasion. Industry leading wet and oil grip, ANSELL GRIP Technology®, uses microscopic channels to wick away oil and moisture. Features HPPE and nylon-plaited liner and elasticized knit cuff. ANSI abrasion level 4 and ANSI cut level 2.

Ansell

ActivArmr® 97-120 Gloves

Features 15-gauge Spandex® polyester liner with neoprene nitrile coating for increased comfort and dexterity. Impact protection reduces potential injury. Intercept™ Technology provides cut protection. Outstanding mud-oil grip plus cut and impact resistance protects hands in extreme conditions, reducing fatigue and increasing productivity. Hi-viz color increases awareness of location of users' hands for safety. Ideal for reworking tools, running cables, handling pipes and assembly of motors. EN 388 4242.

**PAGE
136**



97-120



Hydroblast HB2 Goggles

Features solution-based protection, TPR seal and 7-point ratchet action. Offers vented and dielectric design. MAX6™ provides anti-fog coating. Available with adjustable hook-and-loop elastic strap or adjustable rubber strap. Meets ANSI Z87+ standards.

**PAGE
27**



HB1210PF



Luminator® FR Class 2 Breakaway Vest

Made of GlenGuard® solid lime modacrylic/aramid blended fabric with 2" silver FR reflective stripes. Features 5-point hook-and-loop for breakaway and D-ring access for fall protection harness. Arc rating: 5.4 cal/cm², HRC1. Meets ASTM F1506 and NFPA 70E. ANSI/ISEA 107-2015 Class 2, Type R compliant.

**PAGE
218**



FRMBC2LXL



**PAGE
49**



PS0110ID

RADIANS **Passage Eyewear**

Features lightweight frame, flexible temples with rubber temple pads and seamless one piece design. Polycarbonate lens provides impact resistance. Provides 99.9% protection against harmful UV rays. Meets ANSI Z87.1 standards.



**Emperor Penguin®
Winter-Lined
Nylon Gloves**

**PAGE
212**

Waterproof winter gloves feature 15-gauge shell with a soft, brushed 10-gauge insulated acrylic liner. Closed cell nitrile dip is available in full palm-dip or 3/4 sandy latex palm dip. Hi-viz yellow.

3398DNY



**PAGE
176**

Honeywell **Miller DuraSeal™
Sealed Self-Retracting
Lifelines**

Designed to perform in the harshest environments including onshore and offshore oil and gas, mining and petrochemical. Prevents contaminants from entering unit with the highest industry-rated sealed technology IP69K. Built-to-last reusable brake design withstands multiple falls and is corrosion-resistant. The sealed technology, reusable brake system, field replaceable lifeline and corrosion resistant materials keep the product in the field to lower cost of ownership. Includes cable sling, tagline and (2) carabiners.

SSRL5061

Honeywell

WorkEasy® Cut-Resistant Gloves

Blend of cut-resistant fibers provides a high-level of cut and abrasion protection. Features a lightweight 13-gauge Spectra® Fiber blend knit shell with PU-coating for excellent dexterity and tactile sensitivity. Offers a consistently high level of mechanical cut protection making it ideal for applications where cut or slash hazards are a high risk. Lightweight glove provides excellent dexterity and tactile sensitivity for small part handling and assembly. ANSI cut level 3/EN388 cut level 5.

**PAGE
109**

WE300



**PAGE
110**



NFD18FRG

Honeywell
NORTH

NORTHFLEX FRGrip™ Plus 5 Gloves

Protect hands in instances of flash fire; Kevlar® brand engineered fibers are inherently flame-resistant and fire retardant. Features lightweight 13-gauge Kevlar shell with neoprene/nitrile and bi-polymer coating on palm and fingertips. Ideal for oil, gas and petrochemical industries, maintenance and manufacturing. Meets ASTM F2675/F2675M-13 Standard.

WELLS LAMONT
Industrial

**PAGE
112**

FlexTech™ Gloves with Sandy Nitrile Palm

Seamless machine knit cut-resistant shell provides all-day comfort and protection. Sandy nitrile palm coating delivers improved grip in wet and oily applications. Machine washable for longer service life. ANSI cut level 5/A7.



Y9216



Y9296

WELLS LAMONT
Industrial

**PAGE
112**

VisTech™ Hi-Viz Nitrile Palm-Coated Gloves

Made of high performance cut-resistant fibers and stainless steel with nitrile-coated palm. ANSI cut level 4/A4.

MOLDEX



**PAGE
72**

Glide® Foam Twist-In Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Features large handle on curved stem and hygienic, no-roll design. Cord can be attached at any desired length. NRR 30.



6940

6945



35-6375

MAJESTIC
RELIABILITY IN SAFETY

**PAGE
106**

Cut-Less Watchdog® Nitrile-Coated Gloves

Features High Performance Polyethylene (HPPE) with sandy nitrile dip over closed-cell nitrile. Seamless knit design and long knit cuff for secure fit. Pre-curved to minimize hand fatigue.



PAGE
144

3M™ Speedglas™ 9100 Welding Helmets

Available with (3) auto-darkening filters (ADFs) in different sizes with built-in mag plate holder. Sensitivity adjustment for use with all Stick, MIG and TIG processes. Also has grinding and torch cutting modes. Headgear features flexible head suspension and extended coverage of vulnerable areas, such as the ears and neck, making helmets comfortable and versatile. Available with SideWindows with replaceable covers that allow for enhanced peripheral and downward viewing, reducing the "tunnel vision" effect. Each starter kit includes (5) outside protection plates, (2) appropriately sized inside protection plates and a sweatband.




9100



Helmet lens options:

- Speedglas™ 9100X, dark Shades 8-13; 9.12 sq. in. viewing area
- Speedglas™ 9100XX, dark Shades 8-13; 12.11 sq. in. viewing area



PAGE
148

750



750 Stick Welders Gloves

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl. 48/Cs.



PAGE
221

Hi-Viz Vests with Chainsaw Striping

Mesh vest with chainsaw designed silver reflective stripes over contrasting color. Features heavy-duty zipper closure, multiple large pockets, clear ID holder, (2) mic tabs and black bottom to conceal dirt. Meets ANSI/ISEA 107-2015 Class 2, Type R standards.



75-3239

75-3240

Cut-Less Diamond® Gloves with Dyneema®

Made with Dyneema Diamond Technology with soft gray polyurethane palm coating for increased dexterity and grip in industrial applications. Features long knit cuff for more secure fit and increased cut protection. Pre-curved finger design to minimize hand fatigue. ANSI cut level 2.

37-1300



Predaflex™ Supported Dipped Gloves

Features a 100% cotton brushed interlock liner and fully-coated nitrile finish for durability and comfort. Palm is sandy finished for extra grip and abrasion resistance. Shoulder length for outstanding extended protection. Ideal for automotive, biological hazards, commercial fishing, construction and farming.

MG9796

New Products



Leather FastFit® Gloves

Made with genuine DuraHide™ for extreme abrasion resistance. Comfortable stretch elastic cuff provides easy on/off flexibility. Form-fitting TrekDry® helps keep hands cool and comfortable. Features anatomically designed 2-piece palm that eliminates material bunching in palm, and pinched fingertip construction for added durability.



LFF-75



**PAGE
117**

Derma-Max™ Nitrile Disposable Gloves

Powder-free 8-mil nitrile exam grade disposable gloves with 12" extended length for added protection. Textured finger tips for increased gripping power. Excellent sensitivity, wear and dexterity. Latex-free. Blue.



6606-40



ECO-IMZ32T-YL

**PAGE
216**



Two-Tone Mesh Vest

Made of 2.95 oz., 100% polyester mesh with 2" silver reflective tape on contrast band. Features zipper front closure, (1) smartphone flap chest pocket with gusset, (1) large inside pocket, (1) inside pencil pocket and (1) mic tab. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

**PAGE
162**



16612

Ambidextrous Single Strap Wrist Supports

Provides light-to-moderate support for office and industrial use. Features reversible hook-and-loop strap for use on either hand. Single layer of neoprene provides a glove-like fit and brings a sense of warmth to affected area. Machine washable. Black.



New Products



DuPont
Personal Protection



Honeywell
Miller

PPE Safety Products

Personal protective equipment, commonly referred to as “PPE”, is equipment worn to minimize exposure to serious workplace injuries and illnesses. These injuries and illnesses may result from contact with chemical, radiological, physical, electrical, mechanical, or other workplace hazards. Personal protective equipment may include items such as gloves, safety glasses, shoes, earplugs or muffs, hard hats, respirators, coveralls, vests and full body suits.



Bullard



Honeywell
MILLER

Eye Protection

PAGES 22 - 51



Head and Face Protection

PAGES 52 - 63



Hearing Protection

PAGES 64 - 79



Respiratory Protection

PAGES 80 - 95



Hand Protection

PAGES 96 - 141



Welding and FR Protection

PAGES 142 - 151



Footwear

PAGES 152 - 159



Ergonomics

PAGES 160 - 163



Fall Protection

PAGES 164 - 185



Water Safety

PAGES 186 - 191



Protective Clothing

PAGES 192 - 205



DuPont
Personal Protection

Cold Weather Gear

PAGES 206 - 215



Hi-Viz Apparel

PAGES 216 - 221





Honeywell
UVEX

Eye Protection

Ensuring employee safety is required! Training and proper fitting of protective eyewear is key in preventing eye injuries. Eyewear must be selected specifically for and best suited to the tasks.

Visit www.osha.gov for complete details and regulation requirements.

Honeywell
UVEX

Uvex Clear® Lens Cleaning Tissues

High-absorbency, non-abrasive tissues are specially formulated for anti-fog and scratch-resistant hardcoats. Tough enough to remove grit and grime from safety eyewear, but gentle enough not to leave abrasive marks. For best results, use with Uvex Clear cleaning solution. 60 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
S462	341533465	Lens cleaning tissues	500/Bx



S462



Honeywell
UVEX

Fog Eliminator® Cloths

Protect against the potentially dangerous temporary loss of vision that occurs when lenses fog up. Reusable and safe for all types of lenses and lens coatings. Each cloth provides 40 applications. Streak- and film-free, alcohol- and silicone-free, non-flammable and non-toxic. Individually wrapped. 8 Boxes/case.

S477

ITEM #	ORDER #	DESCRIPTION	UOM
◆ S477	341533515	Fog eliminator cloths	100/Bx



S501

Honeywell
UVEX

Eyewear Hang Cords

Provides convenient access to safety eyewear and encourages greater compliance. Universal cord fits all Uvex® spectacles. Black. 25/Bag.

ITEM #	ORDER #	DESCRIPTION	UOM
S501	341533571	Hang cord, universal series	25/Bg

Honeywell
UVEX

Uvex Clear® Disposable Lens Cleaning Station

Ideal for construction sites or remote locations where a permanent access location is not available. Includes everything needed to keep eyewear clean and in good condition: 16 oz. lens cleaning spray bottle and (500) tissues, packaged in a disposable box. 6/Case.

ITEM #	ORDER #	DESCRIPTION	UOM
S467	341533491	Disposable lens cleaning station	Ea
S468	341533505	Lens cleaning towelettes	Bx



S467



S461

Uvex Clear® Permanent Lens Cleaning Station

Features easy-to-use and easy-to-install design. Refill capabilities eliminate replacing the entire system. Unit includes 16 oz. Uvex Clear cleaning solution, (4) boxes of (500) tissues, 3 1/2" x 4 1/2" mirror, screw mounts and adhesive foam for quick mounting. 1/Case.



S464



S463

ITEM #	ORDER #	DESCRIPTION	UOM
S461	341533451	Permanent lens cleaning station	Ea
S463	341533471	Lens cleaning solution refill, 16 oz.	Ea
S464	341533481	Lens cleaning solution refill, 1 gal.	Ea



LCS1



Lens Cleaning Products

Towelettes are pre-moistened with anti-fog and anti-static cleaning solution. Each box contains (100) individually wrapped towelettes. Lens cleaning station contains (1) 8 oz. bottle of anti-fog, anti-static cleaning spray and (2) boxes of (300) tissues. Convenient, portable and ready to hang on the wall.

ITEM #	ORDER #	DESCRIPTION	UOM
LCT	331400105	Lens cleaning towelettes, 10 Bx/Cs	100/Bx
LCS1	331402351	Lens cleaning station, 6/Cs	Ea



Uvex Stealth® OTG Goggles

Ideal for impact, dust/airborne particles, chemical splash and optical radiation. Can be worn over most Rx eyewear. Features low-profile, wraparound style, pivoting headband clip and wide adjustable-slide headband. High-quality elastomer body conforms and contours for secure fit. Dura-streme® dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

S3970D



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3970D	341558741	Stealth OTG	Navy	Clear, Dura-streme	Ea



Uvex Stealth® Goggles with HydroShield™

Features lightweight, comfortable design and toric lenses for superior optics and peripheral vision. HydroShield anti-fog lens coating is permanently-bonded even after extended wear and repeated cleanings. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3960HS	314039601	Stealth w/ HydroShield	Gray/gray	Clear, HydroShield	Ea
S3961HS	314039611	Stealth w/ HydroShield	Gray/gray	Gray, HydroShield	Ea



S3961HS



Honeywell
UVEX

Uvex Stealth® Goggles

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Uvextreme® lens coating provides fog protection. Quick-adjust headband clips permit fast and easy fitting even on hard hats. Rx insert available. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3960C	341533001	Stealth w/ neoprene headband	Gray/gray	Clear, Uvextreme	Ea
S39610C	341533021	Stealth w/ neoprene headband	Teal/Gray	Clear, Uvextreme	Ea



S3960C

Honeywell
UVEX

Uvex Classic™ Goggles

Features PVC body, neoprene headband and impact-resistant polycarbonate lenses that absorb 99.9% of UV light and feature Uvextreme® anti-fog lens coating. Fit over most Rx eyewear. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S360	341532901	Classic, indirect vent	Clear	Clear, Uvextreme	Ea
S350	341532881	Classic, indirect hooded vent	Clear	Clear, Uvextreme	Ea



S360

Honeywell
UVEX

Flex Seal® Goggles

Features low-profile frame, optically correct polycarbonate lens and indirect ventilation system. Pivoting clips allow for positioning on a hard hat or adjusting the headband above the ears. Offers Uvextreme® anti-fog lens coating. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3400X	341534001	Flex Seal, indirect vent w/ neoprene band	Navy	Clear, Uvextreme	Ea



S3400X

Honeywell
UVEX

Uvex Futura™ Goggles

Features wraparound style which provides panoramic vision and Uvextreme® anti-fog coating on lenses. Fits over most Rx eyewear. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S345C	341532851	Futura w/ neoprene band	Frosted clear	Clear, Uvextreme	Ea



S345C

Honeywell
UVEX

Uvex Strategy® Goggles

“Over-the-Glass” (OTG) goggles provide protection against impact, chemical splash, dust, sand and debris. Features TPE body and lenses that offer more than 99.9% UV protection. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Headband is available in fabric or neoprene for chemical applications. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3810	341532941	Strategy, indirect vent & neoprene headband	Gray	Clear, Uvextra	Ea



S3810

Honeywell
UVEX

Uvex Carbonvision™ Goggles

Features flexible frame and body and convenient clip which makes it easy to remove headband before cleaning. Ideal for protection from impact, dust/airborne particles and chemical splash hazards. Dura-streme® dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1650D	341563091	Carbonvision, neoprene headband	Black/gray	Clear, Dura-streme	Ea
S1651D	341562791	Carbonvision, neoprene headband	Black/gray	Gray, Dura-streme	Ea
S1650DF	341562731	Carbonvision, fabric headband	Black/gray	Clear, Dura-streme	Ea

S1651D



S1650D



3M 3M™ 334 Splash Goggles

Indirect vent goggles provide protection against liquid splash applications. Lightweight design features impact-resistant, clear polycarbonate lens that absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40660-00000-10	665574851	334 Splash goggles	Clear	Clear	Ea
40661-00000-10	665573051	334 Splash goggles	Clear	Clear, anti-fog	Ea



40660-00000-10

3M 3M™ Centurion™ Goggles

Features impact-resistance, wraparound lens and large lens opening which fits over most Rx eyewear. Polycarbonate lens with anti-fog coating provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40301-00000-10	665572951	Centurion impact goggles	Clear	Clear, anti-fog	Ea
40304-00000-10	665572961	Centurion splash goggles	Clear	Clear	Ea
40305-00000-10	665572971	Centurion splash goggles	Clear	Clear, anti-fog	Ea



40301-00000-10

16420-00000-10



16400-00000-10

3M 3M™ Fectoggles™

Wraparound design features adjustable lens angle and choice of elastic headband or adjustable length temples for custom fit. Offers foam flange seals and DX™ anti-fog hardcoat which helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	SIZES	UOM
16400-00000-10	665572031	Fectoggles, elastic headband	Black	Clear, anti-fog	M	Ea
16420-00000-10	665572591	Fectoggles, adjustable temple	Black	Clear, anti-fog	L	Ea

3M 3M™ Lexa™ Splash GoggleGear™

Features contoured design with soft PVC shroud, ellipsoidal lens and indirect ventilation which allows air to circulate and helps reduce fogging. Comes fully assembled with Lexa eyewear and headstrap. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	FRAME	LENS	SIZES	UOM
16644-00000-10	665522731	Clear	Clear, anti-fog	M	Ea
16645-00000-10	665522741	Clear	Clear, anti-fog	L	Ea



16644-00000-10

⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



3M 3M™ Maxim™ 2 x 2 Goggles

Ideal when protection from dust, wind and the sun is needed. Features high-impact nylon frame construction, vented design to help reduce heat and fogging and interchangeable lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 10/Case.



40686-00000-10

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40686-00000-10	665570271	Maxim 2 x 2 goggles w/ strap & temples	Black	Clear, anti-fog	Ea
◆ 40687-00000-10	665522401	Maxim 2 x 2 goggles w/ strap & temples	Black	Gray, anti-fog	Ea

5103-02



Goggles™

Switch from glasses to goggles with a simple push, pull and snap. Foam padding forms a snug fit to keep out dust and airborne particles. Lenses provide 99.9% UV protection. Anti-fog, anti-scratch coating on lenses. Includes goggle strap and eyeglass temples for easy interchangeability. Meets current ANSI Z87.1-2015 standard. 12/Case.



5103-01



5103

ITEM #	ORDER #	FRAME	LENS	UOM
5103	G73551031	Black	Clear, anti-scratch, anti-fog	Ea
5103-01	G73551041	Black	Gray, anti-scratch, anti-fog	Ea
◆ 5103-02	G73551051	Black	Yellow, anti-scratch, anti-fog	Ea



2310AF



Stryker™ Safety Goggles

Transparent PVC body works with most half-mask respirators and protects against impact and splash. Features wide lens for unobstructed field of vision and indirect vents for chemical splash protection. Lens treated with Duramass® AF4 anti-fog coating. Easy adjusting strap ensures personal fit. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2310AF	331404701	Stryker w/ rubber strap	Black	Clear, anti-fog	Ea



Protective Safety Goggles

Provides an unobstructed field of vision and can be worn with most half-mask respirators. Features transparent PVC body and can be worn over Rx eyewear. Meets ANSI Z87.1+ High Impact standard. 36/Box.



2120



2230R

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2120	331404551	Perforated goggles, small	Clear	Clear, anti-scratch	Ea
2220R	331479911	Perforated goggles w/ rubber strap	Clear	Clear, anti-scratch	Ea
2230R	331404681	Chemical splash goggles, indirect vent	Clear	Clear, anti-scratch	Ea
2235R	331422351	Chemical splash goggles, indirect vent	Clear	Clear, anti-scratch, anti-fog	Ea

WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



Hydroblast HB2 Goggles

Features solution-based protection, TPR seal and 7-point ratchet action. Offers vented and dielectric design with Max6™ anti-fog coating. Available with adjustable hook-and-loop elastic strap or adjustable rubber strap. Meets ANSI Z87+ standards.

HB1210PF



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
◆ HB1210PF	331443241	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Clear, MAX6™	Ea
◆ HB1212PF	331443251	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Gray, MAX6™	Ea
◆ HB1220PF	331443261	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Clear, MAX6™	Ea
◆ HB1222PF	331443271	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Gray, MAX6™	Ea

Gateway Swap® Safety Eyewear

Change from glasses to goggles quickly and easily meet your needs. Temples and adjustable head strap included, which can be switched out with the simple push of a button. Foam-lined frame helps block dust and debris, with venting channels to minimize fogging. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
21GB79	323321791	Swap	Black	Clear, anti-fog	Ea
21GB78	323321781	Swap	Black	Gray, anti-fog	Ea
◆ 21GB0F	323321601	Swap	Black	Clear I/O mirror, anti-fog	Ea
◆ 21GB9F	323327201	Swap	Black	Blue mirror, anti-fog	Ea



Jackson Safety* V80 Wildcat* Goggle Protection



20525

Features splash and dust protection, pliable and compact frame and foam gasket. Offers extreme heat resistance and will not melt, drip, or ignite at 350°F for five minutes. Sliding side vents are adjustable to optimize airflow. Pivoting headband and metal-free design. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Meets the ANSI D3 requirements for protecting from liquid splashes or droplets. Meets the ANSI D4 requirements for dust protection. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
20525	C24120951	Black	Clear, anti-fog	Ea
20529	C24120991	Black	IRUV 5.0, anti-fog	Ea



Jackson Safety* V80 Monogoggle* XTR* OTG Goggle Protection



18624

Offers splash protection in sporty design with curved lens for enhanced field of vision. Indirect ventilation provides increased airflow and minimizes condensation and fogging, while protecting from splashes. Fits over most prescription eyewear. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Meets the ANSI D3 requirements for protecting from liquid splashes or droplets. 6/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
18624	C24120021	Blue	Clear, anti-fog	Ea



Jackson Safety* V90 Monoshield* Goggle Protection



16671

Features face shield to provide full eye and face protection from liquids and particulates. Clear, see-through material allows for easy worker identification. Can be worn with most caps and disposable respirator. Fits over most prescription eyeglasses. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Meets the ANSI D3 requirements for protecting from liquid splashes or droplets. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
16671	C24150591	Green	Clear, anti-fog	Ea



Jackson Safety* V90 Shield Goggle Protection



18629

Features Monogoggle* XTR* with indirect ventilation and polycarbonate shield for full face protection. Curved polycarbonate faceshield conforms to the shape of face offering added protection. Shield detaches from goggle. Can be used over most Rx eyewear. Provides 99.9% UV protection. Meets ANSI Z87.1+10 standard. 6/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
18629	C24120111	Blue	Clear, anti-fog	Ea

◆ Non-stock item. Minimum quantity may apply.





Honeywell UVEX Uvex Hypershock™ Safety Glasses

Delivers high-performance protection and aggressive sport-inspired styling. Full frame design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit. Lightweight, wraparound frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision. 100% Dielectric. Can be worn in environments where accidental exposure to electrical charge is possible. Available with Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog-free vision that lasts up to 10X longer and provides 2X better scratch resistance than our next best coating. Also offered with scratch-resistant hardcoat lens coating for long-lasting protection from scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1+ 2015 standard. 10/Box. 200/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
◆ S2951XP	341597571	Matte black	SCT-Blue, Uvextreme Plus	Ea
S2960XP	341597581	Smoke brown	Clear, Uvextreme Plus	Ea
◆ S2961XP	341597591	Smoke brown	Espresso, Uvextreme Plus	Ea
◆ S2964	341597611	Smoke brown	Gold mirror, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S2969	341597621	Smoke brown	Espresso polarized, hardcoat	Ea
S2970XP	341597631	Clear ice	Clear, Uvextreme Plus	Ea
S2974	341597641	Clear ice	Red mirror, hardcoat	Ea
S2975	341597651	Clear ice	Blue mirror, hardcoat	Ea

Honeywell UVEX Genesis® Safety Glasses with HydroShield™

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets the ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V₀ Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3200HS	314032001	Genesis w/ HydroShield	Black	Clear, HydroShield	Ea
S3201HS	314032011	Genesis w/ HydroShield	Black	Espresso, HydroShield	Ea
◆ S6900HS	341569091	Genesis replacement lens		Clear, HydroShield	Ea

Honeywell UVEX Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance, Infra-dura® welding tint or HydroShield™ anti-fog coating. HydroShield is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Lifetime frame guarantee. Meets the ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V₀ Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
S3200	341532271	Black	Clear, Ultra-dura	Ea
S3200X	341532281	Black	Clear, Uvextreme	Ea
S3201	341532291	Black	Espresso, Ultra-dura	Ea
S3201X	341532301	Black	Espresso, Uvextreme	Ea
S3202	341532311	Black	Amber, Ultra-dura	Ea
S3203	341532331	Black	Gold mirror, Ultra-dura	Ea
S3207	341532371	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea
S3208	341532381	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea
S3209	341532391	Black	SCT-Low IR, Ultra-dura	Ea
S3240	341532511	Vapor Blue	Clear, Ultra-dura	Ea
◆ S3240X	341532521	Vapor Blue	Clear, Uvextreme	Ea



S3200HS



S3201HS



S3202



S3240





Spitfire® Safety Glasses

Features a dual 9-base, wraparound unilens design for superior optical clarity and peripheral protection. Frameless design uses flexible adjustments for temple length and spatulite temples for comfort. Impact-resistant, replaceable polycarbonate lenses absorb greater than 99.9% of UV rays. Lenses are available with Uvextreme® anti-fog lens coating or Ultra-dura® anti-scratch hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S1800X	341531031	Black	Clear, Uvextreme	Ea
S1801	341531041	Black	Espresso, Ultra-dura	Ea



Uvex Astrospec 3000® Safety Glasses

Sport-styled, protective eyewear offers single, panoramic, polycarbonate lens with molded sideshields and browguard. Features adjustable temples, patented adjustable lens inclination, and universal nosebridge. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Clear lens tint meets the Military V₀ Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
Astrospec 3000, Spatula Temple				
S135	341530621	Black	Clear, Ultra-dura	Ea
S1112	341530471	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea
Astrospec 3000, Duoflex Temple				
S1359	341530641	Black	Clear, Ultra-dura	Ea
S1359C	341530651	Black	Clear, Uvextreme	Ea



Uvex Astro OTG® 3001 Safety Glasses

“Over-the-Glass” style provides an economical alternative to prescription eyewear. Features soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2500	341531611	Black	Clear, Ultra-dura	Ea
S2500C	341531621	Black	Clear, Uvextreme	Ea
S2504	341531651	Black	Gray, Ultra-dura	Ea



ITEM #	ORDER #	FRAME	LENS	UOM
S2508	341531701	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea
S2509	341531711	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea



Uvex Protégé® Safety Glasses with HydroShield™

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design, soft cushioned temple tip pads and soft nose pads. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box. 200/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
S4200HS	314042001	Metallic black	Clear, HydroShield	Ea
S4201HS	314042011	Metallic black	Gray, HydroShield	Ea



Uvex Protégé® Safety Glasses

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design, soft cushioned temple tip pads and soft nose pads. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Also meets Military V₀ Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S4200	341533181	Metallic black	Clear, Ultra-dura	Ea
S4200X	341533191	Metallic black	Clear, Uvextreme	Ea
S4201	341533221	Metallic black	Gray, Ultra-dura	Ea
S4201X	341533231	Metallic black	Gray, Uvextreme	Ea
◆ S4202	341533261	Metallic black	SCT-Reflect 50, Ultra-dura	Ea

◆ Non-stock item. Minimum quantity may apply.



Uvex Instinct™ Safety Glasses

Provides high-performance protection with a sleek design and lightweight frame, featuring a variety of adjustability features for a comfortable, customized fit. Equipped with a dual, 7-base wraparound lens for uncompromised peripheral vision, fully integrated, cushioned browguard to comfortably diffuse and deflect impact energy. Ratcheting temples, flexible nosepiece and padded temple tips provide a tension-free fit. Lenses are available with Supra-Dura® advanced anti-scratch lens coating or Uvextreme® Plus anti-fog lens coating. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM	ITEM #	ORDER #	FRAME	LENS	UOM
S2820	341569701	Matte black	Clear, Supra-Dura	Ea	◆ S2822XP	341569751	Matte black	Amber, Uvextreme Plus	Ea
◆ S2820XP	341569711	Matte black	Clear, Uvextreme Plus	Ea	◆ S2823	341569761	Matte black	Blue mirror, Supra-Dura	Ea
S2821	341569721	Matte black	Gray, Supra-Dura	Ea	◆ S2824	341569771	Matte black	SCT-Reflect 50, Supra-Dura	Ea
◆ S2821XP	341569731	Matte black	Gray, Uvextreme Plus	Ea	◆ S2825XP	341569781	Matte black	SCT-Gray, Uvextreme Plus	Ea
◆ S2822	341569741	Matte black	Amber, Supra-Dura	Ea	◆ S2829XP	341569791	Matte black	SCT-Low IR, Uvextreme Plus	Ea



Genesis XC® Safety Glasses with HydroShield™

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer fog-free performance, even after extended wear and repeated cleanings. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
Genesis XC with HydroShield				
S3300HS	314033001	Black	Clear, HydroShield	Ea
◆ S3301HS	314033011	Black	Gray, HydroShield	Ea



Genesis XC® Safety Glasses

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. Lenses available with Uvextreme® anti-fog coating and Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tint meets Military V₀ Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S3300	341532621	Black	Clear, Ultra-dura	Ea
S3300X	341532631	Black	Clear, Uvextreme	Ea



Honeywell
UVEX **Tomcat® Safety Glasses**

Sleek, sporty wraparound metal frame design is lightweight and durable. Includes adjustable saddle nosepads and flexible rubber temple grips. Dual, 10-base curve, impact-resistant polycarbonate lenses absorb greater than 99.9% of UVA and UVB. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1+ 2015 High Impact standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2450	341531571	Gunmetal	Clear, hardcoat	Ea
S2451	341531581	Gunmetal	Gray, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
S2453	341531591	Gunmetal	Silver mirror, hardcoat	Ea
S2454	341531601	Gunmetal	SCT-Reflect 50, hardcoat	Ea



Bandit™ Safety Glasses

Features contemporary wraparound styling with molded-in sideshields and browguards. Adjustable spatulite temples ensure comfortable, custom fit. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Lens tints meet Military V₀ Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S1600	341530791	Black	Clear, Ultra-dura	Ea
S1601	341530811	Black	Amber, Ultra-dura	Ea
S1603	341530821	Black	Espresso, Ultra-dura	Ea
S1604	341530841	Black	Gold mirror, Ultra-dura	Ea



Uvex Ambient™ OTG Safety Glasses

Features "Over-the-Glass" coverage to fit over a variety of Rx eyewear. Lightweight, wraparound, unilens design offers peripheral protection, cushioned nosepiece, bendable wire-core temples for flexibility and soft nasal fingers to minimize slippage. Ratcheting temples with 3-position lens inclination for custom fit. Lenses feature Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Easy lens replacement. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3150	341559561	Blue	Clear, Ultra-dura	Ea

◆ Non-stock item. Minimum quantity may apply.




Honeywell
UVEX **Uvex Seismic® Sealed Eyewear**

Contemporary, flexible design can be worn with or without the removable temples. Includes flame-resistant, adjustable headband and cushioned subframe. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Top and bottom indirect ventilation helps to minimize fogging. Meets ANSI Z87.1+ 2015 High Impact standard for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 2007 standard only with subframe in place. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0600	341560741	Black	Clear, hardcoat	Ea
S0600X	341558841	Black	Clear, Uvextra	Ea
S0604X	341559391	Black	SCT-Reflect 50, Uvextra	Ea
◆ S0620X	341539181	Metallic blue	Clear, Uvextra	Ea



S0600



S0620X



S2600HS



Uvex Livewire™ Sealed Eyewear with HydroShield™

Features streamlined, wraparound frame design that accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer gap-free seal around the eyes. Padded temples are engineered to provide ideal tension and flex. Ratcheting temples adjust lens angle by up to 15°. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance. Can be worn with a headband like a goggle or with temples like a spectacle. Includes adjustable, flame-resistant, latex-free cloth headband. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S2600HS	341568101	Matte black	Clear, HydroShield	Ea
◆ S2601HS	341568161	Matte black	Espresso, HydroShield	Ea

S2600XP



S2602XP



S2608XP



Uvex Livewire™ Sealed Eyewear

Features streamlined, wraparound frame design which accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Offers foam-lined subframe and padded, ratcheting temples that adjust 15°. Lenses have Uvextreme® Plus anti-fog lens coating. Can be worn with a headband like a goggle or with temples like a spectacle. Includes adjustable, flame-resistant, latex-free cloth headband. Prescription frame available in 6-base and 8-base lens configurations to accommodate almost any prescription. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2600XP	341563841	Matte black	Clear, Uvextreme Plus	Ea
S2601XP	341592641	Matte black	Espresso, Uvextreme Plus	Ea
S2602XP	341592651	Matte black	Amber, Uvextreme Plus	Ea
S2604XP	341592661	Matte black	SCT-Reflect 50, Uvextreme Plus	Ea
S2607XP	341592681	Matte black	Shade 3.0, Uvextreme Plus	Ea
S2608XP	341592691	Matte black	Shade 5.0, Uvextreme Plus	Ea
S2609XP	341592701	Matte black	SCT-Low IR, Uvextreme Plus	Ea



Skyper® Safety Glasses

Polycarbonate unilens and wraparound sideshields provide peripheral vision. Includes simple lens replacement system and adjustable Duoflex® temples. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S1900	341531091	Black	Clear, Ultra-dura	Ea



Adaptec™ Safety Glasses

Features temple hinge that ratchets to seven positions for 30° of adjustability. Adjustable nosebridge centers eyes to reduce fatigue. Features vented, cushioned frame and adjustable nose pads. 4A Lens coating provides anti-fog, anti-scratch, anti-UV (99.9%) and anti-static protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	SIZES	UOM
T5900LTK	347690561	Black/red	Clear, 4A	Regular	Ea
T5900WTK	347690631	Black/red	Clear, 4A	Wide	Ea



Uvex Tirade™ Sealed Eyewear

Features large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to ensure a gap-free fit. Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes. Quick-release hinge system converts easily from temples to headband. Removable temples and standard adjustable headband included; hypo-allergenic latex-free option available. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. 100% Non-conductive dielectric design. Can be worn in environments where accidental exposure to electrical charge is possible. Meets the ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard (with and without foam subframe in place). Not for chemical splash applications. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
Tirade				
S4040	341564881	Gloss black	Clear, Uvextra	Ea
S4041	341569801	Gloss black	Gray, Uvextra	Ea
◆ S4042	341569811	Gloss black	Amber, Uvextra	Ea
◆ S4043	341569821	Gloss black	Silver mirror, Uvextra	Ea
◆ S4044	341569831	Gloss black	SCT-Reflect 50, Uvextra	Ea
Hypo-allergenic, Latex-free Fabric Headband				
◆ S4049	341569841			Ea



A400 Series Safety Glasses

Lightweight protection offers sporty, 1-piece, wraparound unilens made of 100% impact-resistant polycarbonate. Features durable frame with integrated side protection and universal nosebridge. Provides over 99.9% UV protection. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A400	341529321	Clear	Clear, hardcoat	Ea
A401	341529331	Gray	Gray, hardcoat	Ea
A403	341529351	Gray	Silver mirror, hardcoat	Ea





A700 Series Safety Glasses

Features lightweight design, soft temple tip pads and molded universal nosebridge with 9-base polycarbonate lenses that provide 180° field of distortion-free vision and 99.9% UV protection. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A700	341529371	Clear	Clear, hardcoat	Ea
A701	341529381	Gray	TSR gray, hardcoat	Ea
A702	341529391	Amber	Amber, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
A703	341529401	Gray	Blue mirror, hardcoat	Ea
A704	341529411	Gray	Silver mirror, hardcoat	Ea
A705	341529421	Clear	Clear, Uvextra	Ea



A700



A800 Series Safety Glasses

Features sports-styled temples, extra flexible, padded inserts and soft nosepiece for a non-slip fit. The 9-base curve, polycarbonate lens provides 180° field of distortion-free vision and 99.9% UV protection. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A800	341529431	Clear	Clear, hardcoat	Ea
A801	341529441	Gray	TSR gray, hardcoat	Ea
A804	341529451	Gray	Silver mirror, hardcoat	Ea
A805	341529461	Clear	Clear, Uvextra	Ea



A801

More safety eyewear on Page 143.



Ultra-spec® 2001 OTG Safety Glasses

Lightweight, "Over-the-Glass," unilens design fits over Rx eyewear. Features adjustable Duoflex® spatula temples to provide an added level of comfort and a wraparound design with browguards and sideshields. Offers Ultra-dura® anti-scratch hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0112	341529931	Clear	Clear, Ultra-dura	Ea



S0112



Ultra-spec® 2000 Safety Glasses

Polycarbonate, wraparound, unilens design is lightweight and impact-resistant. Lenses are available with Uvextreme® anti-fog lens coating or Ultra-dura® anti-scratch hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0250X	341529971	Clear	Clear, Uvextreme	Ea
S0300	341530001	Clear	Clear, Ultra-dura	Ea
S0360X	341530031	Orange	SCT-Orange, Uvextreme	Ea



S0250X



S0360X



VX9™ Safety Glasses

Sporty wraparound frame design with non-slip rubber nose piece and temples. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5510-01	G73579871	Black	Clear, anti-scratch, anti-fog	Ea
5510-02	G73579891	Black	Gray, anti-scratch, anti-fog	Ea
5510-03	G73579901	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5510-04	G73579911	Black	Mirror, anti-scratch, anti-fog	Ea



5510-01



Spectro™ Safety Glasses

Sporty wraparound frame design with non-slip adjustable rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5511-01	G73579921	Black	Clear, anti-scratch, anti-fog	Ea
5511-02	G73579931	Black	Gray, anti-scratch, anti-fog	Ea
◆ 5511-03	G73579941	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5511-04	G73579951	Black	Mirror, anti-scratch, anti-fog	Ea



5511-01

5511-04



Vulcan™ Safety Glasses

Features foam padded brow guard, detachable/adjustable elastic fabric strap, and non-slip rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 5512-01	G73579961	Black	Clear, anti-scratch, anti-fog	Ea
◆ 5512-02	G73579971	Black	Gray, anti-scratch, anti-fog	Ea
◆ 5512-03	G73579981	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5512-04	G73579991	Black	Mirror, anti-scratch, anti-fog	Ea



5512-04

5512-01



Zion X™ Safety Glasses

Features indirect-ventilated rubber seal and adjustable, elastic fabric, 1" head strap. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 5104-01	G73580001	Black	Clear, anti-scratch, anti-fog	Ea
5104-02	G73580011	Black	Gray, anti-scratch, anti-fog	Ea
5104-03	G73580021	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5104-04	G73580031	Black	Mirror, anti-scratch, anti-fog	Ea



5104-01

◆ Non-stock item. Minimum quantity may apply.



540-0200



540-0203



Diamondbacks™ Safety Glasses

Features wraparound design and non-slip nose piece and temples. High-impact polycarbonate lenses with scratch-resistant and anti-fog coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
540-0200	G73502001	Black	Clear, anti-scratch, anti-fog	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
540-0203	G73502031	Black	Mirror, anti-scratch, anti-fog	Ea



5330



5331



5332



5333



5334



NSX™ Turbo Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and scratch-resistant coating. Provides 99.9% UV protection. Non-slip temples. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5330	G73553301	Clear	Clear, anti-scratch	Ea
5331	G73553311	Gray	Gray, anti-scratch	Ea
5332	G73553321	Yellow	Yellow, anti-scratch	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
5333	G73553331	Light blue	Light blue, anti-scratch	Ea
5334	G73553341	I/O mirror	I/O mirror, anti-scratch	Ea



5343



5344



5346



5342



5341



5340



NSX™ Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design. Anti-fog and scratch-resistant coating; except on econo style. Shade 5.0 is ideal for torch blazing, light gas welding, soldering and light to medium cutting. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5340	G73553401	Black	Clear	Ea
5341	G73553411	Black	Yellow	Ea
5342	G73553421	Black	Orange	Ea
5343	G73553431	Black	Gray	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 5344	G73553441	Black	Gold mirror	Ea
5346	G73553461	Black	Shade 5.0	Ea

NSX Econo Visitor Spec

ITEM #	ORDER #	FRAME	LENS	UOM
5347-00	G7358004	Black	Clear	100/Bx



Backdraft® Safety Glasses

Features frameless design, soft TPR internal sideshields and dielectric construction. Offers MAX6™ anti-fog coating. Dielectric break away cord included. Meets ANSI Z87+. 72 Pair/case. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BD110PF	331441891	Gun metal	Clear, MAX6™	Ea
◆ BD112PF	331442391	Gun metal	Gray, MAX6™	Ea



BD110PF



T411G



T4110AF



Rubicon® Safety Glasses

Features curved, frameless lens design and resilient, spring-hinge temples. Curved lens offers 180° optically correct viewing area with a close orbital seal. Non-slip gel temple sleeves and secure gel nosepiece reduce slippage. Provides 99.9% UV protection. Includes carrying case and breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
T4110AF	331404131	Platinum	Clear, anti-scratch, anti-fog	Ea
T4112AF	331404141	Platinum	Gray, anti-scratch, anti-fog	Ea
T4113AF	331404151	Platinum	Light blue, anti-scratch, anti-fog	Ea
T411R	331404121	Platinum	Fire mirror, anti-scratch	Ea
T411G	331404111	Platinum	Emerald mirror, anti-scratch	Ea



BK110



BK112



BK113



BearKat® Safety Glasses

Features frame-less design, 1-piece wraparound and polycarbonate lens. Offers flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Provide 99.9% UV protection. Treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BK110	331401111	Frost	Clear, anti-scratch	Ea
BK110AF	331400211	Frost	Clear, anti-scratch, anti-fog	Ea
BK112	331400221	Frost black	Gray, anti-scratch	Ea
BK112AF	331400231	Frost black	Gray, anti-scratch, anti-fog	Ea
BK113	331400241	Frost blue	Light blue, anti-scratch	Ea



ITEM #	ORDER #	FRAME	LENS	UOM
BK114	331401141	Translucent yellow	Amber, anti-scratch	Ea
BK117	331411171	Frost black	Silver mirror, anti-scratch	Ea
BK118	331400251	Smoke	Blue mirror, anti-scratch	Ea
BK119	331411191	Frost	I/O clear mirror, anti-scratch	Ea



Yukon® Visitor Glasses

Features wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard and vented sideshields. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
9800	331405321	Clear	Clear, uncoated	Ea



9800



CheckMate® Safety Glasses

Features nearly total eye-orbital seal, flexible bayonet temples and universal nosebridge. Strong, lightweight polycarbonate lens provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CK100	331400271	Clear	Clear, uncoated	Ea
CK110	331401101	Clear	Clear, anti-scratch	Ea
CK110AF	331400281	Clear	Clear, anti-scratch, anti-fog	Ea
CK112	331401121	Gray	Gray, anti-scratch	Ea



CK2® Safety Glasses

Features nearly total eye-orbital seal, flexible bayonet temples, gel temple sleeves and universal gel nosebridge. Polycarbonate lens features single lens design with wraparound sideshields and provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CK210	331412101	Smoke	Clear, anti-scratch	Ea
CK210AF	331400331	Smoke	Clear, anti-scratch, anti-fog	Ea



Checklite® Safety Glasses

Features flexible spatula temple design, nearly total eye-orbital seal and polycarbonate lens that filters over 99.9% of UV radiation. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CL010	331400461	Clear	Clear, uncoated	Ea
CL110	331400471	Clear	Clear, anti-scratch	Ea
CL110AF	331400481	Clear	Clear, anti-scratch, anti-fog	Ea
CL112	331400491	Smoke	Gray, anti-scratch	Ea
CL119	331400511	I/O	Clear mirror, anti-scratch	Ea



USS Defense® Safety Glasses

Features co-injected TPR and polycarbonate temples. Available with MAX6™ anti-fog coating or BOSSMAN™ mirror lens coating. Meets ANSI Z87+. Meets Military Ballistic High Velocity Standard. 72/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
UD110PF	331442401	Gun metal	Clear, MAX6™	Ea
♦ UD112PF	331442411	Gun metal	Gray, MAX6™	Ea
♦ UD11RZ	331442421	Gun metal	Polarized fire mirror, BossMan™	Ea
♦ UD120PF	331442431	Trans dark blue	Clear, MAX6™	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
♦ UD122PF	331442441	Trans dark blue	Gray, MAX6™	Ea
♦ UD128B	331442451	Trans dark blue	Blue diamond mirror, BossMan™	Ea
♦ UD210PF	331442461	Black	Clear, MAX6™	Ea
♦ UD212PF	331442471	Black	Gray, MAX6™	Ea



Stratos® Safety Glasses

Features wraparound design and 1-piece polycarbonate lens with integral sideshields that provide 99.9% UV protection and are treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
SS010	331402921	Black	Clear, uncoated	Ea
SS110	331441101	Black	Clear, anti-scratch	Ea



SS110



TK120



Tomahawk® Safety Glasses

Features 5-position ratchet-action temples, wraparound design and 1-piece polycarbonate lens treated with Duramass® scratch-resistant coating. Offers integral sideshields and lightweight frame. Provides more than 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
TK110	331464011	Black	Clear, anti-scratch	Ea
TK112	331403541	Black	Gray, anti-scratch	Ea
TK120	331464021	Blue	Clear, anti-scratch	Ea



S2110



Blackjack® Safety Glasses

Features wraparound chrome metal frame, 99.9% UV protection and Duramass® scratch-resistant coated lenses. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2110	331421111	Chrome	Clear, anti-scratch	Ea
S2110AF	331403111	Chrome	Clear, anti-scratch, anti-fog	Ea
S2112AF	331403131	Chrome	Gray, anti-scratch, anti-fog	Ea



Klondike® Safety Glasses

Popular frame style fits a variety of head shapes. Features polycarbonate lens with 11-base curve, optional Duramass® anti-fog coating, adjustable temples and soft gel nose piece. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
KD110	331432011	Black	Clear, anti-scratch	Ea
KD110AF	331402101	Black	Clear, anti-scratch, anti-fog	Ea
KD112	331401541	Black	Gray, anti-scratch	Ea
KD120	331402121	Blue	Clear, anti-scratch	Ea



KD110

KD120



Swagger® Safety Glasses

Features soft material co-injected onto temples, thermoplastic rubber (TPR) nose grips, breakaway cord and wider temples. Offers orbital seal and polycarbonate lenses that provides 99.9% UV protection with Duramass® scratch-resistant hard coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
SR118B	331440881	Black	Blue diamond, anti-scratch	Ea
SR11R	331440951	Black	Fire mirror, anti-scratch	Ea
SR120	331440891	White	Clear, anti-scratch	Ea
◆ SR122AF	331451021	White	Gray, anti-scratch, anti-fog	Ea
SR128B	331440911	White	Blue diamond, anti-scratch	Ea
SR137	331440971	Red	Silver mirror, anti-scratch	Ea
◆ SR13R	331440981	Red	Fire mirror, anti-scratch	Ea



SR122AF



SR137

◆ Non-stock item. Minimum quantity may apply.





FF122



FF222



FF232



ST110



IA128B



IA132AF



IA120AF



OG110AF



ForceFlex® and ForceFlex® 2 Safety Glasses

Features opaque polycarbonate frame and lens, bayonet temples and universal nosebridge. ForceFlex 2 features a half-frame design. Provides 99.9% UV protection and offers Duramass® scratch-resistant coating on lenses. Carrying case included. Lifetime frame warranty. Meets ANSI Z87.1+ High Impact standard. Meets MIL-PRF-31013 clause 3.5.1.1 for High Velocity Impact Protection. ForceFlex 144/case; ForceFlex 2 12/box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
FF122	331456821	ForceFlex	Black	Gray, anti-scratch	Ea
FF222	331439901	ForceFlex 2	Translucent brown w/ white rubber	Gray, anti-scratch	Ea
FF232	331492321	ForceFlex 2	Translucent yellow	Gray, anti-scratch	Ea



Storm® Safety Glasses

Features 5-position ratchet-action temples, non-slip temple sleeves and polycarbonate lens that delivers advanced visual acuity. Treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
ST110	331464051	Black	Clear, anti-scratch	Ea
ST1130	331403011	Black	Shade 3.0, anti-scratch	Ea
ST1150	331403031	Black	Shade 5.0, anti-scratch	Ea



Inertia® Safety Glasses

Features dielectric polycarbonate frame with single flexible lens and Flarefit™ temple. Offers non-slip wraparound thermoplastic rubber (TPR) temple sleeve and adjustable, TPR soft nose pad. Lenses are treated with the Duramass® scratch-resistant coating and block 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
IA120AF	331439201	Silver	Clear, anti-scratch, anti-fog	Ea
IA122AF	331439211	Silver	Gray, anti-scratch, anti-fog	Ea
IA128B	331438761	Silver	Blue diamond mirror, anti-scratch	Ea
IA130AF	331439071	White	Clear, anti-scratch, anti-fog	Ea
IA132AF	331468141	White	Gray, anti-scratch, anti-fog	Ea



Law® Over-the-Glass Safety Glasses

Features wraparound nylon frame with 5-position ratchet action temple and non-slip thermoplastic rubber (TPR) temple inserts. Dielectric. Polycarbonate lens has Duramass® scratch-resistant coating and Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard. 144/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
OG110AF	331440181	Matte gray	Clear, anti-scratch, anti-fog	Ea
♦ OG112AF	331439811	Matte gray	Gray, anti-scratch, anti-fog	Ea



Dominator™ DM3

Features solution-based protection, wire core and independently adjustable nose pads. Available with MAX3™ scratch-resistant coating, MAX6™ anti-fog coating or BOSSMAN™ mirror lens coatings. Offers co-injected TPR wire core and adjustable nose pads and temples. Meets or exceeds Z87+ and Military High Velocity Impact standards. Includes cord and cleaning case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ DM1310P	331442751	Gunmetal	Clear, MAX3	Ea
◆ DM1310PF	331442761	Gunmetal	Clear, MAX6	Ea
◆ DM1312P	331442771	Gunmetal	Gray, MAX3	Ea
◆ DM1312PF	331442781	Gunmetal	Gray, MAX6	Ea
◆ DM1319	331442791	Gunmetal	Clear, BossMan	Ea
◆ DM131R	331442801	Gunmetal	Fire, mirror, BossMan	Ea
◆ DM131RZ	331442811	Gunmetal	Fire, mirror, BossMan	Ea



3M™ Virtua™ Safety Eyewear

Features unisex design, wraparound coverage and polycarbonate construction. Offers indoor-outdoor mirrored lens for a comfortable, contoured fit. 20/Case.

ITEM #	ORDER #	LENS	UOM
◆ V6X01HC	665532361	Clear, hardcoat	Ea
◆ V6X02AF	665532391	Gray, AF	Ea
◆ V6X02HC	665532371	Gray, hardcoat	Ea
◆ V6X01AF	665532381	Clear, AF	Ea



3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

Lightweight frame features the Cord Control System (CCS) with a removable foam gasket attachment. CCS is designed to keep a corded earplug attached, untangled, and ready for use. Offers foam gasket that helps limit eye exposure to nuisance dust while providing additional cushioning. Anti-fog polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	LENS	UOM
11872-00000-20	665527311	Clear, anti-fog	Ea
11873-00000-20	665527301	Gray, anti-fog	Ea



3M™ Virtua™ V4 Safety Eyewear

Soft, dual-injected temples for all-day comfort. Features lightweight design, unisex styling and polycarbonate wraparound lens. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11670-00000-20	665564111	Black	Clear, hardcoat	Ea
11672-00000-20	665573851	Black	Clear, anti-fog	Ea
11671-00000-20	665564121	Black	Gray, hardcoat	Ea
11673-00000-20	665570321	Black	Gray, anti-fog	Ea
◆ 11674-00000-20	665570331	Black	I/O mirror	Ea



⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.





11818-00000-20

3M 3M™ Virtua™ AP Protective Eyewear

Features frameless design, high-wrap polycarbonate lenses and integral sideshields. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11815-00000-20	665570451	Gray	Gray, hardcoat	Ea
11818-00000-20	665550751	Clear	Clear, anti-fog	Ea
11819-00000-20	665525241	Clear	Clear, hardcoat	Ea
11847-00000-20	665540231	Mirror	I/O mirror, hardcoat	Ea



11331-00000-20

3M 3M™ Virtua™ Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11326-00000-20	665564381	Clear	Clear, hardcoat	Ea
11329-00000-20	665570161	Clear	Clear, anti-fog	Ea
11328-00000-20	665570151	Clear	I/O mirror, hardcoat	Ea
11327-00000-20	665570141	Gray	Gray, hardcoat	Ea
11330-00000-20	665570171	Gray	Gray, anti-fog	Ea
11331-00000-20	665570181	Blue Mirror	Blue mirror, hardcoat	Ea



SF201AF

3M 3M™ SecureFit™ Protective Eyewear

Features 3M™ Pressure Diffusion Temple Technology which means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
SF201AF	66552210	Clear	Clear, anti-fog	Cs
◆ SF202AF	66552002	Gray	Gray, anti-fog	Cs
◆ SF203AF	66552765	Amber	Amber, anti-fog	Cs
SF201AS	66550236	Clear	Clear, anti-scratch	Cs



SF401AF

3M 3M™ SecureFit™ 400-Series Protective Eyewear

Features adjustable nosepiece, dual-material on temples and 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear. Polycarbonate lens absorbs 99.9% UV. Meets the ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	LENS	UOM
SF401AF	665527831	Clear, anti-fog	Ea
SF402AF	665527851	Gray, anti-fog	Ea
SF410AS	665527841	I/O mirror	Ea



11380-00000-20

3M 3M™ BX™ Safety Eyewear

Features contoured design, fully adjustable temples, soft nosebridge, 3 lens angles, and polycarbonate lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11380-00000-20	665522531	Silver/black	Clear, anti-fog	Ea

⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



3M™ Lexa™ Safety Eyewear

Features aspheric lens, adjustable length temples and lens angle adjustment for customized fit. Polycarbonate lens absorbs 99.9% UV. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

15100-00000-20



ITEM #	ORDER #	FRAME	LENS	SIZES	UOM
--------	---------	-------	------	-------	-----

Lexa Fighter

◆ 15258-00000-100	665572461	American RWB	Clear, anti-fog	M	Ea
-------------------	-----------	--------------	-----------------	---	----

Lexa

◆ 15100-00000-20	665522211	Metallic slate	Clear, anti-fog	L	Ea
15200-00000-20	665572331	Metallic slate	Clear, anti-fog	M	Ea



15172-10000-20

11343-10000-20



3M™ Metaliks™ and Metaliks Sport Safety Eyewear

Features silver-plated metal frame, spatula temples, 10-base de-centered lens, and adjustable fit. Polycarbonate lenses with choice of anti-fog or hardcoat. Metaliks Sport features the popular sports style lens design. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
--------	---------	-------	------	-----

Metaliks

15170-10000-20	665521141	Silver	Clear, anti-fog	Ea
15172-10000-20	665564181	Silver	I/O mirror, hardcoat	Ea

Metaliks Sport

11343-10000-20	665521191	Nickel	Clear, anti-fog	Ea
----------------	-----------	--------	-----------------	----



3M™ Fuel2™ Safety Eyewear

Features nylon frame construction with a soft nosebridge. Polycarbonate lens absorbs 99.9% UV and hardcoat protects lens from scratching. Includes lanyard and microfiber bag. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
--------	---------	-------	------	-----

◆ 11650-00000-10	665522111	Metallic sand	Red mirror	Ea
◆ 11652-00000-10	665522121	Silver	Blue mirror	Ea
11653-00000-10	665522161	Silver	Clear, anti-fog	Ea
11654-00000-10	665520821	Black	Gray, anti-fog	Ea



11652-00000-10



11650-00000-10



3M™ Nuvo™ Safety Eyewear

Lightweight, retro-styled protective eyewear features adjustable temples, an integral brow bar and soft nosepiece. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

11411-00000-20



ITEM #	ORDER #	FRAME	LENS	UOM
--------	---------	-------	------	-----

11411-00000-20	665522821	Gray	Clear, anti-fog	Ea
◆ 11412-00000-20	665522831	Gray	Gray, anti-fog	Ea



3M™ KX™ 1000 Safety Eyewear

Lightweight, contoured design and Duralite® polycarbonate lenses provide a panoramic view. Features seamless lens with built-in sideshields which offers excellent eye coverage and 99.9% UV protection. Anti-fog coating optional. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

12150-00000-20



ITEM #	ORDER #	FRAME	LENS	UOM
--------	---------	-------	------	-----

12150-00000-20	665522621	Black	Clear, uncoated	Ea
----------------	-----------	-------	-----------------	----



3M™ Privo™ Safety Eyewear

Features color-accented temples, soft-tipped temples and polycarbonate lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

12261-00000-20



ITEM #	ORDER #	FRAME	LENS	UOM
--------	---------	-------	------	-----

12261-00000-20	665522631	Black	Clear, anti-fog	Ea
----------------	-----------	-------	-----------------	----

◆ Non-stock item. Minimum quantity may apply.



3M 3M™ Moon Dawg™ Safety Eyewear

Surf-style sunwear features wide temples, rectangular lenses and a lightweight frame. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
11215-00000-20	665574381	Black	Gray, anti-fog	Ea
11216-00000-20	665574391	Black	I/O mirror	Ea



11215-00000-20



3M™ Maxim™ GT Safety Eyewear

Features lightweight frame, high-wrap lens and optical clarity. Offers elastomeric browguard and dual-injected adjustable temples with 3-position lens adjustment for better fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
14246-00000-20	665542461	Silver/black	Clear, anti-fog	Ea



14246-00000-20



3M™ Light Vision™ and Light Vision2™ Safety Eyewear with LED Lights

Features hands-free, adjustable direct lighting, (2) bright, adjustable LED lights, wraparound design, and cushioned brow, nosebridge and temple tips for comfort. Polycarbonate lenses absorb 99.9% UV. Includes replaceable CR2032 3 V batteries, microfiber storage bag and lanyard. Meets ANSI Z87.1+ High Impact standard; Light Vision2 also certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11356-00000-10	665520801	Light Vision	Gray	Clear, anti-fog	Ea
11476-00000-20	665574241	Light Vision2	Gray	Clear, anti-fog	Ea



11356-00000-10



13407-00000-5



3M™ Smart Lens™ Protective Eyewear

Light reactive lens lightens and darkens with changing outdoor light conditions: light to dark in less than 20 seconds, dark to light in less than 3 minutes. Features nylon brow, spring-hinged magnesium alloy temples and adjustable nosebridge. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact requirements of ANSI Z87.1-2003. 5/Box.

Note: Safety directors should assess their particular workplace and make all Smart Lens wearers aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect lens transition time.

ITEM #	ORDER #	FRAME	LENS	UOM
13407-00000-5	665522461	Black	Photochromic, anti-fog	Ea



41110-00000-100



3M™ Tour-Guard™ III Safety Eyewear

Ideal for visitors and temporary workers. Polycarbonate construction features integral sideshields. Regular size designed to fit over most personal Rx eyewear. Lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 100/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
41110-00000-100	665564291	Clear	Clear	Ea



WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



12166-00000-20

3M

3M™ OX™ 2000 Safety Eyewear

Fits over most prescription eyewear. Features adjustable length temples, Secure-Grip temple tips and polycarbonate lens. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
12166-00000-20	665574651	Black	Clear, anti-fog	Ea



12159-00000-20

3M

3M™ OX™ 1000 Safety Eyewear

Designed to fit over most personal prescription eyewear. Features standard spatula temples and DX™ anti-fog hardcoat which helps protect lens from fog, scratching and many chemicals. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
12159-00000-20	665570201	Black	Clear, uncoated	Ea



HIE602AF

HIE603AF

3M

3M™ HIE6 Safety Eyewear

Attaches directly to hard hat suspension and retracts between hard hat suspension and shell. Easy to maneuver and adjust for closeness and height. No temple design. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ HIE601AF	66552930	Black	Clear, anti-fog	Cs
◆ HIE602AF	66552931	Black	Amber, anti-fog	Cs
◆ HIE603AF	66552932	Black	Gray, anti-fog	Cs



TGV01-20

3M

3M™ Tour-Guard™ V Protective Eyewear

Features wraparound sideshields that help provide extra protection. Medium size fits over most personal prescription eyewear. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
TGV01-20	665531535	Tour-Guard V, dispenser box	Clear	Clear	20/Bx
TGV01-100	66553152	Tour-Guard V, bulk pack	Clear	Clear	100/Cs

3M 3M™ Solus™ 1000-Series

Features Scotchgard™ Anti-Fog lens coating which withstands disinfection with diluted bleach soaking or alcohol wipes without losing its anti-fog performance. Kit includes optional elastic strap and removable foam gasket.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S1101SGAF	665531871	Blue/black	Clear	Ea
◆ S1101SGAF-KT	665531321	Blue/black	Clear	Kit
◆ S1102SGAF	665534421	Blue/black	Gray	Ea
◆ S1103SGAF	665534511	Blue/black	Amber	Ea
◆ S1201SGAF	665532901	Green/black	Clear	Ea
◆ S1201SGAF-KT	665532911	Green/black	Clear	Kit
◆ S1202SGAF	665534431	Green/black	Gray	Ea
◆ S1203SGAF	665534441	Green/black	Amber	Ea

Replacement Foam Gasket

◆ SOLUS-FOAM	665534531			Ea
--------------	-----------	--	--	----

Elastic Strap

◆ SOLUS-STRAP	665534551			Ea
---------------	-----------	--	--	----



S1201SGAF-KT

S1103SGAF

S1101SGAF

◆ Non-stock item. Minimum quantity may apply.



Jackson Safety* V20 Visio* Safety Eyewear

Economical protection with three-point extendable temples to provide a customized fit for enhanced comfort. Unique dual-tone frame for added style. Hardcoated lenses for scratch resistance and longer life. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
14470	C24119131	Silver	Clear	Ea
14471	C24119891	Silver	Clear, anti-fog	Ea
14472	C24119151	Silver	Smoke	Ea
14473	C24119901	Black/Silver	Smoke, anti-fog	Ea
14474	C24119171	Black	Amber	Ea
14476	C24119191	Black	Indoor/Outdoor	Ea



Jackson Safety* V30 Nemesis* Safety Eyewear

Sporty, flexible, and lightweight design for comfort and compliance. Enhanced nosepiece design with integrated ridges to divert sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Comes with a gravity feed display box. Base curve 8. Nemesis* S fits a smaller, slimmer head without adjustments with a base curve 8.25. Nemesis* Polarized has superior polarized-lens technology to reduce eye stress and fatigue caused by excessive glare. Meets ANSI Z87.1+ requirements for high-impact protection. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act, except for Nemesis* Polarized. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
Nemesis*				
25676	C24119441	Black	Clear	Ea
25679	C24119451	Black	Clear, anti-fog	Ea
25659	C24119491	Black	Amber	Ea
14481	C24133581	Black	Blue mirror	Ea
25685	C24124161	Black	Indoor/Outdoor	Ea
25688	C24126061	Black	Smoke mirror	Ea
19639	C24120301	Blue	Light blue	Ea
19642	C24120311	Black	Copper blue shield	Ea
22475	C24124701	Black	Smoke, anti-fog	Ea
25692	C24119501	Black	IRUV 3.0	Ea
25671	C24119511	Black	IRUV 5.0	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
22608	C24129781	Camouflage	Clear, anti-fog	Ea
22610	C24137081	Camouflage	Amber, anti-fog	Ea
22609	C24124441	Camouflage	Smoke, anti-fog	Ea
19644	C24120321	Camouflage	Bronze	Ea
22611	C24124381	Red	Smoke	Ea
Nemesis* Polarized				
28635	C24186351	Gunmetal	Polarized smoke	Ea
28637	C24186371	Brown	Polarized brown	Ea
Nemesis* S				
38474	C24184745	Black	Clear	Ea
◆ 38478	C24100461	Black	Clear, anti-fog	Ea



Jackson Safety* V30 Nemesis* VL Safety Eyewear

Sporty and flexible like the original Nemesis* safety eyewear, the Nemesis* VL safety eyewear is frameless, making it even more lightweight. No-brow design increases upwards peripheral vision and limits interference with hard hat suspension systems. Hardcoated lenses for scratch resistance and longer life. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Every pair includes a neck cord for reduced risk of damage when not being worn. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
29111	C24120731	Gunmetal	Clear, anti-fog	Ea
25704	C24120741	Gunmetal	Smoke	Ea





Jackson Safety* V40 Hellraiser* Safety Eyewear

Sunglasses style eyewear with a compact, lightweight design for comfort as stand-alone PPE and when used with other PPE like face shields and welding hoods. Flex-point temples for comfort and stability. Hardcoated lenses for scratch resistance and longer life. Base Curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



20539

ITEM #	ORDER #	FRAME	LENS	UOM
20539	C24121001	Black	Clear	Ea
28615	C24121011	Black	Clear, anti-fog	Ea
25714	C24121021	Black	Smoke	Ea
20541	C24121031	Black	Amber	Ea
25716	C24121041	Black	Indoor/Outdoor	Ea
20543	C24121061	Black	Blue mirror	Ea
20544	C24121071	Black	IRUV 3.0	Ea
20545	C24121081	Blue	IRUV 5.0	Ea



Smith & Wesson® Elite* Safety Eyewear

Features wide temples that provide structural integrity and stability. Hardcoated lenses for scratch resistance and longer life. Every pair comes with a carrying pouch that can double as a lens cleaning solution. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



21302

ITEM #	ORDER #	FRAME	LENS	UOM
21302	C24163121	Black	Clear, anti-fog	Ea
21303	C24163131	Black	Smoke	Ea



Jackson Safety* V10 Element* Safety Eyewear

Features metal-free design with screw-less hinges. Base curve 10 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



25627

ITEM #	ORDER #	FRAME	LENS	UOM
25627	C24148801	Clear	Clear	Ea
25631	C24121291	Black	Smoke	Ea
◆ 25638	C24120331	Black	Indoor/Outdoor	Ea
◆ 33072	154002351	Black	Light blue	Ea



Jackson Safety* V50 Calico* Safety Eyewear

Features interchangeable temple bars and removable foam lining that helps to seal out dust and debris. Superior anti-scratch coating to prevent scratches that could impair vision and increase lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles #3. Anti-fog coating and ventilation from cushioned brow bar provide premium anti-fog performance for worker efficiency and safety, passing the EN 166 "N" mark test t#1 & #3. Base curve 8. Includes carrying pouch that doubles as a lens cleaning solution. Meets ANSI Z87.1+ requirements for high-impact protection. Certified to meet the requirements of CSA Z94.3. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act. 12/Box.



25672

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 25672	15405672	Black	Clear, anti-fog	Bx
◆ 25675	15405675	Black	Smoke, anti-fog	Bx



Smith & Wesson® Magnum® 3G Safety Eyewear

Safety eyewear with a frameless sunglasses design. Extendable temples offer three different temple lengths for a customized fit. Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose. Hinge stops prevent temple tips from scratching lenses for increased longevity. Hardcoated lenses for scratch resistance and longer life. Base curve 7 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



19823

ITEM #	ORDER #	FRAME	LENS	UOM
19794	C24121331	Black	Clear, anti-fog	Ea
◆ 19796	C24121341	Black	Copper blue shield	Ea
19799	C24121351	Black	Clear	Ea
19823	C24121371	Black	Smoke	Ea
19826	C24121391	Black	Amber	Ea
19831	C24121441	Metallic gray	Indoor/Outdoor	Ea



19826

◆ Non-stock item. Minimum quantity may apply.



StarLite® Safety Glasses

Features scratch-resistant, hardcoated 100% polycarbonate lenses with dual 9.75 base curve enhance the wearer's range of visibility and block 99.9% of UV light. Features full brow protection and deep, universal-fit temples. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.



4675

ITEM #	ORDER #	FRAME	LENS	UOM
4675	323346751	Amber	Amber	Ea
4679	323346791	Clear	Clear, anti-fog	Ea
4680	323346801	Clear	Clear	Ea
4683	323346831	Gray	Gray	Ea
460M	323304601	Clear	Clear I/O mirror	Ea
468M	323300481	Gray	Silver mirror	Ea



StarLite® SQUARED Safety Glasses

Features squared and lightweight design. Soft, pliable temples provide comfort, and fingertip nosepiece minimizes slippage. Scratch-resistant, hardcoated 100% polycarbonate lens for long life. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.



440M

ITEM #	ORDER #	FRAME	LENS	UOM
4476	323300391	Blue	Pacific blue	Ea
4479	323300401	Clear	Clear, anti-fog	Ea
4480	323300421	Clear	Clear	Ea
4483	323300431	Gray	Gray	Ea
440M	323300371	Clear	Clear, I/O mirror	Ea
448M	323300411	Gray	Silver mirror	Ea



Conqueror® Protective Eyewear

Features durable polycarbonate wraparound lens, soft, comfortable nosepiece and ergonomic, contoured temple tips. Adjustable length retainer included with each pair. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
28CM5M	323302851	Camo	Bronze mirror	Ea
28CM78	323327031	Camo	Gray, anti-fog	Ea
28GB79	323327011	Black	Clear, anti-fog	Ea
28GB80	323327001	Black	Clear	Ea
28GB83	323327021	Black	Gray	Ea



28CM5M



DEWALT® DPG54 Protector™ Safety Glasses

Features rubber-tipped temples, distortion-free optics and impact-resistant polycarbonate lenses that provide 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



DPG54-1D

ITEM #	ORDER #	FRAME	LENS	UOM
DPG54-1D	336535791	Clear	Clear, hardcoat	Ea
DPG54-2D	336535811	Smoke	Smoke, hardcoat	Ea



Flight® Safety Glasses

Features cushioned temple 'wings' and floating lens design that fights fogging. Lightweight construction and soft rubber nosepiece. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.



35BK8M

ITEM #	ORDER #	FRAME	LENS	UOM
35GY80	323327101	Gray/black	Clear	Ea
35BK83	323327121	Black/gray	Gray	Ea
35GY79	323327111	Gray/black	Clear, anti-fog	Ea
35BK8M	323327141	Black/gray	Silver mirror	Ea
35BK9M	323327131	Black/gray	Blue mirror	Ea



DEWALT® DPG52 Contractor Pro™ Safety Glasses

Features rubber-tipped temple pads, rubber nosepiece and polycarbonate lens that provides impact resistance and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG52-1D	336535731	Clear	Clear, hardcoat	Ea
DPG52-2D	336535751	Smoke	Smoke, hardcoat	Ea
DPG52-6D	336535761	Silver mirror	Silver mirror, hardcoat	Ea



DPG52-1D



Rad-Sequel™ Safety Glasses

Features rubber-tipped temples and soft, rubber nosepiece for secure, custom fit. Polycarbonate lens provides impact resistance and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
RS1-10	336531461	Clear	Clear, hardcoat	Ea
RS1-11	336531471	Clear	Clear, hardcoat, anti-fog	Ea
RS1-20	336531481	Smoke	Smoke, hardcoat	Ea



Mirage™ Safety Glasses

Features scratch-resistant hardcoat and dual wraparound 9.75-base lens that provides a nearly perfect orbital seal. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



MR0190ID

ITEM #	ORDER #	FRAME	LENS	UOM
MR0110ID	336531751	Clear	Clear, hardcoat	Ea
MR0111ID	336531761	Clear	Clear, hardcoat, anti-fog	Ea
MR0120ID	336531771	Smoke	Smoke, hardcoat	Ea
MR0121ID	336531781	Smoke	Smoke, hardcoat, anti-fog	Ea
MR0190ID	336531791	I/O	I/O mirror, hardcoat	Ea



DeWALT® DPG59 Reinforcer Rx™ Safety Glasses

Combines safety glasses with reading glasses. Magnification diopter is molded into the polycarbonate lens. Features ergonomically positioned handgrip pattern on the temple, non-slip rubber nosepiece and cushioned non-slip temple pads. Impact-resistant polycarbonate lens provides 99.9% UV protection, and scratch-resistant hardcoat protects lens and maintains optical clarity. Protective eyeglass sleeve included. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG59-110	336536011	Black	Clear, hardcoat, +1.0	Ea
DPG59-115	336536021	Black	Clear, hardcoat, +1.5	Ea
DPG59-120	336536031	Black	Clear, hardcoat, +2.0	Ea



Genesis® Readers

Dual, 9-base curve wraparound lens provides peripheral vision and protection. Features soft flexible fingers and elastomer browguard which diffuses and deflects impact. Diopters available from +1.0 to +3.0. Meets ANSI Z87.1+ 2015 High Impact standard. Ultra-dura® anti-scratch hardcoat provides enhanced chemical and scratch resistance. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3760	341586001	Black	Clear, Ultra-dura, +1.0	Ea
S3761	341586011	Black	Clear, Ultra-dura, +1.5	Ea
S3762	341586021	Black	Clear, Ultra-dura, +2.0	Ea

Uvex Seismic® Sealed Eyewear with Reading Magnifiers

Features flexible design which can be worn with temples or adjustable headband as conditions change. Headband and subframe are cushion-lined, flame-resistant and replaceable. Soft, high-quality face cushioning and padded temple tips for comfort. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0661X	341588321	Black	Clear, Uvextra, +1.5	Ea
S0662X	341588331	Black	Clear, Uvextra, +2.0	Ea



Crucible Eyewear

Features adjustable rubber nosepiece and dual mold rubber temple grips that add comfort and stability. 12/Box.



40227

ITEM #	ORDER #	FRAME	LENS	UOM
40227	336501471	White	Silver mirror polarized	Ea
40117	336501481	Brown	Brown, HD	Ea
4061	336501491	Black	Smoke	Ea
40412	336501501	Black	Indoor/Outdoor	Ea



Passage Eyewear

Features lightweight frame, flexible temples with rubber temple pads and seamless one piece design. Polycarbonate lens provides impact resistance. Meets ANSI Z87.1 standards. Provides 99.9% protection against harmful UV rays. 12/Box.



PS0110ID

ITEM #	ORDER #	LENS	UOM
PS0110ID	336501521	Clear	Ea
PS0111ID	336501531	Clear, AF	Ea
PS0120ID	336501541	Smoke	Ea
PS0190ID	336501551	Indoor/Outdoor	Ea



DPG59-110

ITEM #	ORDER #	FRAME	LENS	UOM
DPG59-125	336536041	Black	Clear, hardcoat, +2.5	Ea
DPG59-130	336536051	Black	Clear, hardcoat, +3.0	Ea



S3760

ITEM #	ORDER #	FRAME	LENS	UOM
S3763	341586031	Black	Clear, Ultra-dura, +2.5	Ea
S3764	341586041	Black	Clear, Ultra-dura, +3.0	Ea



S0661X

ITEM #	ORDER #	FRAME	LENS	UOM
S0663X	341588341	Black	Clear, Uvextra, +2.5	Ea

◆ Non-stock item. Minimum quantity may apply.



BearKat Magnifier® Safety Glasses

Features one-piece design, wraparound polycarbonate lens that offers unobstructed vision and filters more than 99.9% of UV radiation and flexible temples. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BKH10	331400031	Clear	Clear, anti-scratch, +1.0	Ea
BKH15	331400051	Clear	Clear, anti-scratch, +1.5	Ea
BKH20	331400071	Clear	Clear, anti-scratch, +2.0	Ea
BKH25	331400091	Clear	Clear, anti-scratch, +2.5	Ea
BKH15G	331400061	Smoke	Gray, anti-scratch, +1.5	Ea
BKH20G	331400081	Smoke	Gray, anti-scratch, +2.0	Ea
BKH25G	331400201	Smoke	Gray, anti-scratch, +2.5	Ea



Jackson Safety* V60 Nemesis* Rx Readers Safety Eyewear

Sporty, flexible, lightweight eyewear with integrated diopters for vision assistance. Enhanced nosepiece design with integrated ridges to channel away sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Certified to meet the requirements of CSA Z94.3. Note: 22516, 22518 and 22519 are not CSA Certified. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
28618	C24120551	Black	Clear, +1.0	Ea
28621	C24120561	Black	Clear, +1.5	Ea
28624	C24120571	Black	Clear, +2.0	Ea
28627	C24120581	Black	Clear, +2.5	Ea



Jackson Safety* V60 Nemesis* with RX Inserts Safety Eyewear

Sporty eyewear that comes with a close-fit prescription lens insert behind the polycarbonate eyeshield. Solution tends to be more lightweight and comfortable than options like side shields and over-the-glasses safety glasses. Adjustable ratchet-action temples with five positions provide a customized fit. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Base curve 8.25 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
38503	C24185031	Black	Clear, anti-fog	Ea
38507	C24185071	Blue	Indoor/Outdoor, anti-fog	Ea



Dominator™ DM3 Readers

Features solution-based protection, wire core and independently adjustable nose pads. Available with MAX3™ scratch-resistant coating, MAX6™ anti-fog coating or BOSSMAN™ mirror lens coatings. Offers co-injected TPR wire core and adjustable nose pads and temples. Meets or exceeds Z87+ and Military High Velocity Impact standards. Includes cord and cleaning case.

ITEM #	ORDER #	FRAME	LENS	UOM
DM13H10PF	331442821	Tortoise	Clear, +1.0, MAX6	Ea
DM13H10BPF	331443201	Tortoise	Brown, +1.0, MAX6	Ea
DM13H15PF	331442831	Tortoise	Clear, +1.5, MAX6	Ea
DM13H15BPF	331443211	Tortoise	Brown, +1.5, MAX6	Ea
DM13H20PF	331442841	Tortoise	Clear, +2.0, MAX6	Ea
DM13H20BPF	331443221	Tortoise	Brown, +2.0, MAX6	Ea
DM13H25PF	331442851	Tortoise	Clear, +2.5, MAX6	Ea
DM13H25BPF	331443231	Tortoise	Brown, +2.5, MAX6	Ea



ITEM #	ORDER #	FRAME	LENS	UOM
28630	C24120591	Black	Clear, +3.0	Ea
22516	C24124291	Black	Smoke, +1.5	Ea
22518	C24124681	Black	Smoke, +2.0	Ea
22519	C24124621	Black	Smoke, +2.5	Ea



3M™ BX™ Readers Safety Eyewear

Contoured, fully adjustable design features soft-tip temples, soft nosebridge, three lens angles and polycarbonate lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11377-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
11374-00000-20	665570241	Silver/black	Clear, anti-fog, +1.5	Ea
11375-00000-20	665520811	Silver/black	Clear, anti-fog, +2.0	Ea
11376-00000-20	665564091	Silver/black	Clear, anti-fog, +2.5	Ea
11377-00000-20	665522521	Silver/black	Gray, anti-fog, +1.5	Ea
11378-00000-20	665522001	Silver/black	Gray, anti-fog, +2.0	Ea
11379-00000-20	665522711	Silver/black	Gray, anti-fog, +2.5	Ea



3M™ Nuvo™ and Nuvo™ Readers Safety Eyewear

“Retro” styling with molded-in magnifying diopters on the lower lens. Features adjustable temples, integral brow bar and soft nosepiece. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11434-00000-20

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11434-00000-20	665563881	Nuvo Readers	Gray	Clear, +1.5	Ea
11435-00000-20	665574221	Nuvo Readers	Gray	Clear, +2.0	Ea
11436-00000-20	665574231	Nuvo Readers	Gray	Clear, +2.5	Ea



11513-00000-20

3M™ Virtua™ Safety Readers

Lightweight, unisex design features reading diopters, flexible temples and polycarbonate lenses with anti-fog coating that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11513-00000-20	665574541	Clear	Clear, +1.5	Ea
◆ 11514-00000-20	665574551	Clear	Clear, +2.0	Ea



SF415AF

3M™ 3M™ SecureFit™ Safety Readers

Stylish design weighs less than 1 oz., has soft adjustable nose pads for greater personalization, and incorporates dual-material on temples to provide cushioned comfort plus enhanced style. Incorporates 3M™ Pressure Diffusion Temple Technology to help diffuse pressure over the ear and provide enhanced temple comfort while not compromising the security of fit. Corrective vision to multiple degrees. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of ANSI Z87.1-2010. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ SF415AF	665534561	Clear	Clear, +1.0	Ea
◆ SF420AF	665534571	Clear	Clear, +2.0	Ea



3M™ Clear Eyewear Side Covers

Can be used with many different spectacle styles.

WARNING: This product does not meet the side impact performance requirement of ANSI Z87.1+ High Impact standard. If user is exposed to potential side impacts, use ANSI Z87.1 compliant safety spectacles with side protection, goggles or faceshields with primary eye protection to avoid serious eye injuries.



23451-00030-20

ITEM #	ORDER #	UOM
23451-00030-20	665572621	20/Cs

⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

◆ Non-stock item. Minimum quantity may apply.



Head & Face Protection

Workers are required to wear the correct PPE whenever working in areas where there's potential of falling or flying objects or exposure to chemical splash.

Visit www.osha.gov for complete details and regulation requirements.



V-Gard® Standard Caps

Durable, injection-molded, high-density polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on features. Available with two types of suspensions: Fas-Trac® III ratchet suspension: 4-point webbed system with large knob for easy adjustment or Staz-On® pinlock suspension: comfortable, 4-point webbed system. Includes sweatband and adjustable crown straps. Meets ANSI/ISEA Z89.1-2009, Type 1, Class E.

ITEM #	ORDER #	COLOR	UOM
V-Gard Standard Cap, Staz-On Pinlock			
463942	308571271	White	Ea
463943	308571281	Blue	Ea
463944	308571301	Yellow	Ea
463945	308571321	Orange	Ea
463946	308571291	Green	Ea
463947	308571311	Red	Ea
463948	308571331	Gray	Ea
815558	308505581	Bright lime green	Ea

475360



ITEM #	ORDER #	COLOR	UOM
V-Gard Standard Cap, Fas-Trac III Ratchet Suspension			
475358	308503581	White	Ea
475359	308553601	Blue	Ea
475360	308553621	Yellow	Ea
475361	308553611	Orange	Ea
475363	308553691	Red	Ea
815565	308522681	Bright lime green	Ea
10061512	308536791	Hi-viz yellow/green	Ea



10150223

10150222

10150200



V-Gard® GREEN Protective Helmets

Produced from green high-density polyethylene (GHDPE), a biopolymer made from sugarcane-based ethanol. Can be recycled. Offers the added benefits of cutting carbon emissions and reducing atmospheric CO₂. Available in standard size with Fas-Trac® III ratchet suspension. Third-party SEI certified as Type I, Class E under ANSI/ISEA Z89.1-2009 and CSA Z94.1-2005.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10150199	308501991	V-Gard GREEN helmet	White	Ea
◆ 10150200	308502001	V-Gard GREEN helmet	Yellow	Ea
◆ 10150221	308502211	V-Gard GREEN helmet	Blue	Ea
◆ 10150222	308502221	V-Gard GREEN helmet	Green	Ea
◆ 10150223	308502231	V-Gard GREEN helmet	Red	Ea



V-Gard® Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with choice of Staz-On® pinlock or Fas-Trac® III ratchet suspension system. Also includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2014, Type 1, Class E, CSA Z94.1-2015 (Class E) and voluntary standard for low temperature [LT] and reverse donning.

ITEM #	ORDER #	COLOR	UOM	ITEM #	ORDER #	COLOR	UOM
V-Gard Full-brim Hat, Staz-On Pinlock				V-Gard Full-brim Hat, Fas-Trac III Ratchet			
454730	308547531	Yellow	Ea	475366	308555661	Yellow	Ea
454732	308547541	Blue	Ea	475367	308555671	Gray	Ea
454733	308547331	White	Ea	475368	308553681	Blue	Ea
454734	308547551	Orange	Ea	475369	308553701	White	Ea
◆ 454735	308547561	Green	Ea	475370	308555681	Green	Ea
454736	308547361	Red	Ea	475371	308553711	Red	Ea
				815570	308599251	Bright lime green	Ea
				10021292	308520351	Hi-viz orange	Ea



475369



Freedom Series™ V-Gard® Protective Hard Hat

Stay compliant while protecting head and expressing patriotism. Bright designs are unique, with a superior shiny finish. Come equipped with MSA's Fas-Trac® III suspension and meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class E) and CSA Z94.1-2015 (Class E). Also meet the ANSI/ISEA Z89.1-2014 and CSA Z94.1-2015 voluntary standard for reverse donning. Look for the official reverse donning symbol to determine if hard hat may be worn backwards without voiding approvals.



10052945

ITEM #	ORDER #	DESCRIPTION	UOM
10052945	308536521	American Stars & Stripes	Ea



V-Gard® 500 Protective Caps

Provides cooling vents for improved air circulation and comfort. Features Glaregard® surface underbrim to reduce reflective glare, lateral contours above ear for easy hearing protection integration and rain trough that extends all the way around the brim. Come equipped with MSA's Fas-Trac® III suspension (4-pt. or 6-pt.) and meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014: Vented (Class C). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT] and reverse donning.



10034019

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
10034018	308528161	V-Gard 500 cap, 4-pt.	White	Ea
10034019	308528171	V-Gard 500 cap, 4-pt.	Blue	Ea
10034020	308528181	V-Gard 500 cap, 4-pt.	Yellow	Ea
10034027	308540271	V-Gard 500 cap, 6-pt.	White	Ea
10034029	308528231	V-Gard 500 cap, 6-pt.	Yellow	Ea



V-Gard® Frames

Offers helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight. Meets ANSI/ISEA Z87.1-2010 requirements.



10115730

ITEM #	ORDER #	DESCRIPTION	UOM
10115730	3085850D1	V-Gard frame for slotted caps w/ debris control	Ea
10121266	3085851D1	V-Gard frame for slotted caps w/out debris control	Ea
10115822	3085852D1	V-Gard universal frame for slotted caps w/ debris control	Ea
10121268	3085853D1	V-Gard universal frame for slotted caps w/out debris control	Ea
10115821	308558281	V-Gard frame ET for slotted caps w/ debris control	Ea
♦ 10154622	308546221	V-Gard frame for slotted hats	Ea



V-Gard® Visors

A full line of visors for use with V-Gard chin protectors and frames. Made of wire mesh, polycarbonate (PC) or propionate (prop). Only works with V-Gard frames. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10116557	3085854D1	V-Gard visor, mesh w/ plastic edge	8" x 17" x .098"	Ea
10115840	308507381	V-Gard visor, clear, PC, contoured	8" x 17" x .06"	Ea
10115855	3085340E1	V-Gard visor, clear, prop, formed	8" x 17" x .098"	Ea
10115836	3085355E1	V-Gard visor, clear, PC, side-contours	8" x 17" x .04"	Ea



10116557

10115855

10115836



V-Gard® Accessory Kits

V-Gard accessory kits are designed to offer easy customer solutions for a variety of needs, in one convenient box.

10118694 Contains:

- Hi-viz orange V-Gard cap with ratchet suspension (**488146**)
- V-Gard frame for slotted caps with debris control (**10115730**)
- V-Gard mesh nitrometer (**10116558**)
- V-Gard retractable chin protector (**10115828**)
- Left/right, high (NPR 28 db) cap-mounted earmuffs (**10087422**)

10118697 Contains:

- V-Gard universal frame for caps with debris control (**10115822**)
- V-Gard clear, polycarbonate visor, 8" x 17" x .04" (**10115836**)
- Does not contain a MSA safety helmet

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10118694	308586981	V-Gard forestry kit	Ea
♦ 10118697	308586971	V-Gard accessory system kit w/out V-Gard cap	Ea



10118694

♦ Non-stock item. Minimum quantity may apply.



Replacement Suspensions for V-Gard® Caps and Hats

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately.

- Fas-Trac® III suspension is a 4-point webbed system with a large knob for easy adjustment
- Staz-On® suspension is a comfortable, 4-point webbed system

ITEM #	ORDER #	DESCRIPTION	UOM
10153385	308501811	Fas-Trac III suspension for Skullgard & Comfo-Cap® helmets	Ea
10148708	308587081	Fas-Trac III suspension, 4-pt. for V-Gard & V-Gard 500	Ea
10087218	3085196C1	Staz-On suspension for V-Gard cap or hat	Ea

10087218



454617



Skullgard® Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class G). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT].

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 454617	308547221	Cap w/ Staz-On® pinlock suspension	Ea
475395	308555791	Cap w/ Fas-Trac® III ratchet suspension	Ea
454664	308547301	Full brim hat w/ Staz-On pinlock suspension	Ea
475407	308555861	Full brim hat w/ Fas-Trac III ratchet suspension	Ea



696688



Terri-Band Sweatbands

Custom design sweatband with plastic snaps fits all MSA helmets. Washable.

ITEM #	ORDER #	DESCRIPTION	UOM
696688	308566885	Custom terri-band sweatband	10/Pk




N-Ferno® 6821 Fleece Balaclava

Features 340 g stretch polyester fleece for warmth and comfort. Reflective accent for higher visibility. Universal. Black.



16821

ITEM #	ORDER #	DESCRIPTION	UOM
16821	332103741	Fleece balaclava	Ea



V410



Baseball Style Bump Cap

Outer 100% polyester twill baseball cap features high-profile, 6-panel design with top of cap holes for cooling ventilation. Inside, a separate hard plastic polyethylene shell cap insert encircles top, front and both sides of head to protect against bumps and scrapes. Foam padding enhances comfort. Bump cap insert also sold separately. Universal. Navy. Non-ANSI compliant.

ITEM #	ORDER #	DESCRIPTION	UOM
V410	325302161	Baseball bump cap w/ insert	Ea
V400	325302171	Bump cap insert	Ea



Terry Toppers® Snap-On Sweatbands for Hard Hats

Constructed from 100% super-absorbent soft terry cotton and offers plush, not scratchy, texture. Sweatband absorbs without needing to be washed first. Installs easily with snap-on application and helps hard hat fit securely. No foam middle. Machine washable. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
870B20-01	325302671	Snap-on hard hat sweatband	Navy	Ea
870B20-15	325302651	Snap-on hard hat sweatband	Beige	Ea



870B20-15



Tuff Nougies® Doo Rags

Made of 100% absorbent cotton fabric with rear ties for secure fit and double layer of cotton around forehead for added comfort and absorption. FR versions are flame-resistant through 50 home washes. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN5-INFR-FR11	325316111	Tuff Nougies doo rag, FR	Gray	Ea
TN5-INFR-HVY	325316131	Tuff Nougies doo rag, FR	Hi-viz yellow	Ea
TN5-INFR-018	325316181	Tuff Nougies doo rag, FR	Navy	Ea
TN5-INFR-04	325316191	Tuff Nougies doo rag, FR	Green	Ea
TN5-INFR-KHK	325316211	Tuff Nougies doo rag, FR	Khaki	Ea
◆ TN5-NAV	325302411	Tuff Nougies doo rag	Navy	Ea
◆ TN5-BLACK	325302341	Tuff Nougies doo rag	Black	Ea
TN5-WAV	325302441	Tuff Nougies doo rag	Wavy flag	Ea



TN5-WAV



TN6-WAV



Tuff Nougies® Tie Hats with Elastic Rear Band

Features rear ties for a snug fit and 360° of 100% absorbent cotton terry (with additional soft foam under the front for comfort). Cotton elastic back-of-head band provides a secure fit. FR version is flame-resistant until washed. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN6-FLA	325302511	Tuff Nougies tie hat	Big flame	Ea
TN6-WAV	325302561	Tuff Nougies tie hat	Wavy flag	Ea
TN6-BLACK	325302471	Tuff Nougies tie hat	Black	Ea
TN6-JFL	325302521	Tuff Nougies tie hat	Jungle flage	Ea
TN6-12	325316125	Tuff Nougies tie hat	Assorted	12/PK
TN6-FR-BLK	325328751	Tuff Nougies tie hat, FR	Black	Ea



Cowboy Hard Hats

High-density polyethylene (HDPE) outer shell resists penetration. Features custom-curved extra wide brim for UV and rain protection plus vintage-inspired pinch-front top for authentic cowboy appeal. Water-resistant. Includes 6-point ratchet suspension. One size fits most. Complies with ANSI Z89.1, Type 1, Class E and G.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
VCB200-W	325302771	Cowboy hard hat	White	Ea
VCB200-B	325302741	Cowboy hard hat	Black	Ea
VCB200-G	325302751	Cowboy hard hat	Gray	Ea
VCB200-T	325302761	Cowboy hard hat	Tan	Ea



VCB200-B



VCB200-G



14831



Jackson Safety* SC-16 Fiberglass Caps

Fiberglass protection for higher heat applications. Smooth dome design. Firm, comfortable fit with padded, absorbent brow pad. Accessory slots for attaching additional personal protective equipment. 4-Point ratchet suspension. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class G and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14831	C24115851	SC-16 hard hat	White	Ea
◆ 14829	C24115841	SC-16 hard hat	Yellow	Ea



Jackson Safety* SC-6 Hard Hats

Smooth dome design. Lightweight; molded from dielectric high-density polyethylene (HDPE). Features 4-point comfort ratchet suspension and accessory slots for attaching additional personal protection equipment. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class C, G and E.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM	ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14833	C24115871	SC-6 Hard hat	Yellow	Ea	14838	C24115911	SC-6 Hard hat	Blue	Ea
14834	C24115881	SC-6 Hard hat	White	Ea	14839	C24115921	SC-6 Hard hat	Orange	Ea
14837	C24115901	SC-6 Hard hat	Green	Ea	14841	C24115931	SC-6 Hard hat	Red	Ea



14838



Jackson Safety* Blockhead* Hard Hats

Full 360° brim protects wearer from nature's elements. Lightweight. Molded from high-density polyethylene (HDPE). Features 8-point ratchet suspension. Soft, absorbent cloth absorbs sweat, keeping wearer comfortable. Meet ANSI Z89.1, Type 1, Class G, E and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
20697	C24121131	Blockhead* hard hat	White	Ea
20698	C24121141	Blockhead* hard hat	Yellow	Ea
20699	C24121151	Blockhead* hard hat	Blue	Ea
20701	C24121161	Blockhead* hard hat	Orange	Ea



20698



Jackson Safety* 382-B Cap Adapter

Blade-mounted for slotted hats. Totally dielectric and includes spark deflector. Faceshield sold separately. Fits SC-6, Sentry III* and Charger* hard hats.

Note: Dielectric means all exposed parts are plastic or rubber.



14944

ITEM #	ORDER #	DESCRIPTION	UOM
14944	C24116191	382-B cap adapter	Ea



Jackson Safety* 170-SB Headgear

Enables attachment of Jackson Safety* faceshields. Headgear with large spark deflector. Ratchet suspension.



14940

ITEM #	ORDER #	DESCRIPTION	UOM
14940	C24116141	170-SB headgear	Ea



Jackson Safety* Faceshields

Polycarbonate: Impact performance. Good performance against heat. Excellent cold flexibility.


Acetate: Robust combination of weight and strength. Excellent cold flexibility.

Polycarbonate Special: Perform well in high heat or cold environments for specialty applications.

Wire Mesh: Wear with faceshield to dissipate heat. Ideal for flying debris applications. Airflow for comfort.

Headgear sold separately. Meets ANSI Z87.1 2010 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
F20 Polycarbonate Faceshield				
29087	C24118581	34-60-PC Clear, unbound	8" x 15 1/2" x .060"	Ea
F30 Acetate Faceshields				
29052	C24114231	8154 Clear, bound	8" x 15 1/2" x .040"	Ea
29053	C24114301	8154M Medium green, bound	8" x 15 1/2" x .040"	Ea
29079	C24118381	34-40 Clear, bound	9" x 15 1/2" x .040"	Ea
29082	C24118471	34-41 Light green, bound	9" x 15 1/2" x .040"	Ea
29091	C24118671	34-40 Clear, bound, bulk	9" x 15 1/2" x .040"	Ea
29090	C24118641	34-42 Dark green, bound, bulk	9" x 15 1/2" x .040"	Ea
F50 Polycarbonate Special Faceshield				
29080	C24118401	34-65 Shade 5.0, bound	9" x 15 1/2" x .060"	Ea
F60 Wire Faceshields				
29102	C24126011	6513 Wire mesh, bound	9" x 15 1/2" x .060"	Ea
29055	C24114221	815 Wire mesh, bound	8" x 15.5" x .020"	Ea



29087

29080

29055

14945



Jackson Safety* 37 Hatshield

Curved aluminum channel and coil spring attachment allows attachment of any Jackson Safety* faceshield to protective full brim hat.

ITEM #	ORDER #	DESCRIPTION	UOM
14945	C24116201	37 Hatshield, metal	Ea
14393	C24112701	Model-H bracket hat adapter	Ea



Jackson Safety* HDG 10 Model K Headgear

Ratchet headgear with spark deflector. Soft, absorbent, wraparound, foam-cushioned sweatband gently hugs the natural shape of the head.

ITEM #	ORDER #	DESCRIPTION	UOM
14381	C24112961	Model K ratchet headgear w/ spark deflector	Ea



14381



Jackson Safety* Capshields

337 Capshield is a fully dielectric device for non-slotted caps. Features curved channel that fits over bill of the cap for bill forward wear and secures with adjustable rubber headband that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

437 Blade-mount capshield is a fully dielectric plastic attachment for slotted caps. Curved channel fits over bill of cap for bill forward wear and includes pivoting blades, which snap easily into cap slots. Faceshields secured with integral plastic lugs.

137 Capshield is a metal device for non-slotted caps. Features curved aluminum channel that fits over bill of cap for bill forward wear and secures with coiled spring that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	UOM
14946	C24116211	337 Capshield	Ea
14947	C24116221	437 Blade-mount capshield	Ea
14948	C24116231	137 Capshield	Ea



14946



Serpent® Safety Helmets

Ultra-comfortable safety helmets that offer durable head protection for a wide range of work environments. Sleek, snake-head-like shell design provides modern style. Manufactured from lightweight (13.1 oz.), high-density polyethylene (HDPE) material. Comfortable 8-point, 6-strap nylon suspension provides exceptional impact absorption. Independently tested to meet the ANSI Z89.1 standard for Type 1, Class E, G and C safety helmets. Independently tested to meet the voluntary ANSI Z89.1-2009 standards for lower temperature, reverse donning and high visibility (hi-viz shell colors only).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
72200	323327301	Serpent safety helmet	White	Ea
72201	323327311	Serpent safety helmet	Yellow	Ea
72203	323327321	Serpent safety helmet	Blue	Ea
72216	323327331	Serpent safety helmet	Hi-viz orange	Ea
72218	323327341	Serpent safety helmet	Hi-viz limon	Ea



72203



677



Venom® Headgear Unit

Three-part comfort adjustment system makes it easy to wear for all-day applications. Extra-soft brow pad and nape strap delivers superior comfort. Meets ANSI Z87.1+ High Impact standard. Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 677	323301061	Venom headgear unit	Ea



679



Venom® Face Protection

Contoured visor design creates a more complete seal to block debris. Contemporary headgear design offers lightweight construction with soft brow pad and nape strap for comfort. Three-part adjustment system provides custom fit, and tension adjustment ensures that visor will stay in place when raised. Measures: 9" x 15 1/2" x .060". Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards. Visors are for use with Venom headgear.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 679	323306791	Venom Combo-Pak w/ 677 headgear & 675 visor		Ea
675	323301071	Venom visor	Clear	Ea
678	323327251	Venom visor	Smoke	Ea
676	323327261	Venom visor	Clear, anti-fog	Ea





WELDAS® SWEATSOpad® Headbands

Made from absorbent, 100% fleece cotton. Features air cushion layer, absorbs excessive perspiration and helps to minimize "helmet-head" and helmet slippage. Eliminates the frustration of wearing a helmet over a sweatband. Flame-retardant treated with hook-and-loop fastener. Russet.

ITEM #	ORDER #	DESCRIPTION	UOM
20-3100V	C25400605	Welding helmet headband	2/Pk
20-3200V	C25400615	Hard hat headband	2/Pk



20-3200V



Classic Series Hard Hats

Designed with a wide profile which offers heightened protection from elements, including UV rays. Standard 1" (2.54 cm) wide seamless nylon straps increase balance and comfort. Comes with 6-point, Flex-Gear® suspensions with ratchet adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Also meets CSA Z94.1-2015, Type I, Class E and G. Custom logo printing available.



C30KBR

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
C30WHR	164805231	Model C30R cap	White	Ea
C30YLR	164805251	Model C30R cap	Yellow	Ea
C30RDR	164805131	Model C30R cap	Red	Ea
C30FGR	164804841	Model C30R cap	Forest green	Ea
C30KBR	164804951	Model C30R cap	Kentucky blue	Ea
C30ORR	164805091	Model C30R cap	Orange	Ea
C33WHR	164806251	Model C33R full brim hard hat	White	Ea
C33YLR	164806271	Model C33R full brim hard hat	Yellow	Ea
C33RDR	164806151	Model C33R full brim hard hat	Red	Ea
C33KBR	164805971	Model C33R full brim hard hat	Kentucky blue	Ea



Model S51 Hard Hats

Flat front, trim profile shell design combines a perfect fit with a look that workers prefer. Features rain trough and poly brow pad for comfort. Lightweight, high-density polyethylene (HDPE) construction for durability. Available with 4-point suspension with self-sizing pinlock or Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G and CSA Z94.1-2015, Type 1, Class E and G. Custom logo printing available.



51YLP

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
51WHP	164807661	Pinlock suspension	White	Ea
51YLP	164807701	Pinlock suspension	Yellow	Ea
51KBP	164807111	Pinlock suspension	Kentucky blue	Ea
51WHR	164807681	Ratchet suspension	White	Ea
51YLR	164807721	Ratchet suspension	Yellow	Ea
51KBR	164807131	Ratchet suspension	Kentucky blue	Ea

Bullard Model S61 Hard Hats

Features lightweight, high-density polyethylene (HDPE) construction and low-profile, rounded front design. The 4-point suspension includes cotton brow pad and Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Custom logo printing available.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
61HOR	164807971	Model S61 hard hat	Hi-viz orange	Ea
61WHR	164808131	Model S61 hard hat	White	Ea
61YLR	164808151	Model S61 hard hat	Yellow	Ea
◆ 61RDR	164808091	Model S61 hard hat	Red	Ea
61KBR	164808011	Model S61 hard hat	Kentucky blue	Ea



61RDR

Bullard Bump Caps

Offers wearer a sleek style combined with user comfort and maximum versatility. Provides protection against minor bumps, bruises and lacerations. Features double hoop design for greater reinforcement and durability along with an easy-to-assemble user replaceable suspension. Lightweight, high-density polyethylene (HDPE). Interchangeable brow pad available in easy-to-clean vinyl and absorbent polyester for comfortable fit.


ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
BCWHV	164823321	Bump cap w/ vinyl brow pad	White	Ea
◆ BCWHP	164823331	Bump cap w/ polyester brow pad	White	Ea
BCYLV	164823341	Bump cap w/ vinyl brow pad	Yellow	Ea
BCYLP	164823351	Bump cap w/ polyester brow pad	Yellow	Ea



BCYLP

Faceshield Brackets

Securely attach hard hats with the faceshield bracket that suits your needs. Gold Line aluminum faceshield brackets, made from resilient, gold-anodized aluminum, resist corrosion and heat, making them ideal for chemical handling and high-heat industrial applications. Front-mounting. Meets ANSI/ISEA Z87.1-2015 High Impact.



100G


ITEM #	ORDER #	DESCRIPTION	UOM
100G	164804331	Aluminum bracket, fits cap Models C30, S51, S61, S62, 911C & bump cap	Ea
112G	164804361	Aluminum bracket, fits full brim hat Models C33, 911H, C34 & S71	Ea

Visors

Flat acetate is for chemical applications and light impact protection. Heat-formed polycarbonate is for high-heat applications with little or no exposure to chemicals.

(Heat-formed visors are curved to the shape of the bracket to minimize stress cracking and improve ease of attachment).

Acetate visors and polycarbonate visors (plus Tritan) meet ANSI/ISEA Z87.1-2015 High Impact.



860P

840MG

840M

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 640	164808451	Flat acetate visor, basic impact	Clear	6" x 15" x .040"	Ea
◆ 640G	164808461	Flat acetate visor	Dark green	6" x 15" x .040"	Ea
◆ 640PW3	164801331	Polycarbonate visor, basic impact	Shade 3	6" x 15" x .040"	Ea
◆ 640PW5	164801341	Polycarbonate visor, basic impact	Shade 5	6" x 15" x .040"	Ea
◆ 680P	164808471	Polycarbonate visor, extra thick	Clear	6" x 15" x .080"	Ea
840M	164808201	Flat acetate visor, basic impact	Clear	8" x 15" x .040"	Ea
840MG	164808811	Flat acetate visor, basic impact	Dark green	8" x 15" x .040"	Ea
860P	164808871	Polycarbonate visor	Clear	8" x 15" x .060"	Ea
840P	164808841	Polycarbonate visor, basic impact	Clear	8" x 15" x .040"	Ea
860H	164808861	Acetate visor, heat-formed	Clear	8" x 15" x .060"	Ea
◆ E840ME	164801451	Economy flat multi-fit polyester visor	Clear	8" x 15" x .040"	Ea
◆ 880P	164809091	Polycarbonate visor, extra thick	Clear	8" x 15" x .080"	Ea
840ME	164808801	Flat polyester visor	Clear	8" x 15" x .040"	Ea
◆ 840MH	164808821	Multi-fit acetate visor	Clear	8" x 15" x .040"	Ea
◆ 840PW3	164801361	Flat multi-fit polycarbonate visor	Shade 3	8" x 15" x .040"	Ea
◆ 840PW5	164801371	Flat multi-fit polycarbonate visor	Shade 5	8" x 15" x .040"	Ea
◆ 840PX2	164808851	Polycarbonate visor for Sentinel 2 only	Clear	7" x 15" x .040"	Ea
◆ 840PX2W3	164801381	Polycarbonate visor for Sentinel 2 only	Shade 3	7" x 15" x .040"	Ea
◆ 840MX2	164808831	Flat acetate visor for Sentinel 2 only	Clear	7" x 15" x .040"	Ea
◆ 840PX2W5	164801391	Polycarbonate visor for Sentinel 2 only	Shade 5	7" x 15" x .040"	Ea
◆ 840TX2	164801401	Tritan visor for Sentinel 2 only	Clear	7" x 15" x .040"	Ea
◆ 840T	164814821	Tritan visor, heat formed	Clear	8" x 15" x .040"	Ea
◆ 860T	164801481	Tritan visor, heat formed	Clear	8" x 15" x .060"	Ea
◆ WS60TM	164801351	Flat multi-fit Tritan visor	Clear	9" x 19.75" x .060"	Ea
◆ 880T	164801431	Tritan visor, heat formed, extra thick	Clear	8" x 15" x .080"	Ea
◆ 680T	164801311	Flat multi-fit Tritan visor	Clear	6" x 15" x .080"	Ea
◆ CS40	164801061	Flat multi-fit acetate visor	Clear	9" x 19.75" x .040"	Ea
WS60PM	164804211	Flat multi-fit polycarbonate visor	Clear	9" x 19.75" x .060"	Ea
◆ 6S24	164801321	Mesh screen visor	Black	6" x 15" x 24"	Ea
8S24	164808791	Mesh screen visor	Black	8" x 15" x 24"	Ea



300BW

Dielectric Faceshield Brackets

Securely attach hard hats with faceshield bracket. Dielectric brackets are constructed from lightweight, durable nylon and are suited for general-duty applications. Front-mounting. Meets ANSI Z87.1-2015 High Impact when used in combination with Bullard headgear or faceshield brackets. Fits cap Models C30, Advent®, S51, S61, bump cap and S62.

ITEM #	ORDER #	DESCRIPTION	UOM
300BW	164805271	Dielectric bracket w/ neoprene gasket	Ea
300B	164805261	Dielectric bracket	Ea

◆ Non-stock item. Minimum quantity may apply.



Bionic® Faceshields and Replacement Visors

Provides excellent optics, visibility, and enhanced protection from airborne debris. Ideal for workers exposed to falling or flying objects, impact, chemical splash and other debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position visors are easy to replace and attach securely. Comfortably worn with most goggles, eyewear and respirators. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.



ITEM #	ORDER #	DESCRIPTION	LENS	UOM
S8500	341535081	Bionic faceshield, polycarbonate visor	Clear, uncoated	Ea
S8510	341535101	Bionic faceshield, polycarbonate visor	Clear, hardcoat, anti-fog	Ea
Replacement Visors				
S8550	341535121	Polycarbonate visor	Clear, uncoated	Ea
S8555	341535131	Polycarbonate visor	Clear, hardcoat, anti-fog	Ea
♦ S8560	341535141	Polycarbonate visor	Shade 3.0, uncoated	Ea
S8565	341535151	Polycarbonate visor	Shade 5.0, uncoated	Ea



Replacement Brow Pads

Brow pads cushion while absorbing moisture to keep wearers feeling cool and clean. Replaceable on all Standard and Classic Series hard hats. Velcro® easily in place over original pads, ensuring comfort and protection. RBPCOOL replacement brow pad is made of Polartec® wicking material that moves sweat away from the worker's brow. RBPCOTTON is a large, absorbent cotton replacement pad. Both styles fit all current Bullard® hard hats.

ITEM #	ORDER #	DESCRIPTION	UOM
RBPCOOL	164810511	Polartec replacement brow pad	Ea
RBPCOTTON	164802961	Large cotton replacement brow pad	Ea



Turboshield™

Perfect for workers exposed to falling or flying objects, impact, splash and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs. Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky accessories. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Visor slides back 7", improving balance and weight distribution. Headgear features breathable, removable, washable headband; toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments. Clear and Gray lenses available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Hard hat adapter accessory is compatible with multiple hard hats, including Fibre-Metal®, North® and most major competitor styles. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection from overhead debris. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Faceshields offer secondary protection and must be worn with spectacles or goggles.



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ S9500	341595011	Turboshield ratchet headgear	Black	Ea
♦ S9510	341595101	Turboshield hard hat adapter	Black	Ea
♦ S9550	341595501	Polycarbonate replacement visor	Clear, uncoated	Ea
♦ S9555	341595551	Polycarbonate replacement visor	Clear, hardcoat, anti-fog	Ea
S9575	341595751	Polycarbonate replacement visor	Gray, hardcoat, anti-fog	Ea
S9560	341595601	Polycarbonate replacement visor	Shade 3.0, uncoated	Ea
S9565	341595651	Polycarbonate replacement visor	Shade 5.0, uncoated	Ea



Protecto-Shield® Prolok® Headgear and Visors

Tough thermoplastic headgear provides impact and splash protection and feature heat-resistant browguard. Specially designed with chemical splash drip edge to prevent fluids from splashing down inside the visor. Easy sizing and tension adjustment for individual visor positioning. Visors measure 8 1/2" x 15" x .070" and attach easily without snaps, posts or levers. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

Note: Faceshields [and face screens] provide secondary eye protection only and must be worn along with approved primary eye protection, such as safety glasses or goggles, in order to provide complete eye protection.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
11380048	341500481	V5N Prolok headgear w/ ratchet adjustment & sweatband	Medium green	Ea
Molded Replacement Visors				
11390065	341500471	Polycarbonate visor, poly bag	Clear	Ea
11390064	341500441	Propionate visor, poly bag	Clear	Ea
11390069	341537891	Propionate visor	Shade 6.0	Ea



Honeywell

SuperEight® Caps and Hats

High-quality thermoplastic hats and caps feature unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots. Wearer can adjust head size by using rear-located ratchet mechanism and tilting the headband. All hats and caps include 8-point suspension and available with Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear. All styles are SEI certified to meet ANSI Z89.1-2009, Type 1, Class E.

Note: Available in a variety of colors. E2 cap is compatible with Quik-Lok® or Speedy® Loop helmet attachment system for faceshield and welding helmets. Call customer service for more information.



E1RW71A000

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
E2RW01A000	614609301	Hard cap	White	Ea
E2RW02A000	614609321	Hard cap	Yellow	Ea
E2RW15A000	614609311	Hard cap	Red	Ea
E2RW71A000	347686911	Hard cap	Blue	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
E1RW01A000	614609151	Full brim hard hat	White	Ea
E1RW02A000	614609251	Full brim hard hat	Yellow	Ea
E1RW15A000	614609261	Full brim hard hat	Red	Ea
E1RW71A000	614609271	Full brim hard hat	Blue	Ea

Honeywell


Roughneck™ P2 Hard Hats

Made of an injection-molded fiberglass compound. Solid color resin for permanent, no-chip, no-peel finish. Features smooth, matte finish for cleaner, crisper logo imprints. Impact resistance up to 500° F. Compatible with Quik-Lok® or Speedy® Loop helmet attachment system for faceshields and welding helmets. SEI third-party certified. Meets ANSI-Z89.1-2009, Type 1, Class G and CSA Z94.1-2005, Type 1, Class G or C (Class C for Quik-Lok model).



P2HNRW01A000

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
♦ P2HNRW71A000	347686651	High heat hard hat	Blue	Speedy Loop	Ea
P2HNRW01A000	347686681	High heat hard hat	White	Speedy Loop	Ea
♦ P2HNRW74A000	347691211	High heat hard hat	Green	Quick-Lok	Ea
P2HNRW71A000	347688661	High heat hard hat	Blue	Quick-Lok	Ea



F500



F5400



FM70

F300, F400 and F500 Series Faceshield Headgear

A variety of faceshield headgear with crown protectors provides the level of protection you need. All models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands (windows sold separately). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

F300 lightweight faceshield headgear provides general face protection for light-duty applications. Easily fits over spectacles, leaving room for air circulation to prevent fogging. Accommodates standard size (8" x 11 1/2") windows.

F400 features a deeper 4" crown protector to extend protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators.

F500 includes a broader, deeper 7" crown protector to provide an extra margin of protection when harsh working conditions require it. Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris. Includes Fibre-Metal classic 3-C, free-floating headgear.

ITEM #	ORDER #	DESCRIPTION	UOM
F300	347686341	Light-duty faceshield headgear w/ 3" crown protector	Ea
F400	614601731	Medium-duty faceshield headgear w/ 4" crown protector	Ea
F500	614601761	Heavy-duty faceshield headgear w/ 7" crown protector	Ea

Faceshield Headgear Combinations

Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats. Constructed from Noryl®, these faceshield brackets offer durable protection. Model 5000 with Speedy® Loop mounting loops is adjustable and provides easy on and off mounting on protective caps.

ITEM #	ORDER #	DESCRIPTION	UOM
F4400	614601741	F400 faceshield bracket w/ Quick-Lok® cups, 4" crown	Ea
F5400	614601771	F500 faceshield bracket w/ Speedy Loop mounts, 4" crown	Ea
F5500	614601781	F500 faceshield bracket w/ Speedy Loop mounts, 7" crown	Ea
♦ 5000	614606911	5000 Speedy Loop attachment & adapter headband kit	Ea

Faceshield Hard Hat Brackets

Provides positive seal to keep debris from filtering between cap and shield. May be pivoted above cap between uses without removing the cap. Hard hat and faceshield not included.

ITEM #	ORDER #	DESCRIPTION	UOM
FM70	614602441	Fully dielectric mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
FH66	614601811	Aluminum mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
♦ FM71	614602471	Dielectric frame for extended outdoor use, fits wide windows only, for Fibre-Metal E1 full brim hats	Ea

♦ Non-stock item. Minimum quantity may apply.



Honeywell

High-Performance® Faceshield Windows

Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris. They are .060" thick, yet cost no more than ordinary .040" thick windows. Easily fit over required protective spectacles or respirators. Hard hat and frame not included.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
4118CL	614606221	Standard window, fits F300 Series	Clear	8" x 11 1/4"	Ea
4178CL	614606241	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Clear	8" x 16 1/2"	Ea
4178DGN	614606251	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Dark green	8" x 16 1/2"	Ea
4199CL	614606291	Extended view window, fits F400, F500 Series & FH66	Clear	9 3/4" x 19"	Ea
4199DGN	614606301	Extended view window, fits F400, F500 Series & FH66	Dark green	9 3/4" x 19"	Ea
4178IRUV5	614606271	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Shade 5.0	8" x 16 1/2"	Ea
4199IRUV5	614606321	Extended view window, fits F400, F500 Series & FH66	Shade 5.0	9 3/4" x 19"	Ea



Honeywell North Zone™ Hard Hats

Contemporary high density polyethylene (HDPE) shell design with 4 large areas for custom logo imprinting or other personalization options. Features slots for cap-mounted earmuffs, faceshields and other PPE accessories, removable and replaceable rear comfort cradle, 3-level height adjustment (Low, Medium, High), and ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL). Includes moisture-wicking, breathable sweatband that is easily removable, washable and replaceable. Available with quick-fit pinlock or ratchet suspension. Meets ANSI Type I, Class C, G and E requirements.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Quick Fit Pinlock Suspension				
◆ N10010000	341574151	North Zone hard hat	White	Ea
◆ N10020000	341574161	North Zone hard hat	Yellow	Ea
◆ N10030000	341574171	North Zone hard hat	Orange	Ea
◆ N10040000	341574181	North Zone hard hat	Green	Ea
◆ N10050000	341574191	North Zone hard hat	Hi-viz red	Ea
◆ N10070000	341574201	North Zone hard hat	Sky blue	Ea
◆ N10080000	341574211	North Zone hard hat	Navy blue	Ea
◆ N10090000	341574221	North Zone hard hat	Gray	Ea
◆ N10100000	341574231	North Zone hard hat	Tan	Ea
◆ N10110000	341574241	North Zone hard hat	Black	Ea
◆ N10120000	341574251	North Zone hard hat	Brown	Ea
◆ N10130000	341574261	North Zone hard hat	Gold	Ea
◆ N10150000	347600371	North Zone hard hat	Red	Ea
◆ N10170000	341574271	North Zone hard hat	Royal blue	Ea
◆ N10200000	341574281	North Zone hard hat	Hot pink	Ea
◆ N10440000	341574301	North Zone hard hat	Hi-viz yellow	Ea
◆ N10460000	341574311	North Zone hard hat	Hi-viz orange	Ea
Ratchet Suspension				
◆ N10R010000	341574321	North Zone hard hat	White	Ea
◆ N10R020000	341574331	North Zone hard hat	Yellow	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ N10R030000	341574341	North Zone hard hat	Orange	Ea
◆ N10R040000	341574351	North Zone hard hat	Green	Ea
◆ N10R050000	341574361	North Zone hard hat	Hi-viz red	Ea
◆ N10R070000	341574371	North Zone hard hat	Sky blue	Ea
◆ N10R080000	341574381	North Zone hard hat	Navy blue	Ea
◆ N10R090000	341574391	North Zone hard hat	Gray	Ea
◆ N10R100000	341574401	North Zone hard hat	Tan	Ea
◆ N10R110000	341574411	North Zone hard hat	Black	Ea
◆ N10R120000	341574421	North Zone hard hat	Brown	Ea
◆ N10R130000	341574431	North Zone hard hat	Gold	Ea
◆ N10R150000	341574441	North Zone hard hat	Red	Ea
◆ N10R170000	341574451	North Zone hard hat	Royal blue	Ea
◆ N10R200000	341574461	North Zone hard hat	Hot pink	Ea
◆ N10R440000	341574471	North Zone hard hat	Hi-viz yellow	Ea
◆ N10R460000	341574481	North Zone hard hat	Hi-viz orange	Ea
Replacement Parts				
◆ N10S	341574491	North Zone quick-fit pinlock suspension		Ea
◆ N10RS	341574501	North Zone ratchet suspension		Ea
◆ N10SB	341574511	North Zone sweatband		Ea
◆ N10RC	341574521	North Zone cradle		Ea

Head & Face Protection



Headgear Brackets and Faceshields

Headgear features locking cams which eliminate snaps and lower replacement costs. Aluminum rim headgear bracket (102) features a 5-system cam lock for added impact resistance. Ratchet, take-up headgear (103) also features a 5-system cam lock for heightened impact resistance, a large ratchet handle, and a cotton sweatband for comfortable fit. Constructed from ABS material and a crown made of nylon 66. All headgear accepts most manufacturers' universally punched windows. Meets ANSI Z87.1+ High Impact standard. For use as secondary protection only. Faceshields sold separately.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
102	331404401	Aluminum rim headgear bracket		Ea
103	331401031	Ratchet take-up headgear		Ea
101640	331404391	Clear, universal PETG faceshield	10" x 15 1/2" x .040"	Ea
102040	331404411	Clear, universal PETG faceshield	10" x 20" x .040"	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
181540	331404461	Clear, universal PC faceshield	8" x 15 1/2" x .040"	Ea
181560	331404471	Clear, universal PC faceshield	8" x 15 1/2" x .060"	Ea
181640	331410721	Clear, universal PETG faceshield	8" x 15 1/2" x .040"	Ea
181640A	331404481	Clear, PETG aluminum bound faceshield	8" x 15 1/2" x .040"	Ea



H-801R

3M 3M™ H8A Deluxe Ratchet Headgear

Five-position crown strap with ratchet adjustment offers comfortable, snug fit. No snaps, caps or bands. High-strength thermoplastic crown provides impact resistance over a wide range of temperatures. Easy-Change feature allows for quick faceshield replacement. Faceshields sold separately. Meets ANSI Z87.1+ High Impact standard when worn with 3M™ Faceshields.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
8250100000	665520871	H8A Deluxe ratchet headgear	Ea

3M 3M™ Faceshields

Polycarbonate faceshields help provide good heat resistance and high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. WP96C features dark green color for high glare reduction. Non-infrared absorbing. Measures: 9" x 14 1/2" x .08". Meets the High Impact requirements of ANSI Z87.1-2010 when worn with 3M™ headgear.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
8270100000	665564341	WP96 Clear Polycarbonate Faceshield	Ea
◆ 8270200000	665573571	WP96C Dark Green Polycarbonate Faceshield	Ea
8254300000	665573441	WP98 Clear Polycarbonate Faceshield for HCP8	Ea
8270000000	665573961	Clear Propionate Faceshield	Ea

3M 3M™ Ratchet Headgear

82783-00000 is a combination headgear and faceshield safety system. Includes H8A ratchet headgear and WP96 polycarbonate faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately.

82521-10000 headgear and chin protector assembly helps deliver reliable face protection. Includes high-strength ratchet headgear and clear polycarbonate chin protector. 3M™ Faceshield WP98 not included. For use when extra chin protection is required.

ITEM #	ORDER #	DESCRIPTION	UOM
8278300000	665564351	H8A Ratchet Headgear w/ WP96 Clear Polycarbonate Faceshield	Ea
8252110000	665573411	HCP8 Ratchet Headgear w/ Clear Chin Protector	Ea

3M 3M™ Hard Hat H-800 Series

Protective full brim hard hat with comfortable 4-point ratchet suspension and standard brow pad. Suspension sits lower on head to reduce pressure and increase security. Optimized comfort with three levels of height adjustment. Optional Uvicator™ sensor offers workers an easy way to monitor hard hat's exposure to the sun, so wearer will know when to replace it. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

ITEM #	ORDER #	DESCRIPTION	UOM
H-801R	665587211	Hard Hat H-800 Series	Ea
◆ H-801R-UV	665587431	Hard Hat H-800 Series w/ Uvicator™ Sensor	Ea

! WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3M 3M™ Hard Hat H-700 Series

Tough and lightweight. Designed with a low profile for improved stability and balance. Comfortable protection from small falling objects that strike the top of hard hat. Features replaceable brow pad, short brim for better upward visibility and accessory slots to accommodate earmuffs, headgear, faceshields and welding helmets. Available with 4-point pinlock or ratchet suspension with height adjustment. Ideal for heavy and light industrial work, construction, oil and gas, forestry and mining. Non-vented meets the requirements of ANSI/ISEA Z89.1-2009 Type I, Class C, G and E. Vented meets the requirements of ANSI/ISEA Z89.1-2009 Type I, Class C.

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
H-701R	665527011	Hard Hat H-700 Series	White	Ratchet	Ea
◆ H-701P	665577821	Hard Hat H-700 Series	White	Pinlock	Ea
◆ H-701V	665536041	Hard Hat H-700 Series, Vented	White	Ratchet	Ea
H-703R	665527131	Hard Hat H-700 Series	Blue	Ratchet	Ea



H-701V

◆ Non-stock item. Minimum quantity may apply.



Hearing Protection

Exposure to high levels of noise causes hearing loss and may cause other harmful health effects as well. The extent of damage depends primarily on the intensity of the noise and the duration of the exposure.

Visit www.osha.gov for complete details and regulation requirements.

3M Science.
Applied to Life.™

3M Personal Safety Division

3M™ E-A-Rfit™ Dual-Ear Validation System



The right fit test.
Right now.

E·A·Rfit™

000067_2016.8

© 3M 2016. All rights reserved.



Hearing Protection Styles:

Disposable Earplugs

Are made of formable material and are designed to be inserted into a person's ear canal, where they expand and conform to the shape of each individual's ear canal.




Reusable Earplugs

Usually are premolded and made from silicone, plastic or rubber and are available in several different sizes.



Ear Caps

Seal the opening to the ear without entering the ear canal. Similar to band-type hearing protectors, they usually come on a band that can be placed around the neck when the caps are not in use for convenience in work areas with varying noise levels.



Earmuffs

Suppress unwanted noise by completely covering the outer ear.



Communication Headsets

Combine the entertainment benefit of a digital AM/FM radio with advanced sound amplification technology for improved situational awareness.

Active Noise Canceling Headsets

Use an electronic system to cancel unwanted background noise while at the same time enhancing the quality of audio delivered through the headset.





3M™ E-A-R™ Classic™ Earplugs

Features moisture- and flame-resistant design. Slow-recovery foam provides comfortable, effective seal while exerting low pressure in ear canal. Classic™ Plus are slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M™ E-A-Rfit™ Validation System.



3M™ E-A-R™ Classic™ SuperFit™ 30 and SuperFit™ 33 Earplugs

Cylindrical shape fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
Pillow Pack				
310-1009	665572645	SuperFit 30, uncorded	30	200 Pr/Bx
310-1008	665572635	SuperFit 33, uncorded	33	200 Pr/Bx
Poly Bag				
311-1125	665573785	SuperFit 33, corded,	33	200 Pr/Bx



3M™ E-A-R™ TaperFit™ 2 Earplugs

Features roll-down foam design that expands to fit ear canal and provides low-pressure seal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	SIZES	UOM
TaperFit 2					
312-1219	665564195	Uncorded	32	Regular	200 Pr/Bx
312-1223	665564445	Corded	32	Regular	200 Pr/Bx
312-1221	665520085	Uncorded	32	Plus	200 Pr/Bx
312-1224	665564455	Corded	32	Plus	200 Pr/Bx

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
311-1081	665522485	Classic, corded, Econopack (bulk)	29	500 Pr/Bx
312-1082	665572785	Classic, uncorded, Econopack (bulk)	29	1,000 Pr/Bx
◆ 312-1080	665572775	Classic, uncorded, Econopack (bulk)	29	500 Pr/Bx
311-6000	665572765	Classic Soft, uncorded	31	200 Pr/Bx
◆ 311-6001	665574895	Classic Soft, corded	31	200 Pr/Bx
310-1001	665564465	Classic, uncorded, pillow pack	29	200 Pr/Bx
311-1101	665522755	Classic, corded, poly bag	29	200 Pr/Bx
312-1201	665521395	Classic, uncorded, poly bag	29	200 Pr/Bx
310-1101	665572675	Classic Plus, uncorded, pillow pack	33	200 Pr/Bx
311-1105	665573745	Classic Plus, corded, poly bag	33	200 Pr/Bx
390-1000	665564475	Classic, uncorded, Value Pack™ dispenser	29	200 Pr/Bx
391-1001	665521305	Classic, uncorded, One Touch™ refill bottle	29	500 Pr/Btl



3M™ E-A-Rsoft™ FX™ Earplugs

Disposable earplugs feature high-level hearing protection and comfort. Flanged shape allows for easy insertion and effective fit. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1260	665572795	E-A-Rsoft FX, corded	33	200 Pr/Bx
312-1261	665572805	E-A-Rsoft FX, uncorded	33	200 Pr/Bx



3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

Features soft foam that provides low-pressure comfort. Optional breakaway cord keeps earplugs handy. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	SIZES	UOM
312-1250	665522765	Yellow Neons, uncorded, poly bag	33	Regular	200 Pr/Bx
311-1250	665572075	Yellow Neons, corded, poly bag	33	Regular	200 Pr/Bx
312-1252	665572295	Yellow Neon Blasts, uncorded, poly bag	33	Regular	200 Pr/Bx
311-1252	665563975	Yellow Neon Blasts, corded, poly bag	33	Regular	200 Pr/Bx



318-1000

3M™ E-A-R™ Push-Ins™ Earplugs

Features soft Earform™ tip that expands in ear canal for comfortable seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System.



318-1001

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
318-1000	665564225	Push-Ins, uncorded	28	100 Pr/Bx
318-1001	665564235	Push-Ins, corded	28	100 Pr/Bx
318-1002	665564245	Push-Ins, uncorded	28	200 Pr/Bx
318-1003	665573665	Push-Ins, corded	28	200 Pr/Bx



3M™ Skull Screws™ Earplugs

Features screw "threads" molded into foam making insertion convenient and easy. No roll-down required. Test compatible with 3M™ E-A-Rfit™ Validation System. 480 Pair/case.



P1301

P1300

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P1300	665570235	Skull Screws, uncorded	32	120 Pr/Bx
P1301	665521895	Skull Screws, corded	32	120 Pr/Bx




3M™ E-A-R™ Express™ Pod Plugs™

Features reusable design with unique pod shape and soft, flexible grip for pushing earplug into position. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



321-2100



311-1114

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
Express Pod Plugs				
321-2100	665564275	Uncorded w/ blue color grips	25	100 Pr/Bx
321-2200	665574665	Uncorded w/ assorted color grips	25	100 Pr/Bx
311-1114	665572275	Corded w/ blue grips	25	100 Pr/Bx
311-1115	665574975	Corded w/ assorted color grips	25	100 Pr/Bx



312-1208

3M™ E-A-R™ E-Z Fit™ Earplugs

Features soft, smooth, low-pressure foam that rolls down easily and expands to fit ear canal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.




312-1222

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1208	665520855	E-Z Fit, uncorded	28	200 Pr/Bx
312-1222	665564205	E-Z Fit, corded	28	200 Pr/Bx



3M™ E-A-R™ UltraFit™ Earplugs

Features triple-flange design that fits a wide range of ear canals. Washable and reusable. Metal detectable version features stainless steel ball in stem and metal detectable cord. Test compatible with 3M™ E-A-Rfit™ Validation System.



340-4003

340-4004

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
UltraFit				
340-4002	665522775	Corded, carrying case	25	50 Pr/Bx
340-4003	665564285	Uncorded	25	100 Pr/Bx
340-4004	665522475	Corded	25	100 Pr/Bx



3M™ Tri-Flange™ Earplugs

Features soft, flexible, translucent flanges that form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



P3000

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P3000	665563965	Tri-Flange, corded	26	100 Pr/Bx
P3001	665521905	Tri-Flange, cloth corded	26	100 Pr/Bx

⚠ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.





3M™ E-A-R™ Metal Detectable Earplugs

Test compatible with 3M™ E-A-Rfit™ Validation System.

- **UltraFit™** include stainless steel ball positioned in stem with metal detectable cord. Feature pre-molded, triple-flanged design and require no roll-down or sizing. Comfortable, effective, washable and reusable. Available with metal detectable Econopack cord.
- **Express™ Pod Plugs™** feature easy insertion, paddle-style grips for correct fitting and no roll-down. Packaged in pillow packs.
- **Yellow Neons™** include stainless steel ball encapsulated into foam of the earplug with metal detectable cord. Roll-down required.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
311-4106	665574835	Yellow Neons, metal detectable, corded	32	200 Pr/Bx
340-4007	665574985	UltraFit, metal detectable, corded	25	100 Pr/Bx
340-4017	665522155	UltraFit, metal detectable, corded, Econopack	25	200 Pr/Bx
311-1127	665573795	Express Pod Plugs, metal detectable, corded	25	100 Pr/Bx




311-4106



3M™ E-A-R™ Caps™ Hearing Protector

3M™ E-A-R Caps™ feature comfortable foam caps on a flexible band block the ear canal opening. Flexible band holds caps in place. Easy to put on and remove.




321-2101

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
321-2101	665574965	E-A-R Caps	17	10/Bx



3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

Features silicone pods that swivel to properly align with and enter ear canal. Band can be worn under the chin for use with hard hats or safety eyewear. NRR 20 (under-the-chin) and NRR 17 (behind-the-head). 100/Case.




320-2001

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
320-2001	665564265	Caboflex Model 600	20/17	10/Bx



3M™ Foam Earplugs 1100 and 1110

Made with tapered foam. Can be combined with earmuffs. Test compatible with 3M™ E-A-Rfit™ Validation System. Corded plugs are not for use in the 3M™ Foam Earplug Dispenser.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
1100	665511005	Foam Earplugs 1100, uncorded	29	200 Pr/Bx
1110	665511045	Foam Earplugs 1110, corded	29	100 Pr/Bx



3M™ No-Touch™ Foam Earplugs

"Hands off the foam" earplugs feature soft purple foam fused with LiveWire stem for easy insertion. No roll-down required. Tapered shape for good seal. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P2000	665564415	No-Touch, uncorded	29	100 Pr/Bx
P2001	665563895	No-Touch, corded	29	100 Pr/Bx



391-1004



3M™ E-A-R™ One Touch™ Earplug Dispenser

One Touch dispenser allows users to reuse base and dispenser. The base is designed for use as a table top unit or can be wall mounted. Refills available. Features flame- and moisture-resistant design.

ITEM #	ORDER #	DESCRIPTION	NRR*	SIZES	UOM
391-1004	665564005	E-A-Rsoft Yellow Neons refill	33	Regular	500 Pr/Btl
♦ 391-1005	665572935	E-A-Rsoft Yellow Neons refill	33	L	400 Pr/Btl
391-1010	665572255	E-A-Rsoft Yellow Blasts refill	33	Regular	500 Pr/Btl



WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



391-0000



3M™ One Touch™ Pro Earplug Dispenser

Made from ABS plastic that offers impact resistance, wide temperature tolerance and smooth operation. Features reusable, free-standing or wall hanging dispenser. Built for harsh working environments and repeated use.

ITEM #	ORDER #	UOM
One Touch Pro Dispenser		
◆ 391-0000	665542071	Ea



LS-500



Leight® Source 500 Earplug Dispenser

Built with heavy-duty anodized aluminum and designed for wall installation. Ideal for large factories and process industries. Holds (500) pairs of Howard Leight single-use earplugs. Can be used with MAX®, Max Lite®, Laser Lite®, Multi Max®, FirmFit® and Quiet® earplugs (not included). 1/Case.

ITEM #	ORDER #	UOM
Leight Source 500 Earplug Dispenser		
LS-500	341501651	Ea



MAX® Earplugs

Maximum noise-blocking performance in a single-use design. Easy-to-insert contoured shape resists backing out of ear canal, while soft foam delivers long-lasting comfort. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
MAX-1	341501695	MAX, uncorded, polybag	Coral	33	200 Pr/Bx
MAX-30	341501735	MAX, corded, polybag	Coral	33	100 Pr/Bx
MAX-1S	341592425	MAX, small uncorded, polybag	Orange	30	200 Pr/Bx
MAX-30S	341563415	MAX, small corded, polybag	Orange	30	100 Pr/Bx
MAX-1-USA	341501725	MAX USA, uncorded, polybag	RWB	33	200 Pr/Bx
MAX-30-USA	341501755	MAX USA, corded, polybag	RWB	33	100 Pr/Bx
MAX-LS4	34153956	MAX, uncorded, LS-400 dispenser refill	Coral	33	200 Pr/Bg
MAX-1-D	341501705	MAX, uncorded, LS-500 dispenser refill	Coral	33	500 Pr/Bx




Max Lite® Earplugs

Smooth, soil-resistant closed-cell foam skin prevents dirt build-up. Features low-pressure polyurethane foam and contoured T-shape. Single-use design. Green. Tested to ANSI S3.19-1974.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
LPF-1	341501595	Max Lite, uncorded, polybag	30	200 Pr/Bx
LPF-30	341501615	Max Lite, corded, polybag	30	100 Pr/Bx
LPF-1-D	341501605	Max Lite, uncorded, LS-500 dispenser refill	30	500 Pr/Bx



SMF-30



SmartFit® Reusable Earplugs

Reusable earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Includes HearPack® case. Orange. Tested to ANSI S3.19-1974. 1,000 Pair/case.

ITEM #	ORDER #	NRR	UOM
SmartFit, Detachable Cord, HearPack Case			
SMF-30	341502115	25	100 Pr/Bx



SDT-30




SmartFit® Detectable Earplugs

Designed for processing industries, detectable earplugs use body heat to adapt to shape of ear canal. Ring on stem and attached cord can be detected by automated equipment. Triple-flange distributes pressure evenly. Packaged in polybag. Tested to ANSI S3.19-1974. 500 Pair/case.

ITEM #	ORDER #	NRR	UOM
SmartFit Detectable, Attached Cord			
SDT-30	341502105	25	100 Pr/Bx

◆ Non-stock item. Minimum quantity may apply.



Laser Trak® Detectable Earplugs

Disposable, detectable earplugs feature self-adjusting, polyurethane foam and contoured T-shape. Non-ferrous metal grommet is detectable by automated processes. Bright orange/blue color for easy compliance checks. Blue polycord attached. Tested to ANSI S3.19-1974. 1,000 Pair/case.

LT-30

ITEM #	ORDER #	NRR	UOM
Laser Trak Detectable, Corded, Polybag			
LT-30	341501665	33	100 Pr/Bx




Multi Max® Earplugs

One earplug, two sizes. Improves individual fit while simplifying inventory. Smooth, soil-resistant skin prevents dirt from penetrating surface prior to insertion. Polyurethane foam expands to fit virtually every wearer. Coral/yellow. Tested to ANSI S3.19-1974. 2,000 Pair/case.



MM-1


ITEM #	ORDER #	NRR	UOM
Multi Max, Uncorded, Polybag			
MM-1	341501785	31	200 Pr/Bx



Laser Lite® Earplugs

Single-use design features self-adjusting polyurethane foam and contoured T-shape. Vibrant magenta/yellow color for visible protection. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
Laser Lite				
LL-1	341501475	Uncorded, polybag	32	200 Pr/Bx
LL-30	341501495	Corded, polybag	32	100 Pr/Bx
LL-LS4	341539525	Uncorded, LS-400 dispenser refill	32	200 Pr/Bg
LL-1-D	341501485	Uncorded, LS-500 dispenser refill	32	500 Pr/Bx




LL-30

LL-1



Quiet® Reusable Earplugs

Reusable earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. Easy to clean for long-term use. Tested to ANSI S3.19-1974. 10 Boxes/case.




QD1

ITEM #	ORDER #	DESCRIPTION	NRR	SIZES	UOM
QD1	341502045	Quiet, uncorded, polybag	26	Regular	100 Pr/Bx
QD30	341502065	Quiet, polycord, polybag	26	Regular	100 Pr/Bx
QD30-RC	341502025	Quiet, polycord, reusable case	26	Regular	50 Pr/Bx



FirmFit™ Disposable Earplugs

Comfortable, classic style, firm foam earplug provides excellent protection in most medium-to-high noise environments. Distinct warning orange color makes compliance checks easy.



FF-1

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
FF-1	341513915	FirmFit, uncorded in polybag	30	200 Pr/Bx
♦ FF-30	341563965	FirmFit, corded in polybag	30	100 Pr/Bx




GloPlugz® Earplugs

Features smooth, tapered design which allows for easy insertion. Non-allergenic polyurethane formula is soft and comfortable. Available with a glossy purple cord to make compliance checks easy. Blue.



92202

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 92202	323327405	GloPlugz, uncorded	31	200 Pr/Bx
♦ 92212	323322125	GloPlugz, corded	31	100 Pr/Bx



TrustFit™ Pod Push-In Foam Earplugs

Features push-in foam design, ergonomic stem and dimpled foam tip. Meets ANSI S.3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ TRUSTFITPOD-1	341574665	TrustFit Pod, Uncorded	28	100 Pr/Bx
◆ TRUSTFITPOD-30	341574675	TrustFit Pod, Corded	28	100 Pr/Bx
◆ TRUSTFITPOD-1-5	341574685	TrustFit Pod, Uncorded, 5-pr. vending pack	28	125 Pk/Bx
◆ TRUSTFITPOD-30-5	341574695	TrustFit Pod, Corded, 5-pr. vending pack	28	125 Pk/Bx




TRUSTFITPOD-1



Banded Earplugs

Includes resealable bag with (1) pair replacement pods. QB1(R)HYG® features molded pods that fit inside ear canal and a bell-flared shape for inner-aural protection. QB2(R)HYG® provides supra-aural protection with soft foam pods that rest partially in ear and a flat-arrow shape. QB3(R)HYG® provides semi-aural protection with soft foam oval-shaped pods that rest outside ear. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
QB1HYG	341501935	Inner-aural protection	Yellow	27	10 Pr/Bx
QB2HYG	341501955	Supra-aural protection	Orange	25	10 Pr/Bx
QB3HYG	341501975	Semi-aural protection	Red	23	10 Pr/Bx
QB200HYG	341501965	Replacement pods for QB2HYG			50 Pr/Bx




QB1HYG



Fusion® Reusable Earplugs

Reusable earplugs made with FlexiFirm® core for easy insertion and SoftFlange™ design. Four-flange design distributes pressure evenly on ear canal for superior attenuation. Includes HearPack® storage case and detachable cord system. Tested to ANSI S3.19-1974. 1,000 Pair/case.

ITEM #	ORDER #	COLOR	NRR	SIZES	UOM
Fusion, Detachable Cord, HearPack					
FUS30S-HP	341539515	Green/yellow	27	Small	100 Pr/Bx
FUS30-HP	341501385	Blue/yellow	27	Regular	100 Pr/Bx



FUS30-HP



AirSoft® Reusable Earplugs

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket, providing dependable attenuation upon proper insertion. Features firm stem and tapered design. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	SIZES	UOM
AS-30R	341501315	AirSoft, red polycord, reusable case	27	Regular	50 Pr/Bx
DPAS-30R	341501345	AirSoft, red polycord, polybag	27	Regular	100 Pr/Bx
DPAS-30W	341501365	AirSoft, white nylon cord, polybag	27	Regular	100 Pr/Bx
DPAS-1	341501335	AirSoft, uncorded, polybag	27	Regular	100 Pr/Bx



AS-30R



Glide® Trio Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Simply push and twist to find your fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug is washable and reusable. Cord can be attached at any desired length. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6445	222264455	Glide Trio reusable, corded	27	50 Pr/Bx



6445



6506

6504

MOLDEX

Jazz Band® Canal Cap Hearing Protector

Features optional breakaway cord that hangs around neck when not in use. Soft, PVC-free foam pods cap ear canal providing maximum comfort. Packaged with spare pods. NRR 25 (under-the-chin). Independently tested to ANSI S3.19-1974. 50/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6506	222265065	Jazz Band hearing protector	25	10 Pr/Bx
6504	222265045	Replacement pods (5 pair) & neck cord	25	Kit



6644

6604

6654



6880



6645



6881

MOLDEX

SparkPlugs® Foam Earplugs

Features random multi-color swirl design. Made of extra soft, PVC-free foam with a tapered shape that fits snugly and comfortably. Metal detectable version for food processing applications comes with metal detectable cord. Available with PlugStation® dispenser. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6604	222200545	SparkPlugs, uncorded	33	200 Pr/Bx
6654	222228235	SparkPlugs, corded	33	100 Pr/Bx
6615	222266155	SparkPlugs, metal detectable, corded	33	100 Pr/Bx
PlugStation with SparkPlugs				
6644	222200591	Uncorded	33	250 Pr/Dsp
6645	222200601	Uncorded	33	500 Pr/Dsp
6880	222268805	Corded	33	150 Pr/Dsp
6881	222268815	Metal detectable, corded	33	150 Pr/Dsp



6945

MOLDEX

Glide® Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Large handle on curved stem for easy insertion and removal. Simply push and twist to find your fit. Cord can be attached at any desired length. Washable and reusable. Bright green color is a symbol of Moldex® quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6940	222269405	Glide Foam, uncorded	30	100 Pr/Bx
6945	222269455	Glide Foam, corded	30	100 Pr/Bx
◆ 6883	22220003	PlugStation® w/ Glide Foam, corded	30	150 Pr/Dsp



Meteors® Disposable Earplugs

Foam roll-down earplugs feature a unique undercut shape with a smaller diameter that fits comfortably in narrower parts of ear canal. Larger base ensures proper insertion, fit and removal. 100% PVC-free slow-recovery foam molds with individual contours of ear canal. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6630	222266305	Meteors Small, uncorded	28	200 Pr/Bx
6632	222266325	Meteors Small, corded	28	100 Pr/Bx
6870	222268705	Meteors, uncorded	33	200 Pr/Bx
6970	222269705	Meteors, corded	33	100 Pr/Bx
PlugStation with Meteors				
6634	222266345	Small, uncorded	28	250 Pr/Dsp
6875	222268755	Uncorded	33	500 Pr/Dsp



Rockets® Reusable Earplugs

Easy-grip handle allows for effortless insertion and air bubble in tip provides cushioned comfort. Soft, flexible flanges provide a superior seal. Each pair includes Pocket-Pak® carrying case. Washable and reusable. Bright blue metal detectable model has metal detectable cord and enclosed metal spring that eliminates any exposed metal. Tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
6400	222200465	Rockets, uncorded w/ Pocket-Pak	Purple	27	50 Pr/Bx
6404	222264045	Rockets, corded in poly bag	Purple	27	50 Pr/Bx
6405	222256905	Rockets, corded w/ Pocket-Pak	Purple	27	50 Pr/Bx
6415	222256895	Rockets, metal detectable, corded in poly bag	Blue	27	50 Pr/Bx
6420	222200475	Rockets, w/ cloth cord & Pocket-Pak	Purple	27	50 Pr/Bx
6480	222200485	Camo Rockets, uncorded w/ Pocket-Pak	Camouflage	27	50 Pr/Bx
6485	222200495	Camo Rockets, corded w/ Pocket-Pak	Camouflage	27	50 Pr/Bx



Goin' Green® Foam Earplugs

Features low-pressure, PVC-free tapered foam for comfortable fit. Available with PlugStation® dispenser. Tested to ANSI S3.19-1974.




ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6620	222200575	Goin' Green, uncorded	33	200 Pr/Bx
6622	222200585	Goin' Green, corded	33	100 Pr/Bx
6646	222200615	PlugStation w/ Goin' Green, uncorded	33	250 Pr/Dsp
6647	222200625	PlugStation w/ Goin' Green, uncorded	33	500 Pr/Dsp



Comets® Reusable Earplugs

Convenient finger pocket allows for easy insertion, and soft flanges adjust to ear canal to hold earplug in place. Reusable design features soft material and air pocket for a comfortable fit. Tested to ANSI S3.19-1974. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6490	222200505	Comets, uncorded	25	50 Pr/Bx
6495	222200515	Comets, corded	25	50 Pr/Bx




MOLDEX

Softies® Foam Earplugs

Made from soft, lightweight foam for a comfortable fit. Tapered design provides easy insertion and is shaped to fit even the smallest ear canals. Tested to ANSI S3.19-1974. Orange.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6600	222200535	Softies, uncorded	33	200 Pr/Bx
6650	222200645	Softies, corded	33	100 Pr/Bx



MOLDEX

JETZ® Reusable Earplugs

Features grip at end of plug stem which makes insertion and removal simple, even when wearing gloves. Soft material and triple flange design gently seals without pressure for all-day comfort. Cord attachment with locking loop helps keep optional braided cloth cord securely in place. Washable, reusable and 100% PVC-free. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6450	222264505	JETZ, uncorded	27	50 Pr/Bx
6455	222264555	JETZ, corded	27	50 Pr/Bx



MOLDEX

Mellows® Foam Earplugs

Made of soft, extra-light foam. Tapered shape fits easily in ear canal and snugly seals without pressure. Provides maximum foam comfort with appropriate protection for mid- to high-level noise areas. Hi-viz bright orange plug. Non-irritating, 100% PVC-free. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6820	222268205	Mellows, uncorded	30	200 Pr/Bx
◆ 6840	222268405	Mellows, corded	30	100 Pr/Bx
◆ 6846	222268465	PlugStation w/ Mellows, uncorded	30	250 Pr/Dsp
6847	222268475	PlugStation w/ Mellows, uncorded	30	500 Pr/Dsp




MOLDEX

Flip to Listen® Dual Mode Earplugs

Dual mode earplugs that protect wearers from noise and, with a quick flip, also allow better communication when needed. Flip cap allows user to easily switch from a closed position (NRR 24 dB) for protection from continuous noise, to an open position (NRR 4 dB) to communicate or hear. Triple flange design provides maximum comfort for all day wear. Can be easily washed and reused. Includes Pocket-Pak® carrying case and optional cloth cord. PVC-free. 4 Boxes/case.

ITEM #	ORDER #	NRR	UOM
◆ 6770	222267705	24 closed/4 open	50 Pr/Bx



MOLDEX

Pura-Fit® Foam Earplugs

Features longer design for easy fitting and removal. Soft, PVC-free foam has non-irritating smooth surface. Tapered for easy insertion into any size ear canal. The bright green color is a symbol of Moldex quality. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6800	222268005	Pura-Fit, uncorded	33	200 Pr/Bx
6900	222231035	Pura-Fit, corded	33	100 Pr/Bx
6844	222200701	PlugStation w/ Pura-Fit, uncorded	33	250 Pr/Dsp
6845	222268451	PlugStation w/ Pura-Fit, uncorded	33	500 Pr/Dsp
6882	222268825	PlugStation w/ Pura-Fit, corded	33	150 Pr/Dsp



3M 3M™ Peltor™ Optime™ 98 Series Earmuffs

Lightweight earmuff recommended for noise levels up to 98 dBA. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
Peltor Optime 98 Series				
H9A	665564061	Headband	25	Ea
H9P3E	665564051	Cap-mount	23	Ea

3M 3M™ Peltor™ Optime™ 101 Series Earmuffs

Recommended for noise levels up to 101 dBA. Provides attenuation at low and high frequencies. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions provide excellent seal and lower pressure. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
Peltor Optime 101 Series				
H7A	665570071	Headband	27	Ea
H7B	665570211	Behind-the-head	26	Ea
H7P3E	665564431	Cap-mount	24	Ea



3M 3M™ Peltor™ Optime™ 95 Series Earmuffs

Recommended for noise levels up to 95 dBA. Slim design with 2-point suspension exerts lower pressure for comfortable, long-term use. Soft, liquid foam-filled ear cushions provide added comfort and protection. Beige. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
Peltor Optime 95 Series				
H6A/V	665570121	Headband	21	Ea
H6B/V	665570131	Neckband	21	Ea
H6F/V	665521581	Folding	21	Ea



3M™ Peltor™ Optime™ 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features "double-shell" earcup design (two cups connected via foam inner layer to reduce structural resonances). Designed with wide, softly padded headband and stainless steel headband wires. Liquid foam-filled cushions provide good seal and low surface pressure. Weight: 9.3 oz. Also available in twin cup neckband, cap-mount, and hi-viz headband styles. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
H10A	665564031	Peltor Optime 105 Series, headband	30	Ea
H10B	665570291	Peltor Optime 105 Series, neckband	29	Ea
H10P3E	665522721	Peltor Optime 105 Series, cap-mount	27	Ea
H10AHV	665570111	Peltor Optime 105 Series, hi-viz headband	30	Ea



⚠ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

◆ Non-stock item. Minimum quantity may apply.



3M™ Peltor™ X Series Earmuffs

Electrically insulated (dielectric) wire headband on over-the-head models. Features earcup tilt for optimum comfort and efficiency. Twin headband design helps reduce heat buildup with good fit and balance. Wire headband offers comfortable pressure during prolonged usage. Offers ear cushion foam technology for an effective acoustic seal and reliable protection. Spacer design on X3, X4 and X5 models improves attenuation without excess bulk or weight. Despite larger earcups, the X5 is lightweight with excellent balance and comfort; features NRR 31 dB; provide high noise reduction in both standard headband and hard hat-attached models; and unique attenuation from combination of foam in the earcups, cushions and spacer and cup design. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
X1A	665510071	Peltor X1, over-the-head	22	Ea
X2A	665510731	Peltor X2, over-the-head	24	Ea
X3A	665511181	Peltor X3, over-the-head	28	Ea
X4A	665511281	Peltor X4, over-the-head	27	Ea
X5A	665511961	Peltor X5, over-the-head	31	Ea
X5P3E	665521801	Peltor X5, cap-mount	31	Ea



3M™ Model 3000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 25 (over-the-head), NRR 26 (behind-the-head) and (under-the-chin). 24/Case.



330-3002

ITEM #	ORDER #	NRR*	UOM
Model 3000 Earmuffs			
330-3002	665521591	25/26	Ea



3M™ Model 1000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 20 (over-the-head), NRR 22 (under-the-chin) and (behind-the-head). 24/Case.



330-3001

ITEM #	ORDER #	NRR*	UOM
Model 1000 Multi-Position Earmuffs			
330-3001	665570081	20/22	Ea



NI-100



3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 6' USB 2.0 5-pin mini cable connects a computer or USB hub to the 3M Noise Indicator NI-100 for recharging, sold separately. 10/Case.

ITEM #	ORDER #	UOM
Noise Indicator NI-100		
NI-100	665523571	Ea



WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



3M™ Peltor™ Digital Worktunes™ Headset

AM/FM and MP3 compatible headset features (5) station presets, seek and scan options and liquid and foam-filled cushions. MP3 cord included. Requires (2) AA batteries (not included). 1/Case.



WTD2600

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
WTD2600	665574761	Peltor Digital Worktunes headset	26	Ea



3M™ Peltor™ PTL™ Earmuffs

Features Push-to-listen earmuffs and on/off listening button with fingertip control on one ear cup which activates listening mode for 30 seconds at a time. (Note: The other cup is standard protective style.) Includes liquid and foam-filled ear cushions, easily accessible battery compartment and 4-point headband suspension. AA battery (not included). 10/Case.



H7A-PTL

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H7A-PTL	665519711	Peltor PTL Earmuff, Headband	25	Ea




QM24+



QM24+® Noise-Blocking Earmuffs

Three-position, ultra-lightweight earmuffs weigh only 6 oz. Feature high-visibility red cups, black headband and replaceable muff cushions. Adjustable crown strap provides a secure fit when worn behind-the-head or under-the-chin. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
QM24+	341502081	QM24+ Noise-Blocking Earmuff	25	Ea



Thunder® Noise-Blocking Earmuffs

Unique dual-headband offers better positioning and breathability, and non-deforming outer headband minimizes pressure. Dielectric construction withstands use and abuse while protecting workers in electrical environments. Features Air Flow Control™ technology and snap-in ear cushions for easy maintenance. Cap-mounted earmuffs include a pair of adapters for use with most popular hard hats. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
Headband					
1010928	341536771	T1 Thunder	Green	26	Ea
1010970-H5	341536791	T3 Thunder	Black	30	Ea
Cap-Mount					
1011601	341500541	T1H Thunder	Green	23	Ea
1011602	341500551	T2H Thunder	Dark green	25	Ea
1011603	341500581	T3H Thunder	Black	27	Ea



1010970-H5

1010928

1011602



1010924-H5




Lightning® Noise-Blocking Earmuffs

Features steel wire construction, padded foam headband and soft ear cushions. Offers Air Flow Control™ technology and snap-in ear cushions. Robust steel construction withstands demanding use, especially in tough environments. Padded foam headband delivers superb comfort with minimal pressure on the head. Telescoping height adjustment remains fixed during use. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010922-H5	341500261	L1 Lightning	Light gray	25	Ea
1010924-H5	341500281	L3 Lightning	Black	30	Ea

◆ Non-stock item. Minimum quantity may apply.



Leightning® and Thunder® for North® Hardhats

Features sleek design and easy height adjustment. Lower profile cups attract less dirt for better hygiene. Ear cups snap in place during use and swing back when not in use.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
◆ EM7206-HL	341574601	Leightning L3H earmuffs	White	27	Ea
◆ EM4157-HL	341574611	Thunder T1H earmuffs, dielectric	Blue	23	Ea
◆ EM2177-HL	341574621	Thunder T1H earmuffs, dielectric	Red	23	Ea



EM7206-HL



Viking® Noise-Blocking Earmuffs

Flexibility for wearing earmuffs in multiple positions (over-the-head, behind-the-head or under-the-chin). Can be worn with hard hats, faceshields, respirators and other PPE. Features dielectric construction, Air Flow Control™ technology and snap-in ear cushions. Includes elastic headband strap for better positioning. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
Multi-Position Headband					
1010925-H5	341500291	V1 Viking	Light blue	25	Ea
1010926	341500301	V2 Viking	Dark blue	27	Ea
1010927	341500321	V3 Viking	Black/silver	29	Ea



1010926

1010925-H5



SYNC® Electronic Earmuffs

Combines hearing protection, high-fidelity sound, and the ability for individuals to listen to the radio or personal listening devices safely at work. Features padded diamond-patterned headband and reinforced fork slides that keep it in place when worn. 10 Pre-set stations and volume memory can be personalized for each worker. (AM/FM Radio version only). Includes 3.5 mm aux input cable.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
1030110	341561311	SYNC stereo earmuffs	25	Ea
◆ 1030331	341562701	SYNC AM/FM earmuffs	25	Ea



1030110

1030331



6100



M1 Premium Earmuffs

Features SoftCoat® covering on cups and yoke that help muffle sound transmission. Black-chrome, spring-steel headband resists fatigue, folds into a super-compact size for easy storage and helps maintain stability without twisting out of shape. Offers six different adjustment points. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	NRR	UOM
M1 Premium Earmuffs, Iridescent Cups			
6100	222261001	29	Ea



Impact® Sport Sound Amplification Earmuffs

Features Air Flow Control technology, snap in ear cushions and aux input. Convenient folding design for easy storage. Low profile earcup with cut-out allow for full clearance of firearm stock, eliminating interference while shooting. Offers ability to hear other shooters and environmental sounds. Non-deforming outer headband and low profile design with cut-out. Ideal for military, mining and law enforcement.

ITEM #	ORDER #	COLOR	NRR	UOM
Impact Sport Sound Amplification Earmuffs				
◆ 1030941	341574631	Camo	22	Ea
◆ 1030942	341574641	Black	22	Ea



SYNC® Electro® Digital FM Radio Earmuffs

Combines the entertainment benefit of a digital FM radio with advanced sound amplification technology for improved situational awareness. Directionally placed stereo microphones amplify and enhance ambient sound up to 82 dB, allowing workers to hear important communication more effectively. For ambient noise exposures above 82 dBA, the listening circuitry manages speaker volume to a level that does not exceed 82 dBA.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ 1030333	341562721	SYNC Electro	25	Ea



MX-5 and MX-6 Earmuffs

Features soft cushion-ribbed open air headband and over-molded headband. Larger ear cushions allow freedom to fit almost all ears comfortably.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ 6120	222261201	MX-5 earmuffs	27	Ea
◆ 6130	222261301	MX-6 earmuffs	30	Ea
◆ 6125	222261251	MX-5 earmuff hygiene kit, for 6120		Ea
◆ 6135	222261351	MX-6 earmuff hygiene kit, for 6130		Ea



M2 Multi-Position Earmuffs

Low-profile design can be worn over-the-head, behind-the-head or under-the-chin. SoftCoat® covering helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. NRR 26 (over-the-head). Independently tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	NRR	UOM
M2 Multi-Position Earmuffs, Iridescent Cups			
6200	222262001	26	Ea

◆ Non-stock item. Minimum quantity may apply.



Respiratory Protection

Respirators protect employees from inhaling harmful substances, including chemical, biological, and radiological agents. These substances can be in the form of airborne vapors, gases, dust, fogs, fumes, mists, smokes, or sprays.

Visit www.osha.gov for complete details and regulation requirements.

3M Science.
Applied to Life.™

3M Personal Safety Division

3M™ Particulate Respirator 8511, N95

A breath of fresh air.

This disposable respirator features the proprietary 3M™ Cool Flow™ Valve and helps provide comfortable, reliable worker respiratory protection.

www.3M.com/PPESafety



000066_2016.8

© 3M 2016. All rights reserved.

3M 3M™ Particulate Respirators, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. NIOSH Approval TC-84A-0007.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8210	665501755	Particulate Respirator 8210, N95	8/Bx/Cs	20/Bx
8210Plus	665514535	Particulate Respirator 8210PLUS, N95	8/Bx/Cs	20/Bx
8110S	665514525	Particulate Respirator 8110S, N95	8/Bx/Cs	20/Bx
8200	665519365	Particulate Respirator 8200, N95	8/Bx/Cs	20/Bx
8211	665514545	Particulate Respirator 8211, N95 w/ Faceseal	8/Bx/Cs	10/Bx
8511	665585115	Particulate Respirator 8511, N95	8/Bx/Cs	10/Bx



3M 3M™ Particulate Respirators, P95 with Exhalation Valve



8576

Helps provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels* of acid gases such as sulfur dioxide, hydrogen fluoride, and/or chlorine. An excellent choice for work settings that involve heat, humidity and long wear periods. Suggested applications include glass etching, chemical processing, paper processing, aluminum smelting and brewing operations. Lightweight construction promotes greater worker comfort and may contribute to increased wear time. Meets NIOSH 42 CFR 84 requirements.

*3M™ recommended for relief against nuisance levels of acid gas. Nuisance level acid gas refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
Particulate Respirator P95				
8576	665514665	With Nuisance Level* Acid Gas Relief	8/Bx/Cs	10/Bx
8577	665514675	With Nuisance Level* Organic Vapor Relief	8/Bx/Cs	10/Bx
8271	665514595	Particulate Respirator P95	8/Bx/Cs	10/Bx

3M 3M™ Particulate Respirator 9210, N95



9210

Three-panel respirator is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles.

Suggested applications include grinding, sanding, sweeping, bagging and other operations that create dust. Also useful in textile operations, dry chemical handling, surface preparation, food preparation and handling, woodworking, grain handling and milling, processing of minerals, coal and certain other substances. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
◆ 9210	665592105	Particulate Respirator N95	12/Bx/Cs	20/Bx

3M 3M™ Particulate Respirators, R95



8247

8240

Designed to help provide protection against certain oil and non-oil based particles. Features a collapse-resistant shell for increased durability in most hot, humid conditions. Workplace applications include grinding, sanding, sweeping, machining and other dust producing/oily operations. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
Particulate Respirator R95				
8240	665514565	Particulate Respirator R95	6/Bx/Cs	20/Bx
8247	665514585	With Nuisance Level* Organic Vapor Relief	6/Bx/Cs	20/Bx
8246	665514575	With Nuisance Level* Acid Gas Relief	6/Bx/Cs	20/Bx

3M 3M™ Aura™ Particulate Respirator 9211+, N95



9211+

Features comfortable braided headbands and contoured nose panel. Chin tab is designed for ease of positioning, donning and adjustment. Embossed top panel helps reduce potential fogging of eyewear from warm, moist exhaled airflow. Individually wrapped. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
9211+	66559213	3M™ Aura™ Particulate Respirator w/ Cool Flow™ Valve	12/Bx/Cs	10/Bx

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M

3M™ Particulate Respirator 8233, N100



Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam face seal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298.

ITEM #	ORDER #	DESCRIPTION	UOM
8233	665582331	Particulate Respirator N100	Ea

3M

3M™ Particulate Respirator 8210V, N95 with 3M™ Cool Flow™ Valve



Proprietary 3M™ Cool Flow™ Valve is designed for easy exhalation and reduces heat build-up inside respirator to help keep wearer more comfortable. Features adjustable noseclip and 2-strap design with dual point attachment. Ideally suited for many work settings that involve heat, humidity or longer periods of wear. NIOSH Approval TC-84A-5410.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8210V	665582235	Particulate Respirator N95 w/ Cool Flow™ Valve	8/Bx/Cs	10/Bx

3M

3M™ Particulate Welding Respirators, N95 with Face Seal



Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, cake-resistant filter media, comfort foam face seal (excluding 8515) and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
Particulate Welding Respirator N95				
8212	665582145	With Face Seal	8/Bx/Cs	10/Bx
8214	665582155	With Face Seal, Ozone Protection* & Nuisance Level** Organic Vapor Relief	8/Bx/Cs	10/Bx
8512	665514625	Particulate Welding Respirator N95	8/Bx/Cs	10/Bx
8514	665514635	With Ozone Protection* & Nuisance Level** Organic Vapor Relief	8/Bx/Cs	10/Bx
8515	665514645	Particulate Welding Respirator N95 w/out Valve	8/Bx/Cs	10/Bx

3M

3M™ Particulate Respirator 8293, P100



Suggested applications including select OSHA substance-specific particle exposures in concentrations up to 10 x OSHA PEL (Lead, Cadmium, Arsenic, MDA). Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam face seal and adjustable straps. Respirators are individually packaged. Do not use for asbestos exposures. Model 8293Q probed respirator is intended for use only for quantitative fit test and not for protection in a contaminated area. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
8293	665514601	Particulate Respirator P100	Ea

3M

3M™ VFlex™ Particulate Respirators 9105, 9105S, N95



V-shaped pleats flex with mouth movement for easier talking and expand to help ease breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M™ proprietary technology filter media. Flat-fold style for convenient storage. Potential applications include: sweeping, sanding, grinding, bagging, food preparation, general maintenance and more. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
◆ 9105S	665591075	VFlex™ Particulate Respirator, N95, small	8/Bx/Cs	50/Bx
9105	665591065	VFlex™ Particulate Respirator, N95, standard	8/Bx/Cs	50/Bx

3M

3M™ Half Facepiece Respirators 5000 Series, Disposable



Suited for intermittent respirator wearers. Preassembled with permanently attached cartridges for ease of use and no maintenance. Use against a variety of gases, vapors and particles according to NIOSH approvals. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
5201	665512621	Organic Vapor Respirator Assembly	M	12/Bx	Ea
5301	665513231	Organic Vapor Respirator Assembly	L	12/Bx	Ea
52P71	665512211	Organic Vapor/P95 Respirator Assembly	M	12/Bx	Ea
53P71	665513221	Organic Vapor/P95 Respirator Assembly	L	12/Bx	Ea
5203	665512631	Organic Vapors/Acid Gas Respirator Assembly	M	12/Bx	Ea
5303	665513241	Organic Vapors/Acid Gas Respirator Assembly	L	12/Bx	Ea

! WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



MOLDEX 2-Strap Respirators

Dura-Mesh® shell protects the filter media so that it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy comfortable fit. The 2300N95 Series features an exhale valve and is suitable for most welding applications. The exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. The 2400N95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Suitable for most welding applications and fits easily under welding hoods. No metal noseband to adjust and the seal is maintained without pressure points. Straps are securely attached to avoid breakage at the seal. The 2500N95 has an added carbon layer to help filter out nuisance levels of acid gases (less than OSHA PEL). All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.



2300N95

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2200N95	222205555	Particulate respirator w/out valve	M/L	12/Bx/Cs	20/Bx
2201N95	222205565	Particulate respirator w/out valve	S	12/Bx/Cs	20/Bx
2207N95	222200215	Particulate respirator w/out valve, low-profile nose bridge	Low profile	12/Bx/Cs	20/Bx
2300N95	222200955	Particulate respirator w/ valve	M/L	10/Bx/Cs	10/Bx
2301N95	222201955	Particulate respirator w/ valve	S	10/Bx/Cs	10/Bx
2307N95	222200255	Particulate respirator w/ valve, low-profile nose bridge	Low profile	10/Bx/Cs	10/Bx
2400N95	222204525	Particulate respirator w/ nuisance OV	M/L	10/Bg/Cs	10/Bg
2500N95	222225005	Particulate respirator w/ acid gas relief	M/L	10/Bg/Cs	10/Bg

MOLDEX Particulate Respirators with HandyStrap®

HandyStrap allows mask to conveniently hang down around the user's neck so it's always ready for use and helps prevent premature disposal. Exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam nose cushion provides an easy, comfortable fit. There's no metal to adjust and the seal is maintained without pressure points. Softspun® lining gives added comfort and durability. The 2700N95 Series features the HandyStrap and Ventex® valve which lets the hot air out faster, so workers breathe easier and stay cooler longer. The 2800N95 Series features the HandyStrap and has an added carbon layer that helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Fits easily under welding hoods and is suitable for most welding applications. NIOSH certified to have a filter efficiency level of 95% or greater against particulates free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.




2700N95

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2600N95	222271455	2600N95 Series particulate respirator w/ HandyStrap	M/L	10/Bx/Cs	15/Bx
2700N95	222200305	2700N95 Series particulate respirator w/ HandyStrap & Ventex valve	M/L	10/Bx/Cs	10/Bx
2800N95	222200355	2800N95 Series particulate respirator w/ HandyStrap for nuisance levels of ozone & organic vapor odors	M/L	10/Bx/Cs	10/Bx

MOLDEX Dirt Dawgs® N95 Disposable Respirator

Dura-Mesh® shell protects filter media from dirt and prevents mask from collapsing. Offers N95 protection for a variety of industrial applications. Contour-molded nosebridge seals easily and comfortably without having to pinch metal noseband. Softspun® inner lining is soft to the touch. NIOSH certified for a filter efficiency of 95% or greater against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
1200N95	222220955	Dirt Dawgs N95 disposable respirator	M/L	18/Bx/Cs	20/Bx



1200N95

MOLDEX R95 Disposable Respirators with HandyStrap®

HandyStrap allows mask to conveniently hang around neck so it's always ready for use and helps prevent premature disposal. Cloth strap feels cool and comfortable against the skin. Exclusive Ventex® valve lets the hot air out faster, so workers breathe easier and stay cooler. Exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity so the respirator holds its shape. The 2840R95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). The 2940R95 Series with added sorbent helps to filter nuisance levels of acid gas irritants (less than OSHA PEL). Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2740R95	222227405	R95 Disposable respirator w/ HandyStrap & Ventex valve	M/L	10/Bx/Cs	10/Bx
2840R95	222200375	R95 Disposable respirator w/ HandyStrap, Ventex valve & nuisance OV/ozone	M/L	10/Bx/Cs	10/Bx
2940R95	222200405	R95 Disposable respirator w/ HandyStrap, Ventex valve & nuisance AG	M/L	10/Bx/Cs	10/Bx



2740R95



BREATHES EASIER



THAN A VALVE

4200

MOLDEX 4200 Series AirWave® N95 Disposable Respirators

Breathes easier than a valve respirator. Patented wave design technology allows more airflow in and out for cool comfort. Unique waves double the filter area of comparable respirators. Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside. FlexFit® design expands and contracts as there is movement and speaking, for optimal comfort. Features pinch-free molded nosebridge and Softspun® lining. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
◆ 4201 N95	222242015	AirWave N95 disposable respirator	S	8/Bx/Cs	10/Bx
4200 N95	222242005	AirWave N95 disposable respirator	M/L	8/Bx/Cs	10/Bx

BREATHES EASIER



THAN A VALVE

4600 N95


MOLDEX 4600 Series AirWave® N95 Disposable Respirator with SmartStrap®

Breathes easier than a valve respirator. Exclusive wave design for less resistance and better breathability. Breathes like it has a valve, but without one. SmartStrap is adjustable, metal-free and hangable. Dura-Mesh® shell resists collapsing in heat and humidity. FlexFit® design expands and contracts for optimal comfort. Features pinch-free nosebridge, Softspun® lining and soft, foam nose cushion. Longer wear means less cost.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
◆ 4601 N95	22224601	AirWave N95 particulate respirator w/ SmartStrap	S	10/Bx/Cs	100/Cs
4600 N95	222260955	AirWave N95 particulate respirator w/ SmartStrap	M/L	10/Bx/Cs	10/Bx



4800 Series AirWave® N95 Plus Nuisance OV Disposable Respirator with SmartStrap®




4800 N95

Exclusive easy-breathing wave design provides relief from nuisance levels of Organic Vapors. Features soft full foam flange for ultimate comfortable fit. Adjustable, metal-free SmartStrap allows respirator to hang around the neck for convenient storage during breaks. Collapse-resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings.

ITEM #	ORDER #	CASE QTY	UOM
4800 Series AirWave N95			
4800 N95	222248005	10/Bx/Cs	8/Bx



2360P100 Series P100 Disposable Respirator



2360P100

Dura-Mesh® shell protects the filter media so it stays cleaner looking longer. Resists collapsing in regular use and even under hot and humid conditions.

Molded nosebridge with foam face cushion eliminates pressure points for added comfort. Also features adjustable cloth straps, Ventex® exhalation valve, and Softspun® lining for increased comfort and durability. NIOSH certified to have a filter efficiency of 99.97% against oil and non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	SIZES	CASE QTY	UOM
P100 Disposable Respirator				
2360P100	222200285	M/L	4/Bg/Cs	5/Bg

MOLDEX Respirator Locker®

Provides hygienic storage for respirators. Ideal for workers required to travel to remote locations. Fits easily in employee lockers or work vehicles. Separate compartment permits storage of a used respirator during breaks, preventing premature disposal of respirators. NIOSH certified to have a filter efficiency level of 95% or greater against non-oil based particulates. Masks meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.



2850

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2850N95	222200395	Respirator locker w/ (4) 2800N95 respirators (N95+ Nuisance OV)	M/L	4/Locker



MOLDEX N99 Welding Disposable Respirators

Offers a higher level of protection. Workers stay cooler with an exhale valve that reduces breathing resistance and hot air buildup. Exclusive Dura-Mesh® shell protects filter media so it stays cleaner looking longer. Resists collapsing in heat and humidity so respirator holds its shape longer. Suitable for most welding applications. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection.



2310 N99

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2310 N99	222210995	N99 Disposable respirator w/ valve	M/L	6/Bg/Cs	10/Bg
2315 N99	222200265	N99 Premium disposable welding respirator w/ valve & adjustable cloth straps	M/L	6/Bg/Cs	10/Bg

MOLDEX 2730N100 Series N100 Disposable Respirators with HandyStrap®

HandyStrap allows mask to hang around neck so it's always ready for use, preventing premature disposal. Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam face cushion for an easy, comfortable fit. No metal noseband to adjust and the seal is maintained without pressure points. Softspun® lining offers added comfort and durability. NIOSH certified to have a filter efficiency of 99.97% effective against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.



2730N100

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2730N100	222200325	N100 Disposable respirator	M/L	6/Bx/Cs	5/Bx

MOLDEX 4300 Series AirWave® P95 Disposable Respirator

Exclusive easy-breathing wave design is 95% efficient against oil and non-oil based particulates. FlexFit® design moves easily and stays in place. Dura-Mesh® shell resists collapsing in heat and humidity. Soft, cloth SmartStrap® is both hangable and adjustable. Foam face cushion for added comfort and no pressure points. Metal-free. Ideal for pharmaceutical manufacturing, petrochemical manufacturing, dry chemical handling, conventional and nuclear power generation, and paper processing. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.



4300P95

ITEM #	ORDER #	SIZES	CASE QTY	UOM
4300 Series AirWave P95 Disposable Respirator				
◆ 4300P95	222230955	M/L	10/Bx/Cs	8/Bx

MOLDEX 4700 Series AirWave® N100 Disposable Respirator

Exclusive easy-breathing wave design offers less resistance and better breatheability. 99.97% Efficient against non-oil based particulates. FlexFit® design moves easily and stays in place. Dura-Mesh® shell resists collapsing in heat and humidity. Ventex® valve lets hot air out faster so workers breathe easier and stay cooler. Soft, cloth SmartStrap® is both hangable and adjustable. Foam face cushion for added comfort and no pressure points. Softspun® lining for increased comfort and durability. Metal-free. Ideal for pharmaceutical manufacturing, battery manufacturing, welding, cutting and metal pouring. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.



4700N100

ITEM #	ORDER #	SIZES	CASE QTY	UOM
4700 Series AirWave N100 Disposable Respirator				
◆ 4700N100	222271045	M/L	6/Bx/Cs	5/Bx

Honeywell ONE-Fit™ Molded Cup N95 Respirators

Features one-size molded cup design with durable, ridged outer shell and form-fitted nosebridge. Soft inner liner. Latex-free woven suspension straps. Optional exhalation valve expels warm air. Offers 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols. Universal fit. Meets NIOSH and CDC standards for N95 protection against airborne pathogens and M tuberculosis.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
◆ 14110444	341557865	N95 Particulate respirator, non valved	20/Bx/Cs	20/Bx
14110445	341560905	N95 Particulate respirator w/ exhalation valve	20/Bx/Cs	10/Bx



14110445

◆ Non-stock item. Minimum quantity may apply.



SAF-T-Fit® Plus Disposable Particulate Respirators

Lightweight, humidity-resistant design features a latex-free filter media for lower breathing resistance. Options include: boomerang nose seal, full-sealing flange and an exhalation valve. NIOSH approved N95 and P100 protection.



14110391

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 14110440	341523341	P100 w/ full-sealing flange & valve	M/L	Ea
◆ 14110391	341523215	N95 w/ boomerang nose seal	M/L	20/Bx
14110394	341523235	N95 w/ boomerang nose seal & valve	M/L	20/Bx



PeakFit® Particulate Respirators

Large, contoured design facilitates breathing, reducing worker fatigue and promoting compliance. Features molded nosebridge, internal nose cushion, polypropylene inner lining and integrated, adjustable 1-piece head strap. Latex-free, cloth head strap is cooler than traditional, rubber versions. Available with an exhalation vent reducing hot air build-up. NIOSH Approved.



80102V

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
80101	323381015	Unvented N95 particulate respirator	12/Bx/Cs	20/Bx
80102V	323301025	Vented N95 particulate respirator	12/Bx/Cs	10/Bx
◆ 80104CV	323380105	Vented N95 OV particulate respirator	12/Bx/Cs	10/Bx
◆ 80105A	323311055	Unvented N95 AG particulate respirator	12/Bx/Cs	20/Bx



N95 Particulate Respirators

Features inner foam for a custom seal, while a dual head strap provides optimum fit. Effective against particulate aerosols free of oil. Helps provide comfortable, reliable worker protection against certain non-oil based particles in work applications including grinding, sanding, sweeping, bagging and other dusty operations. Model 8611 features an exhalation valve to reduce hot air build-up and keep workers cool. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8610	G73586105	N95 particulate respirators	12/Bx/Cs	20/Bx
8611	G73586115	N95 Particulate respirator w/ exhalation valve	12/Bx/Cs	10/Bx



8610



Nuisance Dust Mask

Provides relief from irritation of non-toxic, nuisance dusts. Effective for pollen, common household dust, cut grass and other non-toxic particles. Adjustable nosepiece contours to fit individual facial features. Not a NIOSH approved respirator.

1501-CS



ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1501-CS	422300035	Nuisance dust mask	12/Bx/Cs	50/Bx



Low-Profile N95 Respirator

Durable, latex-free polymer head straps are pre-stretched and ultrasonically welded to withstand tough use and prolong life. Adjustable contoured nosepiece and soft, open-cell foam nose cushion help ensure proper fit and reduced fogging. NIOSH Approved.



1730

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1730	422300045	N95 Particulate respirator	12/Bx/Cs	20/Bx



Low-Profile N95 Respirator with Exhalation Valve

Produced from state-of-the-art filtration media and electrostatically charged to enhance filtration. Provides low breathing resistance, making the wearer comfortable for extended periods. Respirator life extended by double-shell construction which is collapse-resistant and withstands hot and humid conditions. Built-in low pressure drop (LPD) exhalation valve for easier breathing. NIOSH Approved.

1740



ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1740	422300055	N95 Particulate respirator w/ exhale valve	10/Bx/Cs	10/Bx



N95 Particulate Respirator with OV-AG Nuisance Relief

Layer of activated carbon provides comfort relief against nuisance levels of both organic vapors and acid gas. Features soft foam nose cushion, staple-free construction and collapse-resistant double shell. Contoured nose-clip provides greater comfort and helps reduce potential fogging. Smooth latex-free polymer head straps won't catch on hair. No pre-stretching needed. Model 1745 features a premium oversized valve to expel hot air for cool comfort. NIOSH Approved.

1745




ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
◆ 1735	422317355	N95 Particulate respirator w/ OV-AG nuisance relief	12/Bx/Cs	20/Bx
◆ 1745	422317455	N95 Particulate respirator w/ OV-AG nuisance relief w/ valve	10/Bx/Cs	10/Bx

3M 3M™ Rugged Comfort Half Facepiece Reusable Respirators, 6500 Series

Helps provide respiratory protection against airborne contaminants in harsh, dirty environments. Facepiece is designed to help promote comfort, durability and stability with a firm, lightly textured silicone face seal and strong body construction. Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Sleek, overmolded/low-profile design helps to give a wide field of view that better suits compact work spaces and simplifies cleaning. Resilient silicone face seal offers an extended facepiece life, even keeping its shape in high-heat environments. Facepiece offers numerous other comfort features including a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow™ Valve that helps to make breathing easier by reducing heat and moisture. Made to fit securely and comfortably on the head, the facepiece comes with an adjustable head harness assembly featuring polyester/spandex straps that stretch and conform. Facepiece is compatible with all 3M™ bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals. The 6500QL Series features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and off while moving in and out of contaminated areas. NIOSH/MSHA Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6501	665565271	6500 Series Half Facepiece	S	Ea
6502	665565291	6500 Series Half Facepiece	M	Ea
6503	665565311	6500 Series Half Facepiece	L	Ea
6501QL	665565281	6500 Series Half Facepiece, Quick Latch	S	Ea
6502QL	665565301	6500 Series Half Facepiece, Quick Latch	M	Ea
6503QL	665565321	6500 Series Half Facepiece, Quick Latch	L	Ea



REUSABLE

Respiratory Protection

3M 3M™ Rugged Comfort 6500 Accessories

Accessories for 3M™ Rugged Comfort respirators.

ITEM #	ORDER #	DESCRIPTION	UOM
6581	665565335	Rugged Comfort Head Harness Assembly	5/Bx
6582	665565345	Rugged Comfort Quick Latch Head Harness Assembly	5/Bx
◆ 6583	66556535	Rugged Comfort Exhalation Valve	10/Cs



3M 3M™ Half Facepiece Respirator Assemblies, 6000 Series

Reusable respirator assembly offers comfort and particulate protection. Each facepiece is remarkably comfortable and soft. Assemblies use the simple bayonet mounting system with low-profile P100 filters. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 6191	665513471	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	S	Ea
6291	665513521	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	M	Ea
6391	665513571	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	L	Ea



3M 3M™ Half Facepiece 6000 Series, Reusable Respirators

Lightweight facepiece and easy-to-adjust headstraps. Facepiece can be used with any of the 3M™ bayonet-style filters and cartridges and can be easily replaced. Swept back design of cartridges helps improve balance and visibility. Cartridges and filters sold separately. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6100	665514821	Half Facepiece	S	Ea
6200	665501761	Half Facepiece	M	Ea
6300	665513541	Half Facepiece	L	Ea



WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M

3M™ Half Facepiece 7500 Series, Reusable

Soft faceseal design and unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Made from advanced silicone and can be used with any of the 3M™ bayonet-style filters and cartridges. Meets NIOSH 42 CFR 84 requirements.



7501

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7501	665514051	Half Facepiece	S	Ea
7502	665514061	Half Facepiece	M	Ea
7503	665514801	Half Facepiece	L	Ea

3M

3M™ Full Facepiece Respirators 6000 Series, Reusable

Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Features large lens providing user a wide field of vision.



6800

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6800	665513621	Full Facepiece	M	Ea
6900	665513871	Full Facepiece	L	Ea
6885	665513765	Faceshield Covers		25/Bx

3M

3M™ Ultimate FX Full Facepiece FF-400 Series, Reusable

Rugged facepiece designed to provide flexibility in extreme environments. Features soft, silicone nosecup and large lens allowing for superior peripheral vision. Comfort cradle positions respirator to help reduce pressure points. Scotchgard™ protector helps lens resist dirt, paint and stains, making it easier to clean. Cool Flow™ Exhalation Valve helps reduce heat and moisture buildup inside the facepiece. Durable, long-lasting head harness features a 6-strap configuration for secure fit. Low-profile bayonet design helps improve balance.

FF-402



3M

3M™ Full Facepiece Respirators 7800S Series, Reusable

Durable, silicone facepieces are designed for a wide range of applications. Full facepiece features a double flange silicone faceseal and (6) easy-adjusting straps for comfort and durability. Hard-coated polycarbonate lens. Extra-large inhalation and exhalation valves help make breathing easier. Meets NIOSH 42 CFR 84 requirements.

7800S



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
FF-402	665520241	Ultimate FX Full Facepiece	M	Ea
FF-403	665520251	Ultimate FX Full Facepiece	L	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7800S-M	665514131	Full Facepiece Respirator	M	Ea
7800S-L	665514121	Full Facepiece Respirator	L	Ea

68097



3M

3M™ Mold Remediation Respirator Kit

Includes a 3M™ Full Facepiece 6000 and two pairs of 3M™ Particulate Filters 2097, P100, to help reduce exposure to mold and low level organic compounds produced by mold. Simple, one-stop solution to help provide respiratory protection during most mold remediation activities such as vacuuming, sanding, removal and disposal. A separate chemical cartridge may be needed for exposure to disinfectants.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
68097	665513661	Mold Remediation Respirator Kit	M	Ea

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

3M™ Replacement Cartridges and Filters



Use with 3M™ Respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. When properly selected, cartridges and filters help provide protection from a variety of gases, vapors and particulate hazards. Available with 3M™ Service Life Indicator, an end-of-service-life indicator (ESLI) that can help users determine when to change cartridges in appropriate environments.

*Nuisance level organic vapors refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

**Nuisance level acid gases refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases.

***3M™ recommended for ozone protection up to 10 x OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

****OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

ITEM #	ORDER #	DESCRIPTION	UOM
6001	665513305	Organic Vapor Cartridge	2/Bx
6002	665510021	Acid Gas Cartridge	2/Bx
6003	665501145	Organic Vapor/Acid Gas Cartridge	2/Bx
6004	665513315	Ammonia/Methylamine Cartridge	2/Bx
6005	665514795	Formaldehyde****/Organic Vapor Cartridge	2/Bx
6006	665513325	Multi-Gas/Vapor Cartridge	2/Bx
60921	665513355	Cartridge/Filter Organic Vapor/P100	2/Bx
60922	665513365	Cartridge/Filter Acid Gas/P100	2/Bx
60923	665513375	Cartridge/Filter Organic Vapor/Acid Gas/P100	2/Bx
60924	665513385	Cartridge/Filter Ammonia/Methylamine/P100	2/Bx
60925	665513395	Cartridge/Filter Formaldehyde****/Organic Vapor/P100	2/Bx
60926	665513405	Cartridge/Filter Multi-Gas/Vapor/P100	2/Bx
2071	665511655	Particulate Filter P95	2/Bx
2091	665520915	Particulate Filter P100	2/Bx
2096	665511685	Particulate Filter P100 w/ Nuisance Level Acid Gas** Relief	2/Bx
2097	665511695	Particulate Filter P100 w/ Nuisance Level Organic Vapor* Relief & Ozone Protection***	2/Bx
2291	665522915	Advanced Particulate Filters P100	2/Bx
7093	665513935	Particulate Filter P100, Solid Top Air Inlet	12/Bx
501	665512085	Filter Retainer	20/Bx
5N11	665512065	Particulate Pre-Filter N95	10/Bx
5P71	665512075	Particulate Pre-Filter P95	10/Bx
504	665512105	Respirator Cleaning Wipes	100/Bx
6009S	665513335	Mercury Vapor/Chlorine or Sulfur Dioxide Gas Cartridge	2/Bx
60929S	665513425	Mercury Vapor/Chlorine or Sulfur Dioxide Gas/P100 Particulate Filter Combination Cartridge	2/Bx
♦ 60921I	665532845	Cartridge/Filter Organic Vapor/P100	2/Bx
♦ 6001I	66553171	Organic Vapor Cartridge, vend pack	60/Cs
2078	665511675	Particulate Filter, P95 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief & Ozone Protection***	2/Bx
6897	665513841	Full Face Head Harness Assembly	Ea
6894	665513811	Full Face Nose Cup Assembly	Ea



2071



2097



60926



7093



6001

Only 3M™ filters 2000 Series, 7093, 5N11 or 5P71 are approved for use with 3M™ 5000 Series Respirators. Cartridges on 5000 Series Respirators cannot be replaced. The 3M™ Filter Adapter 502 is required for use of the 2000 Series and 7093 filters with the 5000 Series Respirators and 6000 Series Cartridges.

The 3M™ Filter Retainer 501 is required for use of the 5N11 and 5P71 prefilters with the 5000 Series Respirators. The 502 adapter cannot be reused.

♦ Non-stock item. Minimum quantity may apply.



MOLDEX 7000 Series Reusable Half Mask Respirators

Lightweight design plus extra-wide sealing area provides all-day comfort. Mask drops down for convenient storage around neck or locks down for custom fit. Features adjustable head cradle and curved neck buckles for extra comfort. Low-profile design allows a wide field of vision. Fits under welding helmets and with safety glasses. Easy to clean and maintain. Available as pre-assembled respirators with the most popular cartridge/filter combinations. Paint-spray/pesticide respirators include the added convenience of coming with organic vapor cartridges and N95 prefilters. Multi-gas respirators come with 7600 Smart® cartridges which replace up to five gas/vapor cartridges, making cartridge selection easier for workers. P100 respirator comes with 7940P100 filter disks. NIOSH Approved.



ITEM #	ORDER #	SIZES	UOM
7000 Series Half Mask Respirator Facepiece			
7001	222270011	S	Ea
7002	222270021	M	Ea
7003	222270031	L	Ea
Organic Vapor Pre-Assembled Half Mask Respirator			
♦ 7101	222271011	S	Ea
♦ 7102	222271021	M	Ea
♦ 7103	222271031	L	Ea

ITEM #	ORDER #	SIZES	UOM
Oil-Free Paint Spray/Pesticide Pre-Assembled Half Mask Respirator			
♦ 7111	222271111	S	Ea
7112	222271121	M	Ea
7113	222271131	L	Ea
Oil-Based Paint Spray/Pesticide Pre-Assembled Half Mask Respirators			
♦ 7171	222271711	S	Ea
♦ 7172	222271721	M	Ea
♦ 7173	222271731	L	Ea

ITEM #	ORDER #	SIZES	UOM
P100 Particulates Pre-Assembled Half Mask Respirator			
♦ 7941	222279411	S	Ea
7942	222279421	M	Ea
♦ 7943	222279431	L	Ea
Multi-Gas Pre-Assembled Half Mask Respirator			
♦ 7601	222276011	S	Ea
7602	222276021	M	Ea
♦ 7603	222276031	L	Ea

MOLDEX 7800 Premium Silicone Series Half Mask Respirators

Higher resistance to heat and compression with enhanced comfort and durability of silicone. Lightweight design plus extra-wide sealing area. Low-profile, compact design fits well under welding helmets and with safety glasses. Mask drops down for convenient storage around neck or locks down for custom fit. Adjustable head cradle and curved neck buckles for extra comfort. 100% PVC-Free®.

ITEM #	ORDER #	SIZES	UOM
7800 Series Half Mask Respirator Facepiece			
♦ 7801	222200111	S	Ea
♦ 7802	222200131	M	Ea
♦ 7803	222200141	L	Ea



MOLDEX 9000 Series Reusable Full Face Respirators

Exclusive over-molded lens design eliminates usual heavy-clamping frame. Lightweight respirator features stand away head harness with extra wide opening for easy on/off. Strap buckles are securely molded directly to facepiece for rugged use and ease of adjustment. Coated lens for scratch resistance. NIOSH Approved.

ITEM #	ORDER #	SIZES	UOM
9000 Series Reusable Full Face Respirator			
9002	222290021	M	Ea
9003	222290031	L	Ea

MOLDEX 7000/9000 Series Combo Stacked Cartridge/Filters

Pre-assembled units save time and reduce chance of error in selecting or assembling cartridge/filter combinations. The 7140 combines the 7100 organic vapor cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. The 7640 combines the 7600 multi-gas/vapor Smart® cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. For use with 7000/7800 half masks or 9000 full face respirators.



7640



ITEM #	ORDER #	DESCRIPTION	UOM
♦ 7140	222271401	Organic Vapor cartridge/P100	Pr
♦ 7640	222276401	Multi-gas/Vapor Smart cartridge/P100	Pr



7000/7800/9000 Series Cartridges and Filters

A variety of cartridges and filters for use with the 7000/7800 Series half mask respirators or 9000 Series full face respirators. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	UOM
7100	222271001	Organic Vapor cartridge	Pr
◆ 7200	222272001	Acid Gas cartridge	Pr
◆ 7300	222273001	Organic Vapor/Acid Gas cartridge	Pr
◆ 7400	222274001	Ammonia/Methylamine cartridge	Pr
◆ 7500	222275001	Formaldehyde cartridge	Pr
◆ 7600	222276001	Multi-Gas/Vapor Smart® cartridge	Pr
7940	222279401	P100 filter disk	Pr
◆ 7920	222279201	Piggyback adapter	Pr
◆ 7960	222279601	P100 w/ nuisance OV filter disk	Pr
◆ 7990	222279901	P100 Particulates cartridge	Pr
◆ 8970	222289705	R95 Prefilters, 5 Pr/Bg	Bg



ITEM #	ORDER #	DESCRIPTION	UOM
8910	222243425	N95 Prefilters, 5 Pr/Bg	Bg
◆ 7020	222270201	Prefilter retainer	Pr
◆ 7999	222279991	P100 Filter disk cover	Pr
◆ 7950	222279501	P100 Filter disk plus nuisance organic vapors/acid gas	Pr



3M™ Hood H-410-10 with Collar, Tychem® 2000

H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with belt-mounted PAPRs or supplied air components. Replacement for 3M™ Hood Assemblies H-411 and H-412.



H-410-10

ITEM #	ORDER #	DESCRIPTION	UOM
H-410-10	66550711	Hood with Collar, Tychem 2000	10/Cs



3M™ Respirator Hoods

Lightweight, comfortable respirator hood helps provide respiratory protection for a wide range of applications. Used with 3M™ Air-Mate™ and Breathe Easy™ Powered Air Purifying Respirators (PAPR) and 3M™ Supplied Air Hood Systems BE-Series. White.



BE-10-20

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
BE-10-3	665506335	Respirator Hood	L	3/Pk
◆ BE-10-20	66550632	Respirator Hood	L	20/Cs



3M™ Versaflo™ Hoods

Approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems.



S-433

ITEM #	ORDER #	DESCRIPTION	UOM
S-403L-20	66553320	Economy Hood	20/Cs
◆ S-433L-5	66554532	Hood w/ Integrated Head Suspension	5/Cs
◆ S-607-10	66552378	Replacement Hood w/ Inner Shroud for Premium Head Suspension	10/Cs
◆ S-707-10	66552385	Replacement Painter's Hood w/ Inner Shroud for Premium Head Suspension	10/Cs



3M™ Versaflo™ Respiratory Helmet Assembly

Used with an approved air source, M-400 Series helmets provide respiratory and limited head (ANSI Z89.1-2003 Type 1 Class G) and eye (ANSI Z87.1-2010) protection. Assembly includes a premium visor and premium shroud.



M-407

ITEM #	ORDER #	DESCRIPTION	UOM
Versaflo™ Respiratory Helmet Assembly with Visor and Flame-Resistant Shroud			
M-407	665584071	Premium Visor	Ea
M-405	665525421	Standard Visor	Ea

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M™ Versaflo™ TR-600 PAPR Kits

Features li-ion battery, adjustable airflow options and expanded range of NIOSH-approved filters and cartridges for pharmaceutical environment hazards. Compatible with the 3M™ Versaflo™ Respirator Systems family of components, multiple configurations of headtops, breathing tubes, batteries, filters and cartridges. Two battery options for up to eight hours run time, less charging time and reduced down time. Charge level indicators on battery and PAPR user interface and LED status lights for battery charge on both battery and blower. Low-charge and low-flow warnings, including vibratory, audible and visual alarms. PAPR alarm provides approximately 15 mins. of warning prior to automatic low-power shutdown. Lightweight, ergonomically designed for a contoured fit and greater movement in tight work spaces. Multiple airflow rate options for user comfort. Multiple belt size adjustments and extenders for proper fit and comfort; belt designed with flexible air channels to help provide wide, comfortable support. Fully submersible; quick and easy to clean and decontaminate; tool-free maintenance. Meets IP53 rating while in use in decontamination shower. Meets IP67 rating when used with cleaning and storage plugs to enable full submersion for easy clean-up and decontamination. Pre-calibrated and ready to use, directly out of the box.

- Easy Clean Kit includes: S-433 Hood Assembly, TR-602N Motor/Blower, TR-630 Standard Battery, BT-30 Length Adjusting Breathing Tube, TR-627 Easy Clean Belt, TR-6710N (HE) Filter for Particulates, TR-6700FC Filter Cover, TR-641N Single Station Battery Charger and BT-922 Disposable Breathing Tube Cover.



TR-600-ECK

ITEM #	ORDER #	DESCRIPTION	UOM
TR-600-ECK	665529961	TR-600 Easy Clean Kit	Ea
♦ TR-600-HIK	66553057	TR-600 Heavy Industry Kit	Ea

- Heavy Industry Kit includes: M-307 Hard Hat Assembly Headtop, TR-602N Motor/Blower, TR-632 High Capacity Battery, BT-30 Length Adjusting Breathing Tube, TR-626 High Durability Belt, TR-6530N (HE/OV/AG/HF) Filter/Cartridge, TR-6500FC Filter Cover, TR-641N Single Station Battery Charger and BT-926 High Temperature Breathing Tube Cover.



TR-300-HIK



3M™ Versaflo™ Complete PAPR System Kits

Lightweight, compact and well-balanced. Equipped with automatic flow control, low battery alarm and low flow alarm. Quick Release Swivel (QRS) breathing tubes allow fast and easy connection. Provides excellent peripheral and downward vision. Easily removable parts allow simple cleaning, maintenance and replacement. Kits offer convenience of a complete system ideal for industrial applications, hospitals and pharmaceutical applications.

- TR-300-HKL includes S-133L headcover, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, charger, TR-3710N filter and storage bag
- TR-300-ECK includes S-655 hood, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, battery charger, TR-3710N filter and prefilter
- TR-300-HIK includes M-307 respiratory hard hat, TR-306N PAPR with high-durability leather belt, BT-40 heavy-duty breathing tube, battery charger, TR-3710N filter and spark arrestor/prefilter
- TR-307 includes easy clean belt, high capacity li-ion battery, HE filter and single-station charger

ITEM #	ORDER #	DESCRIPTION	SIZE	UOM
♦ TR-307N	665524801	PAPR w/ Easy Clean Belt & High Capacity Battery		Ea
♦ TR-306N	665583061	PAPR Assembly w/ High Durability Belt & High Capacity Battery		Ea
♦ TR-300-HKL	665524751	Headcover PAPR Kit	L	Ea
♦ TR-300-ECK	665524721	Easy Clean PAPR Kit	M/L	Ea
TR-300-HIK	665524731	Heavy-duty Industrial PAPR Kit	M/L	Ea

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

3M™ Versaflo™ PAPR Accessories

A variety of accessories are available for 3M™ Versaflo™ PAPRs.



BP-15

ITEM #	ORDER #	DESCRIPTION	UOM
BP-15	665506461	Breathe Easy BP-15 Battery Pack, NiMH	Ea
BT-30	665530301	Versaflo™ BT-30 Breathing Tube, flexible helix	Ea
BT-40	665525721	Versaflo™ BT-40 Breathing Tube, neoprene rubber	Ea

♦ Non-stock item. Minimum quantity may apply.



N-Series Cartridges, Filters and Cartridge/Filter Combinations

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Honeywell North N-Series filter/cartridge combinations also remove dusts, fibers and other particles. All N-Series cartridges and filters are NIOSH approved for select Honeywell North air-purifying half masks (7700, RU8500, 5500) and full facepieces (7600, RU6500, 5400). N750036 assembly for filters, includes: (2) N750027 covers and (2) N750038 filter supports to attach filter pads to gas and vapor cartridges.



ITEM #	ORDER #	DESCRIPTION	UOM
75SCL	347657411	Defender™ multi-purpose cartridge	Pr
75SCP100L	347637001	Defender multi-purpose cartridge w/ P100 particulate filter	Pr
N75001L	347650011	Organic vapor cartridge	Pr
7582P100L	347601001	Acid gas cartridge w/ P100 particulate filter	Pr
N75003L	347657485	Organic vapor, acid gas cartridge	Pr
7583P100L	347631001	Organic vapor, acid gas cartridge w/ P100 particulate filter	Pr
N75004L	347675001	Ammonia, methylamine cartridge	Pr

ITEM #	ORDER #	DESCRIPTION	UOM
7584P100L	347637461	Ammonia, methylamine cartridge & P100 particulate filter	Pr
7580P100	347637441	P100 Particulate filter	Pr
75FFP100	347651001	P100 Particulate low-profile filter, flexible	Pr
7506N95	347637025	N95 pad filters	10/Pk
7506N99	347637035	N99 pad filters	10/Pk
7506R95	347637045	R95 pad filters	10/Pk
N750036	347600361	Filter retainer	Pr



550030

5500 Series Half Masks

Thermoplastic elastomer mask is soft and comfortable; free of latex allergens. Cartridges and filters are replaceable so facepiece can be re-used. Ideal as an economical respirator for sub-contractors, plant guests and occasional users. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. Combines comfort and design of the popular 7700 Series half mask in a convenient version. Compatible with Honeywell North N-Series cartridges and filters (sold separately).

ITEM #	ORDER #	SIZES	UOM
5500 Series Half Mask Respirator			
550030M	347657231	M	Ea
550030L	347657241	L	Ea




770030

7700 Series Silicone Half Masks

The 100% medical-grade silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Dual elasticity headstraps provide a secure and flexible fit. Wide contoured sealing area fits a greater variety of facial types. Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Compatible with Honeywell North N-Series cartridges and filters (sold separately).

ITEM #	ORDER #	SIZES	UOM
7700 Series Half Mask Respirator			
770030M	347657201	M	Ea
770030L	347657211	L	Ea



760008A

7600 Series Full Facepiece

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Wide sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Speech diaphragm is standard to amplify workers' conversations. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Compatible with Honeywell North N-Series cartridges and filters (sold separately).

ITEM #	ORDER #	SIZES	UOM
Full Facepiece, Dual Flange Silicone Seal			
760008A	347637481	M/L	Ea



RU65001

Full Facepiece Respirators

Silicone, full facepiece is the redesigned Sperian Survivair Opti-Fit™, re-engineered to accept Honeywell North N-series cartridges and has options for both PAPR and CF-SAR configurations in the Honeywell respiratory line. Features silicone nose cup and face seal for all day comfort, polycarbonate lens for open view and peripheral vision and 5-point headstrap.

ITEM #	ORDER #	SIZES	UOM
Full Facepiece Respirator with 5-Point Headstrap			
◆ RU65001S	341569101	S	Ea
◆ RU65001M	341569111	M	Ea
◆ RU65001L	341569121	L	Ea

◆ Non-stock item. Minimum quantity may apply.



54001



5400 Series Low-Maintenance Full Facepieces

Wide-sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Latex-free thermoplastic elastomer with no natural rubber proteins which may cause an allergic reaction. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Compatible with Honeywell North N-Series cartridges and filters (sold separately).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
54001S	347640001	5400 Series Full Facepiece Respirator	S	Ea
54001	347640011	5400 Series Full Facepiece Respirator	M/L	Ea



7900 Series Mouthbit Respirator

Honeywell North 7900 Series mouthbit respirator offers a quick and economical method to escape non-IDLH emergency situations. Large, soft and flexible nose pads hold securely without pinching. Wider nose clip fits a variety of facial types. Silicone mouthpiece is more comfortable to wear over long periods. Packed in sealable plastic bag.



7902

ITEM #	ORDER #	UOM
7902	347638021	Ea

Mouthbit Respirator/Specific Acid Gases



The Safety Company

Advantage® 200 LS Respirators

Lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber for greater comfort and stability. AnthroCurve™ sealing surface instantly conforms to wearer's unique facial characteristics. MultiFlex® system equalizes pressure on faceseal area.



815444

ITEM #	ORDER #	SIZES	UOM
815444	308599131	M	Ea
815452	308599151	L	Ea

Advantage 200 LS Respirator with Single Neckstrap



The Safety Company

Advantage® 420 Respirator

Features UniBond over-mold facepiece, AnthroCurve™ faceseal and low profile design. Four-point yoke and harness design allows a user to easily on and off the state-of-the-art respirator while maintaining a customized fit. Other features include a Comfortop headband, a built-in moisture release chin cup hole, and the extra-wide head and neck straps.



10102183

ITEM #	ORDER #	SIZES	UOM
10102183	3085143D1	M	Ea

Advantage 420 Twin-Port Half Mask Respirator



The Safety Company

Advantage® 3200 Full Facepiece Respirators

Engineered for comfort and versatility. Offers ease of use and low breathing resistance. Preset upper straps make it easy to don and remove while also providing a tighter, more secure seal. Users can also opt for the European-style Advantage Head Harness, which dons like a catcher's mask. Unit also features a scratch-resistant, wraparound faceplate that eliminates distortion and increases peripheral vision, these components can be replaced by hand in seconds.

10028995



ITEM #	ORDER #	SIZES	UOM
10028995	308524661	M	Ea
10028997	308524681	L	Ea

Advantage 3200 Twin Port Respirator with Rubber Harness



The Safety Company

Advantage® 4000 Respirators

Precision crafted to cover a wide variety of respiratory applications. Works with several different MSA respirators to provide comfortable, cost-efficient performance. Features net head harness, Hycar® facepiece and standard noseclip for reduced fogging in low-temperature or high-moisture environments.

10083781



ITEM #	ORDER #	SIZES	UOM
◆ 10083781	3085901D1	M	Ea
◆ 10083789	3085370E1	L	Ea

Advantage 4200 Twin Port Respirator



The Safety Company

Advantage® Respirator Cartridges

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors. Combination cartridges deliver protection from both particulate and gaseous contaminants. All cartridges are interchangeable between the Advantage respirators and are color-coded to indicate the type of protection offered. Approved under 42 CFR Part 84.

815362



815355

ITEM #	ORDER #	DESCRIPTION	UOM
815355	308598981	GMA OV cartridge	2/Pk
815359	308553591	GME multi-gas cartridge	2/Pk
815362	308599031	GMA/P100 OV cartridge	2/Pk
815369	308599075	P100 low-profile cartridge	2/Pk

818342



Flexi-Filter® Pads for Advantage® Respirators

Low-profile, flexible filter pads for Advantage respirator fit well under a welding hood and with other personal protective equipment. Offers great balance and weight distribution for maintaining a good face seal, while swept-back design provides improved vision and comfort. Multi-layer composite construction offers durability and spark resistance.

ITEM #	ORDER #	DESCRIPTION	UOM
818342	308583425	P100 Flexi-Filter pads	2/Pk
818343	3085163A5	P100/OV/O3 Flexi-Filter pads	2/Pk
818344	3085164A5	P100/AG/HF Flexi-Filter pads	2/Pk



ALLEGRO

EZ Air Powered Air Purifying Respirator

Complete particulate system intended for industrial applications where combined respiratory, eye and face protection is required. Motorized, Lithium-ion battery-operated system provides a constant supply of fresh, filtered air over user's face. PF level of 25 creates an optimal protective pressure inside respirator head top to keep away particulates (dust, steel, manganese, stainless steel, chromium, galvanized steel, cadmium, lead and ozone). Ideal for welding, assembly, facility maintenance, grinding, machine operations, painting and sanding. Complies with ANSI Z87.1+ for face-shield/eye protection. NIOSH Approved

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 9935-DLX	334205821	EZ Air PAPP	Ea
◆ 9935-FIL	334205831	Replacement HEPA filter	Ea



9935-DLX

ALLEGRO Bitrex™, Saccharin and Smoke Fit Test Kits

Choose from a variety of OSHA-compliant fit test products. Saccharin fit test kit includes poly-coated hood, (2) nebulizers, sensitivity and fit test solutions and instructions. Bitrex™ is safer than saccharin tests while producing identical results. Disposable glass ampules make pouring solution into nebulizers easier and reduces the chance of contamination. Use smoke test kits for air purifying respirators. Standard kit includes irritant smoke tubes, aspirator assembly and record form in a protective carry pouch. Deluxe smoke test kit includes a smoke fit tube pump with batteries which generates the required 100 mL per minute of smoke, (6) smoke tubes with caps and instructions.



2041

ITEM #	ORDER #	DESCRIPTION	UOM
2041	334200611	Bitrex test kit	Ea
2041-11K	334200625	Sensitivity solution only	6/Bx
2041-12K	334200635	Test solution only	6/Bx
◆ 2040	334200571	Saccharin test kit	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
2040-11K	334200595	Sensitivity solution only	6/Bx
◆ 2040-12K	334200605	Test solution only	6/Bx
2050	334200641	Standard smoke test kit	Ea
2050-01	334200651	Replacement tubes, 6/Bx	Ea



Respirator Storage Bags

Reusable storage bags made from tough 10-mil poly keep equipment contaminant free. Single-use disposable storage bags with gusset help prevent cross contamination of any personal safety equipment such as respirators or earmuffs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000	33422000	Respirator storage bags	14" x 16"	Ea
◆ 2025	334220251	Full mask storage bag	16" x 14"	Ea
4001-05	33420105	Large disposable respirator storage bags	21" L x 11" W x 8" D	100/Pk



2000



Respirator Cleaning Pads

Designed specifically for rubber respirator facepieces. Large 5" x 8" pads are individually foil-packaged. Regular wipes contain 70% Isopropanol. Active ingredient in alcohol-free wipe is Benzalkonium chloride. Will not harm even the most sensitive rubber facepieces. Box is designed as a wall-mounted dispenser.



1001

ITEM #	ORDER #	DESCRIPTION	UOM
1001	334210015	Respirator cleaning pads	100/Bx
3001	334230015	Alcohol-free cleaning pads	100/Bx



Spray Socks

Provides protection against overspray and other particulates. Fits over head and can be worn with goggles, half- or full-mask respirators. Stretch knit, 100% cotton fabric is breathable and cool. Universal. White.

1410-12



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
1410-12	334200465	Spray socks	White	12/Pk

◆ Non-stock item. Minimum quantity may apply.

Hand Protection

Gloves are relied upon to prevent cuts, abrasions, burns, and skin contact with chemicals. Employers are required to provide workers with gloves suited specifically for each work task that will provide the best protection possible.

Visit www.osha.gov for complete details and regulation requirements.



HyFlex® 11-600 Light-Duty Multi-Purpose Gloves

Safety without sacrificing performance. Polyurethane palm coating offers maximum tactile sensitivity in finger area for exceptional feel, and an ultra-cool stretch nylon liner increases worker acceptance and safety compliance. Barehand dexterity, excellent fit and performance help to maintain high productivity. Available in black or white. 12 Pk/Cs.



11-600

ITEM #	ORDER #	COLOR	SIZES	UOM
11-600W-7	220100865	White	7	12/Pk
11-600W-8	220100895	White	8	12/Pk
11-600W-9	220100925	White	9	12/Pk
11-600W-10	220100755	White	10	12/Pk

ITEM #	ORDER #	COLOR	SIZES	UOM
11-600B-7	220100875	Black	7	12/Pk
11-600B-8	220100915	Black	8	12/Pk
11-600B-9	220100935	Black	9	12/Pk
11-600B-10	220100765	Black	10	12/Pk



HyFlex® 11-800 Light-Duty Multi-Purpose Gloves

Big comfort when handling small parts. Ansell® original foam nitrile coating channels oil away from glove surface for sure grip in light oil. Featuring Zonz™ Technology, this glove molds naturally to the hand, minimizing fatigue and providing exceptional, unmatched comfort for workers. ANSI level 1 cut resistance, ANSI level 3 abrasion resistance. 12 Pk/Cs.



11-800

ITEM #	ORDER #	SIZES	UOM
11-800-6	220101225	6	12/Pk
11-800-7	220118005	7	12/Pk
11-800-8	220118015	8	12/Pk
11-800-9	220118025	9	12/Pk
11-800-10	220118035	10	12/Pk



HyFlex® 11-801 Light-Duty Multi-Purpose Gloves

Safety without sacrificing performance. Foam nitrile palm coating offers maximum tactile sensitivity in the finger area for exceptional feel. Zonz™ Technology enables excellent fit and performance to maintain high productivity. Ultra-cool stretch nylon liner. Barehand dexterity. 12 Pk/Cs.



11-801

ITEM #	ORDER #	SIZES	UOM
11-801-7	220101275	7	12/Pk
11-801-8	220101285	8	12/Pk
11-801-9	220101295	9	12/Pk
11-801-10	220101235	10	12/Pk



PowerFlex® Heavy-Duty Multi-Purpose Gloves

Rugged, comfortable glove designed to handle more demanding jobs. Advanced ergonomic design features a soft, seamless poly/cotton knit liner for unbelievable comfort. Superior wet and dry grip. Powerful combination of grip, abrasion and puncture resistance. Fully-coated thumb provides added protection in this high risk area. Uncoated back allows air to circulate, keeping hands cool and dry. 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.



80-100

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
80-100-8	220111995	PowerFlex 80-100 gloves	8	12/Pk
80-100-9	220112005	PowerFlex 80-100 gloves	9	12/Pk
80-100-10	220111965	PowerFlex 80-100 gloves	10	12/Pk



Ansell HyFlex® 11-920 Gloves

Ansell Grip Technology™ coating provides grip on wet or moderately oily objects with less force, helping to reduce hand fatigue. Multi-layer dipping process increases abrasion resistance and wear life. Coating wicks oil away from surface with microscopic channels and prevents penetration to help reduce the risk of dermatitis and liquid exposure. Features ergonomic fit, nylon liner and knit wrist. 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
11-920-8	220119185	8	12/Pk
11-920-9	220192295	9	12/Pk
11-920-10	220119205	10	12/Pk
◆ 11-920-11	220120125	11	12/Pk



11-920



SHOWA® 306 Gloves

Nylon/polyester 13-gauge liner with engineered full foam breathable latex coating. Offers high levels of grip and abrasion resistance. Ideal for automotive, construction, maintenance, manufacturing and general purpose applications. Blue/black. 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
306M-07	384173085	M	12/Pk
306L-08	384173095	L	12/Pk
306XL-09	384173105	XL	12/Pk



306



SHOWA® 4500 Gloves

Features a breathable, seamless nylon liner/shell with flat-dipped nitrile coating, knit wrist and smooth finish. Puncture and abrasion protection. Palm-dipped in nitrile for lower electrostatic discharge. Ideal for jobs requiring tactile sensitivity. Light green/green. 6 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
4500-08	384101495	M	12/PK
4500-09	384101505	L	12/PK
◆ 4500-10	384101515	XL	12/PK



4500



300



SHOWA® ATLAS® 300 Gloves

Gray with blue, natural rubber palm coating. Features 10-gauge seamless knit liner, ergonomic shape and wrinkle grip. Machine washable. 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
300M-08	384123065	M	12/Pk
300L-09	384123075	L	12/Pk
300XL-10	384123085	XL	12/Pk



Why Choose Palm Coated?

Palm-coated gloves provide the confidence to perform.
Non-slip surface allows workers to work more efficiently and with greater confidence.

Wells Lamont Information



SHOWA® 377 Gloves

Features a liquid-resistant proof undercoat for oil protection, foam nitrile overcoat for grip in oily applications and a 13-gauge seamless, knit liner. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
377M-07	384133015	Foam nitrile gloves, fully-coated	M	12/Pk
377L-08	384133025	Foam nitrile gloves, fully-coated	L	12/Pk
377XL-09	384133035	Foam nitrile gloves, fully-coated	XL	12/Pk
377XXL-10	384113775	Foam nitrile gloves, fully-coated	2XL	12/Pk



377

◆ Non-stock item. Minimum quantity may apply.



Jackson Safety* G40 Foam Nitrile Coated Gloves

Provides 25% better productivity than leather. Excellent grip and dexterity. Features seamless knit nylon back for comfort. Ideal for small parts handling, warehousing/shipping/receiving, janitorial/general maintenance and equipment handling. Highest EN388 abrasion rating. Blue/black. 5 Pk/Cs.



40226

ITEM #	ORDER #	SIZES	UOM
40226	154002265	8 (M)	12/Pk
40227	154002275	9 (L)	12/Pk
40228	154002285	10 (XL)	12/Pk



Jackson Safety* G40 Polyurethane Coated Gloves

Thin mil feel for tactile sensitivity. Offers excellent grip and dexterity. Features seamless knit construction for comfort. Tear- and abrasion-resistant. Ideal for small parts handling, warehousing, shipping/receiving, janitorial and general maintenance. Black. 5 Pk/Cs.



13838

ITEM #	ORDER #	SIZES	UOM
◆ 13838	154038005	8 (M)	12/Pk
◆ 13839	154038015	9 (L)	12/Pk

49824



Jackson Safety* G29 Solvent Gloves

Provides up to 4X longer protection against certain solvents, hydraulic fluids, oils and greases. Reduces the number of times gloves need to be replaced. Neoprene blend construction with textured fingertips for wet/dry grip. Silicon-free, powder-free. Features 12-mil thickness at fingers, 9-mil at palm and 12" length. 10 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
◆ 49824	154002135	8 (M)	50/Bx
◆ 49825	154002125	9 (L)	50/Bx
◆ 49826	154002155	10 (XL)	50/Bx
◆ 49827	154002115	11 (2XL)	50/Bx



SuperDex™ Elite Gloves

Features extra dip micro foam nitrile and lightweight, durable 15-gauge high-visibility seamless knit liner. Excellent dexterity and unmatched grip. 12 Pk/Cs.



3229HVY

ITEM #	ORDER #	SIZES	UOM
◆ 3229HVY/M	337916795	M	12/Pk
◆ 3229HVY/L	337916805	L	12/Pk
◆ 3229HVY/XL	337916815	XL	12/Pk



SuperDex™ Gloves

Features micro foam nitrile and a lightweight, durable 15-gauge seamless knit liner. Provides excellent dexterity and unmatched grip. 12 Pk/Cs.

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ 3228/M	337916595	Gray/black	M	12/Pk
◆ 3228/L	337916605	Gray/black	L	12/Pk
◆ 3228/XL	337916615	Gray/black	XL	12/Pk
◆ 3228HVY/M	337916695	Hi-viz yellow/black	M	12/Pk
◆ 3228HVY/L	337916705	Hi-viz yellow/black	L	12/Pk
◆ 3228HVY/XL	337916715	Hi-viz yellow/black	XL	12/Pk



3228HVY

3228

MAJESTIC M-Safe® Rubber-Coated Gloves

Cotton string knit gloves with rubber palm-dipped coating and knit wrist. Excellent gripping power and abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3382/9	337916995	Rubber-coated gloves	9	12/Pk
◆ 3382/10	337917005	Rubber-coated gloves	10	12/Pk
◆ 3382/11	337917015	Rubber-coated gloves	11	12/Pk



3382

Summer Penguin Knit Gloves with Foam Latex Palm

Lightweight, cotton/poly blend hi-viz summer weight glove. Features hi-viz orange or yellow knit with black foamed latex palm to hide dirt. Pre-curved design promotes easy flexing. Latex palm offers excellent wear and resistance. 12 Pk/Cs.



ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 3397HO/9	337917095	Summer Penguin knit gloves w/ foam latex palm	Hi-viz orange	M	12/Pk
◆ 3397HO/10	337917105	Summer Penguin knit gloves w/ foam latex palm	Hi-viz orange	L	12/Pk
◆ 3397HO/11	337917115	Summer Penguin knit gloves w/ foam latex palm	Hi-viz orange	XL	12/Pk
◆ 3397HY/9	337917195	Summer Penguin knit gloves w/ foam latex palm	Hi-viz yellow	M	12/Pk
◆ 3397HY/10	337917205	Summer Penguin knit gloves w/ foam latex palm	Hi-viz yellow	L	12/Pk
◆ 3397HY/11	337917215	Summer Penguin knit gloves w/ foam latex palm	Hi-viz yellow	XL	12/Pk



Memphis™ Ninja® BNF Gloves with Knuckle Coating

Features 15-gauge nylon/Spandex® shell with nitrile foam (BNF) coating. Provides dexterity, sense of touch and protection. Ideal for automotive assembly, farming, landscaping and material handling. EN388: 4114. Black/gray. 12 Pk/Cs.

N96793

ITEM #	ORDER #	SIZES	UOM
N96793L	331487035	L	12/Pk
N96793XL	331487045	XL	12/Pk



Memphis™ Ninja® BNF Gloves with Palm Coating

Features 15-gauge nylon/Spandex® shell with breathable nitrile foam (BNF) coating on palm and fingertips. Provides dexterity, sense of touch, and protection. Ideal for automotive assembly, farming, landscaping and material handling. Black/gray. 12 Pk/Cs.

N96790

ITEM #	ORDER #	SIZES	UOM
◆ N96790L	331467935	L	12/Pk
◆ N96790XL	331467965	XL	12/Pk



Memphis™ Ninja® BNF Gloves with Dots

Features 15-gauge gray nylon/Spandex® shell with breathable nitrile foam-coated palm with dots. Ergonomic design for minimum hand fatigue. Excellent wet or dry grip. Offers great dexterity, flexibility and movement. Ideal for abrasive applications, assembly, construction, landscaping and shipping/receiving. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ N96797L	331467975	Ninja BNF gloves w/ dots	L	12/Pk
◆ N96797XL	331467985	Ninja BNF gloves w/ dots	XL	12/Pk



N96797



9680



Flex-Tuff® Latex-Dipped Work Gloves

Made from 10-gauge 50% cotton/50% polyester shell dipped in natural rubber latex, which provides exceptional abrasion resistance. Features textured palm and fingertips for added durability and grip. Ideal for use in material and glass handling, fishing and plywood industries, sanitation, and general maintenance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9681-L	331418755	Economy latex-dipped gloves	L	12/Pk
9680-L	331496795	Premium latex-dipped & textured gloves	L	12/Pk
9680-XL	331496805	Premium latex-dipped & textured gloves	XL	12/Pk
9688-L	331419025	Value latex-dipped work gloves	L	12/Pk
9688-XL	331419055	Value latex-dipped work gloves	XL	12/Pk

◆ Non-stock item. Minimum quantity may apply.



Memphis™ Ninja® Flex Latex-Coated Gloves

Excellent for use in dry grip applications. Made of a 15-gauge 100% nylon shell with a crinkle latex coating provides superb flexibility, elasticity and durability. Component materials comply with all relevant federal regulations for food contact. 12 Pk/Cs.



N9680

ITEM #	ORDER #	SIZES	UOM
N9680-L	331496001	L	Pr



Memphis™ Ninja Lite™ Gloves

Features skin-tight, athletic-grade nylon shell with feather-light PU coating for high abrasion protection. Offers dexterity and tactile sensitivity. Ideal for intricate assembly, micro processors, optics and photography industries. 12 Pk/Cs.



N9696

ITEM #	ORDER #	SIZES	UOM
N9696-L	331438365	L	12/Pk



Cotton Jersey Gloves

Breathable and absorbent. Features Clute cut with knit wrist. For comfort in general purpose applications. 25 Pk/Cs.



7100

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7100	331414285	Cotton jersey gloves	Men's	12/Pk



Cotton Canvas Gloves, 8 oz.

Made from 8 oz. woven cotton canvas fabric cut and sewn in Clute pattern with knit wrist for comfort and breathability in general purpose applications. Features black PVC dots on the palm and thumb. 25 Pk/Cs.



8808

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8808	331414935	Cotton canvas gloves, regular weight w/ dots	Men's	12/Pk



Reversible/Unhemmed Cotton Inspectors Gloves

Features breathable design. Keeps hands cool and protects sensitive or delicate equipment such as electronics. Comfortable and lightweight; can be used as glove liners. Ideal for light-duty applications. 100 Pk/Cs.



8600C

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8600C	331400675	Inspectors gloves, 100% cotton	Men's	12/Pk



Memphis™ Ninja® Wave Gloves with Dyneema®

Features nitrile wave pattern on palm and fingers, 13-gauge black and white speckled Dyneema shell with Diamond Technology. ANSI cut level 3.



N96780

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ N96780-L	331443421	Ninja Wave gloves w/ Dyneema	L	Pr
◆ N96780-XL	331443431	Ninja Wave gloves w/ Dyneema	XL	Pr



N96970



Memphis™ Ninja® BNF Gloves

Features 18-gauge red nylon/Spandex® shell with black BNF (Breathable Nitrile Foam) technology coated palm and fingertips. Ergonomic design for minimum hand fatigue, enhanced productivity and maximum comfort. Excellent wet/dry grip. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ N96970-L	331469735	Ninja BNF gloves	L	12/Pk
◆ N96970-XL	331469745	Ninja BNF gloves	XL	12/Pk



Memphis™ Ninja® BNF Nitrile-Dipped Gloves

Ninja® BNF (Breathable Nitrile Foam) has exceptional abrasion resistance and unparalleled grip performance. Provides greater comfort and longer wear. Features lightweight 18-gauge nylon/Spandex® shell. N96783 features 3/4 over-the-knuckle red flat nitrile coating, a second coating of black BNF on palm/fingers and knit wrist. N96785 features full red flat nitrile coating, a second coating of black BNF over-the-knuckle and slip-on cuff. 12 Pk/Cs.



N96783

ITEM #	ORDER #	SIZES	UOM
Ninja BNF Gloves with Over Knuckle Nitrile Dip			
◆ N96783L	331407125	L	12/Pk
◆ N96783XL	331407135	XL	12/Pk
Ninja BNF Gloves with Red Full Nitrile Dip			
◆ N96785L	331443405	L	12/Pk
◆ N96785XL	331443415	XL	12/Pk



MG9796



Predaflex™ Supported Dipped Gloves

Features a 100% cotton brushed interlock liner and fully-coated nitrile finish for durability and comfort. Palm is sandy finished for extra grip and abrasion resistance. Shoulder length for outstanding extended protection. Ideal for automotive, biological hazards, commercial fishing, construction and farming.

ITEM #	ORDER #	SIZES	UOM
◆ MG9796L	331443441	L	Pr
◆ MG9796XL	331443451	XL	Pr



NorthFlex Red™ Foamed PVC Palm-Coated Gloves

Lightweight, 15-gauge seamless knit nylon shell, with a knit wrist for minimal resistance and comfort. Foamed PVC coating provides a firm grip, abrasion resistance and a degree of shock and vibration absorption. Used in applications where workers handle both wet and dry objects and need moderate protection from mechanical hazards, including automotive and other assembly work, manufacturing, maintenance and small parts handling. 12 Pk/Cs.



NF11

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NF11/L	347684895	Foamed PVC palm-coated gloves	L	12/Pk
NF11/XL	347684905	Foamed PVC palm-coated gloves	XL	12/Pk

WELLS LAMONT
Industrial

FlexTech™ Hi-Viz Palm-Dipped Gloves

Features a hi-viz green lightweight synthetic knit shell with gray latex palm coating for outstanding grip. Knit wrist construction prevents dirt and debris from entering glove. Thermal version (Y9239T) features a brushed fleece liner for warmth and ANSI cut level 3/A3 protection. 72 Pr/Cs.



Y9239

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y9239L	416490415	FlexTech hi-viz palm-dipped gloves	L	12/Pk
◆ Y9239XL	416490425	FlexTech hi-viz palm-dipped gloves	XL	12/Pk
◆ Y9239TL	416492465	FlexTech hi-viz palm-dipped gloves, lined	L	12/Pk
◆ Y9239TXL	416492475	FlexTech hi-viz palm-dipped gloves, lined	XL	12/Pk

WELLS LAMONT
Industrial

FlexTech™ Palm-Dipped Gloves

Features a lightweight nylon shell and polyurethane palm coating for grip and tactility. Gray color hides dirt and grime. Ideal for electronic assembly and small parts handling. 144 Pr/Cs.



Y9277

ITEM #	ORDER #	SIZES	UOM
Y9277L	416411765	L	12/Pk
Y9277XL	416492775	XL	12/Pk

◆ Non-stock item. Minimum quantity may apply.



WELLS LAMONT
Industrial
Protective Glove Liners

Protects hands and the products handled in critical environments. Made of 100% continuous nylon filament. Extremely thin and comfortable. Superior fit and feel. Fully launderable up to 30 times without shrinkage. Reduces cost of waste disposal. Color-coded fabric bound hem easily identifies sizes. Ambidextrous. White. 144 Pr/Cs.

M005.WLC

ITEM #	ORDER #	SIZES	UOM
M005S.WLC	416401155	S	12/Pk
◆ M005M.WLC	416420075	M	12/Pk
◆ M005L.WLC	416406555	L	12/Pk
M005XL.WLC	416401165	XL	12/Pk



Memphis™
Black Kevlar®
Gloves

Features 13-gauge black Kevlar/synthetic shell with black nitrile foam coating on palm and fingertips. Polymer coating offers better grip and durability. Black color hides dirt and grime. Ideal for automotive assembly, bottling, canning, glass handling, HVAC and sheet metal industry. ANSI cut level 4. 12 Pk/Cs.



9178NF

ITEM #	ORDER #	SIZES	UOM
◆ 9178NFL	331491781	L	Pr
◆ 9178NFXL	331491791	XL	Pr



KHD-CR



ORHD® Knit CR5 Gloves

Features a 13-gauge knitted shell with thermoplastic rubber (TPR) knuckle and metacarpal impact protection. TPR finger guards extend to tip of each finger to prevent crushing impact injuries. Textured nitrile-coated palm provides enhanced gripping power. Features extended cuff with hook-and-loop closure for secure fit and 3 mm internal palm padding relieves hand fatigue. Machine washable. CE level 5 cut resistance and critical impact protection. ANSI certification cut scores of 144.

ITEM #	ORDER #	SIZES	UOM
KHD-CR-009	C24527291	M	Pr
KHD-CR-010	C24527301	L	Pr
◆ KHD-CR-011	C24527311	XL	Pr

Material recommendations for common work glove applications: (for equivalent thicknesses of natural leather)

APPLICATIONS	Grain Pigskin	Grain Cowhide	Split Cowhide	Grain Deer/Elkskin	Grain Goatskin	Synthetic Leathers	Coated Knits
Framing, Carpentry, Roofing	Good	Best	Fair	Good	Good	Good	Fair
Maintenance, Dry surface cleaning	Better	Good	Good	Best	Better	Good	Fair
Demolition, Rough labor	Good	Better	Best	Fair	Fair	Fair	Good
Equipment operation	Good	Good	Fair	Best	Better	Better	Fair
Heavy machine operation	Good	Better	Best	Good	Good	Fair	Fair
Landscaping	Best	Good	Better	Fair	Good	Good	Good
Hand tools, Pistol grips, Assembly	Good	Good	Fair	Better	Better	Best	Fair
Parcel delivery, Warehouse work	Good	Better	Good	Good	Better	Good	Best
Transportation	Good	Good	Fair	Best	Good	Better	Fair
Low abrasion operations	Good	Fair	Fair	Good	Better	Best	Fair
High abrasion operations	Better	Good	Best	Fair	Better	Good	Good
Rigging	Better	Good	Good	Good	Best	Better	Fair
Materials handling	Better	Better	Better	Fair	Good	Good	Best

Wells Lamont Information



92720NF



Memphis™ Cut Pro™ Gloves

Features a 10-gauge black HPPE and steel shell with black nitrile foam coating on palm and fingers. Black color hides dirt and grease. Ideal for automotive, canning, demolition, glass handling, HVAC and construction. Polybagged by the pair. ANSI cut level 5. 12 Pk/Cs.



ITEM #	ORDER #	SIZES	UOM
92720NFL	331487151	L	Pr
92720NFXL	331487161	XL	Pr

92723HV



Memphis™ Cut Pro™ Hi-Viz Gloves

Features 13-gauge hi-viz lime HPPE/nylon/Lycra®-plated shell with nitrile coating on palm/fingers and extended wrist. Ideal for assembly line, bottling, dairy, HVAC, glass and material handling. ANSI cut level 2. 12 Pk/Cs.



ITEM #	ORDER #	SIZES	UOM
92723HVL	331487095	L	12/Pk
92723HVXL	331487105	XL	12/Pk

DN100



ForceFlex™ Dyneema® PU Gloves

Features 13-gauge salt and pepper Dyneema shell with thermoplastic rubber cage on back of hand and black PU coating on palms and fingers. 72 Pr/Cs.

ITEM #	ORDER #	SIZES	UOM
◆ DN100L	331497211	L	Pr
◆ DN100XL	331497221	XL	Pr



Alycore Multi-Task Gloves

Made with synthetic leather palm and red fabric back. Available with adjustable wrist or slip-on cuff. Offers maximum protection and sense of touch due to high degree of flexibility and patent pending construction. ANSI cut level A9.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ ML300A-L	331413771	Alycore NS (needle stick) in palm & fourchettes w/ lime back & adjustable wrist	L	Pr
◆ ML300A-XL	331416371	Alycore NS (needle stick) in palm & fourchettes w/ lime back & adjustable wrist	XL	Pr



ML300A

93861



Memphis Hero™ Cut-Resistant Gloves

Made of 7-gauge blended Kevlar®, stainless steel, and other synthetic fibers for high levels of cut and comfort. Features shoulder grade leather palm for greater heat and abrasion resistance. Ideal for agriculture, automotive, assembly, construction, landscaping and sheet metal industries. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
93861L	331488185	Memphis Hero cut-resistant gloves	L	12/PK
93861XL	331488195	Memphis Hero cut-resistant gloves	XL	12/PK

◆ Non-stock item. Minimum quantity may apply.



93847



Memphis Hero™ Gloves with PVC Dots

Made from 13-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Features PVC dots on one side. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations and metal stamping. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
93847L	331488105	L	12/Pk
93847XL	331488115	XL	12/Pk



Memphis Hero™ Gloves

Made from 13-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations, metal stamping and food processing. Made with FDA-accepted materials for use in food processing applications. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
93840L	331488035	Memphis Hero Gloves	L	12/Pk
93840XL	331488045	Memphis Hero Gloves	XL	12/Pk

93840



93868



Memphis Hero™ Gloves with PVC Stripes

Made from 7-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Features PVC stripes on one side. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations and metal stamping. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
93868L	331488185	Memphis Hero gloves w/ PVC stripes one side	L	12/Pk
93868XL	331488195	Memphis Hero gloves w/ PVC stripes one side	XL	12/Pk



Memphis™ Dyneema® PU Gloves

Salt and pepper Dyneema blended shell with gray polyurethane coating on palm and fingers. Features 13-gauge thickness. Ideal for automotive, metal fabrication, ceramics, paper/pulp industry, textile industry and other applications requiring ultimate cut protection. CE cut level 3, CPPT cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9672-L	331497025	Memphis PU gloves	L	12/Pk
◆ 9672-XL	331497035	Memphis PU gloves	XL	12/Pk



9672



Memphis™ Ninja® X Bi-Polymer Coated Gloves

Made of a 15-gauge shell blend of silicone-free nylon/Spandex® with a proprietary bi-polymer coating combining durability and softness. Provides protection without losing dexterity and sense of touch. Applications include food processing, glass handling and metal fabricating. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9674-L	331496745	Bi-polymer coated gloves	L	12/Pk



N9674



11-627



HyFlex® 11-627 Light-Duty Cut Protection Gloves

Dyneema® and Lycra® liner offer cool and comfortable feeling. Relaxed, natural fit liner helps reduce hand fatigue. Polyurethane coating and liner combination offer improved tactile sensitivity. Excellent grip in dry environments. Effective control in minimally oily environments. Launderable, durable materials. ANSI cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-627-9	220101211	HyFlex 11-627 gloves w/ Dyneema	9	Pr
11-627-10	220101051	HyFlex 11-627 gloves w/ Dyneema	10	Pr



HyFlex® 11-518 First-To-Market Ultralight Cut-Resistant Gloves

Features 18-gauge construction that provides barehand-like dexterity for high tactility. Dyneema® Diamond Technology provides high cut-to-dexterity ratio for safety with comfort. D3 Pinky matches natural contours of hand. Thin polyurethane coating enables high tactility. High abrasion resistance extends glove life. ANSI cut level 2, ANSI level 3 abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-518-9	220151895	HyFlex 11-518 cut-resistant gloves	9	12/Pk
11-518-10	220151905	HyFlex 11-518 cut-resistant gloves	10	12/Pk



11-518



11-515



HyFlex® 11-515 Medium-Duty Hi-Viz™ Cut Protection Gloves

Features orange foam nitrile-coated palm for superior grip, tactility and assurance with high-visibility in low-light situations. Exclusive Hi-Viz™ DuPont™ Kevlar® stretch armor liner. INTERCEPT® Technology yarn creates improved fit and greater comfort. Extended cuff provides additional cut protection in wrist area. Silicone-free and not made with latex to ensure worker and product protection. ANSI cut level 4, ANSI level 4 abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11-515-8	220115305	HyFlex 11-515 medium-duty gloves	8	12/Pk
◆ 11-515-9	220115315	HyFlex 11-515 medium-duty gloves	9	12/Pk



HyFlex® 11-927 Medium-Duty Oil-Repellent Gloves

RIPEL® Liquid Repellence Technology provides oil repellence without compromising flexibility. Unique 3/4-dip geometry provides added protection against oil exposure and knuckle abrasion. Industry leading wet and oil grip, ANSELL GRIP Technology®, uses microscopic channels to wick away oil and moisture. Features HPPE and nylon-plaited liner and elasticized knit cuff. ANSI abrasion level 4 and ANSI cut level 2. 12 Pk/Cs.



11-927

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11-927-6	220192765	HyFlex 11-927 medium-duty gloves	6	12/Pk
◆ 11-927-7	220192775	HyFlex 11-927 medium-duty gloves	7	12/Pk
◆ 11-927-8	220192785	HyFlex 11-927 medium-duty gloves	8	12/Pk
◆ 11-927-9	220192795	HyFlex 11-927 medium-duty gloves	9	12/Pk
◆ 11-927-10	220192805	HyFlex 11-927 medium-duty gloves	10	12/Pk
◆ 11-927-11	220119275	HyFlex 11-927 medium-duty gloves	11	12/Pk

80-813



PowerFlex® 80-813 Flame-Resistant Gloves

Features exclusive DuPont™ Kevlar® liner with proprietary soft black palm coating. Provides high levels of flame resistance and cut protection in one comfortable, ergonomically designed glove. Helps protect workers against electrical hazards. Unique, soft coating provides excellent grip. Ideal for equipment assembly, facility/machinery maintenance, electrical wiring, pipe installation/repair, carpentry/scaffolding and heavy-duty metal handling. EN407 level 4 resistance to flammability, HRC level 2 rating for arc flash protection and ANSI cut level 4. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 80-813-7	220118131	PowerFlex 80-813 flame-resistant gloves	7	Pr
◆ 80-813-8	220118145	PowerFlex 80-813 flame-resistant gloves	8	12/Pk
◆ 80-813-9	220118155	PowerFlex 80-813 flame-resistant gloves	9	12/Pk
◆ 80-813-10	220118165	PowerFlex 80-813 flame-resistant gloves	10	12/Pk
◆ 80-813-11	220118175	PowerFlex 80-813 flame-resistant gloves	11	12/Pk



SHOWA® 4560 Gloves

Flat-dipped, form-fitting gloves. Made of cut-resistant Kevlar® fibers spun with stretchable, breathable Lycra®. Sponge nitrile-coated gloves have Maximum Oil Absorbency (MXOA). Used for small and sharp parts handling, cutting instruments and blade changing. ANSI cut level A3. 6 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
4560-09	384101595	L	12/Pk
4560-10	384101605	XL	12/Pk



4560



S-TEX® 541 Gloves

Features Hagane Coil® fiber engineered with a stainless steel core to provide extra protection against sharp edges. Lightweight polyurethane palm coating ensures maximum dexterity, grip and flexibility. Open back design with breathable palm keeps hands comfortable and dry. Gray on black. ASTM cut level A4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ S-TEX541L-08	384149085	S-TEX 541 Gloves	L	12/Pk
◆ S-TEX541XL-09	384149095	S-TEX 541 Gloves	XL	12/Pk
◆ S-TEX541XXL-10	384149105	S-TEX 541 Gloves	2XL	12/Pk



S-TEX541



SHOWA® KV300 Gloves

Made with a yellow, 10-cut medium weight Kevlar® fiber knit shell coated with blue natural rubber to provide protection from cuts, slashes and punctures. Features a seamless knit shell construction, open back configuration and an ergonomically correct design. Provides excellent wet/slippery grip and helps inhibit liquid penetration. Meets ANSI cut level A3. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV300L-09	384123175	Kevlar shell w/ natural rubber palm & fingertips	L	12/Pk
KV300XL-10	384123185	Kevlar shell w/ natural rubber palm & fingertips	XL	12/Pk



KV300

250



SHOWA® 250 Gloves

Features a blend of 13-gauge Kevlar® stainless steel and polyester knit with sponge nitrile palm coating. Provides excellent protection in applications where oil and sharp edges are prevalent. Offers durable resistance to abrasions, snags and punctures. Meets ANSI/ISEA 105-2005 cut level A6. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
250-08	384150085	250 Gloves	8	12/Pk
250-09	384150095	250 Gloves	9	12/Pk



Jackson Safety* G60 Level 3 Polyurethane Coated Cut Resistant Gloves

Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon, Lycra® fiber and glass liner. Excellent dexterity for improved productivity. Polyurethane coating enhances oil and dry grip. Ideal for equipment handling, metal/glass handling, automotive and aerospace. ANSI cut level 3, EN388 cut level 3. CPPT = 1,010 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 13825	15403825	G60 Level 3 Polyurethane Coated Cut Resistant Gloves	9 (L)	12/Cs
◆ 13826	15403826	G60 Level 3 Polyurethane Coated Cut Resistant Gloves	10 (XL)	12/Cs

13825



97432



Jackson Safety* G60 Level 3 Purple Nitrile* Cut Resistant Gloves

Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber enhances breathability and comfort. Dots on palm enhance grip. Ambidextrous. Ideal for small parts handling, equipment handling and metal/glass handling. ANSI cut level 3, EN388 cut level 3. CPPT = 1,150 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
97432	15407432	G60 Level 3 Purple Nitrile* Cut Resistant Gloves	9 (L)	12/Cs
◆ 97433	15407433	G60 Level 3 Purple Nitrile* Cut Resistant Gloves	10 (XL)	12/Cs

◆ Non-stock item. Minimum quantity may apply.





98237



Jackson Safety* G60 Level 5 Cut Resistant Gloves with Dyneema® Fiber

Features Spun Dyneema® fiber with glass, stainless steel and spandex. Superior cut resistance based on tests performed against the competition. Black polyurethane coating enhances grip. ANSI Level 4/EN388 Level 5 cut resistance, CPPT = 2,085 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
98237	15408037	G60 Level 5 Cut Resistant Gloves	9 (L)	12/Cs
98238	15408038	G60 Level 5 Cut Resistant Gloves	10 (XL)	12/Cs

MAJESTIC Cut-Less Gloves made with Dyneema®

Features continuous fiber shell made with Dyneema, gray polyurethane palm coating and color-coded hem. Cut resistance is equivalent to Kevlar® with ten times greater abrasion resistance. CE cut level 3. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 34-1305/L	337917305	Cut-Less gloves made w/ Dyneema	L	12/Pk
◆ 34-1305/X1	337917315	Cut-Less gloves made w/ Dyneema	XL	12/Pk

34-1305



3437



MAJESTIC Coated Cut-Less Gloves made with Dyneema®

Coated gloves made with Dyneema feature 13-gauge seamless knit shell with polyurethane palm coating and color-coded hem. Has a cut resistance that is equivalent to Kevlar® with ten times greater abrasion resistance. Available in continuous knit shell or ring spun Dyneema which is 15% more cut-resistant. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 3435/L	337917405	Continuous fiber gloves made w/ Dyneema	Gray/white	L	12/Pk
◆ 3435/XL	337917415	Continuous fiber gloves made w/ Dyneema	Gray/white	XL	12/Pk
◆ 3437/L	337917605	Ring spun gloves made w/ Dyneema	Gray/black	L	12/Pk
◆ 3437/XL	337917615	Ring spun gloves made w/ Dyneema	Gray/black	XL	12/Pk
◆ 3435NHY/L	337917505	Continuous fiber gloves made w/ Dyneema	Hi-viz yellow/white	L	12/Pk
◆ 3435NHY/XL	337917515	Continuous fiber gloves made w/ Dyneema	Hi-viz yellow/white	XL	12/Pk

3435NHY

MAJESTIC Cut-Less Watchdog® Nitrile-Coated Gloves

Features High Performance Polyethylene (HPPE) with sandy nitrile dip over closed-cell nitrile. Seamless knit design and long knit cuff for secure fit. Pre-curved to minimize hand fatigue. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 35-6375/S	337901005	Cut-Less Watchdog nitrile-coated gloves	S	12/Pk
◆ 35-6375/M	337900995	Cut-Less Watchdog nitrile-coated gloves	M	12/Pk
◆ 35-6375/L	337900985	Cut-Less Watchdog nitrile-coated gloves	L	12/Pk
◆ 35-6375/XL	337901015	Cut-Less Watchdog nitrile-coated gloves	XL	12/Pk
◆ 35-6375/2XL	337901035	Cut-Less Watchdog nitrile-coated gloves	2XL	12/Pk



35-6375



MAJESTIC Cut-Less Diamond® Gloves with Dyneema®

Made with Dyneema Diamond Technology with soft gray polyurethane palm coating for increased dexterity and grip in industrial applications. Features long knit cuff for more secure fit and increased cut protection. Pre-curved finger design to minimize hand fatigue. ANSI cut level 2.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 37-1300/S	337901065	Cut-Less Diamond gloves w/ Dyneema	S	12/Pk
◆ 37-1300/M	337901055	Cut-Less Diamond gloves w/ Dyneema	M	12/Pk
◆ 37-1300/L	337901045	Cut-Less Diamond gloves w/ Dyneema	L	12/Pk
◆ 37-1300/XL	337901075	Cut-Less Diamond gloves w/ Dyneema	XL	12/Pk
◆ 37-1300/2XL	337901085	Cut-Less Diamond gloves w/ Dyneema	2XL	12/Pk



37-1300



KV13A

Honeywell Perfect Fit® 100% Kevlar® Gloves

Made with DuPont™ Kevlar fibers for cut and slash protection. Features seamless knit construction with no uncomfortable seams to rub or chafe. Easily laundered with minimal shrinkage. Ideal for sheet metal, glass handling, canning, automotive, welding, injection molding and steel manufacturing. ANSI cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV13A	341514345	13-Cut lightweight 100% Kevlar gloves	Men's	12/Pk

Honeywell Junk Yard Dog® Gloves

Features full premium split leather palm with reinforced thumb crotch and Kevlar® fiber, seamless knit shell. Offers cut, slash and abrasion resistance. Leather palm provides outstanding grip in oily or wet applications. Ideal for automotive assembly, sheet metal, glass handling, metal stamping and fabrication, recycling, canning, injection molding, paper and pulp industry. ASTM cut level 3.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV18A-100-50	341514411	7-Cut standard weight cut-resistant gloves	Men's	Pr



KV18A-100-50



WE300

Honeywell WorkEasy® Cut-Resistant Gloves

Blend of cut-resistant fibers provides a high-level of cut and abrasion protection. Features a lightweight 13-gauge Spectra® Fiber blend knit shell with PU-coating for excellent dexterity and tactile sensitivity. Offers a consistently high level of mechanical cut protection making it ideal for applications where cut or slash hazards are a high risk. Lightweight glove provides excellent dexterity and tactile sensitivity for small part handling and assembly. ANSI cut level 3/EN388 cut level 5.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ WE300-XS	341574651	WorkEasy cut-resistant gloves	XS	Pr
◆ WE300-S	341564355	WorkEasy cut-resistant gloves	S	12/Pk
◆ WE300-M	341557851	WorkEasy cut-resistant gloves	M	Pr
◆ WE300-L	341557981	WorkEasy cut-resistant gloves	L	Pr
◆ WE300-XL	341557991	WorkEasy cut-resistant gloves	XL	Pr
◆ WE300-2XL	341564391	WorkEasy cut-resistant gloves	2XL	Pr



NFD18FRG

**NORTHFLEX FRGrip™ Plus 5 Gloves**

Protect hands in instances of flash fire; Kevlar® brand engineered fibers are inherently flame-resistant and fire retardant. Features lightweight 13-gauge Kevlar shell with neoprene/nitrile and bi-polymer coating on palm and fingertips. Ideal for oil, gas and petrochemical industries, maintenance and manufacturing. Meets ASTM F2675/F2675M-13 Standard. 144 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ NFD18FRG/7S	341581875	NORTHFLEX FRGrip Plus 5 gloves	S	12/Pk
◆ NFD18FRG/8M	341581885	NORTHFLEX FRGrip Plus 5 gloves	M	12/Pk
◆ NFD18FRG/9L	341581895	NORTHFLEX FRGrip Plus 5 gloves	L	12/Pk
◆ NFD18FRG/10XL	341581905	NORTHFLEX FRGrip Plus 5 gloves	XL	12/Pk
◆ NFD18FRG/11XXL	341574705	NORTHFLEX FRGrip Plus 5 gloves	2XL	12/Pk

**Knit Cut 3 Gloves**

Features polyethylene cut-resistant yarn with polyurethane-dipped palm. Ideal for tool pushing, construction and mining. Safety yellow. EN388 level 3.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
IKC3-HSY-02-S	C34802721	Knit Cut 3 gloves	S	Pr
IKC3-HSY-03-M	C34802731	Knit Cut 3 gloves	M	Pr
IKC3-HSY-04-L	C34802741	Knit Cut 3 gloves	L	Pr
IKC3-HSY-05-XL	C34802751	Knit Cut 3 gloves	XL	Pr
IKC3-HSY-06-XXL	C34802761	Knit Cut 3 gloves	2XL	Pr

IKC3-HSY



IKC5-BAS

**Knit Cut 5 Gloves**

Made from polyethylene cut-resistant yarn with nitrile-dipped palm. Ideal for tool pushing, heavy construction and mining. White/gray. EN388 level 5.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
IKC5-BAS-02-S	C34803431	Knit Cut 5 gloves	S	Pr
IKC5-BAS-03-M	C34803441	Knit Cut 5 gloves	M	Pr
IKC5-BAS-04-L	C34803451	Knit Cut 5 gloves	L	Pr
IKC5-BAS-05-XL	C34803461	Knit Cut 5 gloves	XL	Pr
IKC5-BAS-06-XXL	C34803471	Knit Cut 5 gloves	2XL	Pr

**Industrial Impact Knit Cut 5 Grip Gloves**

Features open-cell foamed nitrile coating with impact protection on fingers, thumb, knuckles and metacarpal bones. 100% Machine washable. Ideal for oil/gas drilling, extraction, refining, tool pushing, heavy construction, rigging and mining. EN388 cut level 5.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
INDI-KC5G-02-S	C34802431	Industrial Impact Knit Cut 5 gloves	S	Pr
INDI-KC5G-03-M	C34802451	Industrial Impact Knit Cut 5 gloves	M	Pr
INDI-KC5G-04-L	C34802481	Industrial Impact Knit Cut 5 gloves	L	Pr
INDI-KC5G-05-XL	C34802501	Industrial Impact Knit Cut 5 gloves	XL	Pr
INDI-KC5G-06-XXL	C34802531	Industrial Impact Knit Cut 5 gloves	2XL	Pr

INDI-KC5G





Industrial Impact Rigger Cut 5 Gloves

Features Duraclad reinforced palm for grip and Airprene cuff for snug fit. Extra impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage. Reflective fabric offers nighttime visibility. ENN388 cut level 5 palm liner. Ideal for heavy industrial environments, oil extraction, refining, mining and rigging.

INDI-RC5



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
INDI-RC5-02-S	C34802561	Industrial Impact Rigger Cut 5 gloves	S	Pr
INDI-RC5-03-M	C34802571	Industrial Impact Rigger Cut 5 gloves	M	Pr
INDI-RC5-04-L	C34802591	Industrial Impact Rigger Cut 5 gloves	L	Pr
INDI-RC5-05-XL	C34802601	Industrial Impact Rigger Cut 5 gloves	XL	Pr
INDI-RC5-06-XXL	C34802621	Industrial Impact Rigger Cut 5 gloves	2XL	Pr

LPI-CC5



Low-Profile Impact Cut 5 Gloves

Features synthetic leather palm, thumb saddle reinforcement and cut-resistant palm inner liner. IVE™ optical technology extends the field of visual recognition. Proven impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage. Available with hook-and-loop closed cuff or open cuff. Ideal for heavy industrial environments, oil and refining, demolition and rigging. EN388 cut level 5.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LPI-CC5-02-S	C34803251	Low-profile impact cut 5 gloves w/ closed cuff	S	Pr
LPI-CC5-03-M	C34803261	Low-profile impact cut 5 gloves w/ closed cuff	M	Pr
LPI-CC5-04-L	C34803271	Low-profile impact cut 5 gloves w/ closed cuff	L	Pr
LPI-CC5-05-XL	C34803481	Low-profile impact cut 5 gloves w/ closed cuff	XL	Pr
LPI-CC5-06-XXL	C34803491	Low-profile impact cut 5 gloves w/ closed cuff	2XL	Pr
LPI-OC5-02-S	C34803281	Low-profile impact cut 5 gloves w/ open cuff	S	Pr
LPI-OC5-03-M	C34803291	Low-profile impact cut 5 gloves w/ open cuff	M	Pr
LPI-OC5-04-L	C34803301	Low-profile impact cut 5 gloves w/ open cuff	L	Pr
LPI-OC5-05-XL	C34803501	Low-profile impact cut 5 gloves w/ open cuff	XL	Pr
LPI-OC5-06-XXL	C34803511	Low-profile impact cut 5 gloves w/ open cuff	2XL	Pr

333023



WELLS LAMONT
Industrial

Whizard® Handguard II® Gloves

Heavy-duty combination of high performance fibers and stainless steel provides exceptional protection against cuts and slashes. Features 3" cuff for wrist protection. Ambidextrous. Ideal for use in meat, poultry and seafood processing. Prewashed and preshrunk. CFR 21 approved for food contact. ANSI cut level 5/A7. Sold by the piece. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
333023	416430231	M	Pr
333025	416430251	L	Pr
333027	416430271	XL	Pr

133555



WELLS LAMONT
Industrial

Whizard® Slipguard® Gloves

Patented combination of high performance fibers and stainless steel. Coated with unique low-friction polyurethane pattern. Offers cut protection and slip resistance. Hand specific. Prewashed and preshrunk. ANSI cut level 5/A6. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
133554	416406511	Slipguard glove, left	S	Ea
133555	416406521	Slipguard glove, right	S	Ea



WELLS LAMONT
Industrial

Whizard® Knifehandler Gloves

Patented combination of high performance fibers and stainless steel. Provides exceptional protection against cuts and slashes. Features 3" cuff for wrist protection. Ambidextrous. Ideal for use in meat, poultry and seafood processing. Prewashed and preshrunk. CRF21 approved for food contact. ANSI cut level 5/A9. Sold by the piece. 120/Cs.



333370

M79

WELLS LAMONT
Industrial

Kevlar® Liner

Lightweight Kevlar fibers offer moderate cut resistance without compromising tactile sensitivity. Low lint. Ambidextrous. ANSI cut level 2. 12 Pk/Cs.




ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
333370	416433511	Knifehandler glove	S	Pr
333372	416433521	Knifehandler glove	M	Pr
333374	416433531	Knifehandler glove	L	Pr

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
M79M	416402015	Kevlar liner	M	12/Pk

WELLS LAMONT
Industrial

Whizard® Silver Talon® Gloves

Patented combination of high performance fibers and stainless steel. Provides an unmatched combination of cut resistance, dexterity and durability. Silver color conceals stains better. Ambidextrous. CFR21 approved for food contact. ANSI cut level 5/A6. 120/Cs.



134527

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 134527	416445271	Silver Talon gloves	M	Pr
◆ 134528	416445281	Silver Talon gloves	L	Pr



Y9216

WELLS LAMONT
Industrial

FlexTech™ Gloves with Sandy Nitrile Palm

Seamless machine knit cut-resistant shell provides all-day comfort and protection. Sandy nitrile palm coating delivers improved grip in wet and oily applications. Machine washable for longer service life. ANSI cut level 5/A7.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y9216XS	416492135	FlexTech gloves w/ sandy nitrile palm	XS	12/Pk
◆ Y9216S	416492145	FlexTech gloves w/ sandy nitrile palm	S	12/Pk
◆ Y9216M	416492155	FlexTech gloves w/ sandy nitrile palm	M	12/Pk
◆ Y9216L	416492165	FlexTech gloves w/ sandy nitrile palm	L	12/Pk
◆ Y9216XL	416492175	FlexTech gloves w/ sandy nitrile palm	XL	12/Pk
◆ Y9216XXL	416492185	FlexTech gloves w/ sandy nitrile palm	2XL	12/Pk

WELLS LAMONT
Industrial

VisTech™ Hi-Viz Nitrile Palm-Coated Gloves

Made of high performance cut-resistant fibers and stainless steel with nitrile-coated palm. ANSI cut level 4/A4.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y9296XS	416411975	VisTech hi-viz coated gloves	XS	12/Pk
◆ Y9296S	416411985	VisTech hi-viz coated gloves	S	12/Pk
◆ Y9296M	416411995	VisTech hi-viz coated gloves	M	12/Pk
◆ Y9296L	416412005	VisTech hi-viz coated gloves	L	12/Pk
◆ Y9296XL	416412015	VisTech hi-viz coated gloves	XL	12/Pk
◆ Y9296XXL	416407695	VisTech hi-viz coated gloves	2XL	12/Pk



Y9296



AD-24

WELLS LAMONT
Industrial

All Day® Sleeves

High strength fiber provides superior snag, tear and abrasion resistance. Made from recycled water bottles and free from harsh dye and chemicals. Features inner cotton layer for added comfort and elastic on both ends allows sleeve to stay in place. Available with or without a thumb hole. ANSI cut level 2/A2.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ AD-14	416411461	All Day sleeve	14"	Ea
◆ AD-18	416412111	All Day sleeve	18"	Ea
◆ AD-18H	416412121	All Day sleeve w/ thumb hole	18"	Ea
◆ AD-24	416412131	All Day sleeve	24"	Ea
◆ AD-24H	416412141	All Day sleeve w/ thumb hole	24"	Ea

WELLS LAMONT
Industrial

SKC Cut-Resistant Sleeves

Unique knit sleeve made from a patented combination of high performance materials and flame-resistant fibers. Blousy fit allows superior comfort and breathability. Elastic on both ends allows sleeve to stay in place. ANSI cut level 3.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ SKC-10	416412151	SKC cut-resistant sleeves	10"	Ea
◆ SKC-14	416412161	SKC cut-resistant sleeves	14"	Ea
◆ SKC-18	416412171	SKC cut-resistant sleeves	18"	Ea
◆ SKC-18H	416418181	SKC cut-resistant sleeves w/ thumb hole	18"	Ea
◆ SKC-24	416412181	SKC cut-resistant sleeves	24"	Ea
◆ SKC-24H	416418241	SKC cut-resistant sleeves w/ thumb hole	24"	Ea



SKC-18H



333477

WELLS LAMONT
Industrial

Whizard® Medium-Duty Armguard

Protects arms from cuts and lacerations. CFR21 approved for food contact. ANSI cut level 4/A7. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
333477	41645036	Medium-duty Armguard	10"	Ea



Memphis™ Cut Pro™ Cut-Resistant Sleeves

Seamless knit liner offers excellent general purpose protection and provides comfortable abrasion and cut resistance. Made from 13-gauge HPPE/synthetic fiber. Ideal for agriculture, assembly, automotive, construction and material handling. ANSI cut level 2. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9218M13	331492181	Memphis Cut Pro cut-resistant sleeves	18"	Pr



9218M13

◆ Non-stock item. Minimum quantity may apply.



Solvex® Nitrile Immersion Gloves

Versatile chemical protection that performs across a diverse range of applications. High performance nitrile compound provides an outstanding combination of chemical resistance and strength. Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves. Features straight cuff and sandpatch grip. Suitable for heavy-duty cleaning applications. High levels of flexibility, comfort and dexterity. Won't swell, weaken or degrade, and does not promote contact dermatitis. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.



37-175

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Solvex 15-Mil Thickness				
37-155-8	220104295	Solvex nitrile immersion gloves, unlined, 13" length	8	12/Pk
37-155-9	220104305	Solvex nitrile immersion gloves, unlined, 13" length	9	12/Pk
37-155-10	220155105	Solvex nitrile immersion gloves, unlined, 13" length	10	12/Pk
37-175-8	220104365	Solvex nitrile immersion gloves, flock-lined, 13" length	8	12/Pk

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
37-175-9	220104375	Solvex nitrile immersion gloves, flock-lined, 13" length	9	12/Pk
37-175-10	220175105	Solvex nitrile immersion gloves, flock-lined, 13" length	10	12/Pk
Solvex 22-Mil Thickness				
37-165-9	220104335	Solvex nitrile immersion gloves, unlined, 15" length	9	12/Pk
37-165-10	220165105	Solvex nitrile immersion gloves, unlined, 15" length	10	12/Pk



8-352



Scorpio® Neoprene-Coated Gloves

Heavy-duty protection against a wide range of chemicals. Specially designed neoprene construction with a knit-liner for comfort and easy donning and doffing. Textured finish provides excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Interlock knit cotton 2-piece lining eliminates seams that can cause hand irritation. 6 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
Scorpio 8-352 Gloves with 12" Gauntlet Cuff			
8-352-9	220111925	9	12/Pk
8-352-10	220111895	10	12/Pk



SHOWA® CHM Gloves

Features neoprene-over-natural rubber construction for abrasion, tear and puncture resistance. Self-flushing, tractor-tread grip encourages runoff of fluids. Cotton flock liner and 12" length. 12 Pk/Cs.

CHM



ITEM #	ORDER #	SIZES	UOM
SHOWA Gloves, Black with Blue Cuff, 26-Mil			
CHMS-07	384100455	S	12/Pk
CHMM-08	384100445	M	12/Pk
CHML-09	384100435	L	12/Pk
CHMXL-10	384100515	XL	12/Pk



SHOWA® Chemical-Resistant Nitrile Gloves

Provides protection against abrasions, punctures, cuts; resistant to solvents, animal fats and other chemicals. Bisque non-slip grip makes wet work easier and safer. Ergonomic design maximizes comfort. Complies with FDA food handling requirements (21 CFR 177.2600).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
727-09	384127095	SHOWA chemical-resistant nitrile gloves, 13" length, unlined, 15-mil	L	12/Pk
727-10	384127105	SHOWA chemical-resistant nitrile gloves, 13" length, unlined, 15-mil	XL	12/Pk
730-09	384102665	SHOWA chemical-resistant nitrile gloves, 13" length, flock-lined, 15-mil, chlorinated	L	12/Pk
730-10	384102675	SHOWA chemical-resistant nitrile gloves, 13" length, flock-lined, 15-mil, chlorinated	XL	12/Pk



727



SHOWA® Neoprene Gloves

Wet-grip gloves with gauntlet cuff design. Multi-dipped in premium-grade neoprene for quality and durability. Protects against acids, caustics, oils, greases and many solvents. Comfortable yet provides protection against physical hazards such as abrasions and cuts. 3 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6780R-10	384102085	SHOWA neoprene gloves, 12" gauntlet, rough	L	12/Pk
6784R-10	384102125	SHOWA neoprene gloves, 14" gauntlet, rough	L	12/Pk
6797R-10	384110105	SHOWA neoprene gloves, elbow length, rough	L	12/Pk



6784R



North Butyl™ Unsupported Chemical-Resistant Gloves

Designed with a high permeation resistance to gas and water vapor for greater worker protection especially when handling toxic substances. Highly-resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate). Curved finger and hand design provides a better fit for greater worker comfort. Available with "Grip-Saf" palm for enhanced grip. Used in aircraft maintenance, automotive, chemical handling and processing and domestic preparedness. 288 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
B131R/8	347606251	Butyl Unsupported Gloves, 11" Length, 13-Mil, Rough Grip	M	Pr
B131R/9	347606261	Butyl Unsupported Gloves, 11" Length, 13-Mil, Rough Grip	L	Pr
B131R/10	347606221	Butyl Unsupported Gloves, 11" Length, 13-Mil, Rough Grip	XL	Pr



B131R



NitriGuard Plus™ Unsupported Nitrile Gloves

100% Nitrile content offers excellent resistance to cuts, snags and abrasions. Nitrile material resists most common solvents, oils and acids for dependable, long-lasting protection. Free of latex proteins which can cause allergic reactions. 21 CFR, for use in food processing. Available with either a sanitized or flocked interior. 13" Length. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NitriGuard Unsupported Gloves				
LA102G/9	347618425	11-mil w/ sanitized liner	9	12/Pk
LA102G/10	347618385	11-mil w/ sanitized liner	10	12/Pk
LA102G/11	347618395	11-mil w/ sanitized liner	11	12/Pk
LA132G/9	347618585	15-mil w/ flocked liner	9	12/Pk
♦ LA132G/10	347618545	15-mil w/ flocked liner	10	12/Pk
LA142G/9	347618635	15-mil w/ sanitized liner	9	12/Pk
LA142G/10	347618595	15-mil w/ sanitized liner	10	12/Pk
♦ LA142G/11	347618605	15-mil w/ sanitized liner	11	12/Pk



LA102G



Silver Shield® Gloves

Resistant to over 280 chemicals, including alcohols, aliphatics, aromatics, chlorines, ketones and esters. Does not contain latex or chemical accelerators that can cause allergic reactions. Can be used as a secondary inner glove. Features 2.7-mil thickness and 16" length. Used in aerospace, chemical processing, transporting and domestic preparedness. 50 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ SSG/9	34762240	Silver Shield gloves	9 (L)	50/Cs
♦ SSG/10	34762235	Silver Shield gloves	10 (XL)	50/Cs
♦ SSG/11	34762236	Silver Shield gloves	11 (2XL)	50/Cs



SSG



PERM-RUFF Fully-Coated PVC Gloves

Full PVC coating protects from a wide range of hazardous chemicals. PVC chip surface provides superior wet/oily grip. Interlocked liner for easy laundering. Red. 36 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PR4112L	416402235	Fully-coated PVC gloves w/ 12" gauntlet	L	12/Pk



PR4112

♦ Non-stock item. Minimum quantity may apply.





66517



RAVEN™ Nitrile Disposable Gloves

Powder-free 6-mil nitrile exam grade disposable gloves. Textured with beaded cuff for easy donning. Superior puncture and abrasion resistance for enhanced strength, extended wear and dexterity. Latex-free. Ambidextrous. Black. 10 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
66516	G73565165	S	100/Bx
66517	G73565175	M	100/Bx
66518	G73565185	L	100/Bx
66519	G73565195	XL	100/Bx
66520	G73565205	2XL	100/Bx



6602-20



THICKSTER™ Latex Disposable Gloves

14-mil Latex disposable gloves with extended 12" length for added protection. Powder-free or powdered. Textured with beaded cuff. Strong yet soft and flexible. Ambidextrous. Blue. 10 Bx/Cs.



ITEM #	ORDER #	SIZES	UOM
THICKSTER Latex Gloves, Powdered			
6602	G73566025	M	50/Bx
6603	G73566035	L	50/Bx
6604	G73566045	XL	50/Bx
6605	G73566055	2XL	50/Bx
THICKSTER Latex Gloves, Powder-Free			
6602-20	G73502205	M	50/Bx
6603-20	G73503205	L	50/Bx
6604-20	G73504205	XL	50/Bx
6605-20	G73505205	2XL	50/Bx



650-1002



DYNA GRIP™ Latex Disposable Gloves

Powder-free 7-mil latex exam grade disposable gloves. Textured with beaded cuff for easy donning. Excellent comfort, flexibility, sensitivity and performance. 10 Bx/Cs.



ITEM #	ORDER #	SIZES	UOM
DYNA GRIP Latex Gloves			
650-1001	G73510015	S	100/Bx
650-1002	G73510025	M	100/Bx
650-1003	G73510035	L	100/Bx
650-1004	G73510045	XL	100/Bx
650-1005	G73510055	2XL	100/Bx



66572



Astro-Grip™ Nitrile Disposable Gloves

Powder-free 6-mil nitrile disposable gloves. Dual-sided scale texture for superior gripping power. High-visibility bright orange color. Superior puncture and abrasion resistance. Latex-free. 10 Bx/Cs.



ITEM #	ORDER #	SIZES	UOM
Astro-Grip Nitrile Gloves			
66572	G73565255	M	100/Bx
66573	G73565265	L	100/Bx
66574	G73565275	XL	100/Bx
66575	G73565285	2XL	100/Bx



Derma-Max™ Nitrile Disposable Gloves

Powder-free 8-mil nitrile exam grade disposable gloves with 12" extended length for added protection. Textured finger tips for increased gripping power. Excellent sensitivity, wear and dexterity. Latex-free. Blue. 10 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
Derma-Max Nitrile Disposable Gloves			
◆ 6606-40	G73506405	S	50/Bx
◆ 6607-40	G73507405	M	50/Bx
◆ 6608-40	G73508405	L	50/Bx
◆ 6609-40	G73509405	XL	50/Bx
◆ 6610-40	G73510405	2XL	50/Bx



6606-40



Derma-Lite® Nitrile Disposable Gloves

Powdered 5-mil nitrile disposable gloves. Lightly textured. Superior strength and puncture resistance. Latex-free. Blue. 10 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
Derma-Lite Nitrile Disposable Gloves			
◆ 6606-20	G73506205	S	100/Bx
◆ 6607-20	G73507205	M	100/Bx
◆ 6608-20	G73500535	L	100/Bx
◆ 6609-20	G73566095	XL	100/Bx



6606-20



Derma-Med™ Nitrile Exam Gloves

Powder-free 4-mil nitrile exam grade disposable gloves. Lightly textured. Provides comfort, dexterity and reduces hand fatigue. Latex-free. Lavender. 10 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
Derma-Med Nitrile Exam Gloves			
◆ 66521	G73565215	S	100/Bx
◆ 66522	G73566525	M	100/Bx
◆ 66523	G73565235	L	100/Bx
◆ 66524	G73566245	XL	100/Bx



66521



Value-Touch™ Latex Disposable Gloves

Powder-free 5-mil latex disposable gloves. Lightly textured. Excellent touch sensitivity and stretches for superior fit and feel. 10 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
Value-Touch Latex Disposable Gloves			
◆ 6591-20	G73500645	S	100/Bx
◆ 6592-20	G73565925	M	100/Bx
◆ 6593-20	G73565935	L	100/Bx
◆ 6594-20	G73565945	XL	100/Bx



6591-20





92-575



TouchNTuff® Blue 92-575 and 92-675 Disposable Nitrile Gloves

Excellent grip, comfort and durability for the job. Durable, 5-mil nitrile gloves are soft and comfortable and have textured fingers for exceptional grip. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
92-575-L	220148195	TouchNTuff Blue 92-575 gloves, powdered	L	100/Bx
92-575-XL	220148205	TouchNTuff Blue 92-575 gloves, powdered	XL	100/Bx
92-675-L	220126775	TouchNTuff Blue 92-675 gloves, powder-free	L	100/Bx
92-675-XL	220126785	TouchNTuff Blue 92-675 gloves, powder-free	XL	100/Bx




92-500



TouchNTuff® 92-500 and 92-600 100% Nitrile Gloves

Premium quality, 100% nitrile formulation 5-mil disposable gloves offer 3X the puncture resistance of standard latex or vinyl gloves. Superior chemical splash resistance combines excellent fingertip sensitivity with exceptional durability. Gives a high level of protection against grease and oil. Lightweight and comfortable to wear. Made without silicone. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
92-500-L	220112655	TouchNTuff 92-500 gloves, powdered	L	100/Bx
92-500-XL	220112665	TouchNTuff 92-500 gloves, powdered	XL	100/Bx
92-600-L	220112705	TouchNTuff 92-600 gloves, powder-free	L	100/Bx
92-600-XL	220112715	TouchNTuff 92-600 gloves, powder-free	XL	100/Bx



69-318



TouchNTuff® 69-318 Natural Rubber Latex Gloves

Handle the most intricate and delicate products with incredible sensitivity. Provide the strength and comfort of 100% natural rubber latex. 5-mil thickness for the highest degree of sensitivity. Exam grade with textured fingers for increased grip. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
69-318-L	220130585	TouchNTuff 69-318 exam grade latex gloves, powder-free	L	100/Bx
69-318-XL	220169105	TouchNTuff 69-318 exam grade latex gloves, powder-free	XL	100/Bx



25-101



NeoTouch® 25-101 Neoprene Gloves

5.1-mil Neoprene long cuff disposable glove offers comfort, durability and chemical resistance. Excellent resistance to acids, bases and alcohols. Neoprene provides wet and dry grip. Textured fingers. Polyurethane inner coating for easy donning and doffing. Exclusive formulation provides superior comfort. Reduces risk of type 1 allergies. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
25-101-S	22011518	NeoTouch 25-101 gloves	S	100/Bx
25-101-M	22011517	NeoTouch 25-101 gloves	M	100/Bx
25-101-L	22012512	NeoTouch 25-101 gloves	L	100/Bx
25-101-XL	22012514	NeoTouch 25-101 gloves	XL	100/Bx



Ansell

TouchNTuff® 93-250 Nitrile Disposable Gloves

5-mil Nitrile disposable glove with Ansell GRIP Technology™ provides enhanced grip in dry and wet environments. Features textured fingers and beaded cuff. Ambidextrous and powder-free. Touch-screen capable. Silicone-free. Resists a variety of industrial chemicals for longer periods. Compliant with U.S. Food Contact Regulations. 10 Bx/Cs.



93-250

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 93-250-M	220132505	TouchNTuff 93-250 nitrile disposable gloves	M	100/Bx
◆ 93-250-L	220132515	TouchNTuff 93-250 nitrile disposable gloves	L	100/Bx
◆ 93-250-XL	220132525	TouchNTuff 93-250 nitrile disposable gloves	XL	100/Bx



KleenGuard* G10 Blue Nitrile Gloves

Features 6-mil thickness, textured fingertips and 9.5" length. Offers superior durability and strength along with light chemical splash protection. Touchscreen compatible and powder-free. Ideal for small parts handling. Meets Canadian requirements and U.S. FDA regulations for food handling applications.



57371

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
57371	154073715	G10 Blue Nitrile Gloves	7 (S)	100/Bx
57372	154073725	G10 Blue Nitrile Gloves	8 (M)	100/Bx
57373	154073735	G10 Blue Nitrile Gloves	9 (L)	100/Bx
57374	154073745	G10 Blue Nitrile Gloves	10 (XL)	90/Bx



Kimberly-Clark* Purple Nitrile* Exam Gloves

Ambidextrous exam gloves contain no natural rubber latex, are powder-free with textured fingertips and have a beaded cuff. 6-Mil thickness; 9 1/2" length. Made of a highly durable nitrile polymer eliminating the risks and costs associated with Type 1 natural rubber latex allergies. Cleared for use in Chemotherapy. 10 Bx/Cs.



55082

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
55082	154050825	Kimberly-Clark* Purple Nitrile* Exam Gloves	M	100/Bx
55083	154050835	Kimberly-Clark* Purple Nitrile* Exam Gloves	L	100/Bx
55084	154050845	Kimberly-Clark* Purple Nitrile* Exam Gloves	XL	90/Bx

62991



Kimberly-Clark* G3 NXT* Nitrile Gloves

Features textured fingertips, beaded cuff and 12" length. Contains no natural rubber latex. Static dissipative in use. Recommended for ISO Class 3 or higher cleanroom. Packaged in a Class 100 Cleanroom. AQL level of 1.5 for pinholes. White. 10 Bx/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
62991	15400760	G3 NXT* Nitrile Gloves	S	Cs
62992	15400761	G3 NXT* Nitrile Gloves	M	Cs
62993	15400762	G3 NXT* Nitrile Gloves	L	Cs

◆ Non-stock item. Minimum quantity may apply.



SHOWA N-DEX® Nitrile Gloves

Chemical/splash-resistant, 4-mil, ambidextrous gloves provide better puncture resistance than natural rubber and vinyl disposables. Ideal for food handling and processing, automotive, lab and pharmaceutical professionals. Powdered or powder-free. 20 Bx/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7005-S	384191285	N-DEX nitrile gloves, powdered	S	100/Bx
7005-M	384191295	N-DEX nitrile gloves, powdered	M	100/Bx
7005-L	384191305	N-DEX nitrile gloves, powdered	L	100/Bx
7005-XL	384191315	N-DEX nitrile gloves, powdered	XL	100/Bx
7005PF-S	384170125	N-DEX nitrile gloves, powder-free	S	100/Bx
7005PF-M	384170135	N-DEX nitrile gloves, powder-free	M	100/Bx
7005PF-L	384170145	N-DEX nitrile gloves, powder-free	L	100/Bx
7005PF-XL	384170155	N-DEX nitrile gloves, powder-free	XL	100/Bx

SHOWA N-DEX® Nitrile Disposable Gloves

Provides barrier protection and comfort. Features 100% nitrile, 9 1/2" length and 8-mil thickness. Ambidextrous. Excellent balance between protection and tactile sensitivity. Use for industrial and meat processing, laboratory and automotive applications. Complies with FDA food handling requirements (21 CFR 177.2600). Blue. 20 Bx/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8005-S	384180035	N-DEX nitrile disposable gloves, powdered	S	50/Bx
8005-M	384180045	N-DEX nitrile disposable gloves, powdered	M	50/Bx
8005-L	384180055	N-DEX nitrile disposable gloves, powdered	L	50/Bx
8005-XL	384180065	N-DEX nitrile disposable gloves, powdered	XL	50/Bx

SHOWA Nitrile Disposable Gloves

Features 4-mil thickness textured finish, rolled cuff for easy donning and industry standard 9 1/2" length. Powder-free. Blue. 10 Bx/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7500PF-S	384175015	Nitrile disposable gloves, 4-mil, bisque finish, powder-free	S	100/Bx
7500PF-M	384175025	Nitrile disposable gloves, 4-mil, bisque finish, powder-free	M	100/Bx
7500PF-L	384175035	Nitrile disposable gloves, 4-mil, bisque finish, powder-free	L	100/Bx
7500PF-XL	384102765	Nitrile disposable gloves, 4-mil, bisque finish, powder-free	XL	100/Bx
7500PF-2XL	384102775	Nitrile disposable gloves, 4-mil, bisque finish, powder-free	2XL	100/Bx



SHOWA N-DEX® Textured Fingertip Disposable Gloves

Accelerator-free disposable gloves are PPE-conscious, latex-free and do not promote Type IV dermatitis. High-visibility fluorescent green color for jobs where increased visibility and color-coded operations are critical. Provides secure grip, comfort and dexterity. Green. 20 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
7705PFT-L	384177085	L	100/Bx
7705PFT-XL	384177095	XL	100/Bx

SHOWA N-DEX® Disposable Nitrile Gloves

Accelerator-free, bisque fingertip, disposable gloves offering nitrile protection. Features ESD and static-dissipative properties, 4-mil thickness, standard 9 1/2" length with rolled cuff. Powder-free. Ideal for automotive, electronic assembly, laboratory, law enforcement and security applications. Black. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7700PFT-M	384177015	N-DEX disposable nitrile gloves, powder-free	M	50/Bx
7700PFT-L	384177025	N-DEX disposable nitrile gloves, powder-free	L	50/Bx
7700PFT-XL	384102875	N-DEX disposable nitrile gloves, powder-free	XL	50/Bx



Nitri-Knit™ Supported Gloves

Supported nitrile gloves offer comfort and protection along with resistance to cuts, snags, abrasions and punctures. Interlock liner offers additional strength and comfort along with protection from extreme temperatures. Rough finish for wet or oily grip. Treated with a permanent anti-bacterial and anti-mildew agent. Washable. Blue.

Note: Not intended to be resistant to needle stick punctures.


ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NK803ES/9	347620661	Nitri-Knit supported gloves, 26" length	9	Pr
NK803ES/10	347620611	Nitri-Knit supported gloves, 26" length	10	Pr



Sensaguard™ Disposable Latex Gloves

Industrial-grade, 5-mil thick unsupported latex gloves offer great dexterity. Non-sterile, ambidextrous gloves with a smooth grip. Features rolled cuff and 9 1/2" length. Ideal for industrial, food service, chemical processing, handling biohazards, and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
5060-L	331450625	Sensaguard disposable latex gloves, powdered	L	100/Bx
5060-XL	331412095	Sensaguard disposable latex gloves, powdered	XL	100/Bx
5055-M	331450565	Sensaguard disposable latex gloves, powder-free	M	100/Bx
5055-L	331450575	Sensaguard disposable latex gloves, powder-free	L	100/Bx
5055-XL	331450585	Sensaguard disposable latex gloves, powder-free	XL	100/Bx



M-Safe® Nitrile Disposable Gloves

Industrial grade nitrile gloves feature 4-mil thickness with textured fingertips. Powder-free. 20 Bx/Cs.

ITEM #	ORDER #	SIZES	UOM
♦ 3273/9	337916895	M	100/Bx
♦ 3273/10	337916905	L	100/Bx
♦ 3273/11	337916915	XL	100/Bx



Sensaguard™ Disposable Vinyl Gloves

Industrial-grade vinyl gloves feature 5-mil thickness, rolled cuffs and 9 1/2" length. Ambidextrous. Ideal for industrial, food service, chemical processing, handling biohazards, mail sorting, biomedical and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.



ITEM #	ORDER #	SIZES	UOM
5020-M	331450165	M	100/Bx
5020-L	331450175	L	100/Bx
5020-XL	331450185	XL	100/Bx

♦ Non-stock item. Minimum quantity may apply.



51/7147

Grip N® Hot Mill Nitrile-Coated Gloves

Heavyweight, seamless knit glove helps to protect against high-heat, up to 400° F. Features a nitrile N-pattern palm coating for excellent grip and long life. Knit design allows hands to breathe. Used in auto assembly, food processing and manufacturing. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
51/7147	347689705	Glove-within-glove seamless knit thermal gloves	Men's, 10 (XL)	12/Pk

WELLS LAMONT Industrial

Jomac® Extra Heavyweight Terry Cloth Hand Pads

Protects up to 325° F. Features full thumb and open top. Fits easily over glove for added protection. Ambidextrous. 10" Length. 216/Cs.



H-183

ITEM #	ORDER #	DESCRIPTION	UOM
H-183	416400951	Extra heavyweight terry cloth hand pad	Ea

WELLS LAMONT Industrial

Jomac® Standard Weight 100% Cotton Gloves

100% Cotton loop-out terry with knit wrist. Protects up to 300° F. Ambidextrous. 72 Pr/Cs.



1666

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1666	416416665	Standard weight poly/cotton terry gloves	L	12/Pk

WELLS LAMONT Industrial

Jomac® Heavyweight Terry Cloth Gloves

White loop-out cut-and-sewn terry gloves with knit wrist. Protects up to 325° F. Ambidextrous. 144 Pr/Cs.



765

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
765	416407655	Heavyweight terry gloves w/ knit wrist	M	6/Pk
766	416410785	Heavyweight terry gloves w/ knit wrist	L	6/Pk

WELLS LAMONT Industrial

Jomac® Medium Weight Kevlar®/Cotton Gloves

Kevlar/cotton blended loop-out terry gloves with knit wrist. Protects up to 200° F. Ambidextrous. 144 Pr/Cs.



9000

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9000	416411365	Medium weight Kevlar/cotton terry gloves	L	12/Pk



422-11

WELLS LAMONT
Industrial

Jomac® KELKLAVE Autoclave Gloves

White loop-out terry cloth with 11" gauntlet cuff for extra coverage. Protects up to 250° F. Clute cut. 48 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
422-11	416410125	Autoclave gloves	L	12/Pk

WELLS LAMONT
Industrial

Jomac® Bakers Pads

Extra heavyweight pad with two layers of terry cloth. Protects up to 460° F. Measures: 9 1/2" x 11". 96/Cs.

G-PAD



ITEM #	ORDER #	DESCRIPTION	UOM
B-PAD	416400081	Bakers pad w/ handhole	Ea
G-PAD	416401501	Bakers pad w/ elastic strap	Ea

WELLS LAMONT
Industrial

Jomac® Medium Weight Terry Cloth Sleeves

White loop-out cut-and-sewn terry cloth sleeves features knit wrist and elastic top to secure to upper arm. Protects up to 250° F. 16" Length. 144/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
S-25HR	416402371	Medium weight terry cloth sleeves	Ea



S-25HR

WELLS LAMONT
Industrial

Jomac® Extra Heavyweight Terry Cloth Gloves

Brown and white loop-out terry cloth gloves with 5" gauntlet. Ambidextrous. Lined to protect up to 450° F. 60 Pr/Cs.



636HRL

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 636HRL	416411705	Extra heavyweight terry cloth gloves	XL	6/Pk

636HRLFR

WELLS LAMONT
Industrial

Jomac® Extra Heavyweight Flame-Retardant Gloves

Red loop-out terry cloth with 5" gauntlet cuff for extra coverage. Fully-lined with cotton for softness. Heat- and flame-retardant. Ambidextrous. Protects up to 450° F. 72 Pr/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 636HRLFR	416410615	Extra heavyweight flame-retardant gloves	XL	6/Pk

◆ Non-stock item. Minimum quantity may apply.



1500YPP



1500YPP Brown Shoulder Split Cowhide Gloves

Rugged, bourbon brown select shoulder split cowhide patch palm and knuckle strap with cotton-lined palm with unlined yellow canvas back. Features Gunn cut with 2 1/2" rubberized safety cuff and lock stitching for added strength. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1500YPP	C34103511	Brown shoulder split gloves	L	Pr



1528



1528 Full Leather Back Gloves

Rugged, select shoulder split cowhide palm with full leather back. Features Gunn cut with 4 1/2" rubberized safety cuff and lock stitching for added strength. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1528	C34103981	Full leather back gloves	L	Pr



Mustang™ Leather Palm Gloves

Made from grain cowhide leather and cotton. Naturally suited for wet or insulated conditions. Features 2 1/2" rubberized safety cuff or 4 1/2" rubberized gauntlet cuff for added coverage and a snug, secure fit. Can be used for general applications requiring abrasion protection and breathability. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1935-L	331408025	Mustang leather palm gloves w/ 2 1/2" safety cuff	L	12/Pk
1935-XL	331408045	Mustang leather palm gloves w/ 2 1/2" safety cuff	XL	12/Pk
1936-L	331408055	Mustang leather palm gloves w/ 4 1/2" gauntlet cuff	L	12/Pk
1936-XL	331408075	Mustang leather palm gloves w/ 4 1/2" gauntlet cuff	XL	12/Pk

1935



Cold Weather Work Gloves, Pages 210 - 214.



1700



Big Jake® Leather Palm Gloves

Made of heavy, select chrome-tanned, side-split leather, 9 oz. cotton back and absorbent 8 oz. fleece-lined palm. Features 2 3/4" safety cuff. Fully in-sewn on thumb and little finger with strong, heat-resistant DuPont™ Kevlar® thread. Ideal for assembly, farming, foundry, jack hammer operations, iron and steel work and stamping. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1700-L	331407215	Leather palm gloves	L	12/Pk

WELLS LAMONT
Industrial

White Mule® Leather Palm Gloves

Strong and durable. Premium pearl gray side split cowhide palm and knuckle strap with canvas back. Gunn cut with straight thumb. Gauntlet cuff (229L) offers extra protection. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 224M	416409475	Leather palm gloves w/ 2 1/2" safety cuff	M	12/Pk
224L	416409465	Leather palm gloves w/ 2 1/2" safety cuff	L	12/Pk
♦ 229L	416409505	Leather palm gloves w/ 5" gauntlet cuff	L	12/Pk



224



864 Super Premium Deerskin Drivers Gloves

Features top-grain deerskin with double stitching on forefinger for extra strength and keystone thumb. Unlined. Gold. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
864M	C34117661	Unlined drivers gloves	M	Pr
864L	C34117651	Unlined drivers gloves	L	Pr
864XL	C34121991	Unlined drivers gloves	XL	Pr



864



1415



1415 Premium Goatskin Drivers Gloves

Made from premium top-grain goatskin for abrasion resistance and tensile strength. Features a keystone thumb for natural feel and added protection. Unlined. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1415M	C34102381	Unlined goatskin drivers gloves	M	Pr
1415L	C34102371	Unlined goatskin drivers gloves	L	Pr
1415XL	C34119151	Unlined goatskin drivers gloves	XL	Pr



1414 Grain/Split Cowhide Drivers Gloves

Features top-grain cowhide palm, split cowhide leather back and keystone thumb. Unlined with double stitching on forefinger for extra strength. Pearl/bourbon. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1414S	C34102341	Unlined cowhide drivers gloves	S	Pr
1414M	C34102301	Unlined cowhide drivers gloves	M	Pr
1414L	C34102291	Unlined cowhide drivers gloves	L	Pr
1414XL	C34119121	Unlined cowhide drivers gloves	XL	Pr
14142X	C34102311	Unlined cowhide drivers gloves	2XL	Pr



1414



1420



1420 Top-Grain Cowhide Drivers Gloves

Features premium quality top-grain cowhide, Gunn cut and straight thumb. Unlined with double stitching on forefinger for extra strength. Pearl. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1420M	C34102501	Unlined cowhide drivers gloves	M	Pr
1420L	C34102491	Unlined cowhide drivers gloves	L	Pr
1420XL	C34119231	Unlined cowhide drivers gloves	XL	Pr



1464



Heavy-Duty Drivers Gloves

Top-grain cowhide palm with added split leather, index finger and thumb reinforcement. Palm-sewn with Kevlar® for strength and heat resistance. Features wing thumb and elastic on cuff for snug fit. Unlined for maximum dexterity. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1464M	C34144641	Heavy-duty drivers gloves	M	Pr
1464L	C34144651	Heavy-duty drivers gloves	L	Pr
1464XL	C34144661	Heavy-duty drivers gloves	XL	Pr

MAJESTIC Premium Grain Leather Drivers Gloves

Made of top grain A-grade cowhide leather with Gunn cut, keystone thumb and shirred back. Tough double-stitched leather hemlock side seam prevents seam blowout. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1510/9	337915095	Premium grain leather drivers gloves	M	12/Pk
1510/10	337915105	Premium grain leather drivers gloves	L	12/Pk
1510/11	337915115	Premium grain leather drivers gloves	XL	12/Pk



1510



1532B

MAJESTIC Split Back Grain Palm Drivers Gloves

All the benefits of a grain drivers glove, but with a split back and Kevlar® stitching. Features bias tape hem for easy size identification and a seamless index finger to reduce blowouts. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1532B/9	337915325	Split back grain palm drivers gloves	M	12/Pk
1532B/10	337915335	Split back grain palm drivers gloves	L	12/Pk
1532B/11	337915345	Split back grain palm drivers gloves	XL	12/Pk

MAJESTIC Economy Grain Leather Drivers Gloves

Made from B Grade cowhide. Features keystone thumb and bias tape hem for easy size identification. Added safety feature of hi-viz orange fingers. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2510/9	337916395	Economy grain leather drivers gloves	M	12/Pk
2510/10	337916405	Economy grain leather drivers gloves	L	12/Pk
2510/11	337916415	Economy grain leather drivers gloves	XL	12/Pk
2510HVO/9	337916495	Economy grain leather drivers gloves w/ hi-viz orange fingers	M	12/Pk
2510HVO/10	337916505	Economy grain leather drivers gloves w/ hi-viz orange fingers	L	12/Pk
2510HVO/11	337916515	Economy grain leather drivers gloves w/ hi-viz orange fingers	XL	12/Pk



2510HVO



3601



Goatskin Drivers Gloves

Constructed with premium grain goatskin leather for greater softness, sense of touch, exceptional durability and tensile strength. Unlined with a cotton hem and straight thumb. Ideal for construction and farm equipment, forklifts, ranching, tank truck and tractor trailer operators, utility work, auto industry, material handling plus all general-purpose applications requiring greater dexterity. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3601-L	331436035	Premium grade drivers gloves	L	12/Pk
3601-XL	331409915	Premium grade drivers gloves	XL	12/Pk



Grain Cow Leather Drivers Gloves

Constructed from select grade cow leather. Features shirred elastic back, rolled fabric hem and keystone thumb. Unlined. Ideal for general purpose applications requiring dexterity. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3211-L	331428985	Select grade drivers gloves	L	12/Pk
3211-XL	331428995	Select grade drivers gloves	XL	12/Pk



3211



Y0145

WELLS LAMONT
Industrial

Hi-Viz Grain Cowhide Leather Drivers Gloves

Grain cowhide leather construction. Gunn cut with straight thumb and bound hem. Shirred elastic wrist for a secure fit. Hi-viz orange fingertips and "Watch Your Hands" slogan increases visibility and awareness 144 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y0145S	416461445	Hi-viz leather drivers gloves	S	12/Pk
◆ Y0145M	416461455	Hi-viz leather drivers gloves	M	12/Pk
◆ Y0145L	416461465	Hi-viz leather drivers gloves	L	12/Pk
◆ Y0145XL	416461475	Hi-viz leather drivers gloves	XL	12/Pk

WELLS LAMONT
Industrial

Economy Grade Grain Cowhide Leather Drivers Gloves

Grain cowhide leather construction. Gunn cut with straight thumb and bound hem. Shirred elastic wrist for a secure fit. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y0135M	416403535	Economy grade leather drivers gloves	M	12/Pk
Y0135L	416403525	Economy grade leather drivers gloves	L	12/Pk



Y0135



1178

WELLS LAMONT
Industrial

Grips® Ball and Tape Drivers Gloves

Premium quality palomino grain cowhide with lanolin. Features Gunn cut with straight thumb and bound hem. Ball and tape adjustable wrist closure. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1178M	416406465	Ball & Tape Palomino leather drivers gloves	M	12/Pk
◆ 1178L	416406455	Ball & Tape Palomino leather drivers gloves	L	12/Pk
◆ 1178XL	416406485	Ball & Tape Palomino leather drivers gloves	XL	12/Pk
◆ 1178XXL	416406445	Ball & Tape Palomino leather drivers gloves	2XL	3/Pk

WELLS LAMONT
Industrial

Grain Cowhide Drivers Gloves

Premium quality grain cowhide leather construction. Gunn cut with keystone thumb, self-hemmed. Reinforced suede palm patch adds protection. Shirred elastic wrist for a secure fit. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1130M	416406325	Grain cowhide drivers gloves	M	12/Pk
◆ 1130L	416406315	Grain cowhide drivers gloves	L	12/Pk
◆ 1130XL	416406345	Grain cowhide drivers gloves	XL	12/Pk



1130

◆ Non-stock item. Minimum quantity may apply.





Squids® 3400 Grabbers

Patented Grabbers keep gloves, ice traction, cooling towels, keys and whatever else always seems to mysteriously disappear close at hand. Versatile dual clip version can be used as one unit or detached, clipped to d-rings and used as two separate pieces.

ITEM #	ORDER #	COLOR	UOM
19112	332104511	Black	Ea
19117	332104521	Blue	Ea
19118	332104531	Orange	Ea
19119	332104541	Lime	Ea



1470 TrueFit™ Goatskin Performance Gloves

Top-grain goatskin construction for dexterity. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1470S	C34103191	TrueFit goatskin gloves	S	Pr
1470M	C34103181	TrueFit goatskin gloves	M	Pr
1470L	C34103171	TrueFit goatskin gloves	L	Pr
1470XL	C34103201	TrueFit goatskin gloves	XL	Pr
14702XL	C34103211	TrueFit goatskin gloves	2XL	Pr

1470



1475 TrueFit™ Cowhide Performance Gloves

Top-grain cowhide construction for long-lasting wear. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1475M	C34103241	TrueFit cowhide gloves	M	Pr
1475L	C34103231	TrueFit cowhide gloves	L	Pr
1475XL	C34119461	TrueFit cowhide gloves	XL	Pr

1475



1485 Pigskin TrueFit™ Performance Gloves

Made with top-grain pigskin with 3M™ Thinsulate™ winter lining. Features rough side out double palm, reinforced thumb, smooth finger surface and elastic cuff with hook-and-loop closure for secure fit. Top-grain leather side bolsters for added protection. All finger tips are covered in leather for heavy wear protection. Blue/pearl gray. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1485M	C34103321	TrueFit pigskin gloves	M	Pr
1485L	C34103311	TrueFit pigskin gloves	L	Pr
1485XL	C34119511	TrueFit pigskin gloves	XL	Pr
14852XL	C34103331	TrueFit pigskin gloves	2XL	Pr

1485





1490 Goatskin TrueFit™ Ultra Performance Gloves

Features top-grain goatskin double palm and thumb, double reinforced finger tips. Clute cut design improves finger and thumb mobility. Top-grain side bolsters provide additional protection for side surface work. Spandex® back for precision fit, longer elastic cuff with hook-and-loop closure. Additional padding in palm for increased comfort and longer wear. Breathable finger design wicks away moisture. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1490M	C34103351	TrueFit ULTRA goatskin gloves	M	Pr
1490L	C34103341	TrueFit ULTRA goatskin gloves	L	Pr
1490XL	C34103371	TrueFit ULTRA goatskin gloves	XL	Pr



1490



954 Cut-Resistant Gloves

Features a HPPE/glass fiber knitted shell providing added cut and abrasion resistance when working with mechanical, construction and steel work applications with sharp edges. Sandy nitrile coating on palm and finger tips provides enhanced gripping on oily surfaces. ANSI cut level 4. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 954M	C34100191	954 Cut-resistant gloves	M	Pr
◆ 954L	C34100231	954 Cut-resistant gloves	L	Pr
◆ 954XL	C34100241	954 Cut-resistant gloves	XL	Pr



954



958 Kevlar®-Blended Gloves

Features 13-gauge blend of nylon, Kevlar, steel wire, cotton and Spandex® with polyurethane coating. Breathable comfort and dexterity. Provides added cut and abrasion resistance when working with parts handling and assembly, mechanical and construction applications. ANSI cut level 5. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 958M	C34100251	958 Kevlar-blended gloves	M	Pr
◆ 958L	C34100271	958 Kevlar-blended gloves	L	Pr
◆ 958XL	C34100251	958 Kevlar-blended gloves	XL	Pr



958



M-PACT® Gloves

Delivers full coverage hand protection with sonic-welded thermoplastic rubber (TPR) knuckle guard and finger guards that shield top of hand from impact and abrasion injuries. Dual-layer internal fingertip reinforces index and thumb for added durability. XRD® open-cell palm padding absorbs impact and vibration. Features durable synthetic leather palm. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MPT-58-009	C24558091	M-PACT gloves	M	Pr
MPT-58-010	C24558101	M-PACT gloves	L	Pr
MPT-58-011	C24558111	M-PACT gloves	XL	Pr



MPT-58



ORHD® Knit Utility Gloves

High-visibility 13-gauge machine knit polyester shell with thermoplastic rubber (TPR) knuckle and metacarpal impact protection. TPR finger guards extend to tip of each finger to prevent crushing impact injuries. Textured nitrile-coated palm provides enhanced gripping power. Features extended slip-on cuff and 3 mm internal palm padding. Machine washable. CE level 3 cut-resistant palm and fingers. ANSI certification cut scores of 124. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ KHD-GP-009	C24527191	ORHD knit utility gloves	M	Pr
◆ KHD-GP-010	C24527201	ORHD knit utility gloves	L	Pr
◆ KHD-GP-011	C24527211	ORHD knit utility gloves	XL	Pr



KHD-GP

◆ Non-stock item. Minimum quantity may apply.



MP2-05



SP2-91



M-Pact 2® Gloves

Specifically manufactured to help absorb impact, abrasion and hand fatigue. Flexible accordion knuckle guard with high-density EVA foam padding. Armortex® fingertip panels provide durable gripping power. Features molded thermoplastic rubber (TPR) finger guards, 4 mm XRD® impact pad to reduce shock and vibration and neoprene cuff with hook-and-loop closure for a secure fit. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	SIZES	UOM
MP2-05-009	C24501701	M	Pr
MP2-05-010	C24501711	L	Pr
MP2-05-011	C24501721	XL	Pr



Safety M-Pact 2® Gloves

Rubberized fingertips and thumb improve grip and control. Accordion knuckle guard with 44 mm XRD® impact pad and molded rubber finger guards reduce impact and pinch point injuries. EVA palm pad reduces impact when operating hand tools. Neoprene cuff provides critical wrist protection and seamless fit. High-visibility day-glow top and reflective print for improved visibility. Machine washable. CE scores: 3121. 10 Pr/Cs.

ITEM #	ORDER #	SIZES	UOM
◆ SP2-91-009	C24521161	M	Pr
◆ SP2-91-010	C24521101	L	Pr
◆ SP2-91-011	C24521111	XL	Pr



MG-05



MG-02



MG-03



The Original® Gloves

Durable synthetic leather palm for optimal dexterity. Breathable TrekDry® keeps hands cool and comfortable. Features flexible thermoplastic rubber (TPR) closure and double-stitched index finger construction. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
MG-02-009	C24500531	Mechanix Original gloves	Red	M	Pr
MG-02-010	C24500541	Mechanix Original gloves	Red	L	Pr
MG-02-011	C24500551	Mechanix Original gloves	Red	XL	Pr
MG-03-009	C24500591	Mechanix Original gloves	Blue	M	Pr
MG-03-010	C24500601	Mechanix Original gloves	Blue	L	Pr
MG-03-011	C24500611	Mechanix Original gloves	Blue	XL	Pr
MG-05-009	C24500681	Mechanix Original gloves	Black	M	Pr
MG-05-010	C24500691	Mechanix Original gloves	Black	L	Pr
MG-05-011	C24500701	Mechanix Original gloves	Black	XL	Pr



Hi-Viz FastFit® Gloves

ANSI-107 compliant reflective and fluorescent materials makes users more conspicuous in hazardous working environments. Features elastic cuff for a secure fit and easy on/off flexibility. Anatomically designed 2-piece palm eliminates material bunching. Machine washable. Hi-viz reflective strip and print enhances visibility. 10 Pr/Cs.

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ SFF-91-009	C24511091	Yellow	M	Pr
◆ SFF-91-010	C24511101	Yellow	L	Pr
◆ SFF-91-011	C24511111	Yellow	XL	Pr
SFF-99-009	C24590091	Orange	M	Pr
◆ SFF-99-010	C24592101	Orange	L	Pr
◆ SFF-99-011	C24590111	Orange	XL	Pr



FastFit® Gloves

Form-fitting stretch panels between fingers provide a snug fit and elastic cuff offers easy on/off flexibility. TrekDry® material keeps hands cool and comfortable. Anatomically designed 2-piece palm eliminates material bunching. Features durable leather palm. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	COLOR	SIZES	UOM
MFF-05-009	C24500351	Black/gray	M	Pr
MFF-05-010	C24500361	Black/gray	L	Pr
MFF-05-011	C24500371	Black/gray	XL	Pr
MFF-02-009	C24500251	Red	M	Pr
MFF-02-010	C24500261	Red	L	Pr
MFF-02-011	C24500271	Red	XL	Pr
MFF-03-009	C24500301	Blue	M	Pr
MFF-03-010	C24500311	Blue	L	Pr
MFF-03-011	C24500321	Blue	XL	Pr



Utility Gloves

Durable synthetic leather safeguards palm and thermoplastic rubber (TPR) closure secures the wrist. Form-fitting TrekDry® material keeps hands cool and comfortable. Features reinforced thumb and index finger for added durability. Anatomically designed 2-piece palm eliminates material bunching. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ H15-05-009	C24551111	Utility gloves	M	Pr
H15-05-010	C24502431	Utility gloves	L	Pr
◆ H15-05-011	C24502441	Utility gloves	XL	Pr



Leather FastFit® Gloves

Made with genuine DuraHide™ for extreme abrasion resistance. Comfortable stretch elastic cuff provides easy on/off flexibility. Form-fitting TrekDry® helps keep hands cool and comfortable. Features anatomically designed 2-piece palm that eliminates material bunching in palm, and pinched fingertip construction for added durability. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ LFF-75-008	C24502971	Leather FastFit gloves	S	Pr
◆ LFF-75-009	C24502981	Leather FastFit gloves	M	Pr
◆ LFF-75-010	C24502991	Leather FastFit gloves	L	Pr
◆ LFF-75-011	C24503001	Leather FastFit gloves	XL	Pr
◆ LFF-75-012	C24503011	Leather FastFit gloves	2XL	Pr



LFF-75

◆ Non-stock item. Minimum quantity may apply.



DuraHide™ Leather Original Series Gloves

DuraHide leather palm provides extreme abrasion resistance. Flexible thermoplastic rubber (TPR) closure provides a secure fit. Features double-stitched index finger/thumb reinforcement, pinched fingertip construction and DuraHide leather fourchettes for extra durability. Form-fitting TrekDry® keeps hands cool and comfortable. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ LMG-75-008	C24502821	DuraHide Leather Gloves	S	Pr
◆ LMG-75-009	C24502831	DuraHide Leather Gloves	M	Pr
◆ LMG-75-010	C24502841	DuraHide Leather Gloves	L	Pr
◆ LMG-75-011	C24502851	DuraHide Leather Gloves	XL	Pr
◆ LMG-75-012	C24502861	DuraHide Leather Gloves	2XL	Pr



LMG-75



Leather M-Pact® Framer Gloves

DuraHide™ leather palm provides extreme abrasion resistance. Flexible thermoplastic rubber (TPR) closure provides a secure fit. Form-fitting TrekDry® keeps hands cool and comfortable. Impact Guard™ protects the first knuckle with EVA foam padding. XRD® palm padding absorbs impact and vibration. Fingerless design frees thumb, index and middle finger to provide optimal control. Thermoplastic rubber (TPR) knuckle guard and full-length fingertip protection reduces the risk of impact and pinching injuries. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ LFR-75-008	C24502871	Leather M-Pact Framer Gloves	S	Pr
◆ LFR-75-009	C24502881	Leather M-Pact Framer Gloves	M	Pr
◆ LFR-75-010	C24502891	Leather M-Pact Framer Gloves	L	Pr
◆ LFR-75-011	C24502901	Leather M-Pact Framer Gloves	XL	Pr
◆ LFR-75-012	C24502911	Leather M-Pact Framer Gloves	2XL	Pr



LFR-75



Leather M-Pact® Gloves

Safeguards hands with DuraHide™ leather and thermoplastic rubber (TPR) knuckle and finger impact protection. Wide-Fit™ hook-and-loop closure provides a secure fit. Form-fitting TrekDry® helps keep hands cool and comfortable. Features XRD® palm padding to absorb impact and vibration and pinched fingertip construction for added durability. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ LMP-75-008	C24502921	Leather M-Pact gloves	S	Pr
◆ LMP-75-009	C24502931	Leather M-Pact gloves	M	Pr
◆ LMP-75-010	C24502941	Leather M-Pact gloves	L	Pr
◆ LMP-75-011	C24502951	Leather M-Pact gloves	XL	Pr
◆ LMP-75-012	C24502961	Leather M-Pact gloves	2XL	Pr



LMP-75



The Original® CR5 Gloves

First line of defense against cut hazards in the workplace. Features synthetic palm with internal layer of Armortex® and thermoplastic rubber (TRP) closure for a secure fit. Hi-viz ANSI-107 compliant TrekDry® helps keep hands cool and comfortable. Machine washable. CE level 5 cut resistance to palm and fingers. ANSI cut scores of 345. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ SMG-C91-008	C24511081	The Original CR5 gloves	S	Pr
◆ SMG-C91-009	C24561691	The Original CR5 gloves	M	Pr
◆ SMG-C91-010	C24561701	The Original CR5 gloves	L	Pr
◆ SMG-C91-011	C24561711	The Original CR5 gloves	XL	Pr
◆ SMG-C91-012	C24511131	The Original CR5 gloves	2XL	Pr



SMG-C91



M-Pact® CR5 Gloves

Sharp tools and materials put hands at risk of severe abrasions, lacerations and puncture injuries. Features synthetic palm with an internal layer of Amortex®, thermoplastic rubber (TPR) safeguards at knuckles and fingers and high-impact XRD® palm padding to absorb shock and vibration. Hi-viz ANSI-107 compliant TrekDry® form-fits hands and helps keep them cool and comfortable. Machine washable. CE level 5 cut resistance to palm and fingers. ANSI cut scores of 345. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ SMP-C91-008	C24591081	M-Pact CR5 gloves	S	Pr
SMP-C91-009	C24583011	M-Pact CR5 gloves	M	Pr
SMP-C91-010	C24500151	M-Pact CR5 gloves	L	Pr
◆ SMP-C91-011	C24583031	M-Pact CR5 gloves	XL	Pr
◆ SMP-C91-012	C24591131	M-Pact CR5 gloves	2XL	Pr



SMP-C91



M-Pact® Work Gloves

Features a new rubberized grip on thumb, index finger and palm, and sonic welded molded rubber on knuckles and fingertips. Poron XRD® foam lies underneath the palm to absorb shock and vibration. Trek Dry® spandex top provides moisture-wicking comfort, breathability and flexibility. Patent-pending Impact Guard™ index finger for more dexterity. Hook and loop closure. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ MPT-52-008	C24521081	M-Pact work gloves	S	Pr
◆ MPT-52-009	C24521091	M-Pact work gloves	M	Pr
◆ MPT-52-010	C24521131	M-Pact work gloves	L	Pr
◆ MPT-52-011	C24521141	M-Pact work gloves	XL	Pr
◆ MPT-52-012	C24521151	M-Pact work gloves	2XL	Pr



MPT-52



MechPro™ Gloves

Second skin stretch fit and feel for superior dexterity. Heavy-duty ribbed knit fabric back with synthetic leather palm and fingertips for enhanced grip. Pinched fingertip design, gusseted finger crotch and perforated finger fourchettes for comfort. Double-stitched in high wear areas. Hook-and-loop adjustable wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7701L	416410845	MechPro synthetic leather palm gloves	L	3/Pk
7701XL	416410875	MechPro synthetic leather palm gloves	XL	3/Pk



7701



MechPro™ Plus Gloves

MechPro 7701 shell with extra padding in palm area to reduce damage from vibration and excessive grip pressure. Helps to minimize shock that can result in carpal tunnel syndrome. Pinched fingertip design, gusseted finger crotch and finger fourchettes for comfort. Hook-and-loop adjustable wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y7711M	416405675	MechPro Plus gloves w/ padded palm	M	12/Pk
◆ Y7711L	416405665	MechPro Plus gloves w/ padded palm	L	12/Pk



Y7711

◆ Non-stock item. Minimum quantity may apply.



2150

MAJESTIC Golden Eagle Deerskin Mechanics Gloves

Features Grade A gold deerskin palm with black stretch back, pre-curved finger, neoprene knuckle and Velcro® closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2150/9	337916095	Golden Eagle deerskin mechanics gloves	M	12/Pk
◆ 2150/10	337916105	Golden Eagle deerskin mechanics gloves	L	12/Pk
◆ 2150/11	337916115	Golden Eagle deerskin mechanics gloves	XL	12/Pk

MAJESTIC Bald Eagle Mechanics Gloves

Features premium beige grain pigskin palm with blue stretch knit back, pre-curved finger, neoprene knuckle and Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2152/9	337916195	Bald Eagle mechanics gloves	M	12/Pk
◆ 2152/10	337916205	Bald Eagle mechanics gloves	L	12/Pk
◆ 2152/11	337916215	Bald Eagle mechanics gloves	XL	12/Pk



2152



2153

MAJESTIC White Eagle Mechanics Gloves

Mechanics-style premium white grain goatskin palm with black stretch knit back, pre-curved finger, neoprene knuckles and Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2153/9	337916295	White Eagle mechanics gloves	M	12/Pk
◆ 2153/10	337916305	White Eagle mechanics gloves	L	12/Pk
◆ 2153/11	337916315	White Eagle mechanics gloves	XL	12/Pk



2137HY



2137BK



2137HO

MAJESTIC Armor Skin™ Synthetic Mechanics Gloves

Provides excellent abrasion resistance. Pre-curved finger and neoprene stretch back for comfortable fit and feel. Easy on/off with Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ 2137BK/9	337915795	Black	M	12/Pk
◆ 2137BK/10	337915805	Black	L	12/Pk
◆ 2137BK/11	337915815	Black	XL	12/Pk
◆ 2137HO/9	337915895	Hi-viz orange	M	12/Pk
◆ 2137HO/10	337915905	Hi-viz orange	L	12/Pk
◆ 2137HO/11	337915915	Hi-viz orange	XL	12/Pk
◆ 2137HY/9	337915995	Hi-viz yellow	M	12/Pk
◆ 2137HY/10	337916005	Hi-viz yellow	L	12/Pk
◆ 2137HY/11	337916015	Hi-viz yellow	XL	12/Pk

MAJESTIC

Armor Skin™ Synthetic Leather Gloves with Slip-On Cuff

Provides excellent abrasion resistance. Pre-curved finger and neoprene stretch back for comfortable fit and feel. Easy on/off with slip-on styling. 72 Pr/Cs.

2136HY



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2136HY/9	337915595	Armor Skin synthetic leather gloves w/ slip-on cuff	M	12/Pk
◆ 2136HY/10	337915605	Armor Skin synthetic leather gloves w/ slip-on cuff	L	12/Pk
◆ 2136HY/11	337915615	Armor Skin synthetic leather gloves w/ slip-on cuff	XL	12/Pk

2124H0



MAJESTIC

Knucklehead X10™ Unlined Gloves

Armor Skin™ synthetic leather palm, PVC anti-slip patches, double wish bone palm and neoprene padding offers impact absorption. Full-finger and backhand shock-absorbing thermoplastic rubber protection. Made from contrasting hi-viz material with pre-curved finger design. Fully sewn with high-tenacity thread. Features elastic wrist and terry cloth brow wipe. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 2124H0/9	337915395	Knucklehead X10 unlined gloves	Hi-viz orange	M	12/Pk
◆ 2124H0/10	337915405	Knucklehead X10 unlined gloves	Hi-viz orange	L	12/Pk
◆ 2124H0/11	337915415	Knucklehead X10 unlined gloves	Hi-viz orange	XL	12/Pk
◆ 2124HY/9	337915495	Knucklehead X10 unlined gloves	Hi-viz yellow	M	12/Pk
◆ 2124HY/10	337915505	Knucklehead X10 unlined gloves	Hi-viz yellow	L	12/Pk
◆ 2124HY/11	337915515	Knucklehead X10 unlined gloves	Hi-viz yellow	XL	12/Pk

2124HY



Predator™ Synthetic Leather Palm Gloves

Textured PU-coated synthetic leather palm offers enhanced grip and durability. Tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Features hi-viz lime 2-way Spandex® back, reinforced thumb crotch and hook-and-loop closure with ID pad. Ideal for oil and gas industry, assembly, construction and landscaping. 72 Pr/Cs.

PD2901



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2901M	331487341	Predator synthetic leather palm gloves	M	Pr
PD2901L	331487391	Predator synthetic leather palm gloves	L	Pr
PD2901XL	331487441	Predator synthetic leather palm gloves	XL	Pr
PD2901XXL	331487451	Predator synthetic leather palm gloves	2XL	Pr



PD2902



Predator™ CT Cut-Resistant Gloves

Constructed with tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Synthetic leather palm has unique polymer on finger tips, palm and thumb crotch for enhanced grip and abrasion resistance. Features red 2-way Spandex® back and hook-and-loop closure with ID pad. Ideal for automotive, carpentry, construction, material handling and oil/gas industry. ANSI cut level 2. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2902M	331487301	Predator CT cut-resistant gloves	M	Pr
PD2902L	331487311	Predator CT cut-resistant gloves	L	Pr
PD2902XL	331487321	Predator CT cut-resistant gloves	XL	Pr

◆ Non-stock item. Minimum quantity may apply.



PD2903



Predator™ Cow Grain Leather Multi-Task Gloves

Made from brown synthetic leather back with premium cow grain leather palm and tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Features grain leather reinforced thumb crotch and hook-and-loop closure with ID pad. Ideal for agriculture, automotive, construction, heavy equipment operator, landscaping and material handling. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2903M	331487351	Predator cow grain leather multi-task gloves	M	Pr
PD2903L	331487361	Predator cow grain leather multi-task gloves	L	Pr
PD2903XL	331487371	Predator cow grain leather multi-task gloves	XL	Pr



Predator™ Multi-Task Gloves

Features synthetic leather palm with black 2-way Spandex® back, tire tread thermoplastic rubber (TPR) on back of hand, polymer pads on fingertips, palm and thumb crotch and hook-and-loop closure with ID panel. Ideal for agriculture, automotive, construction, mechanics and warehousing. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2904M	331487401	Predator multi-task gloves	M	Pr
PD2904L	331487411	Predator multi-task gloves	L	Pr
PD2904XL	331487421	Predator multi-task gloves	XL	Pr



PD2904



97-120

Ansell ActivArmr® 97-120 Gloves

Features 15-gauge Spandex® polyester liner with neoprene nitrile coating for increased comfort and dexterity. Impact protection reduces potential injury. Intercept™ Technology provides cut protection. Outstanding mud-oil grip plus cut and impact resistance protects hands in extreme conditions, reducing fatigue and increasing productivity. Hi-viz color increases awareness of location of users' hands for safety. Ideal for reworking tools, running cables, handling pipes and assembly of motors. EN 388 4242. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 97-120-9	220141455	ActivArmr 97-120 gloves	9	12/Pk
◆ 97-120-10	220141465	ActivArmr 97-120 gloves	10	12/Pk
◆ 97-120-11	220141475	ActivArmr 97-120 gloves	11	12/Pk



Ironclad® Hi-Viz Impact Gloves

Features full back-of-hand thermoplastic rubber (TPR) knuckle and finger impact protection, a reflective expansion chamber at back of hand and reflective fingertips for maximum visibility. Open cell memory foam pads on palm absorbs impact and vibration. Fingertips are reinforced with Duraclad® material providing 8x more durability on fingertips.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-HZI-03-M	C34802831	Ironclad hi-viz impact gloves	M	Pr
EXO-HZI-04-L	C34802841	Ironclad hi-viz impact gloves	L	Pr
EXO-HZI-05-XL	C34802851	Ironclad hi-viz impact gloves	XL	Pr
EXO-HZI-06-XXL	C34802861	Ironclad hi-viz impact gloves	2XL	Pr



EXO-HZI



Ironclad® Motor Grip Gloves

Features Diamonclad® silicone-fused palm, terry cloth sweat wipe, TPR cuff puller, TPR Velcro® wrist closure and neoprene knuckle impact protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-MGG-03-M	C34802881	Ironclad Motor Grip gloves	M	Pr
EXO-MGG-04-L	C34802891	Ironclad Motor Grip gloves	L	Pr
EXO-MGG-05-XL	C34802901	Ironclad Motor Grip gloves	XL	Pr
EXO-MGG-06-XXL	C34802911	Ironclad Motor Grip gloves	2XL	Pr



EXO-MGG

EXO-MIG



Ironclad® Motor Impact Gloves

Full back-of-hand impact protection as well as a breathable expansion chamber on back of hand. Open cell memory foam pads absorb impact and vibration when using hand and power tools. Features terry cloth sweat wipe, TPR cuff pull and Velcro® wrist closure. Reinforced fingertips give maximum durability and extended wear.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-MIG-03-M	C34802931	Ironclad Motor impact gloves	M	Pr
EXO-MIG-04-L	C34802941	Ironclad Motor impact gloves	L	Pr
EXO-MIG-05-XL	C34802951	Ironclad Motor impact gloves	XL	Pr
EXO-MIG-06-XXL	C34802961	Ironclad Motor impact gloves	2XL	Pr

Ironclad® Modern Leather Reinforced Gloves

Features genuine leather reinforced palm, terry cloth sweat wipe, TPR cuff puller and TPR hook-and-loop closure. EXO embossed palm for added protection. Neoprene knuckle offers impact protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-MLR-03-M	C34802981	Modern leather reinforced gloves	M	Pr
EXO-MLR-04-L	C34802991	Modern leather reinforced gloves	L	Pr
EXO-MLR-05-XL	C34803001	Modern leather reinforced gloves	XL	Pr
EXO-MLR-06-XXL	C34803011	Modern leather reinforced gloves	2XL	Pr



EXO-MLR



EXO2-MPLW

Ironclad® Motor Pro White Goat Gloves

Features white goat leather palm, terry cloth sweat wipe, suede cuff puller and TPR hook-and-loop closure. Reinforced stitching on palm for added durability. Neoprene knuckle offers added impact protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO2-MPLW-03-M	C34803341	Ironclad Motor Pro white goat gloves	M	Pr
EXO2-MPLW-04-L	C34803351	Ironclad Motor Pro white goat gloves	L	Pr
EXO2-MPLW-05-XL	C34803361	Ironclad Motor Pro white goat gloves	XL	Pr
EXO2-MPLW-06-XXL	C34803371	Ironclad Motor Pro white goat gloves	2XL	Pr

◆ Non-stock item. Minimum quantity may apply.



EXO-PIG



Ironclad® Project Impact Gloves

Features terry cloth sweat wipe, TPR cuff puller, TPR hook-and-loop closure and vibration-reducing reinforced palm. Back-of-hand TPR offers added impact protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-PIG-03-M	C34803391	Ironclad Project Impact gloves	M	Pr
EXO-PIG-04-L	C34803401	Ironclad Project Impact gloves	L	Pr
EXO-PIG-05-XL	C34803411	Ironclad Project Impact gloves	XL	Pr
EXO-PIG-06-XXL	C34803421	Ironclad Project Impact gloves	2XL	Pr

Ironclad® Hi-Viz Utility Gloves

Features EXO-embossed palm, suede cuff puller and terry cloth sweat wipe. Hi-viz color and reflective accents for safety and visibility.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
EXO-HSO-03-M	C34802461	Hi-viz utility gloves	Hi-viz orange	M	Pr
EXO-HSO-04-L	C34802471	Hi-viz utility gloves	Hi-viz orange	L	Pr
EXO-HSO-05-XL	C34802491	Hi-viz utility gloves	Hi-viz orange	XL	Pr
EXO-HSO-06-XXL	C34802511	Hi-viz utility gloves	Hi-viz orange	2XL	Pr
EXO-HSY-03-M	C34802541	Hi-viz utility gloves	Hi-viz yellow	M	Pr
EXO-HSY-04-L	C34802551	Hi-viz utility gloves	Hi-viz yellow	L	Pr
EXO-HSY-05-XL	C34802581	Hi-viz utility gloves	Hi-viz yellow	XL	Pr
EXO-HSY-06-XXL	C34802611	Hi-viz utility gloves	Hi-viz yellow	2XL	Pr



EXO-HSO



EXO-HVP

Ironclad® Hi-Viz Pro Gloves

Features EXO embossed palm, terry cloth sweat wipe, suede cuff puller and TPR hook-and-loop closure. Neoprene knuckle offers added impact protection. Hi-visibility color and reflective accents for safety and visibility.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-HVP-03-M	C34802681	Hi-viz Pro gloves	M	Pr
EXO-HVP-04-L	C34802691	Hi-viz Pro gloves	L	Pr
EXO-HVP-05-XL	C34802701	Hi-viz Pro gloves	XL	Pr
EXO-HVP-06-XXL	C34802711	Hi-viz Pro gloves	2XL	Pr

Ironclad® Hi-Viz Abrasion Gloves

Features terry cloth sweat wipe, EXO embossed palm, TPR cuff puller and TPR hook-and-loop closure. Duraclad® reinforcements offer extra durability. Neoprene knuckle offers impact protection. Hi-viz color and reflective accents for safety and visibility.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-HZA-03-M	C34802781	Hi-viz abrasion gloves	M	Pr
EXO-HZA-04-L	C34802791	Hi-viz abrasion gloves	L	Pr
EXO-HZA-05-XL	C34802801	Hi-viz abrasion gloves	XL	Pr
EXO-HZA-06-XXL	C34802811	Hi-viz abrasion gloves	2XL	Pr



EXO-HZA



Ironclad® Garage Junkie Motor Pro Gloves

Features terry cloth sweat wipe, suede cuff puller, TPR hook-and-loop closure and EXO embossed palm. Neoprene knuckle offers impact protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-MPG-03-M	C34803041	Garage Junkie Motor Pro gloves	M	Pr
EXO-MPG-04-L	C34803051	Garage Junkie Motor Pro gloves	L	Pr
EXO-MPG-05-XL	C34803061	Garage Junkie Motor Pro gloves	XL	Pr
EXO-MPG-06-XXL	C34803071	Garage Junkie Motor Pro gloves	2XL	Pr



EXO-MPG



EXO-MUG

Ironclad® Garage Junkie Motor Utility Gloves

Features EXO embossed palm, terry cloth sweat wipe and suede cuff puller.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-MUG-03-M	C34803091	Garage Junkie Motor Utility gloves	M	Pr
EXO-MUG-04-L	C34803101	Garage Junkie Motor Utility gloves	L	Pr
EXO-MUG-05-XL	C34803111	Garage Junkie Motor Utility gloves	XL	Pr
EXO-MUG-06-XXL	C34803121	Garage Junkie Motor Utility gloves	2XL	Pr

Ironclad® Ironclad® Project Pro Gloves

Features EXO embossed palm, terry cloth sweat wipe, suede cuff pull and hook-and-loop closure. Neoprene cuff offers impact protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-PPG-03-M	C34803141	Ironclad Project Pro gloves	M	Pr
EXO-PPG-04-L	C34803151	Ironclad Project Pro gloves	L	Pr
EXO-PPG-05-XL	C34803161	Ironclad Project Pro gloves	XL	Pr
EXO-PPG-06-XXL	C34803171	Ironclad Project Pro gloves	2XL	Pr



EXO-PPG



EXO-PUG

Ironclad® Ironclad® Project Utility Gloves

Features EXO embossed palm, suede cuff puller and terry cloth sweat wipe.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
EXO-PUG-03-M	C34803191	Ironclad Project Utility gloves	M	Pr
EXO-PUG-04-L	C34803201	Ironclad Project Utility gloves	L	Pr
EXO-PUG-05-XL	C34803211	Ironclad Project Utility gloves	XL	Pr
EXO-PUG-06-XXL	C34803221	Ironclad Project Utility gloves	2XL	Pr

◆ Non-stock item. Minimum quantity may apply.



INDI-CCP



Ironclad® Industrial Impact Cotton Corded Gloves

Cotton corded palm provides low cost all-around grip. Duraclad® index/saddle reinforcement. IVE™ optical technology extends the field of visual recognition. Airpene cuff for a snug fit. Extra impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage. Ideal for oil/gas drilling, extraction, fracking, mining, demolition and heavy construction.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
INDI-CCP-03-M	C34803241	Ironclad industrial impact cotton corded gloves	M	Pr
INDI-CCP-04-L	C34802341	Ironclad industrial impact cotton corded gloves	L	Pr
INDI-CCP-05-XL	C34802401	Ironclad industrial impact cotton corded gloves	XL	Pr
INDI-CCP-06-XXL	C34802411	Ironclad industrial impact cotton corded gloves	2XL	Pr



SDX2



KONG® Original Gloves

The original oil and gas glove features KONG metacarpal and knuckle protection and exclusive palm material. Features hi-viz palm, extended neoprene cuff and ID tag.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
SDX2-02-S	C34802631	KONG Original gloves	S	Pr
SDX2-03-M	C34802641	KONG Original gloves	M	Pr
SDX2-04-L	C34802651	KONG Original gloves	L	Pr
SDX2-05-XL	C34802661	KONG Original gloves	XL	Pr

Honeywell

RigDog™ Impact Gloves

Offers excellent metacarpal protection against incidental impacts. Polyvinyl chloride (PVC) impact patches are ergonomically placed for optimal protection in oil and gas, construction or mining applications where risk of hands being impacted is high. Molded PVC material provides excellent metacarpal protection. Hi-viz Spandex® fabric stretches easily for flexing to help reduce hand fatigue. Silver, reflective piping enhances low-light visual awareness. Features hook-and-loop closure, silicone safety grip pattern and reinforced thumb crotch. CE certified to EN420 and EN388.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ MPCT1000/7	341568985	RigDog gloves	7	12/Pk
◆ MPCT1000/8	341568995	RigDog gloves	8	12/Pk
◆ MPCT1000/9	341569135	RigDog gloves	9	12/Pk
◆ MPCT1000/10	341569145	RigDog gloves	10	12/Pk
◆ MPCT1000/11	341569155	RigDog gloves	11	12/Pk



MPCT1000



Electric Service Gloves, Class 0

Protects up to 1000 Volts AC/1500 Volts DC. Features 12" length for added protection. Must be worn with leather protector gloves. Electric Service gloves are Class 0, Type 1 and made with natural rubber. Meets or exceeds ASTM D120-09 specifications.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 6417	G73564171	Electric service gloves	M	Pr
6418	G73501041	Electric service gloves	L	Pr
6419	G73564191	Electric service gloves	XL	Pr
◆ 6420	G73501331	Electric service gloves	2XL	Pr



6417



Leather Protector Gloves

Wear over Electric Service gloves. Protects rubber insulating gloves from punctures and abrasion. Goatskin leather provides optimal glove durability. Meets ASTM F696-06 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 6467	G73501351	Leather protector gloves	M	Pr
6468	G73501321	Leather protector gloves	L	Pr
6469	G73501301	Leather protector gloves	XL	Pr
◆ 6470	G73501311	Leather protector gloves	2XL	Pr



6467



Glove Storage Bag

Made from heavy-duty canvas with Velcro® closure and belt loops. Two inner pockets to store electrical service gloves and leather protector gloves. One size fits most.

ITEM #	ORDER #	DESCRIPTION	UOM
6465	G73501341	Glove storage bag	Ea

6465

Arc Flash Fall Protection,
Page 165.



6477



Electric Service Glove Kits

Kit includes:

- Electrical service gloves, Class 0, 1 pr.
- Leather protector gloves, 1 pr.
- Glove storage bag

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 6477	G73501361	Electric service glove kit	M	Ea
6478	G73564781	Electric service glove kit	L	Ea
6479	G73501371	Electric service glove kit	XL	Ea
◆ 6480	G73501381	Electric service glove kit	XL	Ea

◆ Non-stock item. Minimum quantity may apply.



Welding & FR Safety

By nature, hot work generates a considerable amount of eye and face hazards. One of the most significant is exposure to ultraviolet (UV) and infrared (IR) radiation.

Visit www.osha.gov for complete details and regulation requirements.



Jackson Safety* BH3* Variable Auto-Darkening Filter with Balder* Technology

Features superior angle of view, enhanced visibility and color recognition, variable Shade 9-13, adjustable sensitivity and opening time delays. Curved front cover plate offers reduced heat build-up, reflections and fogging. Aerodynamic shell designed for better fume deflection. Smooth, rounded perimeter for increased comfort. Offers quick and easy replacement of safety plates. Auto-On ADF is always ready to weld. Meets ANSI Z87.1 High Impact 2010 standard, CE certified.



37191

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 37191	C24171911	BH3* helmet w/ Balder* technology	Ea



Jackson Safety* NexGen* Digital Auto-Darkening Filter

Digital controls feature variable Shade 9-13, sensitivity and delay adjustments. Four independent sensors positioned to reduce possibility of blockage during weld. Replaceable Lithium batteries (included) with low battery indicator. Versatile 3-N-1 built-in function: Weld, Torch, Grind. Built-in mag lens holder. Meets ANSI Z87.1 and CSA compliant. Black.



14989

ITEM #	ORDER #	DESCRIPTION	UOM
14989	C24116791	HSL 100 welding helmet w/ NexGen* ADF	Ea
◆ 16622	C24118191	NexGen* ADF replacement cartridge	Ea



Jackson Safety* TrueSight* II Digital Auto-Darkening Filter with Balder* Technology

Intuitive, digital control panel. Features variable Shade 5-13, sensitivity and delay adjustments. Large, separate buttons with LED indicator for Weld, Torch and Grind modes. Four independent sensors positioned to reduce possibility of blockage during weld. No retainer for easy helmet installation and removal. Two easy-to-replace AAA batteries included with low-battery indicator. Meets ANSI Z87.1-2010 and CSA Z94.3 compliant



29371

30316

30315

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 29371	C24128041	HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology	Black	Ea
◆ 30315	C24128011	HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology	Serpent	Ea
◆ 30316	C24128021	HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology	Arc Angel	Ea
30319	C24128051	TrueSight* II ADF Cartridge		Ea



Jackson Safety* Nitro* Variable Auto-Darkening Filter

Offers welders outstanding features at an economical price. Features variable Shade 9-13 with sensitivity and delay adjustments. Three independent sensors. Solar-powered. Meets ANSI Z87.1-2010 and CSA compliant.



21931

ITEM #	ORDER #	COLOR	UOM
Nitro* Welding Helmet with Nitro* Variable ADF			
◆ 21931	C24182301	Blue	Ea
◆ 36633	C2416633	Black	2/Cs



Jackson Safety* 860P Leather Welding Helmet

Features a tough yet pliable leather covering. Ideal for use in overhead welding applications or when working in tight spaces. Meets ANSI Z87.1-2010 and CSA compliant. Red.



14531

ITEM #	ORDER #	DESCRIPTION	UOM
14531	C24114391	860P Leather helmet w/ 2" x 4 1/4" lift front	Ea



14528

14532

14529



Jackson Safety* 400 Series Fiber Shell Welding Helmets

Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding. Made of 10% recycled fiber content. Not suited for damp environments or overhead welding. Meets ANSI Z87.1-2010 standard. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14528	C24113691	430P Fiber shell helmet, 2" x 4 1/4" lift front	Ea
◆ 14529	C24113931	451P Fiber shell helmet, 4 1/2" x 5 1/4"	Ea
14532	C24114101	490P Fiber shell helmet, 2" x 4 1/4" quick slide	Ea
◆ 14527	C24125321	411P Fiber shell helmet, 2" x 4 1/4"	Ea



Jackson Safety* 900 Series Passive Welding Helmets

Lightweight with durable, washable thermoplastic shell. Features Shade 10 filter. Meets ANSI Z87.1-2010 standard. Black.

14535



ITEM #	ORDER #	DESCRIPTION	UOM
14534	C24114461	930P Passive welding helmet, 2" x 4 1/4" lift front	Ea
14535	C24114471	951P Passive welding helmet, 4 1/2" x 5 1/4"	Ea
14536	C24114491	990P Passive welding helmet, 2" x 4 1/4" quick slide	Ea



Uvex Horizon™ Safety Glasses

Classic flip-up style offers versatility for workers in unique environments. Shaded lens protects against high-intensity light sources, and clear, impact-resistant polycarbonate lens provides protection against flying particles. Spatula temples with metal core for adjustability. Scratch-resistant hardcoat on lenses for longer life. Meets ANSI Z87.1-2015 High Impact standard. 200/Case.

S213



ITEM #	ORDER #	FRAME	LENS	UOM
Uvex Horizon				
◆ S212	341531301	Black	Clear/Shade 3.0 green	Ea
S213	341531311	Black	Clear/Shade 5.0 green	Ea

◆ Non-stock item. Minimum quantity may apply.



Jackson Safety* HSL Series Passive Welding Helmets

Narrow shell design is perfect for working in tight spaces. Extended front increases throat protection against sparks, slag and other physical hazards. Standard Shade 10 polycarbonate filter plate and cover plates are installed at the factory. Meets ANSI Z87.1-2010 and CSA Z94.3 compliant.



14977

14982

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14975	C24116621	HSL 100 (4 1/2" x 5 1/4" fixed front)	Black	Ea
◆ 14976	C24116631	HSL 100 (4 1/2" x 5 1/4" fixed front)	Blue	Ea
14977	C24116641	HSL 100 (4 1/2" x 5 1/4" fixed front)	Red	Ea
14978	C24116661	HSL 100 (4 1/2" x 5 1/4" fixed front) w/ 187 blades	Black	Ea
14982	C24116711	HSL 2 (2" x 4 1/4" lift front)	Black	Ea



Tigerhood™ Thermoplastic Welding Helmets

Provides extended throat protection while blocking fumes and smoke from the face. Molded from Noryl®. Size and shape allow air to circulate, helping to clear any smoke and fumes that seep in and to evaporate perspiration in the perforated sweatband. (If hazardous fumes are present, appropriate respirators must be worn). Molded-in colors eliminate chipping, peeling and fading; and smooth, seamless shell deflects sparks and spatter, reducing the risk of burn through. Exclusive, 3C free-floating headgear with multiple wearing adjustments comfortably accommodates protective spectacles and respirators. Available with Speedy® Loop system for frequent on and off use with protective caps. Fibre-Metal® welding helmets are SEI certified. Comes complete with Shade 10 filter plate installed. Gray.

990GY



ITEM #	ORDER #	DESCRIPTION	UOM
◆ 990GY	614608331	Helmet w/ molded-in glassholder, flash barrier, & wide vision 4 1/2" x 5 1/4" lens	Ea
5906GY	614607241	Helmet w/ molded-in glassholder & 2" x 4" flip up lens	Ea



Pipeliner® Passive Filter Welding Helmets

Molded from SuperGlas Plus™, a material formulated for light weight and strength. Provides everything pipe welders need to be safe and productive under the harshest welding conditions. Moisture- and impact-resistant. Will not crack, chip or split. Compact design allows access to areas where there is no room for a standard helmet. Shade 10. White.



110

ITEM #	ORDER #	DESCRIPTION	UOM
110WH	614605131	Pipeliner welding helmet w/ 1CR ratchet headgear	Ea
110PWE	347688751	Pipeliner welding helmet w/ 1CP rubber headband suspension	Ea



3M™ Speedglas™ Welding Helmet with Auto-Darkening Filter 9100XXi

Improved optics deliver more natural color and contrast, which may allow better control of weld puddle, greater precision with set-up and finishing operations, and a simplified work flow. Features improved user interface that is easy to understand, delay function to set the dark-to-light opening time, and ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution. Selectable Shades 5, 8-13 and Shade 3 light state. 2.8" x 4.2" Viewing area. Optional silver front panel allows setting modes from outside the helmet. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 06-0100-30iSW	665521091	Speedglas™ Welding Helmet w/ ADF 9100XXi	Ea
◆ 06-0000-30i	665521051	Speedglas™ Auto-Darkening Filter 9100XXi	Ea
◆ 06-0000-30i-KIT	665534681	Speedglas™ Auto-Darkening Filter 9100XXi w/ silver front panel	Ea

06-0100-30iSW

06-0000-30i-KIT



Jackson Safety* V100* WS Series IRUV Cutting Goggles

Features a 2" x 4.25" IRUV Shade 5.0 lens. Flexible frame with an adjustable elastic strap. Available in a fixed or lift front design. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
V100* WS Flexible Frame Cutting Goggles			
◆ 15991	C24117711	V100* WS Flexible frame cutting goggles, fixed front	Ea
15992	C24117721	V100* WS Flexible frame cutting goggles, lift front	Ea

15992



3M™ Speedglas™ 100 Welding Helmet with Variable Shade Filters

Available with the Speedglas™ 100V filter, which features five user-selectable dark shades, Shade 8 through Shade 12, and a light Shade 3. Filter has three sensitivity settings for Stick, MIG and TIG welding processes: normal- used for most types of welding (both indoors and outdoors), for when other welders are working nearby, and for low-current or stable arc (e.g. TIG) welding. Only recommended for TIG processes down to 10 amps. Black.



07-0012-31BL

ITEM #	ORDER #	DESCRIPTION	UOM
07-0012-31BL	665521121	3M™ Speedglas™ Black Helmet 100	Ea



3M™ Welding Helmet 10 with Auto-Darkening Filter 10V

Works well for Stick and MIG welding processes. Features user-selectable dark Shades 10 through 12, with light state of Shade 3. Has two user-selectable sensitivity levels. Viewing area: 1.73" x 3.66". Black.



101121

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 101121	665516561	Welding Helmet w/ Headband	Ea



3M™ Speedglas™ 9100 Welding Helmets with Hard Hat

Available with (3) auto-darkening filters (ADFs) in different sizes with built-in mag plate holder. Sensitivity adjustment for use with all Stick, MIG and TIG processes. Also has grinding and torch cutting modes. Headgear features flexible head suspension and extended coverage of vulnerable areas, such as the ears and neck, making helmets comfortable and versatile. Available with SideWindows with replaceable covers that allow for enhanced peripheral and downward viewing, reducing the "tunnel vision" effect. Each starter kit includes (5) outside protection plates, (2) appropriately sized inside protection plates, and a sweatband.

06-0100-30QR

Helmet lens options:

- Speedglas™ 9100X, dark Shades 8-13; 9.12 sq. in. viewing area
- Speedglas™ 9100XX, dark Shades 8-13; 12.11 sq. in. viewing area

ITEM #	ORDER #	DESCRIPTION	UOM
06-0100-20QR	665545831	Speedglas™ 9100 Helmet w/ ADF 9100X	Ea
◆ 06-0100-30QR	665534671	Speedglas™ 9100 Helmet w/ ADF 9100XX	Ea

⚠ WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read *User Instructions* and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



We Weld America Jacket

Made from flame-retardant, 9 oz., 100% cotton Westex® FR7A® with "We Weld America" color screen print on back. Cool, comfortable and washable. Provides economical protection from sudden flame exposure, light molten splash and sparks during light welding activity. Features snap fasteners. 30" Length. Green.

9030



6900

ITEM #	ORDER #	SIZES	UOM
We Weld America Jacket			
9030L	C34117811	L	Ea
9030XL	C34122031	XL	Ea
90302X	C34117831	2XL	Ea
90303X	C34117841	3XL	Ea



FR Cotton Coveralls

Made from flame-retardant, 9 oz., 100% cotton Westex® FR7A®. Oversized to fit over clothes. Features rugged snap closures, (2) chest pockets, (1) rear inset pocket and (1) front inset pocket. Green.

ITEM #	ORDER #	SIZES	UOM
Flame-Retardant Coveralls			
6900-L	C34116041	L	Ea
6900-XL	C34121711	XL	Ea
6900-2X	C34116211	2XL	Ea
6900-3X	C34116221	3XL	Ea



3221



Leather Cape Sleeves and Bib

Side-split cowhide cape sleeve designed to protect shoulders, upper chest and arms. Features open back for ventilation and soapstone pocket on each sleeve. Sewn with Kevlar® thread throughout. Bourbon brown. Works together with 14" or 20" leather bib with heavy-duty cotton strap and adjustable side-release buckle for easy on/off. Bourbon brown.

ITEM #	ORDER #	SIZES	UOM
Side-Split Cowhide Cape Sleeve			
◆ 3221M	C34105891	M	Ea
◆ 3221L	C34105881	L	Ea
◆ 3221XL	C34120331	XL	Ea
32212X	C34106091	2XL	Ea
Side-Split Cowhide Bib			
3120	C34105791	20"	Ea



3120



Leather Aprons

Side-split cowhide leather sewn with Kevlar® thread throughout. Bib aprons feature (2) chest pockets and back straps with side-release buckles. Bourbon brown.

ITEM #	ORDER #	SIZES	UOM
Waist Apron with Heavy-Duty Waist Strap			
4118	C34106511	24" x 18"	Ea
Bib Apron			
4236	C34106591	24" x 36"	Ea
4242	C34106601	24" x 42"	Ea
4248	C34106611	24" x 48"	Ea



4236



Flame-Retardant Cotton Jackets

Made from 9 oz., 100% cotton, flame-retardant Westex® FR7A®. Features snap fasteners and inside pocket. Offers protection from sudden flame exposure, sparks and light welding. 30" Length. Designed for light-duty welding only.

ITEM #	ORDER #	COLOR	SIZES	UOM
Flame-Retardant Cotton Jacket				
6230-M	C34113051	Green	M	Ea
6230-L	C34113041	Green	L	Ea
6230-XL	C34121481	Green	XL	Ea
6230-2X	C34113461	Green	2XL	Ea
6230-3X	C34113471	Green	3XL	Ea
◆ 6230B-L	C34112701	Navy blue	L	Ea
◆ 6230B-XL	C34121171	Navy blue	XL	Ea
◆ 6230B-2X	C34112731	Navy blue	2XL	Ea
6230D-L	C34112821	Orange	L	Ea
6230D-XL	C34121291	Orange	XL	Ea
6230D-2X	C34112851	Orange	2XL	Ea
◆ 6230D-3X	C34112861	Orange	3XL	Ea



Combination FR Cotton Torso and DualTec FR Sleeves

Body made of 9 oz., 100% cotton, Westex® FR7A® cool and comfortable fabric. Designed to self-extinguish, and will not shrink, melt or drip molten residues. Flame-retardant and washable up to 50 home or 25 commercial washings. Features inside pocket and anodized button snaps to prevent arc flashback.

Sleeves made of 9 oz., 40% Twaron®/60% Lenzing FR® fabric. "Leather like" performance, but lighter and cooler. Permanently flame-retardant, and meets cut resistance standard EN388 Level 2. Meets NFPA Category 2 ARC resistance.

Designed for light-duty welding only. Must keep clean to insure protection.



9730

ITEM #	ORDER #	SIZES	UOM
Combo FR Torso and FR Sleeves			
◆ 9730M	C34197301	M	Ea
9730L	C34197311	L	Ea
9730XL	C34197321	XL	Ea
97302X	C34197341	2XL	Ea
97303X	C34197351	3XL	Ea



Flame-Retardant Cotton Cape Sleeves and Bib

Made from flame-retardant, 9 oz., 100% cotton, Westex® FR7A®. Cape sleeves protect shoulders, upper chest and arms from sudden flame exposure and sparks while increasing ventilation on back. Feature snap fasteners. Washable. Designed for light-duty welding only. Cape sleeves and bibs sold separately. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6221L	C34112321	Flame-retardant cotton cape sleeve	L	Ea
6221XL	C34121121	Flame-retardant cotton cape sleeve	XL	Ea
◆ 62212X	C34112601	Flame-retardant cotton cape sleeve	2XL	Ea
◆ 62213X	C34112611	Flame-retardant cotton cape sleeve	3XL	Ea
6120	C34111451	Flame-retardant cotton bib	20"	Ea




6221 & 6120



Flame-Retardant Cotton Jacket with Leather Sleeves

Royal blue, 9 oz. 100% cotton Westex® FR7A® torso with side-split cowhide sleeves sewn with Kevlar® thread. Features (1) soapstone pocket on each sleeve and (1) inside pocket. 30" Length.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 9230M	C34118031	FR cotton jacket w/ leather sleeves	M	Ea
9230L	C34118021	FR cotton jacket w/ leather sleeves	L	Ea
9230XL	C34122091	FR cotton jacket w/ leather sleeves	XL	Ea
92302X	C34118051	FR cotton jacket w/ leather sleeves	2XL	Ea
♦ 92303X	C34118061	FR cotton jacket w/ leather sleeves	3XL	Ea



9230



Leather Spats

Made from tough, premium side-split cowhide with rivet reinforced stress points. Sewn with Kevlar® thread. Adjustable straps secure protectors on shoes. Universal. Bourbon brown.



526

ITEM #	ORDER #	DESCRIPTION	UOM
526	C34107251	Leather spats, ankle high	Ea
528CL	C34107461	Leather spats w/ aluminum side bar, 15" length	Ea



Flame-Retardant Cotton Sleeves

Offers protection from sudden flame exposure, light sparks and light-duty welding. Made from 9 oz., 100% cotton, Westex® FR7A®. Washable. 18" Length. Green.

ITEM #	ORDER #	DESCRIPTION	UOM
6217	C34112031	FR cotton sleeve w/ 2 1/4" external elastic at both ends	Pr
6218	C34112091	FR cotton sleeve, internal elastic at both ends	Pr



6218



FR Goatskin Sleeves

Premium top-grain goatskin from wrist to upper elbow protects key exposure areas from sparks and spatter with less bulk. Upper sleeve made from 9 oz. royal blue Westex® FR7A® FR cotton. Leather seams are sewn with Kevlar® thread for strength and heat resistance. Features 2 1/4" external elastic at both ends to secure sleeve to arm. 18" Leather/cotton length, 22" overall length.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 9215	C3419215	FR Goatskin sleeves	72 Pr/Cs



9215



1155

1155 Insulated Extended Cuff Stick Welders Gloves

Premium, durable side split cowhide for strength. Cotton/foam-lined for moisture absorption and heat protection. Insulated extended cuff for added heat protection on forearms. Double reinforced wing thumb for extra strength on key stress areas to maximize wear and protection. Sewn with Kevlar® thread for added strength. Welting fingers protect stitching from burning and abrasion. 20" Length. Bourbon brown.

ITEM #	ORDER #	SIZES	UOM
1155 Welders Gloves			

◆ 1155L C34122731 L 12/Pk



750

750 Stick Welders Gloves

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl. 48/Cs.

ITEM #	ORDER #	SIZES	UOM
Top-Grain Elkskin Welders Gloves			
750M	C34116661	M Pr	
750L	C34116651	L Pr	
750XL	C34121841	XL Pr	



850

850 Super Premium Deerskin Drivers Gloves

Premium top-grain elkskin features reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm and cotton/foam-lined back. Molds to the hand and stays soft under higher heat conditions. Naturally resistant to oil and moisture; will not crack or stiffen like cowhide. 14" Length. Gold. 48/Cs.

ITEM #	ORDER #	SIZES	UOM
Gold Top-Grain Elkskin Welders Gloves			
850M	C34117541	M Pr	
850L	C34117531	L Pr	
850XL	C34121981	XL Pr	



1000

1000 Shoulder Split Cowhide Stick Welders Gloves

Shoulder split cowhide with cotton lining for comfort. Features welted fingers and locked stitching with cotton thread. 14" Length. Pearl.

ITEM #	ORDER #	SIZES	UOM
1000 Stick Welders Gloves			

1000L C34100451 L Pr



1075

1075 Stick Welders Gloves

Full featured welding glove with WE WELD AMERICA logo on cuff. Durable premium side split cowhide leather with cotton/foam lining for insulation. Features double reinforced thumb, welted fingers and lock stitching with Kevlar® thread for added strength. 14" Length. Red, blue and pearl. 48/Cs.

ITEM #	ORDER #	SIZES	UOM
Side Split Cowhide Welders Gloves			

1075L C34100961 L Pr



1012

1012 Welders Gloves

Durable, economy select shoulder split cowhide with inner cotton lining and reinforced thumb. Lock stitching with Kevlar® thread for added strength. Welted fingers protect stitching. 14" Length. Russet. 48/Cs.

ITEM #	ORDER #	SIZES	UOM
Economy Cowhide Welders Gloves			

1012 C34100691 L Pr



1105WB



1105WB Small Hands Welders Gloves

Designed for smaller hands. Made from blue select shoulder split cowhide with cotton/foam lining for added heat protection. Lock stitching with Kevlar® thread for added strength. Weltd fingers protect stitching. 12" Length. Blue. 48/Cs.

ITEM #	ORDER #	SIZES	UOM
Small Hands Welders Gloves			
1105WB-XS	C34118751	XS	Pr



1018



1018 Stick Welders Gloves

Durable, slightly select shoulder split cowhide insulated with cotton/foam lining for added heat protection. Weltd fingers protect stitching. Lock stitched with Kevlar® thread for added strength. Reinforced thumb. 14" Length. Blue.

ITEM #	ORDER #	SIZES	UOM
1018 Stick Welders Gloves			
◆ 1018L	C34100781	L	Pr
◆ 1018XL	C34122491	XL	Pr



1250



1250 Premium Cowhide Split Stick Welders Gloves

Durable, premium side split cowhide with cotton/foam lining for insulation. Double reinforced thumb. Weltd fingers protect stitching. Lock stitched with Kevlar® thread for added strength. 14" Length. Blue. 48/Cs.

ITEM #	ORDER #	SIZES	UOM
Side Split Cowhide Welders Gloves			
1250M	C34101321	M	Pr
1250L	C34101301	L	Pr
1250XL	C34101271	XL	Pr



1488



1488 TrueFit™ TIG Welders Gloves

Top-grain goatskin palm and back for superior feel and dexterity. Black Kevlar® stretch inserts flex to the contours of the hand for a snug fit. Sewn entirely with Kevlar for strength and heat resistance. Features short, contoured cuff and internal elastic for a secure fit. Super "V" thumb design enhances fit. Safe to TIG weld. No spandex. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
TIG Welders Gloves			
◆ 1488M	C34100305	M	12/Pk
◆ 1488L	C34122695	L	12/Pk
◆ 1488XL	C34122705	XL	12/Pk



24C



24C TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection. Unlined. Pearl. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Kidskin TIG Gloves			
24CS	C34105161	S	Pr
24CM	C34105151	M	Pr
24CL	C34105141	L	Pr
24CXL	C34119951	XL	Pr

◆ Non-stock item. Minimum quantity may apply.



24D



24D TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 2" cuff for added protection. Unlined. Pearl. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Kidskin TIG Gloves			
◆ 24DS	C34105201	S	Pr
24DM	C34105191	M	Pr
24DL	C34119971	L	Pr
◆ 24DXL	C34120001	XL	Pr



1328



1328 TIG Welders Gloves

Top-grain goatskin leather enhances feel and durability. Features 4" cuff, seamless index finger, wing thumb and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Goatskin TIG Welders Gloves			
◆ 1328S	C34101621	S	Pr
1328M	C34101611	M	Pr
1328L	C34101601	L	Pr
1328XL	C34118871	XL	Pr



30



30 TIG Welders Gloves

Top-grain pigskin resists oil and water. Features straight thumb, 4" cuff and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Pigskin TIG Welders Gloves			
30M	C34105741	M	Pr
30L	C34105731	L	Pr
30XL	C34120211	XL	Pr



More Glove Products start on page 96.



48



48 Insulated MIG Gloves

Top-grain goatskin palm and cowhide split back resists heat. Fleece-lined for added protection. Features straight thumb, elastic back, 3 1/2" cuff, thumb strap for extra strength and Kevlar® stitching for seam protection. Brown and pearl. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Insulated MIG Gloves			
48M	C34123481	M	Pr
◆ 48L	C34123491	L	Pr
48XL	C34123501	XL	Pr



42



42 Pigskin MIG Welders Gloves

Made from premium heavyweight top-grain pigskin with foam-lined back. Great in wet and oily conditions. Features unlined palm for dexterity, 4" cuff, straight thumb with added reinforcement strap and lock stitching with Kevlar® thread for added strength. Brown. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Pigskin MIG Gloves			
42M	C34106551	M	Pr
42L	C34106541	L	Pr
◆ 42XL	C34120481	XL	Pr



1350



1350 MIG Welders Gloves

Heavy-duty top-grain cowhide MIG welding gloves, unlined with 4" cuff for added protection. Features wing thumb and seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	SIZES	UOM
Cowhide MIG Welders Gloves			
1350S	C34101761	S	Pr
1350M	C34101751	M	Pr
1350L	C34101741	L	Pr
1350XL	C34118961	XL	Pr



50



50 MIG Welders Gloves

Top-grain cowhide palm with cowhide split reinforcements and cowhide split back with elastic for best fit. Features top-grain seamless index finger, fleece lining and 4" cuff for added protection. Sewn with Kevlar® thread for strength and heat resistance. Brown and pearl. 36/Cs.

ITEM #	ORDER #	SIZES	UOM
Cowhide MIG Welders Gloves			
50M	C34150501	M	Pr
50L	C34124501	L	Pr
50XL	C34124511	XL	Pr



550



Standard Double-Layer Backhand Pad

Offers double-layer protection with aluminized carbon Kevlar® top and vermiculite-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 240/Cs.

ITEM #	ORDER #	UOM
Standard Double-Layer Backhand Pad		
550	C34108001	Ea



550X



Economy Double-Layer Backhand Pad

Offers double-layer protection with an aluminized rayon top and acrylic-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/4" W x 7 1/2" H. 240/Cs.

ITEM #	ORDER #	UOM
Economy Double-Layer Backhand Pad		
550X	C34108011	Ea



554



Premium Triple-Layer Backhand Pad

Designed to be worn over the back of a welding glove to provide extra protection in high-heat situations. Features aluminized carbon Kevlar® top, middle layer 1500° F melt ceramic wool, and acrylic-coated fiberglass bottom. Leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 120/Cs.

ITEM #	ORDER #	UOM
Premium Triple-Layer Backhand Pad		
554	C34108041	Ea

◆ Non-stock item. Minimum quantity may apply.



Footwear

Protective footwear is required by OSHA anywhere that objects could pierce the sole or when there are dangers of rolling objects and/or falling objects in the area.

Visit www.osha.gov for complete details and regulation requirements.

BLAST



INDUSTRIAL FOOTWEAR

Innovative Design. Exceptional Comfort.

- Full Range of Workboots
- Style, Safety and Comfort
- Composite and Steel Toe Available

BULLDOG



RIGGER



GRANITE





Mack® Tradie

Hard wearing, 6" double elastic gusset safety boots with padded ankle, collar, tongue and Cambrelle® lining offers comfort, durability and moisture management. PU midsole for cushioning and shock absorption plus the TPU outsole pattern gives excellent slip resistance and heat resistance to 302° F. Water-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF070	E93811031	7	Pr
◆ MKTRADIE-BBF075	E93811041	7.5	Pr
◆ MKTRADIE-BBF080	E93811051	8	Pr
◆ MKTRADIE-BBF085	E93811061	8.5	Pr
◆ MKTRADIE-BBF090	E93811071	9	Pr
◆ MKTRADIE-BBF095	E93811081	9.5	Pr
◆ MKTRADIE-BBF100	E93811091	10	Pr
◆ MKTRADIE-BBF105	E93811101	10.5	Pr
◆ MKTRADIE-BBF110	E93811111	11	Pr
◆ MKTRADIE-BBF115	E93811121	11.5	Pr
◆ MKTRADIE-BBF120	E93811131	12	Pr
◆ MKTRADIE-BBF125	E93811141	12.5	Pr
◆ MKTRADIE-BBF130	E93811151	13	Pr



MKTRADIE-BBF



MKTRADES-BBF



Mack® Tradesman

Heavy-duty, 6" lace-up hiking style safety boots with padded ankle, collar and tongue. Buffalo leather upper with a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling the skin to remain cool and dry. Polyurethane (PU) midsole and bump cap thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fat, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
◆ MKTRADES-BBF070	E93812021	7	Pr
◆ MKTRADES-BBF075	E93812031	7.5	Pr
◆ MKTRADES-BBF080	E93812041	8	Pr
◆ MKTRADES-BBF085	E93812051	8.5	Pr
◆ MKTRADES-BBF090	E93812061	9	Pr
◆ MKTRADES-BBF095	E93812161	9.5	Pr
◆ MKTRADES-BBF100	E93812071	10	Pr
◆ MKTRADES-BBF105	E93812171	10.5	Pr
◆ MKTRADES-BBF110	E93812081	11	Pr
◆ MKTRADES-BBF115	E93812181	11.5	Pr
◆ MKTRADES-BBF120	E93812091	12	Pr
◆ MKTRADES-BBF125	E93812101	12.5	Pr
◆ MKTRADES-BBF130	E93812111	13	Pr



Mack® Blast

Nubuck full grain leather 7" boots feature steel toe cap and anti-static TPU sole. Lace/zip, padded collar, ankle and tongue plus a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling skin to remain cool and dry. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. PU midsole and bump cap and a thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and is heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKBLAST-HHF070	E93814061	7	Pr
MKBLAST-HHF080	E93814071	8	Pr
MKBLAST-HHF085	E93814211	8.5	Pr
◆ MKBLAST-HHF090	E93814081	9	Pr
◆ MKBLAST-HHF095	E93814141	9.5	Pr
◆ MKBLAST-HHF100	E93814091	10	Pr
◆ MKBLAST-HHF105	E93814151	10.5	Pr
◆ MKBLAST-HHF110	E93814101	11	Pr
◆ MKBLAST-HHF115	E93814161	11.5	Pr
◆ MKBLAST-HHF120	E93814111	12	Pr
◆ MKBLAST-HHF130	E93814121	13	Pr



MKBLAST-HHF

◆ Non-stock item. Minimum quantity may apply.





Range	Tough Range	Tough Range	MTA	MTA	MTA
Style	Tradie	Tradesman	Blast	Charge	Turbo
Closure	Slip-On	Lace-Up	Zip-Up	Lace-up	Lace-up
Toecap	Steel	Steel	Steel	Steel	Steel
H2O-Resistant	•	•	•	•	•
Slip-Resistant	•	•	•	•	•
Wellmax® Penetration Resistant	-	-	-	-	-
Anti-Static	•	•	•	•	•
Scuff Cap	-	-	•	•	•
Reflective	-	-	-	-	•
Heat-Resistant Sole	302°F	302°F	302°F	302°F	302°F
TPU Outsole	•	•	•	•	•
Midsole	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane
Innersole	EVA - Cushioned Foam	EVA - Cushioned Foam	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane
Traction Sole	-	-	-	-	-
Low-Catch Sole	-	-	-	-	-
Anti-Torsion Sole	-	-	-	-	-
Stability Cup	-	-	-	-	-
Anterior Ankle Flex	-	-	-	-	-
Forefoot Flex	•	•	•	•	•
Heel Bevel	•	•	•	•	•
Rake 10mm	•	•	•	•	•
Material	Buffalo Leather	Buffalo Leather	Nubuck Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper Nubuck Full Grain Leather & Nylon Mesh
Lining	No Lining	Knitted Polyester	Knitted Polyester	Knitted Polyester	Knitted Polyester
Special Feature	Double Gusset Elastic	Additional Ankle Stability	Zip Closure	Cushioned PU Midsole and Innersole	Reflective Upper to improve visibility in low light
Colors	Black	Black	Honey	Black, Honey	Black
Sizes	5 - 17 6.5 - 12.5	5 - 17 7.5 - 12.5	5 - 14 8.5 - 11.5	5 - 14 7.5 - 11.5	7 - 14 7.5 - 11.5
Height	6"	6"	7"	7"	6"
Weight	1.52 lb	1.43 lb	1.79 lb	1.70 lb	1.59 lb
Approved Standards	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)



Mack® Charge

The 7" (7) eyelet lace-up safety boots feature steel toe cap and anti-static polyurethane (PU)/thermoplastic urethane (TPU) sole. Cowhide full-grain leather upper with soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture enabling the skin to remain cool and dry. Full-length, extra thick shock-absorbing PU footbed with arch and heel support. PU midsole and bump cap and TPU outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11.



ITEM #	ORDER #	COLOR	SIZES	UOM
MKCHARGE-BBF070	E93815061	Black	7	Pr
MKCHARGE-BBF075	E93815311	Black	7.5	Pr
MKCHARGE-BBF080	E93815071	Black	8	Pr
MKCHARGE-BBF085	E93815321	Black	8.5	Pr
MKCHARGE-BBF090	E93815081	Black	9	Pr
MKCHARGE-BBF095	E93815361	Black	9.5	Pr
MKCHARGE-BBF100	E93815091	Black	10	Pr
MKCHARGE-BBF105	E93815371	Black	10.5	Pr
MKCHARGE-BBF110	E93815101	Black	11	Pr
MKCHARGE-BBF115	E93815341	Black	11.5	Pr
MKCHARGE-BBF120	E93815111	Black	12	Pr
MKCHARGE-BBF130	E93815121	Black	13	Pr

ITEM #	ORDER #	COLOR	SIZES	UOM
MKCHARGE-HHF070	E93891071	Honey	7	Pr
MKCHARGE-HHF075	E93815621	Honey	7.5	Pr
MKCHARGE-HHF080	E93891081	Honey	8	Pr
MKCHARGE-HHF085	E93815661	Honey	8.5	Pr
MKCHARGE-HHF090	E93891091	Honey	9	Pr
MKCHARGE-HHF095	E93815631	Honey	9.5	Pr
MKCHARGE-HHF100	E93891101	Honey	10	Pr
MKCHARGE-HHF105	E93815671	Honey	10.5	Pr
MKCHARGE-HHF110	E93891111	Honey	11	Pr
MKCHARGE-HHF115	E93815641	Honey	11.5	Pr
MKCHARGE-HHF120	E93891121	Honey	12	Pr
MKCHARGE-HHF130	E93891131	Honey	13	Pr



Supertec			Pinnacle		
Bulldog	Rider	Rigger	Granite	Heeler	Dingo
Lace-up	Slip-On	Slip-On	Lace-up	Lace-up	Lace-up
Steel	Steel	Steel	Composite	Composite	Composite
-	•	-	•	•	•
•	•	•	•	•	•
-	-	-	•	-	-
-	-	-	-	-	-
-	-	-	•	•	•
-	-	-	•	•	•
572°F	572°F	572°F	572°F	572°F	572°F
•	-	-	-	-	-
Phylon	Phylon	Phylon	Phylon	Phylon	Phylon
PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	Silicone Gel	Silicone Gel	Silicone Gel
-	-	-	•	•	•
-	-	-	•	•	•
-	-	-	•	•	•
-	-	-	•	•	•
•	•	•	•	•	•
-	-	-	-	-	-
-	•	•	•	•	•
Cowhide Full Grain Leather	Cowhide Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather
Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®
Quick Release Lace Loops	High Heat Resistance, Double Elastic Gusset	No Lace, "Cowboy Boot" Style	Ultimate Boot w/Poron® Metguard Protection, Wellmax® Penetration Resistant	Silicone Gel Heel, 1" Extra Ankle Protection compared to Dingo	Silicone Gel Heel, Forefoot & Ankle Flexibility
Black, Honey, Brown	Black, Brown	Brown	Black, Honey	Black, Honey	Black, Honey, Brown
4 - 16 7.5 - 11.5	5 - 14 7.5 - 11.5	7 - 14	5 - 16 8.5 - 11.5	5 - 17 8.5 - 11.5	5 - 16 8.5 - 11.5
6"	6"	11"	7"	7"	6"
1.65 lb	1.50 lb	2 lb	1.6 lb	1.56 lb	1.40 lb
ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75 MT 75 PR)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)

Mack® Turbo

6" Hiker style boot with padded collar, tongue and ankle. Nubuck and nylon mesh upper with soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap/thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.



MKTURBO-BBF



ITEM #	ORDER #	SIZES	UOM
MKTURBO-BBF070	E93880071	7	Pr
◆ MKTURBO-BBF075	E93880201	7.5	Pr
MKTURBO-BBF080	E93880081	8	Pr
◆ MKTURBO-BBF085	E93880211	8.5	Pr
MKTURBO-BBF090	E93880091	9	Pr
◆ MKTURBO-BBF095	E93880221	9.5	Pr
MKTURBO-BBF100	E93880101	10	Pr

ITEM #	ORDER #	SIZES	UOM
◆ MKTURBO-BBF105	E93880231	10.5	Pr
◆ MKTURBO-BBF110	E93880111	11	Pr
◆ MKTURBO-BBF115	E93880241	11.5	Pr
MKTURBO-BBF120	E93880121	12	Pr
MKTURBO-BBF130	E93880131	13	Pr
MKTURBO-BBF140	E93880141	14	Pr

◆ Non-stock item. Minimum quantity may apply.



Mack® Bulldog

The original lightweight, 6" leather lace-up safety boots with Cambrelle® lining offer comfort, durability and moisture management. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. Lightweight Phylon midsole for greater cushioning and shock absorption. Features steel toe and PU comfort sock. Rubber nitrile outsole heat-resistant to 572° F. Slip-resistant. Steel toe cap complies with ASTM F2413-11.



MKBULLDOG-BBF



MKBULLDOG-HHF



MKBULLDOG-ROF

SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
	Black		Honey		Brown		
7	MKBULLDOG-BBF070	E93816321	MKBULLDOG-HHF070	E93816531	MKBULLDOG-ROF070	E93816061	Pr
7.5	MKBULLDOG-BBF075	E93816331	MKBULLDOG-HHF075	E93816541	MKBULLDOG-ROF075	E93816831	Pr
8	◆ MKBULLDOG-BBF080	E93893081	MKBULLDOG-HHF080	E93816551	MKBULLDOG-ROF080	E93816071	Pr
8.5	◆ MKBULLDOG-BBF085	E93893201	MKBULLDOG-HHF085	E93816561	◆ MKBULLDOG-ROF085	E93816201	Pr
9	MKBULLDOG-BBF090	E93893091	MKBULLDOG-HHF090	E93816571	MKBULLDOG-ROF090	E93816081	Pr
9.5	MKBULLDOG-BBF095	E93893211	MKBULLDOG-HHF095	E93816581	MKBULLDOG-ROF095	E93816211	Pr
10	MKBULLDOG-BBF100	E93893101	MKBULLDOG-HHF100	E93816591	MKBULLDOG-ROF100	E93816091	Pr
10.5	MKBULLDOG-BBF105	E93893221	MKBULLDOG-HHF105	E93816671	MKBULLDOG-ROF105	E93816221	Pr
11	MKBULLDOG-BBF110	E93893111	MKBULLDOG-HHF110	E93816601	MKBULLDOG-ROF110	E93816101	Pr
11.5	MKBULLDOG-BBF115	E93816341	MKBULLDOG-HHF115	E93816611	◆ MKBULLDOG-ROF115	E93816231	Pr
12	MKBULLDOG-BBF120	E93816351	MKBULLDOG-HHF120	E93816621	MKBULLDOG-ROF120	E93816111	Pr
13	MKBULLDOG-BBF130	E93893131	MKBULLDOG-HHF130	E93816631	MKBULLDOG-ROF130	E93816121	Pr
14	MKBULLDOG-BBF140	E93816361	MKBULLDOG-HHF140	E93816641	MKBULLDOG-ROF140	E93816131	Pr



Mack® Rider

Lightweight elastic sided safety boots with steel toe caps that comply with ASTM F2413-11. 6" Double elastic gusset and Cambrelle® lining offers comfort, durability and moisture management. BMX dual-density nitrile rubber outsole and Phylon midsole for cushioning and shock absorption. Features PU comfort sock and rubber nitrile outsole heat-resistant to 572° F. Slip-resistant.



MKRIDER-BBF



MKRIDER-ROF

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ MKRIDER-BBF070	E93870071	Black	7	Pr
◆ MKRIDER-BBF075	E93870201	Black	7.5	Pr
◆ MKRIDER-BBF080	E93870081	Black	8	Pr
◆ MKRIDER-BBF085	E93870211	Black	8.5	Pr
◆ MKRIDER-BBF090	E93870091	Black	9	Pr
◆ MKRIDER-BBF095	E93870221	Black	9.5	Pr
◆ MKRIDER-BBF100	E93870101	Black	10	Pr
◆ MKRIDER-BBF105	E93870231	Black	10.5	Pr
◆ MKRIDER-BBF110	E93870111	Black	11	Pr
◆ MKRIDER-BBF115	E93870241	Black	11.5	Pr
◆ MKRIDER-BBF120	E93870121	Black	12	Pr
◆ MKRIDER-BBF130	E93870131	Black	13	Pr
◆ MKRIDER-BBF140	E93870141	Black	14	Pr

ITEM #	ORDER #	COLOR	SIZES	UOM
MKRIDER-ROF070	E93872071	Brown	7	Pr
MKRIDER-ROF075	E93872191	Brown	7.5	Pr
MKRIDER-ROF080	E93872081	Brown	8	Pr
MKRIDER-ROF085	E93872201	Brown	8.5	Pr
MKRIDER-ROF090	E93872091	Brown	9	Pr
MKRIDER-ROF095	E93872211	Brown	9.5	Pr
MKRIDER-ROF100	E93872101	Brown	10	Pr
MKRIDER-ROF105	E93872221	Brown	10.5	Pr
MKRIDER-ROF110	E93872111	Brown	11	Pr
MKRIDER-ROF115	E93872231	Brown	11.5	Pr
MKRIDER-ROF120	E93872121	Brown	12	Pr
MKRIDER-ROF130	E93872131	Brown	13	Pr
◆ MKRIDER-ROF140	E93872141	Brown	14	Pr



Mack® Rigger

Rigger-style 11" safety boot with padded ankle, collar and Cambrelle® lining offers comfort, durability and moisture management. BMX dual-density nitrile rubber outsole and Phylon midsole for cushioning and shock absorption. Features PU comfort sock and rubber nitrile outsole heat-resistant to 572° F. Slip-resistant. Steel toe cap complies with ASTM F2413-11. Brown.

ITEM #	ORDER #	SIZES	UOM
◆ MKRIGGER-ROF070	E93873071	7	Pr
◆ MKRIGGER-ROF080	E93873081	8	Pr
◆ MKRIGGER-ROF090	E93873091	9	Pr
◆ MKRIGGER-ROF100	E93873101	10	Pr
◆ MKRIGGER-ROF110	E93873111	11	Pr
◆ MKRIGGER-ROF120	E93873121	12	Pr
◆ MKRIGGER-ROF130	E93873131	13	Pr
◆ MKRIGGER-ROF140	E93873141	14	Pr



Mack® Granite

7" Cowhide lace-up hiking style boots with padded ankle, collar and tongue. Penetration-resistant midsole and PORON® metatarsal guard make this the ultimate boot. Cambrelle® lining for comfort and moisture management. Gravity® dual-density nitrile rubber outsole (heat-resistant to 572° F) with Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip- and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11 standards.



ITEM #	ORDER #	COLOR	SIZES	UOM
◆ MKGRANITE-BBF70	E93827061	Black	7	Pr
◆ MKGRANITE-BBF080	E93827071	Black	8	Pr
◆ MKGRANITE-BBF85	E93863301	Black	8.5	Pr
◆ MKGRANITE-BBF090	E93827081	Black	9	Pr
◆ MKGRANITE-BBF95	E93863311	Black	9.5	Pr
◆ MKGRANITE-BBF100	E93827091	Black	10	Pr
◆ MKGRANITE-BBF105	E93863321	Black	10.5	Pr
◆ MKGRANITE-BBF110	E93827101	Black	11	Pr
◆ MKGRANITE-BBF115	E93863331	Black	11.5	Pr
◆ MKGRANITE-BBF120	E93827111	Black	12	Pr
◆ MKGRANITE-BBF130	E93827121	Black	13	Pr
◆ MKGRANITE-BBF140	E93827131	Black	14	Pr

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ MKGRANITE-HHF070	E93857071	Honey	7	Pr
◆ MKGRANITE-HHF080	E93857081	Honey	8	Pr
◆ MKGRANITE-HHF085	E93857201	Honey	8.5	Pr
◆ MKGRANITE-HHF090	E93857091	Honey	9	Pr
◆ MKGRANITE-HHF095	E93857211	Honey	9.5	Pr
◆ MKGRANITE-HHF100	E93857101	Honey	10	Pr
◆ MKGRANITE-HHF105	E93857221	Honey	10.5	Pr
◆ MKGRANITE-HHF110	E93857111	Honey	11	Pr
◆ MKGRANITE-HHF115	E93857231	Honey	11.5	Pr
◆ MKGRANITE-HHF120	E93857121	Honey	12	Pr
◆ MKGRANITE-HHF130	E93857131	Honey	13	Pr
◆ MKGRANITE-HHF140	E93857141	Honey	14	Pr

◆ Non-stock item. Minimum quantity may apply.



Mack® Heeler

7" Cowhide lace-up hiking style safety toe boots, with padded ankle, collar and tongue. Cambrelle® lining for comfort, durability and moisture management. Sole and heel incorporate an absorbing gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip- and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKHEELER-HHF070	E93826321	7	Pr
◆ MKHEELER-HHF080	E93826331	8	Pr
MKHEELER-HHF085	E93826341	8.5	Pr
◆ MKHEELER-HHF090	E93826351	9	Pr
MKHEELER-HHF095	E93826361	9.5	Pr
◆ MKHEELER-HHF100	E93826371	10	Pr
MKHEELER-HHF105	E93826381	10.5	Pr
◆ MKHEELER-HHF110	E93826391	11	Pr
MKHEELER-HHF115	E93826401	11.5	Pr
MKHEELER-HHF120	E93826411	12	Pr
MKHEELER-HHF130	E93826421	13	Pr



MKHEELER-HHF



Mack® Dingo

Lace-up, 6" hiking style safety boots with cowhide genuine leather upper and Cambrelle® lining offers comfort, durability and moisture management. Dual-density nitrile rubber outsole (heat-resistant to 572° F) and lightweight Phylon midsole for greater cushioning and shock absorption. Sole incorporates a high toe guard for extra protection and boot is fitted with an energy-absorbing gel insert in the heel area to attenuate heel strike. Lightweight and airport friendly. Slip- and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11.



MKDINGO-HHF

MKDINGO-ROF

MKDINGO-BBF



SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
	Honey		Brown		Black		
7	MKDINGO-HHF070	E93852071	◆ MKDINGO-ROF070	E93853071	MKDINGO-BBF070	E93824061	Pr
8	◆ MKDINGO-HHF080	E93852081	MKDINGO-ROF080	E93853081	MKDINGO-BBF080	E93824071	Pr
8.5	◆ MKDINGO-HHF085	E93852201	◆ MKDINGO-ROF085	E93853211	◆ MKDINGO-BBF085	E93824201	Pr
9	◆ MKDINGO-HHF090	E93852091	◆ MKDINGO-ROF090	E93853091	MKDINGO-BBF090	E93824081	Pr
9.5	◆ MKDINGO-HHF095	E93852211	◆ MKDINGO-ROF095	E93853221	◆ MKDINGO-BBF095	E93824211	Pr
10	◆ MKDINGO-HHF100	E93852101	MKDINGO-ROF100	E93853101	MKDINGO-BBF100	E93824091	Pr
10.5	◆ MKDINGO-HHF105	E93852221	MKDINGO-ROF105	E93853231	MKDINGO-BBF105	E93824221	Pr
11	MKDINGO-HHF110	E93852111	MKDINGO-ROF110	E93853111	MKDINGO-BBF110	E93824101	Pr
11.5	MKDINGO-HHF115	E93852231	MKDINGO-ROF115	E93853241	◆ MKDINGO-BBF115	E93824231	Pr
12	◆ MKDINGO-HHF120	E93852121	MKDINGO-ROF120	E93853121	MKDINGO-BBF120	E93824111	Pr
13	◆ MKDINGO-HHF130	E93852131	◆ MKDINGO-ROF130	E93853131	MKDINGO-BBF130	E93824121	Pr



TREX™ 6300 Ice Traction Devices

Eight rugged, heat-treated carbon steel studs for tenacious grip and stability and stretchable rubber for easy on/off. Remains flexible to -40° F. Eight replacement studs sold separately.

Men's sizes:

Medium fits 5-8

Large fits 8-11

X-Large fits 11-14

2X-Large fits 14-16



16753

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
16753	332103631	1-Piece ice traction device	M	Pr
16754	332103641	1-Piece ice traction device	L	Pr
16755	332103651	1-Piece ice traction device	XL	Pr
16756	332103691	1-Piece ice traction device	2XL	Pr



TREX™ 6310 Adjustable Ice Traction Devices

One-piece ice traction devices feature (10) rugged, heat-treated carbon steel studs for grip and stability, tight adjustable cord cinches for secure fit, and stretchable rubber for easy on/off. Aggressive tread connects to mid-foot and heel stud zones. Flexible to -40° F. Black with reflective pull-on tabs for enhanced visibility.

Men's sizes:

Medium fits 5-8

Large fits 8-11

X-Large fits 11-14

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 16773	332167731	Adjustable ice traction device	M	Pr
◆ 16774	332163101	Adjustable ice traction device	L	Pr
◆ 16775	332167751	Adjustable ice traction device	XL	Pr



16773

BOTTOM

TOP



Ergonomics

Ergonomics is the science of fitting a job to a person and helps lessen muscle fatigue, increases productivity and reduces the number and severity of work-related Musculoskeletal Disorders (MSDs).

Visit www.osha.gov for complete details and regulation requirements.



Premium Lifters Support

Constructed of durable polyester fabric with solid inner core. Features an internal lumbar support pad. Adjust easily with double hook-and-loop closure system. Back support is 5" wide. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ OK-SS-5-M	325377001	Premium lifters support	M	Ea
◆ OK-SS-5-L	325377011	Premium lifters support	L	Ea
◆ OK-SS-5-XL	325377021	Premium lifters support	XL	Ea
◆ OK-SS-5-2XL	325377031	Premium lifters support	2XL	Ea



Classic Universal Back and Abs Support

Body is constructed with cool mesh and features a double hook-and-loop closure system. Suspenders are 1 1/2" wide and detachable. Rubber grippers help keep belt in place. Back support is 9" wide and one size fits most (26" - 48"). Black.



ITEM #	ORDER #	DESCRIPTION	UOM
OK-UNIV	325316671	Universal back & abs support	Ea




Value Super Maxx Back Support

Delivers firm and comfortable broad lower back and abdominal support. Adjusts instantly for light to heavy lifting. Encourages proper posture when lifting, standing, walking, sitting, driving or playing sports. Features 8" breathable spandex mesh lumbar panel with elastic stretch panel with (4) plastic stays, (2) silicon threaded "grip strips", 1 1/2" detachable hook-and-loop suspenders and dual panel hook-and-loop closure. Black.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
626-M	325308061	Value Super Maxx back support	M	Ea
626-L	325308071	Value Super Maxx back support	L	Ea
626-XL	325308021	Value Super Maxx back support	XL	Ea
626-2XL	325308341	Value Super Maxx back support	2XL	Ea



www.occunomix.com/products/media/wysiwyg/Size_Charts/O.pdf



Easy Dos and Don'ts for Safe Lifting

Do:

- Keep your head up and your back straight, and bend at your hips.
- Bring the load as close to you as possible before lifting.
- Lift with your legs, not your back.
- Shift your feet to turn.
- Keep the load directly in front of your body.
- Try to perform lifts at waist height with your elbows in close to your body.
- Limit lifting by hand. Use mechanical lifts or get help.
- Stay fit to help avoid injury.

Don't:

- Lift heavy loads (35 lbs. or more). Get help.
- Reach across something to lift a load.
- Lift bulky or uneven loads.
- Reach to the side or lift while twisting.

Source: www.osha.gov



11093



ProFlex® 1650 Economy Elastic Back Supports

All-elastic body (7 1/2" wide) provides firm support, comfort, fit and durability. Two-stage closure adjusts first for exact fit and then for desired level of tension, reminding wearers to lift properly. Features single layer 5" elastic strap for positive tension and adjustable 1 1/2" knit elastic suspenders that are detachable and cut wide for improved fit. Machine washable. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11093	332100021	ProFlex economy elastic back support	M	Ea
11094	332100011	ProFlex economy elastic back support	L	Ea
11095	332100041	ProFlex economy elastic back support	XL	Ea



Carpal Tunnel Right Wrist Support

Breathable neoprene support. Features 3" wide wrap around strap, terry-lined interior and hook-and-loop closure. Includes flexible plastic insert.



OK-NCTS

ITEM #	ORDER #	DESCRIPTION	UOM
♦ OK-NCTS/RM	325322741	Carpal tunnel right wrist support	Ea



Wrist Assists

Made of woven elastic. Delivers comfortable compression and helps reduce strains and swelling. Features easy on/off with hook-and-loop closure.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
310	325303101	Wrist Assists, woven elastic	Beige	Ea



310

♦ Non-stock item. Minimum quantity may apply.



Wrist Assist with Thumb Loop

Heavy-duty wrist support with thumb loop for easy application. Features woven elastic construction which delivers comfortable compression to help diffuse stress over a broader group of muscles and other tissue. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
311-L068	325303231	Wrist assist w/ thumb loop	Ea



311-L068



Single Strap Wrist Supports

Provides light-to-moderate support for office and industrial use. Features reversible hook-and-loop strap for use on either hand. Single layer of neoprene provides a glove-like fit and brings a sense of warmth to affected area. Machine washable. Black.



16612

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
16612	332103551	Ambidextrous single strap wrist support	S	Ea
◆ 16613	332103561	Ambidextrous single strap wrist support	M	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 16614	332103571	Ambidextrous single strap wrist support	L	Ea
◆ 16615	332106731	Ambidextrous single strap wrist support	XL	Ea



OK-KP-350-06



Classic Fabric Knee Cap Pads

Ideal for delicate surfaces. Lightweight and comfortable. Features high-density foam body, durable 600-denier polyester and hook-and-loop closure. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
OK-KP-350-06	325309801	Classic fabric knee cap pads	Pr



Classic Wide Cap Knee Pads

Large, flexible PVC cap and EVA soft foam padding provide a dome of comfortable protection, extra durability and flexibility. Adjustable hook-and-loop straps guard against annoying shifting to keep pad in place. One size fits all. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
126	325303181	Classic wide cap knee pads	Pr



126



Premium Flat Cap Gel Knee Pads

Adjustable sizing pad reduces rocking to assure proper fit. Over-sized, abrasion-resistant hard plastic cap with flat kneeling surface provides greater kneeling stability. Gel-injected EVA foam padding to absorb impact and provide superior comfort. Hook-and-loop neoprene split strap closure to avoid bunching and slipping. One size fits all. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
121	325303131	Flat cap gel knee pads	Pr



Value Contoured Hard Cap Knee Pads

Abrasion-resistant PE plastic hard caps offer heavy-duty protection against injuries often sustained in rigorous kneeling conditions. Lightweight pads feature EVA foam padding and adjustable straps to ensure hours of comfortable, productive work. One size fits all. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
125	325303161	Hard cap knee pads, adjustable straps	Pr



Ring and Watch Scratch Guards

Ring guard (560) is made with nylon/Spandex® and does not contain silicone. Watch guard (561) is made with PVC/polyester and does not contain silicone.

ITEM #	ORDER #	DESCRIPTION	UOM
560	325304381	Ring scratch guard	Ea
◆ 561	325304391	Watch scratch guard	Ea

Fall Protection

When working from heights, such as ladders, scaffolds, and roofs, employers must plan projects to ensure that the job is done safely.

Visit www.osha.gov for complete details and regulation requirements.

3M

DBI
SALA

ExoFit™ STRATA™
Full-Body Harness

3M Fall Protection Business

DBI-SALA® ExoFit™ STRATA™

The most comfortable,
lightest-wearing, truly
innovative safety harness
ever created.

For more information,
call 800-328-6146 or visit
www.3M/FallProtection



3M Science. Applied to Life.™

3M and DBI-SALA are trademarks of 3M. © 3M 2016.

000063_2016.8



Workman® Construction Harness

Vest style harness with back and hip D-rings for work positioning. Features abrasion-resistant, durable yellow polyester webbing for high visibility, lightweight components, integral back pad, removable tongue-buckle tool belt, tongue-buckle leg straps, shoulder pads and web retainer collars. Color-contrasting thigh and torso straps simplify donning. Fits a wide range of body types and sizes. Instructions in English, Spanish and French Canadian. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1-2007 and A10.32 and CSA Z259.10-06.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10077571	308530581	Construction harness	Standard	Ea



10077571



10072479



Workman® Full-Body Harnesses

Vest style harness with back D-ring and optional hip D-rings for work positioning. Features abrasion-resistant, durable yellow polyester webbing for high visibility, lightweight components, Qwik-Fit™ chest strap and web retainer collars. Choice of Qwik-Fit or tongue-buckle leg straps. Color-contrasting thigh and torso straps simplify donning. Fits a wide range of body types and sizes. Instructions in English, Spanish and French Canadian. Meets all applicable OSHA, ANSI Z359.1-2007 and CSA Z259.10-06 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10072487	3085985A1	Full-body harness w/ back D-ring & tongue-buckle legs	Standard	Ea
10072488	3085001C1	Full-body harness w/ back D-ring & tongue-buckle legs	XL	Ea
10072479	3085983A1	Full-body harness w/ back D-rings & Qwik-Fit legs	Standard	Ea
◆ 10072483	3085431B1	Full-body harness w/ back & hip D-rings & Qwik-Fit legs	Standard	Ea
10072491	3085432B1	Full-body harness w/ back & hip D-rings & tongue-buckle legs	Standard	Ea

10152637



Workman® Arc Flash Harnesses

Designed to protect a worker during a fall after an arc-flash exposure at 40 cal/cm². Durable nylon material will not melt or drip in the event of an arc flash. Features steel back D-ring; Y-shaped D-locator pad that keeps torso straps off of the user's neck to prevent chafing; and Velcro® lanyard keepers for lanyard stowage when not in use. Arc Flash symbol for easy identification. Meets ANSI Z359.1, ASTM F887, OSHA 1910.269 and CSA Z259.10 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10152652	308526551	Arc flash harness w/ Qwik-Fit™ leg straps	Standard	Ea
10152637	308526391	Arc flash harness w/ tongue-buckle leg straps	Standard	Ea



10155875



Gravity® Harness

Curvilinear Comfort System provides total comfort during use. Integral belt and comfortable saddle assist with support, position, restraint and climb movements. Teflon® fabric protected webbing resists water, oil, grease and dirt. Uses a special urethane web coating to resist stains and wear and tear that are common when working in dirty environments. Rated to a 400-lb./180 kg capacity. Suitable for controlled descent, positioning, ladder climbing, rescue, and fall arrest. Includes load-indicator to alert when the harness has been involved in a fall event. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10155875	308504711	Coated harness w/ back & hip D-rings & tongue-buckle legs	Standard	Ea

◆ Non-stock item. Minimum quantity may apply.





Honeywell MILLER Contractor Harnesses

Specifically designed for use in construction. Lightweight, non-stretch webbing with a combination back D-ring pad/shoulder pads to minimize discomfort and stress around neck and shoulders. Soft lumbar back pad adds support and comfort. Features belt loops and removable waist belt, tongue-buckle leg straps, friction-buckle shoulder adjustments, mating-buckle chest straps, self-contained label pack and (2) pull-free lanyard rings. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 650CN-BP/UGN	341558481	Contractor harness w/ back D-ring	Universal	Ea
650CN-BDP/UGN	341579911	Contractor harness w/ back & side D-rings	Universal	Ea

650CN-BDP/UGN

Honeywell MILLER DuraFlex® Stretchable Harness

Features specially formulated elastomer webbing that stretches and conforms to the shape of worker preventing any bunching, binding or kinking. Comfortable, stretchable webbing with back D-ring, mating-buckle chest and leg straps, sub-pelvic straps, belt loops, friction shoulder straps and back strap which prevents user from falling out of the harness. Pull-free lanyard rings allow for attachment of lanyard when not in use. Green. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
E650/UGN	341559051	Stretchable harness	Universal	Ea

E650/UGN



650K/UBL



Honeywell MILLER Lightweight/Comfort Welder Harness

Lightweight harness features blue, flame-retardant Nomex® webbing to protect against weld splatter. Inner Kevlar® core adds strength and high-temperature resistance. Equipped with back D-ring, mating-buckle chest and leg straps, friction shoulder straps, sub-pelvic strap, belt loops and pull-up adjustment. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 650K/UBL	341558471	Welder harness	Universal	Ea



Honeywell MILLER Miller Revolution™ Harness with DualTech™ Webbing

DualTech webbing offers soft, textured inside and durable, chemical-resistant polyester outer material. Features ErgoArmor™ semi-flexible back shield for impact protection, PivotLink™ connection, quick-release cam buckles for one-hand adjustments, self-contained label pack, quick-connect chest buckle, stand-up back D-ring, sub-pelvic strap and web finials. Tested to 7,000-lb. minimum tensile strength for greater safety and longer service life. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
RDT-QC/UBK	341504611	Harness w/ quick-connect chest & legs	Universal	Ea

RDT-QC/UBK



T4577/UAK

Honeywell MILLER Titan™ II Non-Stretch Harnesses

Offers enhanced adjustability, improved comfort and increased worksite safety. Constructed with lightweight, durable, hi-viz webbing, fully adjustable full-body harness has slip-resistant back D-ring pad and forward positioned side D-rings - keeping your tool bags in the right place, mating-buckle chest, friction buckle shoulder straps (except T200 and T2007) and sub-pelvic strap. Rated at 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ T2000/UAK	341590011	Harness w/ back D-ring & mating-buckle legs, w/out shoulder buckle	Universal	Ea
T4000/UAK	341541571	Harness w/ back D-ring & mating-buckle legs	Universal	Ea
T4500/UAK	341506461	Harness w/ back D-ring & tongue-buckle legs	Universal	Ea
T4007/UAK	341506431	Harness w/ back & side D-rings & mating-buckle legs	Universal	Ea
T4507/UAK	341506471	Harness w/ back & side D-rings & tongue-buckle legs	Universal	Ea
◆ T4577/UAK	341506481	Harness w/ back & side D-rings & tongue-buckle legs, shoulder/waist padding & removable tool belt	Universal	Ea
◆ T4007FD/UAK	341541591	Harness w/ front, back & side D-rings & mating-buckle legs	Universal	Ea
◆ T4507FD/UAK	341559691	Harness w/ front, back & side D-rings & mating-buckle legs	Universal	Ea



TF4500/UAK

Honeywell MILLER Titan II T-Flex™ Stretchable Harnesses

Offers enhanced adjustability, improved comfort and increased worksite safety. Durable, hi-viz stretch webbing and fully adjustable design improves comfort and mobility. Features slip-resistant back D-ring pad and forward positioned side D-rings - keeping tool bags in the right place; oversized ID tags for easy harness size identification; and back strap to prevent roll out. Contrasting color leg straps simplify donning. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TF4000/UAK	341505621	Stretchable harness w/ back D-ring & mating-buckle legs	Universal	Ea
◆ TF4500/UAK	341505641	Stretchable harness w/ back D-ring & tongue-buckle legs	Universal	Ea
◆ TF4007/UAK	341505631	Stretchable harness w/ back & side D-rings & mating-buckle legs	Universal	Ea
TF4507/UAK	341505651	Stretchable harness w/ back & side D-rings & tongue-buckle legs	Universal	Ea



3M PROTECTA Fall Protection PRO Construction Style Harnesses

Designed with integrated comfort padding on shoulders and hips. Includes polyester webbing for superior abrasion resistance and durability, lightweight hardware and connecting components, built-in impact indicators for easy inspection, integral lanyard keeper, tongue-buckle body belt with hip pads, and back and side D-rings for positioning. Features tongue-buckle leg straps for fast and easy donning, spring-loaded torso buckles for quick and easy adjustment, and belt loops. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.11.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1191209	458035051	Construction style harness	M/L	Ea
1191210	458035061	Construction style harness	XL	Ea



1191209

BACK



AB17530

AB17550

3M PROTECTA Fall Protection FIRST™ Vest Style Harnesses

Features 5-point adjustment, back D-rings and pass-through or tongue-buckle straps. Corrosion-resistant hardware made of zinc-plated stamped steel. 1 3/4" Wide polyester web with supple back plaque. Capacity: 310 lbs. Meets or exceeds OSHA 1926 regulation and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
AB17530	458075301	Vest style harness w/ pass-through legs	Universal	Ea
AB17550	458036081	Vest style harness w/ tongue-buckle legs	Universal	Ea

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.

3M PROTECTA Fall Protection ExoFit NEX™ Vest Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up, aluminum dorsal D-ring, integrated suspension trauma straps for post fall-arrest comfort, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability, protective shoulder caps
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1113001	458036381	Vest style harness	S	Ea
1113004	458036391	Vest style harness	M	Ea
1113007	458036401	Vest style harness	L	Ea
1113010	458036411	Vest style harness	XL	Ea



1113007



ExoFit™ XP Construction Style Harness

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates removable shoulder, hip and leg padding. Features spring-loaded, stand-up dorsal D-ring, side D-rings, sewn-in back pad and belt, one-handed quick-connect buckle chest and leg straps, and torso buckles to hold straps firmly in place and complete the 5-point adjustment system. i-Safe™ enabled with RFID technology. Hardware is coated for corrosion resistance. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1110152	458001521	Construction style harness	L	Ea



ExoFit™ XP Vest Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates removable shoulder, hip and leg padding. Features spring-loaded, stand-up dorsal D-ring, built-in belt loops, one-handed quick-connect buckles on chest and legs, and torso buckles to hold straps firmly in place and complete the 5-point adjustment system. i-Safe™ enabled with RFID technology. Hardware is coated for corrosion resistance. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1110101	458001011	Vest style harness	M	Ea
1110102	458001021	Vest style harness	L	Ea



1110152



1110102



1101655



Delta™ Construction Harnesses with Hip Pads

Patented No-Tangle triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Lanyard keepers hold unused snap hooks and reduce trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Includes tongue-buckle leg straps, a spring-loaded stand-up dorsal D-ring for fast, easy and safe connections, and side D-rings for positioning. Hip pad ergonomically supports back and hips while bearing heavy loads. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1101654	458035011	Construction vest style harness	M	Ea
1101655	458035021	Construction vest style harness	L	Ea



Delta™ Vest Style Harnesses

Patented No-Tangle triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle, quick-connect or pass-through leg straps and incorporates a spring-loaded, stand-up dorsal D-ring for fast, easy and safe connections; side D-rings optional. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Features lanyard keepers for holding unused snap hooks and reducing trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1102000	458020021	Vest style harness w/ tongue-buckle legs	Universal	Ea
1103321	458035041	Vest style harness w/ pass-through legs	Universal	Ea
1110600	458010601	Vest style harness w/ quick-connect legs	Universal	Ea
1102008	458020061	Vest style harness w/ side D-rings & tongue-buckle legs	Universal	Ea

1102000





Delta™ II Derrick Harnesses

Designed for oil industry and workers who operate on monkey board. Features Delta No-Tangle™ design for added comfort and easy donning, seat sling, 18" back D-ring extension, and belt with back support. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1106101	458061011	Derrick harness	M	Ea
1106102	458061021	Derrick harness	L	Ea
◆ 1106103	458061031	Derrick harness	XL	Ea



1106101



ExoFit™ Vest Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates built-in shoulder, hip and leg padding. Includes back D-ring and one-handed quick-connect chest and leg buckles. Hardware is coated for corrosion resistance. i-Safe™ enabled with RFID technology. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1107975	458079751	Vest style harness	S	Ea
1107976	458079761	Vest style harness	M	Ea
1107977	458079771	Vest style harness	L	Ea
1107981	458079811	Vest style harness	XL	Ea



1107976



ExoFit NEX™ Construction Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up dorsal D-ring, side D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and removable body belt, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1113121	458036421	Construction style harness	S	Ea
1113124	458036431	Construction style harness	M	Ea
1113127	458036441	Construction style harness	L	Ea
1113130	458036451	Construction style harness	XL	Ea



1113127

BACK



ExoFit™ XP Arc Flash Harnesses

Designed in the shape of an "X" that wraps around for the ultimate in no-tangle donning and comfort, while soft edging prevents rubbing or chafing. Made of soft, lightweight, yet extremely durable 7,000-lb. nylon. Ergonomic Nomex®/Kevlar® back, shoulder and leg padding provides ultimate comfort and is even removable. Features back and front rescue web loops, pass-through buckles, and PVC-coated hardware. Capacity: 310 lbs. Arc flash-resistant up to 40 cal/cm², ASTM F887-04 compliant. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1110893	458018931	Arc flash harness	S	Ea
◆ 1110890	458008901	Arc flash harness	M	Ea
1110891	458008911	Arc flash harness	L	Ea
1110892	458008921	Arc flash harness	XL	Ea



1110890

BACK

⚠ WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.



Delta™ Comfort Construction Style Positioning/Climbing Harnesses

Features shoulder, back and leg padding, coated, corrosion-resistant hardware, and abrasion-resistant webbing with built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Padding wraps around the body and incorporates vent windows allowing direct air contact and better circulation to cool the body. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle leg straps, a fixed back D-ring, body belt and hip pad with thermoformed EVA padding, front and side D-rings for positioning, and lanyard keepers to hold unused snap hooks and reduce trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

1100634



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1100633	458034691	Construction style positioning/climbing harness	M	Ea
◆ 1100634	458034711	Construction style positioning/climbing harness	L	Ea



1100747



Delta™ Comfort Vest Style Harnesses

Features shoulder, back and leg padding, coated, corrosion-resistant hardware, and abrasion-resistant webbing with built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Padding wraps around the body and incorporates vent windows allowing direct air contact and better circulation to cool the body. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle leg straps, a fixed back D-ring, belt loops and lanyard keepers to hold unused snap hooks and reduce trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	SIZES	UOM
Vest Style Harness			
◆ 1100747	458000741	L	Ea
◆ 1100748	458000761	XL	Ea



ExoFit STRATA™ Construction Style Positioning Harnesses

Features LIFTech™ weight distribution system, Repel™ webbing, built-in lanyard keepers that automatically reset, impact indicator, integrated suspension trauma straps, customizable name tag, and label protectors. Includes PolarMesh™ back pad, EZ-Link™ SRL adapter, Revolver™ quick-connect leg straps, Revolver vertical torso adjusters, stand-up Tech-Lite™ aluminum back and side D-rings, and body belt/hip pad with thermoformed EVA padding. i-Safe™ enabled with RFID technology.



1112537

ITEM #	ORDER #	SIZES	UOM
Construction Style Positioning Harness			
◆ 1112536	458025361	M	Ea
1112537	458025371	L	Ea



1112542



ExoFit STRATA™ Construction Style Positioning/Climbing Harnesses

Features LIFTech™ weight distribution system, Repel™ webbing, built-in lanyard keepers that automatically reset, impact indicator, integrated suspension trauma straps, customizable name tag, and label protectors. Includes PolarMesh™ back pad, EZ-Link™ SRL adapter, Revolver™ quick-connect leg straps, Revolver vertical torso adjusters, stand-up Tech-Lite™ aluminum back, front and side D-rings, and body belt/hip pad with thermoformed EVA padding. i-Safe™ enabled with RFID technology.

ITEM #	ORDER #	SIZES	UOM
Construction Style Positioning/Climbing Harness			
◆ 1112540	458025401	S	Ea
◆ 1112541	458025411	M	Ea
◆ 1112542	458025421	L	Ea



Compliance in a Can™

Compliance in a Can: Complete roofing fall protection system with 5-point harness, 5/8" rope grab with 2' shock absorber and 5/8", 50' blend rope lifeline with attached snap hook.

Compliance in a Can Light: Kit includes a 5-point, universal size harness with pass-through legs and a PRO™ single leg, shock-pack lanyard with 3,600-lb. hooks.


2199802



ITEM #	ORDER #	DESCRIPTION	UOM
2199803	458098031	Compliance in a Can, original container	Ea
◆ 2199802	458098021	Compliance in a Can Light, original container	Ea

◆ Non-stock item. Minimum quantity may apply.





MSA **FP5K™ Tie-Back Energy-Absorbing Lanyards**
The Safety Company

Lanyard utilizes a carabiner with a 1" gate opening and 5,000-lb. gate strength in any direction that allows it to be tied back directly to the lanyard. Carabiner body shape helps avoid confusion with standard connectors not designed for tie-back applications. Utilizes Monster-Edge™ webbing with 12,000-lb. minimum breaking strength designed for increased abrasion resistance. Internal wear indicator consists of (2) yellow threads that, when visible, alert a user that the lanyard should be removed from service. Utilizes the Sure-Stop™ energy absorber to keep fall arrest forces below 900 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.13 and CSA Z259.11-05 E4.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10047084	308535541	Single leg tie-back lanyard, adjustable web w/ 36C snap hook & FP5K snap hook	6'	Ea
◆ 10107208	308572501	Twin-leg tie-back lanyard, adjustable web w/ 36C snap hook & (2) FP5K snap hooks	6'	Ea

MSA **FP Diamond™ Energy-Absorbing Lanyard**
The Safety Company

Lightweight and features durable polyester sheathing for increased abrasion and UV resistance. Includes a highly visible deployment tag. Pouchless design with added comfort. Extends to 4 1/2'. Meets all applicable OSHA and CSA standards and requirements, including CSA Z259.11-05 E4.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10023932	308522171	Single leg lanyard w/ HL2000 harness & HL2000 anchor connectors	4'	Ea

MSA **Workman® Energy-Absorbing Lanyards**
The Safety Company

Lightweight lanyard with a low-profile body. Energy absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection. Tear-tape design keeps fall arrest forces below 900 lbs. Meets all applicable OSHA regulations and ANSI Z359.13.



ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10113159	308531591	Twin-leg lanyard w/ 36C snap hooks	Ea

Honeywell MILLER **Manyard® II Stretchable Shock-Absorbing Lanyards**

Contracts from 6' to 4', reducing chances of tripping, snagging or dragging. Woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Snap hooks have 3/4" gate opening and rebar hooks have 2 1/2" opening. Includes inspection log label. Connectors rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA requirements. Green.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
216M-Z7/6FTGN	341558431	Single leg lanyard w/ locking snap hooks both ends	6'	Ea
◆ 219M-Z7/6FTGN	341558421	Single leg lanyard w/ locking snap hook & rebar hook	6'	Ea



Honeywell MILLER BackBiter® Tie-Back Lanyards

All-in-one lanyard designed specifically for tie-back use reduces inventory and increases worker compliance. Features SofStop® shock absorber designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Includes locking Miller 5K® snap hook (5,000-lb. gate load capacity from any angle), locking snap hook with 3/4" gate opening harness connection, heavy-duty webbing and cross-arm anchorage connector. Twin-leg models can be used for 100% tie-off requirements. Green. All connectors rated at 3,600-lb. gate strength. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.




913B/6FTGN

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
913B/6FTGN	341543671	Single leg tie-back lanyard	6'	Ea
◆ 8798B/6FTGN	341552001	Twin-leg tie-back lanyard	6'	Ea

Honeywell MILLER Titan™ II Tubular Shock-Absorbing Lanyards

The new Miller Titan™ II line of lanyards is economical and features hi-viz color for increased worksite safety. Lightweight, durable 6' webbing with built-in, woven inner core that smoothly expands to reduce fall arrest forces, while outer jacket serves as a backup web lanyard. Meets all applicable OSHA, ANSI and CSA requirements. "Z7" models comply with ANSI Z359 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
T5111-Z7/6FTAF	341566801	Tubular lanyard, single leg w/ snap hooks both ends	6'	Ea
◆ T5112-Z7/6FTAF	341567021	Tubular lanyard, single leg w/ snap hook & rebar hook	6'	Ea
◆ T5121-Z7/6FTAF	341566781	Tubular lanyard, twin-leg w/ snap hooks all ends	6'	Ea
◆ T5122-Z7/6FTAF	341567531	Tubular lanyard, twin-leg w/ snap hook & rebar hooks	6'	Ea



T5122-Z7/6FTAF

Honeywell MILLER Titan™ II Pack-Type Shock-Absorbing Lanyards

Lightweight, durable polyester webbing with shock-absorber pack. In the event of a fall, pack smoothly expands to reduce fall forces, while backup safety strap deploys for added fall protection. Meets all applicable OSHA, ANSI and CSA requirements. "Z7" models comply with ANSI Z359 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Single Leg Lanyards				
◆ T6111-Z7/6FTAF	341567201	Pack-type lanyard w/ snap hooks both ends	6'	Ea
◆ T6111SS/6FTAF	341549131	Stretch pack-type lanyard w/ snap hooks both ends	6'	Ea
Twin-Leg Lanyards				
T6121-Z7/6FTAF	341567461	Pack-type lanyard w/ snap hooks all ends	6'	Ea
◆ T6122-Z7/6FTAF	341567931	Pack-type lanyard w/ 2 1/4" locking rebar hooks	6'	Ea



T6122-Z7/6FTAF

Honeywell MILLER Titan™ II Positioning and Restraint Lanyards

Features locking snap hook harness connection. Restraint lanyards are to be used for restraint ONLY and are not to be used for fall protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ T9111W-Z7/6FTAF	341573291	Single leg positioning lanyard w/ locking snap hook anchorage	6'	Ea
◆ T6111TB-Z7/6FTAF	341573281	Single leg tie-back lanyard w/ forged sliding D-ring	6'	Ea
◆ T6121TB-Z7/6FTAF	341573251	Twin-leg tie-back lanyard w/ forged sliding D-rings	6'	Ea

T9111W-Z7/6FTAF



◆ Non-stock item. Minimum quantity may apply.



1340180



PRO Shock-Absorbing Lanyard

Pack style, durable, energy-absorbing lanyard with 1 3/4" polyester webbing. Meets or exceeds OSHA 1926 regulation.


ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1340180	458001801	Twin-leg lanyard w/ snap hook & steel rebar hooks	6'	Ea



EZ-STOP™ II Shock-Absorbing Lanyards

Lighter, stronger and more durable than previous EZ-STOP models; 66% smaller and 40% lighter with 3/4" webbing that reduces weight. Includes HI-10™ Vectran® energy management material, which is a multifilament, high-tenacity performance yarn spun from liquid crystal polymer that is 5x stronger than steel and provides minimal moisture absorption and resists abrasion, chemicals, cuts and impact. Features redesigned steel snap hooks for lighter weight, hi-viz reflective material, Repel™ webbing, protected labels and an i-Safe™ identification tag. Lightest, strongest, smallest shock absorber in the world with rugged, durable, soft shock absorber cover. Patent-pending, locking gate/nose design for maximum strength and security. Dual action, 3,600-lb. gate for ANSI/CSA compliance and increased strength. 2 1/2" Gate opening fits around most structures. Modular models reduce overall cost of ownership, as components can be replaced individually in the field.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1246011	458060111	Single leg lanyard w/ snap hooks both ends	6'	Ea
◆ 1246022	458060221	Twin-leg lanyard w/ snap hooks at leg ends	6'	Ea



1246011



ShockWave2™ Shock-Absorbing Lanyards

Stretchable lanyard incorporates a unique inner core that immediately begins to extend and absorb energy during a fall, limiting arresting forces to an average of 900 lbs. Features abrasion-resistant tubular webbing for durability and 3,600-lb. gated hooks. Expands to 6' and contracts to 4 1/2' in reaction to movements, reducing trip fall hazards and snagging. Impact indicator allows for visual inspection of unit. i-Safe™ RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1244306	458020121	Single leg lanyard w/ self-locking steel snap hooks both ends	6'	Ea
◆ 1244321	458035081	Single leg lanyard w/ self-locking snap hook & 2 1/2" gate flat steel hook	6'	Ea
1244412	458020141	Twin-leg lanyard w/ self-locking snap hook & 2 1/2" gate flat steel hooks at leg ends	6'	Ea



1244306

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.



506204

10119507



Dyna-Lock® Self-Retracting Lanyard

Three continuously moving independent braking mechanisms prevent freezing in icy or corrosive conditions. Built-in shock absorber limits fall arrest forces to under 900 lbs. and 4 1/2' per second locking speed. Forged steel, zinc-plated, self-locking swivel snap hook on each unit with load indicator that activates and alerts user of impact loading. Lanyard is 3/16" galvanized cable. Capacity/working load is 400 lbs. maximum and 75 lbs. minimum. Meets all applicable OSHA regulations and ANSI standards, including ANSI Z359.14.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 506204	308572041	Galvanized cable SRL	50'	Ea



Workman® Self-Retracting Lanyard

Integral ergonomic carrying handle for easier transport and installation. Swivel snap hook with load indicator at lifeline end greatly limits twisting of cable; also alerts users that unit has been involved in a fall and must be removed from service. RFID-enabled to simplify product tracking and inspection. Working capacity: 400 lbs. No required annual factory recertification. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.14 and CSA Z259.2.2.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10119507	3085377E1	Galvanized cable SRL	30'	Ea




The Safety Company

Workman® Personal Fall Limiter

Engineered thermoplastic housing decreases weight; rugged, impact-absorbing protective bumpers add durability. High-quality design reduces cost of ownership and eliminates downtime. Integral swivel on PFL connector and a load indicator that alerts unit has been involved in a fall and must be removed from service. Field-replaceable lifeline. No annual factory recertification. Working capacity: 400 lbs. Meets all applicable OSHA regulations, ANSI Z359.14 and CSA Z259.2.2.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10093350	3085626C1	Web PFL w/ 1" steel carabiner & LC snap hook	12'	Ea



10093350



The Safety Company

Workman® Mini Personal Fall Limiters

Internal pawl-lock design provides many lower level tie-off points for numerous work applications. Swivel eye connection eliminates line twisting. External energy absorber provides visual load indicator for easy inspection. Twin-leg carabiner connection keeps harness D-ring available for use with other equipment while climbing, or for rescue purposes. Working capacity: 400 lbs. Meets all applicable OSHA regulations and ANSI Z359.14 (Class A).

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10157844	308578441	Single leg PFL w/ AL36C aluminum snap hook	Ea
◆ 10157860	308578601	Twin-leg PFL w/ Pelican hooks	Ea



10157844



The Safety Company

Latchways Mini Personal Fall Limiters

Compact and lightweight self-retracting lanyard uses multiple spring radial energy-absorbing technology. Eliminates the need for an external energy-absorber outside of housing. Features aluminum swivel carabiner and top steel carabiner (single leg only). Twin-leg version is available when dual connection is needed for 100% tie-off.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 63011-00C	308504691	Mini PFL, single leg	6'	Ea
◆ 63111-00C	308504701	Mini PFL, twin-leg	6'	Ea



63011-00C



FL11-3-27/11FT



Miller MiniLite® Fall Limiter

Self-retracting 11' web lanyard with quick-activating braking system that limits a free fall. Reduces need for extended fall distance clearance, minimizing injuries and making rescue easier. Includes steel twist-lock carabiner, stainless steel swivel shackle and locking snap hook. Capacity: 310 lbs. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
FL11-3-27/11FT	341558351	Fall limiter w/ steel twist-lock carabiner & swivel shackle	11'	Ea



TurboLite™ Personal Fall Limiters

Compact and lightweight unit attaches directly to harness back D-ring for greater mobility. Eliminates need for different fall protection equipment to address changes in fall clearance. High-strength, impact-resistant nylon housing is lightweight and designed for maximum durability with 6' of working capacity lifeline. Capacity: 400 lbs. Connector gates rated at 3,600 lbs. No annual factory recertification required. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MFL-1-Z7/6FT	341557191	PFL w/ steel twist-lock carabiner & locking snap hook	6'	Ea
◆ MFL-2-Z7/6FT	341564001	PFL w/ steel twist-lock carabiner & locking rebar hook	6'	Ea



MFL-1-Z7/6FT

◆ Non-stock item. Minimum quantity may apply.



Honeywell Miller Turbo T-BAK™ Personal Fall Limiters

Tie-back anywhere on lifeline. Cost-effective alternative to tie-back, shock-absorbing lanyards. All-in-one, self-retracting lifeline/anchorage connector designed for anchoring below user's harness back D-ring for greater safety, with integrated shock absorber for tie-back applications with load indicator device. Heavy-duty web lifeline extends/retracts smoothly without interruption. Provides more tie-off anchorage locations with greater variety of beam-size options. Miller 5K® locking snap hook has 5,000-lb. gate capacity from any angle. High-tech strength and abrasion-resistant webbing with white side stripe stitching indicating tie-back use. User-rated for 400-lbs. capacity. Meets all applicable OSHA, ANSI, CSA and CE standards and requirements. ANSI Z359-compliant model has connector gates rated at 3,600 lbs.

MFLT-1/7.5FT



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ MFLT-5/7.5FT	341566461	PFL w/ ANSI Z359-compliant snap hook w/ 3/4" gate opening	7 1/2'	Ea
◆ MFLT-1/7.5FT	341566471	Twin Turbo™ D-ring connector w/ (2) MFLT-1/7.5FT PFL units	7 1/2'	Ea



PFL-4-Z7/9FT

RL20G-Z7/20FT

Honeywell Miller Scorpion™ Personal Fall Limiter

Lightweight, compact design offers greater mobility, requires less fall clearance and reduces tripping hazards. Greater versatility through dual operation. Attaches directly to harness D-ring for use as personal fall limiter or as traditional self-retracting lifeline. Includes quick-activating, high strength stainless steel braking system to arrest free falls; visual load indicator to warn when unit must be removed from service; and carabiner. No annual factory recertification required. Capacity: 310 lbs. (400-lb. rated models available). Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PFL-4-Z7/9FT	341558361	PFL w/ carabiner, swivel shackle & locking snap hook	9'	Ea

Honeywell Miller MightyLite™ Self-Retracting Lifeline

Ideally suited to a variety of construction, industrial, warehouse, utility and confined space applications. Compact design with swivels on snap hook and on top of unit perfect for hard-to-mount and permanent mount locations. Constructed with corrosion-resistant aluminum and stainless steel for long life. Automatic inertia brakes engage during a fall. Choose from 1" polyester webbing or galvanized wire rope. No annual factory recertification required. Rated to 400 lbs. when using 928LS/181NYL SofStop® shock absorber. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ RL20G-Z7/20FT	341558331	Cable SRL w/ tagline & carabiner	20'	Ea



SSRL50G1

Honeywell Miller DuraSeal™ Sealed Self-Retracting Lifelines

Designed to perform in the harshest environments including onshore and offshore oil and gas, mining and petrochemical. Prevents contaminants from entering unit with the highest industry-rated sealed technology IP69K. Built-to-last reusable brake design withstands multiple falls and is corrosion-resistant. The sealed technology, reusable brake system, field replaceable lifeline and corrosion resistant materials keep the product in the field to lower cost of ownership. Includes cable sling, tagline and (2) carabiners.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ SSRL50G1	341573691	Galvanized steel SRL, attached w/ carabiner	50'	Ea



Nano-Lok™ Arc Flash Self-Retracting Lifeline

Designed specifically for utility applications to provide protection to workers in electrical transmission and distribution environments. Durable, reinforced, 3/4" webbing with Nomex®/Kevlar® fiber withstands sparks, weld splatter and other high heat exposure. Retractable design provides freedom of movement, keeps lifeline out of the worker's way and reduces dragging, snagging and trip falls. Arc flash industry logo easily identifies product for arc flash use. i-Safe™ enabled with RFID technology. Capacity: 420 lbs. Arc flash rated up to 40 cal/cm². Meets or exceeds industry standards: ASTM F887-11; OSHA 1926.502, 1910.66; ANSI Z359.14, A10.32; CSA Z259.2.2.

Features:

- Built-in anchorage connector attaches directly to harness webbing, leaving dorsal D-ring open for other equipment or rescue; design fits snug to worker's back
- Swiveling anchorage loop limits lifeline twisting for smoother operation
- Tough, impact-resistant thermoplastic housing provides maximum durability
- Quick-activating speed sensing brake system stops a fall within inches, providing more protection at low heights; designed for smooth consistent operation
- High-capacity energy absorber and impact indicator protected by Kevlar fiber cover



3101539

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3101539	458015391	Twin-leg SRL w/ aluminum rebar hook & twin-leg anchorage	8'	Ea



1241460



EZ-STOP™ Retrax™ Lanyard

Utilizes retraction technology similar to airport security lines, retracting and expanding smoothly and consistently from 2 1/2' to 6'. Retraction keeps lanyard taut and close to body at all times, reducing trip fall hazards and snagging on equipment. Compact and lightweight weighing only 2 lbs. Gate compliance is 3,600 lb. Limits arresting forces to 900 lbs. or less. RFID technology enabled, 1 3/8" wide web. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
1241460	458014611	Single leg lanyard w/ snap hooks both ends	Ea



Rebel™ Self-Retracting Lifelines

Lightweight, compact and durable. Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Durable thermoplastic housing on both web and cable models incorporates a swiveling anchorage ring, allowing for ultimate functionality in heavy-use environments. Unique speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Web models feature unique, thin webbing that enables a compact size with a load capacity of 310 lbs. Galvanized steel cable models feature a maximum arresting force of 900 lbs. and support capacity of 420 lbs. and 5 mm cable dia. Hooks have 3,600-lb. gate compliance. Two year warranty, no annual re-certification required. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3100425	458004251	Web SRL w/ snap hook & housing carabiner	11'	Ea
◆ 3100431	458004311	Web SRL w/ snap hook & housing carabiner	20'	Ea
◆ 3590019	458090191	Cable SRL w/ snap hook & housing carabiner	15'	Ea
3590500	458005001	Cable SRL w/ swivel snap hook & housing carabiner	33'	Ea
3590550	45800550	Cable SRL w/ swivel snap hook & housing carabiner	50'	Ea
◆ 3590543	458034741	Cable SRL w/ swivel snap hook & in-line shock absorber for leading edges	33'	Ea



3590500

⚠️ WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.





Ultra-Lok™ Cable Self-Retracting Lifelines

Constructed with a durable, polyurethane thermoplastic housing, stainless steel working components for corrosion resistance and aluminum side plates for maximum durability and minimum weight. Anti-ratcheting twin disc brake system with an audio indicator lets worker know it is functioning properly. Features 3/16" galvanized cable lifeline, reserve lifeline retention system for added safety, 3,600-lb. rated swivel snap hook and swiveling anchorage loop to prevent twisting of lifeline. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



3504430

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3504433	45804433	Cable SRL w/ swivel snap hook	20'	Ea
◆ 3504430	458020201	Cable SRL w/ swivel snap hook	30'	Ea
3504450	458044501	Cable SRL w/ swivel snap hook	50'	Ea



Ultra-Lok™ Self-Retracting Lifeline for Retrieval

Rugged, yet extremely lightweight with stainless steel components, anti-ratcheting twin disc brake system and a semi-sealed design. Speed sensing brake system activates to stop a fall and reduce the forces imposed on the user to safe levels. 310-lb. capacity. Meets ANSI Z359.14, ANSI A10.32, OSHA 1910.66 and OSHA 1926.502 requirements.

Features:

- 3-Way emergency retrieval system with built-in winch
- Integrated quick-connect mounting bracket
- Stowable retrieval handle
- 50', 3/16" Galvanized steel cable lifeline
- Rugged, extremely lightweight thermoplastic housing
- Internal energy absorption system
- Constant moving brake system pawls
- Built-in carrying handle
- Swiveling anchorage point
- Swiveling snap hook with impact indicator
- Reserve lifeline system
- Ergonomic cable handle equipped with i-Safe™ technology



3501102



3101000



Talon™ Self-Retracting Lifeline

Compact, lightweight design with an all-metal braking system. Anti-ratcheting dual pawl design limits maximum arresting force to 900 lbs. Two styles of anchorage connectors for larger and smaller diameter anchorage points. Features spring-loaded locking pin, impact-resistant nylon housing with 1" nylon webbing and snap hook impact indicator to warn when unit needs to be replaced. Audible indicator ensures unit is functioning properly. No service/recertification required, reducing cost of ownership. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI A10.14-1991 and ANSI Z359.1-2007.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 3501102	458011081	SRL for retrieval	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3101000	458000011	Single leg SRL w/ snap hook	8'	Ea



Nano-Lok™ Self-Retracting Lifelines

Ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. Lightweight, stays out of the way and can easily be used as a lanyard replacement. Locks quickly, stopping a fall within inches and providing more protection at low heights. Tension is always kept on the lifeline, which reduces dragging, snagging and trip falls. Features impact-resistant housing, automatic, quick-activating arrestor, impact indicator, 3,600-lb. rated gate openings on carabiners and hooks, and 6' or 9' retractable lifeline. i-Safe™ enabled. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards.



3101277

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3101277	458012771	Twin-leg SRL w/ connector & (2) aluminum rebar hooks	6'	Ea
3101374	458013741	Twin-leg tie-back SRL w/ fixed connector & 5,000-lb. rated WrapBax hook ends	9'	Ea

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.



Nano-Lok™ Edge Self-Retracting Lifeline

Specifically designed for foot level tie-off, when anchoring at the user's feet is the only option. Ergonomically designed for comfort. Limits average arresting forces to 900 lbs. or less. Requires fall clearances as low as 16'. Integrated, backpack-style energy absorber works with connector to limit forces to protect against sharp edges. Backpack design stays tight to harness and evenly disperses unit's weight. Easy-to-install, direct-to-harness connector provides 360° of rotation, seamless integration of the energy absorber, and leaves the D-ring open for rescue or other equipment. Global sharp edge icon for quick identification of sharp edge product. Tough, flexible, lifeline: 3/16" galvanized cable provides maximum range of motion, durability and cut resistance. Impact-resistant, lightweight thermoplastic housing provides maximum durability. Various hook options and configurations available. Bright orange color for easy identification. Meets applicable standards, including ANSI Z359.14.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3500227	458012361	Twin-leg SRL w/ steel rebar lock hook, 2 1/2" gate	8'	Ea



3500227



Sealed-Blok™ Self-Retracting Lifeline

Design separates all dynamic components, including the motor spring and brake, from foreign elements such as grease, moisture and dirt. Environmentally sealed stainless steel and cast aluminum housing is designed for durability, even in harsh environments. Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. Self-locking swivel snap hook with impact indicator. Large pivoting anchorage handle stays in line with load for added security. i-Safe™ Intelligent Safety System enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3400900	458020441	SRL w/ galvanized cable & steel snap hook	50'	Ea



3400900



1014431



The Safety Company

Workman® FP Stryder™ Anchorage Connector

Lightweight at 4 1/2 lbs. with 400-lb. load capacity and offers easy, single hand installation. Low-friction wear pads with Teflon® eliminate metal-to-metal contact and allow anchorage connector to glide effortlessly along beam flange. Designed with integral load indicator that alerts user if unit has been exposed to a fall. Versatile design allows for mounting overhead or at worker's feet. Adjustable vernier allows for a secure fit and 1/4" adjustment intervals. Easy-to-use, push button adjustment. Fits beam flange widths from 4" to 14". Field serviceable. Meets all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.


ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1014431	308544331	Anchorage connector	Ea



Miller Grip™ 3/4" Portable/Reusable Anchorage Connector

Designed as intermediary for securing connecting device to anchorage. Primarily used in concrete applications to attach lifeline or lanyard of single user. Portable, reusable anchorage device easily fastens by pulling spring-loaded trigger and fitting device through hole drilled in properly cured concrete. When anchor is in place, tapered wedges open inside hole and provide secure grip. Can be removed and simply reinstalled in new vertical or horizontal location. 5,000-lb. Ultimate strength, single user connection, 400-lb. capacity.

ITEM #	ORDER #	DESCRIPTION	UOM
496	341508031	Anchorage connector	Ea



496



T7314/6FTAF



Titan™ II Cross-Arm Strap

Commonly used in conjunction with tie-off point, such as an I-beam, column, rebar, scaffolding, roof truss or other structural member to join connecting device to anchor point. 6' Web strap features a D-ring which slips through a web loop. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
T7314/6FTAF	341506661	Cross-arm strap	Ea





1003000



Tie-Off Adapters

Pass-through design for quick and easy attachment to anchorage. Standard adapter has 1 3/4" polyester strap with 5,000-lb. minimum tensile strength and 3" wide wear pad and coated steel hardware for added abrasion resistance and durability. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1003000	458030001	Tie-off adapter	3'	Ea
1003006	458035001	Tie-off adapter	6'	Ea




D-Rings with Anchorage Plate

Stainless steel plate with (2) 1/2" attachment holes. Integral D-ring with 5,000-lb. minimum breaking strength. Bolt or weld the unit to a structure. 1/4" x 2" W x 4 1/4" L. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
2101630	458016301	D-ring w/ anchorage plate	Ea
◆ 2101636	45801636	D-ring w/ anchorage plate, all stainless steel	Ea



2101630



2108406



2104700



Fixed Beam Anchors

Specifically designed for fall arrest anchorage, but can also be used as end point for some horizontal lifeline systems. Installs quickly to beam structure, tightens using built-in adjustment handle. Attaches to beam structure in any orientation or direction for added versatility. Available to fit flanges 1 1/2" or 2 1/2" thick and 12" to 36" wide. Rated 5,000 lbs. minimum strength in any direction. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
2108406	458036011	Fixed beam anchor, fits 2 1/2" to 12" wide flange up to 1 1/2" thick	Ea
◆ 2108407	458036921	Fixed beam anchor, fits 2 1/2" to 18" wide flange up to 1 1/2" thick	Ea
◆ 2108408	458084081	Fixed beam anchor, fits 2 1/2" to 24" wide flange up to 1 1/2" thick	Ea
◆ 2108410	458084101	Fixed beam anchor, fits 12" to 36" wide flange up to 2 1/2" thick	Ea



Glyder™ and Glyder2™ Sliding Beam Anchorage System

Provides complete horizontal mobility and can be tied-off overhead or at feet (use with Force2™ shock-absorbing lanyard when used at feet). Anchor effortlessly slides across beam on replaceable wear pads, eliminating metal-to-metal contact. Stainless steel construction for corrosion resistance and strength (5,000-lb. min. tensile strength). Channel lock prevents beam grip ends from rotating for hassle-free connection. Positive spring-loaded engagement provides precision adjustment. Dual-beam grip adjustment prevents twisting and turning as it moves along beam. Pins install from top for easier installation. Glyder model pin retention system prevents loss or damage to locking pins. Glyder2 model requires no pins and weighs 3.7 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
2104700	458020161	Glyder2 sliding beam anchorage system, 3 1/2" to 14" wide flange up to 1 1/4" thick	Ea
◆ 2110941	458036931	Glyder sliding beam anchorage system, 6" to 18" wide flange up to 2 1/2" thick	Ea

⚠ WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.



Honeywell
MILLER

Vi-Go™ Automatic Pass-Through Cable Sleeve

Cable sleeve, sold separately from the Vi-Go Ladder Climbing Safety Systems, is designed to follow user along a 3/8" or 5/16" cable lifeline while ascending or descending, instantly locking in the event of a fall. Integrated shock-absorbing element provides dual shock-absorbing system to further reduce fall forces and protects system and ladder from damage. Once a fall occurs, the deployed shock absorber indicates unit must be removed from service. Can be used with automatic or manual system. Includes integral swivel and carabiner.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ VGCS-SC	341561411	Automatic pass-through cable sleeve	Ea



VGCS-SC



1202794

3M | **SALA**
Fall Protection

Rope Lifeline Assemblies

Constructed of 5/8" polyester/polypropylene blend that offers additional abrasion and UV resistance. Self-locking snap hook has 3,600-lb. gate strength. Meets or exceeds all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1202754	458027541	Rope lifeline w/ snap hook & taped end	30'	Ea
1202794	458035071	Rope lifeline w/ snap hook & taped end	50'	Ea

3M | **SALA**
Fall Protection

EZ-Line™ Retractable Horizontal Lifeline System

Innovative retractable design allows for quick and efficient set-up and disassembly of any length system. Retractable lifeline is simply pulled out for installation and retracted with built-in winch for dismantle. Entire 60' system is retracted into easy-to-carry case which eliminates large, bulky coils of cable. Weighs 25 lbs. Built-in pre-tension and impact indicators take guess work out of set-up and inspection. Provides hands-free horizontal mobility and continuous protection for (2) users per span, up to (6) users per system. Stanchions not included.

ITEM #	ORDER #	DESCRIPTION	UOM
7605060	458020231	Retractable horizontal lifeline system	Ea



7605060



6160054

3M | **SALA**
Fall Protection

Lad-Saf™ Cable Sleeve for Ladder Safety System

Sleeve with carabiner for Lad-Saf fixed ladder safety system. For use on 3/8" and 5/16" 1x7 or 7x19 solid core cable. Automatically follows user for hands-free climbing and fall protection. Easy to install and detach anywhere along lifeline. Secure locking system stops falls within inches. Built-in gravity lock prevents incorrect installation. Saflok™ steel carabiner for secure connection to harness. Extremely rugged and corrosion-resistant construction; compact, lightweight design with integrated i-Safe™ tag. Order top and bottom brackets, cable and guides separately.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 6160054	458020221	Detachable cable sleeve w/ carabiner	Ea



5000335

3M | **SALA**
Fall Protection

Rope Grab

Hands-free, 5/8" diameter rope grab designed as a mobile-type, energy-absorbing grab with less sensitivity to rope variations. For use with polypropylene rope. Meets or exceeds all applicable OSHA regulations and ANSI Z359.15 standard.

ITEM #	ORDER #	DESCRIPTION	UOM
5000335	458020211	Rope grab	Ea




XTIRPA™ Manhole Guard System

IN-2210

Portable manhole guard with integrated mast is used in conjunction with davit arm for fall protection and retrieval. Comes with adjustable feet for simple leveling of system. 42" H x 38" W x 38" D.

24" Davit arm with secondary block adaptor for fall protection and retrieval facilitates access to confined spaces. Equipped with 5,000-lb. anchor point.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ IN-2108	308503731	Manhole guard system w/ integrated mast	Ea
◆ IN-2210	308503721	Davit arm	Ea



IN-2108



Workman® Rescuer

Provides fast, easy and intuitive fall protection with integral bi-directional retrieval capability. Besides arresting just the fall, its retrieval capability allows the fallen worker to ascend or descend to a safe location. Offers fast installation and setup, and is ideal for applications where time and ease of use are a priority. Can also be used as a stand-alone retractable device, as the carrying handle may be used as an anchorage attachment. Optional mounting bracket allows Workman Rescuer to be mounted to XTIRPA™.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10158178	308504721	Rescuer self-retracting lifeline	50'	Ea
◆ IN-2404	308504731	Mounting bracket		Ea




10158178



Advanced™ 5-Piece Hoist System

Designed for manhole and other confined space entry and retrieval applications. Constructed of lightweight materials including high-strength aluminum. Davit pivots for ease of rescue and has an adjustment feature for overhead clearance restrictions. Lower base adjusts to fit most standard entries. System comes equipped with 11 1/2" to 27 1/2" adjustable offset upper mast, 33" lower mast, 3-piece lightweight base and winch mount brackets. Winches and SRLs sold separately. Meets or exceeds all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 8518000	458068271	Advanced System	Ea



8518000

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.

Honeywell
MILLER **Bandit™ Tool Lanyard**

Designed for attachment to waist belt while still allowing enough freedom of movement to perform task at hand. Tools connect using carabiner or by looping cord around tool and cinching tight. Includes loop for waist belt attachment and lightweight aluminum mini-carabiner and cord adjuster.



9077/1

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 9077/1	341510611	Tool lanyard	Ea



1500140



Safe Bucket

Designed to be used at height with a built-in closure system that helps prevent dropped objects. Includes multiple connection points that can be tethered to. Vinyl bucket is load rated for 250 lbs. Hook-and-loop closure system helps prevent accidental drops. Indicator tabs show when bucket is in lockdown mode or easy access mode. Hard composite plating sewn into bottom protects bucket from accidental punctures. Protective leather sleeve covers inserts and is resilient to the elements and harsh work environments. Includes heavy-duty hoisting/shoulder strap and high-quality, lightweight aluminum twist-lock carabiner load rated for 6,700 lbs. Size: 15" x 12 1/2" dia.

ITEM #	ORDER #	DESCRIPTION	UOM
1500140	458056401	Standard safe bucket	Ea



Small Parts Pouch

Innovative self-closure system that traps objects inside, the pouch makes it nearly impossible for objects to fall out once placed in the bag. Easy to retrieve objects since no opening or closing is necessary. Compatible with most tool belts. Black canvas.

ITEM #	ORDER #	DESCRIPTION	UOM
1500119	458056191	Small parts pouch	Ea



1500119



1500090

1500096



Tool Holsters

- Scaffold Wrench Holster with Retractor: Quickly holster scaffold wrenches while working at height. Features Beacon™ Hi-Vis Reflectors.
- Drill Battery Holster/Sleeve: Unique sleeve design conforms to the size of virtually any drill battery. Sleeve is cinched to the drill, allowing the drill to be tethered off while being used at height. 10-lb. load rating.

ITEM #	ORDER #	DESCRIPTION	UOM
1500096	458055961	Scaffold wrench holster w/ retractor	Ea
1500090	458055901	Drill battery holster/sleeve	Ea



Single Tool Holster

Equipped with D-rings that are load rated for 5 lbs. Beacon™ Hi-Vis Reflectors are easy to identify and locate, even when left in dark spaces. Highly reflective material is stitched into the front and back of the holster allowing it to be detected in low light conditions with a flashlight. Quick-Mag™ magnetic tool staging system speeds up workflow and reduces how often tools need to be holstered. Allows tools to simply stick to the holster ensuring that tools are always at the ready. Drain vent helps keep the holster dry by allowing water to pass through, protecting tools from rusting and protecting holster from dry rot. Retractor is load rated for 1.5 lbs.

ITEM #	ORDER #	DESCRIPTION	UOM
1500104	458056041	Single tool harness holster w/ retractor	Ea



1500104

◆ Non-stock item. Minimum quantity may apply.





1500063



Coil Tethers

Alternative to classic Bungee Tethers. Built with lightweight vinyl that's easy to clean, coil tethers naturally stay out of the way thanks to their ultra-compact design.

- Hook2Hook Coil Tether: Relaxed length 5"; stretched length 62"; stays out of the way when not in use; 5-lb. load rating.
- Hard Hat Tether: Compact coil design keeps lanyard out of the way of user; easy to clean; 2-lb. load rating.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500063	458055631	5"-62" Hook2Hook coil tether	Ea
◆ 1500061	45805561	4"-34" Hard hat tether	10/Pk



Hook2Loop Bungee Tether

Built to be more durable and last longer than competitor products. Third-party load rated and designed to prevent dropped objects. Hook features self-locking carabiner that requires double action to open, then automatically locks and closes to prevent accidental opens. 10-lb. Load rating.



1500047

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500047	458055471	32"-47" Hook2Loop bungee tether	Ea



1500044



Heavy-Duty Quick Wrap Tape

Conforms to the shape of whatever it is applied to. Used with Python Safety D-Rings and Tool Cinch Attachments to create instant tethering points on virtually any tool. Made from a self-fusing silicone rubber that leaves no adhesive or residue behind. Inner fiberglass webbing increases strength and makes tape resistant to sharp objects. 1" x 108".

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500044	458055441	Yellow tape	Ea
◆ 1500035	458055351	Blue tape	Ea



Quick Spins

Simply slides onto the handle of a tool in seconds. Swivel spin top makes Quick Spins tangle-resistant. Reusable and suitable for non-conductive use. Size: 1" dia.; 1-lb. load rating.

1500029



ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500029	45805529	Quick Spins	10/Pk



Tool Cinch Attachment

Features a cinch design that allows user to quickly secure equipment up to 35 lbs. Stabilization Wings can be used to keep Tool Cinch Attachment in place using Python® Safety Quick Wrap Tape. For use on pinch bars, sledge hammers, slugging wrenches, and clamps.

1500015



ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500015	458055151	Tool cinch attachment w/ 2 stabilization wings	Ea

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.



Miller Carabiners

Lightweight, automatic twist-lock operation.



17D-1

ITEM #	ORDER #	DESCRIPTION	UOM
17D-1	34150171	Steel carabiner, 1" gate opening	Ea
18D-1	341506821	Steel carabiner, 2" gate opening	Ea



D-Rings

Can be attached to virtually any tool under 2 lbs. using Python® Safety Quick Wrap Tape. Creates an instant attachment point in less than a minute.



1500003

ITEM #	ORDER #	DESCRIPTION	UOM
1500003	45805503	1/2" x 2 1/4" D-rings	10/Pk



1385000



PRO D-Ring Extension

Dorsal D-ring extender with D-ring at one end, snap hook at other. 18" (45 cm).

ITEM #	ORDER #	DESCRIPTION	UOM
1385000	458050011	D-ring extension	Ea




Suspension Trauma Safety Straps

Allows suspended worker to stand up in harness relieving pressure on arteries and veins around top of legs. Continuous loop design allows both sides of harness to relieve pressure. Strap provides increased comfort and improved circulation to one or both feet at a time while suspended. Safety accessories can be attached to most harness brands/styles right in the field. Installation is fast and efficient - just choke off to strap. Stows easily and stays out of worker's way. To deploy, simply unzip, hook straps together and step into. Sold as set of 2. Harness not included.

ITEM #	ORDER #	DESCRIPTION	UOM
9501403	458020251	Suspension trauma safety straps	Set



9501403



1231117



D-Ring Extension

Features a snap hook at one end and a D-ring at the other. Makes harness connections quicker, easier and safer. Heavy-duty webbing construction and RFID technology enabled. Meets or exceeds all applicable OSHA requirements and ANSI standards, including ANSI A10.14 (Type II).

ITEM #	ORDER #	DESCRIPTION	UOM
1231117	458036691	18" D-ring extension	Ea



Saflok™ Carabiners

Used to securely attach components together. Steel construction with maximum strength of 5,000 lbs. and wide throat openings. Several are designed for easy securing while wearing gloves and all are self-closing/self-locking to keep components firmly attached. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359-2007 for 3,600-lb. gate.

ITEM #	ORDER #	DESCRIPTION	UOM
2000112	458011121	Carabiner, 1 1/16" opening	Ea
2000114	458020151	Carabiner, 2 3/16" opening	Ea



2000112

◆ Non-stock item. Minimum quantity may apply.





Water Safety

PFDs must be marked with a USCG approval number and all are required to be the correct size for each wearer. All PFDs must be easily accessible and in good, working condition without defects.

Visit www.osha.gov for complete details and regulation requirements.



Deluxe Merchant Mate™ II Vest

Designed to turn most unconscious wearers face up with foam-filled collar for additional head support and (2) chest adjusters for improving flotation angle. Constructed of heavy-duty, 210-denier nylon shell and lining with 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels and collar. Includes special opening on back to accommodate most brands of fall protection harnesses. Features a USCG-approved whistle with pocket for whistle and light storage. Universal. USCG Approved, Type I. International orange.



2000004522



General Purpose Vest

Features (2) encircling body belts and (1) chest strap, durable CROSSTECH® flotation foam and 200-denier nylon oxford outer shell. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



2000011389

ITEM #	ORDER #	DESCRIPTION	UOM
2000004522	623900051	Deluxe Merchant Mate II vest	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
2000011389	623900281	General purpose vest	Ea



First Mate™ Vests

Four-pocket flotation vest with soft, comfortable flotation foam for all-day wear. Features adjustable side tabs for a contoured fit and quick-adjust side tabs with Velcro® closure on pockets. Includes contoured foam cut, sturdy D-ring, 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels and Vislon® zipper. Minimum 15 lb. buoyancy. USCG Approved, Type III. International orange.

2000011405



ITEM #	ORDER #	SIZES	UOM
First Mate Vest			
2000011404	623900291	S/M	Ea
2000011405	623900301	L/XL	Ea
2000011406	623900311	2XL	Ea
2000011407	623900321	3XL	Ea
2000011408	623900331	4XL-7XL	Ea



Versatile™ Vests

Tough nylon shell with 7-piece foam design for all-day comfort. Features (4) roomy pockets for accessories with full hook-and-loop closures, rustproof Vislon® zipper and eyelets for attaching lights or badge. Multiple foam inserts for flexibility and quick-adjust side tabs for secure fit and comfort. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 for high visibility. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



I4650RG-03-000F

ITEM #	ORDER #	SIZES	UOM
Versatile Vest			
I4650RG-03-000F	623900351	M	Ea
I4650RG-04-000F	623900361	L	Ea
I4650RG-05-000F	623900371	XL	Ea
I4650RG-06-000F	623900381	2XL	Ea
I4650RG-07-000F	623900391	3XL	Ea



Welders Vest

Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. Universal. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



14050RG-00-000F

ITEM #	ORDER #	DESCRIPTION	UOM
14050RG-00-000F	623900091	Welders vest	Ea



Force II™ Vests

Durable, easy-to-clean, PVC-coated work vest offers fall protection with opening for D-ring and lanyard. Aquafoam™ flotation foam retains buoyancy even when punctured. Features 3M™ Scotchlite™ Reflective Material, SOLAS-grade 3150-A PS, with adhesive backing on panels. Includes snag-resistant buckles. Minimum 17 1/2 lb. buoyancy. Self-extinguishing under ASTM 1692-74. USCG Approved, Type V. International orange.



2000013834

ITEM #	ORDER #	SIZES	UOM
Force II Vest			
2000013834	623900431	Universal	Ea
2000015183	623900421	Oversize	Ea



Work Master™ Vests

Includes soft, comfortable closed-cell foam, belt with snag-resistant buckle for quick adjustment, hinged back panel and heavy-duty nylon shell. Marine mesh inner lining for breathability with flotation collar for added protection. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels. Minimum 17 1/2 lb. buoyancy. USCG Approved, Type III/V. International orange.



2000004520

ITEM #	ORDER #	SIZES	UOM
Work Master Vest			
2000004520	623900401	Universal	Ea
2000004521	623900411	Oversize	Ea



Deck Hand™ Vests

Heavy-duty flotation vest made with tough, nylon oxford outer shell and soft, lightweight mesh for ventilation. Includes rustproof Vislon® zipper, 1" heavy-duty encircling body belt and side adjustments for a secure fit. Features CROSSTECH® flotation foam and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



2000011434

ITEM #	ORDER #	SIZES	UOM
Deck Hand Vest			
2000011433	623900631	M	Ea
2000011434	623900641	L	Ea
2000011435	623900651	XL	Ea
2000011436	623900661	2XL	Ea
2000011437	623900671	3XL	Ea



Deck Hand II™ Vests

Heavy-duty flotation vest features (10) flotation panels for flexible, contoured fit, rustproof Vislon® zipper and heavy-duty encircling body belt. Includes chest pocket with Velcro® closure, size adjustments, tough nylon outer shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



14160RG-04-000F

ITEM #	ORDER #	SIZES	UOM
Deck Hand II Vest			
14160RG-03-000F	623900111	M	Ea
14160RG-04-000F	623900121	L	Ea
14160RG-05-000F	623900131	XL	Ea
14160RG-06-000F	623900141	2XL	Ea
14160RG-07-000F	623900151	3XL	Ea
14160RG-08-000F	623900161	4XL-7XL	Ea

◆ Non-stock item. Minimum quantity may apply.



Work Zone Gear™ Vests

Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable CROSSTECH® flotation foam, D-rings for attaching gear and 3M™ Scotchlite™ Reflective Material, SOLAS-grade on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

ITEM #	ORDER #	COLOR	SIZES	UOM
Work Zone Gear Vest, 3M™ Scotchlite™ 6755				
◆ 2000011409	623900441	International orange	S	Ea
2000011410	623900451	International orange	M	Ea
2000011357	623900461	International orange	L	Ea
2000011412	623900471	International orange	XL	Ea
2000011413	623900481	International orange	2XL	Ea
2000011414	623900491	International orange	3XL	Ea
Work Zone Gear Vest, 3M™ Scotchlite™ 6187, ANSI Class 2				
◆ 14240RG-03-ANS	623900511	ANSI hi-viz orange	M	Ea
14240RG-04-ANS	623900521	ANSI hi-viz orange	L	Ea
14240RG-05-ANS	623900531	ANSI hi-viz orange	XL	Ea
14240RG-06-ANS	623900541	ANSI hi-viz orange	2XL	Ea
14240RG-07-ANS	623900551	ANSI hi-viz orange	3XL	Ea
300001118	623911181	ANSI hi-viz green	M	Ea
300001119	623911191	ANSI hi-viz green	L	Ea
300001120	623911201	ANSI hi-viz green	XL	Ea
300001121	623911221	ANSI hi-viz green	2XL	Ea
300001123	623911231	ANSI hi-viz green	3XL	Ea



2000011409



14240RG



300001119



See More Hi-Viz Products on Page 216.



1650RED-00-000



VR™ Versatile Rescue Vest

Designed to provide extra shock absorption with polyethylene foam. Made with rugged, 500-denier nylon pack cloth outer shell for strength and durability, and soft 200-denier nylon liner for comfort. Front and back fold-out side panels provide side protection for a full range of sizes and fold in for added ventilation. Thin, low-profile design adds cushioning while permitting unrestricted freedom of movement while the longer torso length offers greater body coverage. Designed with a removable crotch strap that stows in pocket when not in use and features adjustable, elastic shoulders to help take-up excess fabric. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on front and back for improved nighttime visibility. Universal. Minimum 25 lb. buoyancy. USCG Approved, Type V. Red/black.

Features:

- Quick-release belt with attached tether
- (4) Front adjustable straps
- Waist belt under foam to help prevent ride-up
- Stainless steel shoulder adjustment hardware allows for customized fit for tall or short wearers
- Chest pad covers center split
- Tether cover to keep loose straps confined
- Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, extra carabiners, etc.
- Lash tabs on left and right chest and shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad with multiple pockets and loops
- Lower front pocket provides room for storage

ITEM #	ORDER #	DESCRIPTION	UOM
1650RED-00-000	623902101	Versatile rescue vest	Ea



Powerboat™ Flotation Jackets

Bomber-style float coat incorporates comfortable fit with improved wrist and waistband that will not expand as it gets wet. Water-resistant construction and design. Features soft Suisse Aire™ foam with coated nylon outer shell, multiple pockets with hook-and-loop closure, (4) outside pockets, sleeve utility pocket, inside chest pocket, and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755. Includes internal adjustable belt for secure fit. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

ITEM #	ORDER #	COLOR	SIZES	UOM
Powerboat Jacket				
◆ 3000002987	623929871	International orange/black	S	Ea
◆ 3000002986	623929861	International orange/black	M	Ea
◆ 3000002985	623929851	International orange/black	L	Ea
3000002984	623929841	International orange/black	XL	Ea
3000002983	623929831	International orange/black	2XL	Ea
◆ 3000002982	623929821	International orange/black	3XL	Ea
◆ 3000002954	623929541	ANSI hi-viz green	S	Ea
◆ 3000002953	623929531	ANSI hi-viz green	M	Ea
◆ 3000002952	623929521	ANSI hi-viz green	L	Ea
◆ 3000002951	623929511	ANSI hi-viz green	XL	Ea
◆ 3000002950	623929501	ANSI hi-viz green	2XL	Ea
◆ 3000002949	623911161	ANSI hi-viz green	3XL	Ea



Inflatable Work Vest

Automatically inflates when it is submerged. Features heavy-duty puncture-resistant outer shell that wipes clean, fall protection harness opening in back, 31.5 sq. in. of reflective tape, and a tri-fold design for easy repacking. Provides a minimum of 35 lbs. of buoyancy when fully inflated. Universal. USCG approved. International orange.

ITEM #	ORDER #	DESCRIPTION	UOM
3000003509	623935091	Inflatable work vest	Ea

3000003509



Ultra Commercial-Automatic Vests

Automatic inflation when submerged in water, manual inflation by pulling lanyard or by oral tube. Halkey-Roberts® 1F automatic inflator with single-point indicator. Features high-visibility reflective tape, emergency whistle on bladder, clear window to view arming status, pocket to store extra cylinder or gear, and D-ring. Heavy-duty nylon outer shell with 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on front and 2" adjustable belt for secure fit. Tri-fold design provides comfortable fit and easy repacking. 33.7 lb. buoyancy when fully inflated. Adult universal. USCG Approved Type V for use when worn on uninspected commercial vessels less than 40' in length, not carrying passengers for hire. Approved substitute for a Type II or III PFD only when worn and used in accordance with the owner's manual.

ITEM #	ORDER #	COLOR	UOM
Ultra Commercial-Automatic Vest			
2000005011	623901671	Black	Ea
◆ 2000005012	623901661	Orange	Ea



2000005011



Ultra 4000 Convertible-Automatic Vests

Made of nylon outer shell with D-ring, cylinder storage pocket, high-visibility reflective tape, emergency whistle on bladder and Secumar® 1F automatic inflator with single-point indicator and 2" adjustable belt. Convertible from automatic to manual by changing the water-soluble pill cage to a yellow override tab. Features automatic override tab to re-arm as manual only and clear window to view arming status. Includes mesh storage bag, cylinder and water-sensing pill. Universal. Provides 33.7 lb. buoyancy when fully inflated. USCG Approved, Type V convertible device: Type II when armed in automatic mode, Type III when armed as manual only.



1439BLK

ITEM #	ORDER #	COLOR	UOM
Automatic/Inflatable Vest			
2000004041	623901651	Orange	Ea
◆ I439BLK-00-000	623901641	Black	Ea



Rescue Mate™ Rescue Bags

Durable 1000-denier Cordura® bag holds 3/8" braided, floating polypropylene rope strong enough to support up to 1,800 lbs. of tensile pressure. Distinctive orange bag features quick-release carrying strap and features 1" reflective tape around the center for increased visibility, even in the dark.



I020ORG-00-000

ITEM #	ORDER #	DESCRIPTION	UOM
I020ORG-00-000	623903621	Rescue Mate Rescue Bag, 50' of rope	Ea
I021ORG-00-000	623903631	Rescue Mate Rescue Bag, 70' of rope	Ea



Search and Rescue (SAR) Flotation Vests

Soft, lightweight mesh for ventilation. Aquafoam™ and CROSSTECH® flotation foam offers extra comfort. Includes (2) 1 1/2" encircling belts, adjustable chest strap, zipper front, (2) pockets with hook-and-loop closure and D-rings for attaching gear. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved Type III. International orange.



2000011417

ITEM #	ORDER #	SIZES	UOM
SAR Flotation Vest			
2000011416	623900571	M	Ea
2000011417	623900581	L	Ea
2000011418	623900591	XL	Ea
2000011419	623900601	2XL	Ea
2000011420	623900611	3XL	Ea



Type IV Ring Buoy and Buoy Bag

Industrial 30" dia. ring buoys are molded from high-impact linear, low-density polyethylene for superior life expectancy in the most severe environmental conditions. Encircling rope is replaceable. REF style features SOLAS grade, 3150-A PS 3M™ Scotchlite™ Reflective Material with adhesive backing. For use with quick-release ring buoy brackets. Buoy bags are orange with rope included.



I030ORG-00-REF

ITEM #	ORDER #	DESCRIPTION	UOM
I030ORG-00-REF	623903861	Type IV ring buoy w/ reflective tape, 30"	Ea
I023ORG-00-000	623903781	Ring Buoy Rope & Bag w/ 90' of floating polypropylene rope	Ea



LED Light

Bright, flashing strobe automatically turns on when it comes in contact with water, and can manually be turned off with the flick of a switch. Compact design and attachment loops that accommodate up to 2" of webbing make this ideal to be kept on PFDs. Meets USCG and SOLAS requirements.



I916LTE-00-000

ITEM #	ORDER #	DESCRIPTION	UOM
I916LTE-00-000	623903741	LED light	Ea



Ice Rescue Suits

One-piece suit made of 100% closed-cell neoprene. Provides buoyancy and insulation. Features off-set zipper for better face seal and flap, attached gloves, waterproof zipper and sealed seams. Designed with wrist pocket to hold ice picks, reinforced knees and elbows for long-lasting durability, thick-soled boot with tread for sure footing, and integral chest harness with stainless steel front and back D-rings. Uses 3M™ Scotchlite™ Reflective Material, SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility. Individual storage bag included. Designed for rescue operations in extreme cold water and ice conditions. Not USCG approved. International orange.

ITEM #	ORDER #	SIZES	UOM
Ice Rescue Suit			
2000017317	623901691	Universal	Ea
◆ 2000017316	623901701	Oversize	Ea



2000017317



Rapid Rescue Extreme™ Surface Suits

Features waterproof, breathable fabric, internal suspenders for fit and latex waterproof seals around neck and wrist. Includes waterproof entry zipper, CORDURA® knees and elbows for durability, seal protectors around wrist and neck, relief zipper, built-in waterproof sock and air purge valve. Red/black.

ITEM #	ORDER #	SIZES	UOM
Rapid Rescue Extreme Dry Suit			
1810-03-000	623901781	M	Ea
1810-04-000	623901791	L	Ea
1810-05-000	623901801	XL	Ea
◆ 1810-06-000	623901811	2XL	Ea



1810-04-000



SOLAS Cold Water Immersion Suits

Made with 5 mm stretchable, flame-retardant neoprene for quality anti-hypothermia protection. Generous fit for easy donning. Features buddy line, lifting harness and head pillow accessory. Each suit comes in color-coded storage bag. Adult sizes for small-oversize. Both styles comply with SOLAS Chapter III, IMO RES.MSC.207.(81) and are MED Approved. Type S has head pillow support for USCG approval. International orange.

ITEM #	ORDER #	SIZES	UOM
Type S Cold Water Immersion Suit - Solas/USCG/Med			
2000008113	623981131	Adult-Universal	Ea
◆ 2000008114	623981141	Adult-Oversize	Ea



2000008113

◆ Non-stock item. Minimum quantity may apply.



DuPont
Personal Protection

Protective Clothing

All PPE clothing and equipment should be of safe design and construction, and should be maintained in a clean and reliable fashion.

Visit www.osha.gov for complete details and regulation requirements.

DuPont
Personal Protection

DuPont™ ProShield® 60 Coveralls

ProShield® 60 garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with a microporous film that is laminated to a spunbonded polypropylene substrate. Applications include: automotive refinishing, waste cleanup and remediation. Coveralls have zipper front, serged seams. White.



NG120S

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Collar, Open Wrists and Ankles				
NG120S-L	31710125	ProShield® 60 coveralls	L	25/Cs
NG120S-XL	31710128	ProShield® 60 coveralls	XL	25/Cs
NG120S-2XL	31710129	ProShield® 60 coveralls	2XL	25/Cs
NG120S-3XL	31710130	ProShield® 60 coveralls	3XL	25/Cs
NG120S-4XL	31710131	ProShield® 60 coveralls	4XL	25/Cs
Attached Hood and Boots, Elastic Wrists				
◆ NG122S-M	31710135	ProShield® 60 coveralls	M	25/Cs
NG122S-L	31710134	ProShield® 60 coveralls	L	25/Cs
NG122S-XL	31710136	ProShield® 60 coveralls	XL	25/Cs
NG122S-2XL	31710137	ProShield® 60 coveralls	2XL	25/Cs
NG122S-3XL	31710138	ProShield® 60 coveralls	3XL	25/Cs
NG122S-4XL	31710139	ProShield® 60 coveralls	4XL	25/Cs
NG122S-5XL	31710140	ProShield® 60 coveralls	5XL	25/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Collar, Elastic Wrists and Ankles				
NG125S-M	31710635	ProShield® 60 coveralls	M	25/Cs
◆ NG125S-L	31710141	ProShield® 60 coveralls	L	25/Cs
NG125S-XL	31710142	ProShield® 60 coveralls	XL	25/Cs
NG125S-2XL	31710143	ProShield® 60 coveralls	2XL	25/Cs
NG125S-3XL	31710144	ProShield® 60 coveralls	3XL	25/Cs
NG125S-4XL	31710145	ProShield® 60 coveralls	4XL	25/Cs
◆ NG125S-5XL	31710146	ProShield® 60 coveralls	5XL	25/Cs
Storm Flap, Respirator-Fit Hood, Elastic Face, Wrists and Ankles				
NG127S-M	31716146	ProShield® 60 coveralls	M	25/Cs
NG127S-L	31716147	ProShield® 60 coveralls	L	25/Cs
NG127S-XL	31716148	ProShield® 60 coveralls	XL	25/Cs
NG127S-2XL	31716149	ProShield® 60 coveralls	2XL	25/Cs
NG127S-3XL	31716150	ProShield® 60 coveralls	3XL	25/Cs
NG127S-4XL	31716151	ProShield® 60 coveralls	4XL	25/Cs

DuPont™ ProShield® 10 Coveralls

Meltblown, spunbond polypropylene garments have been optimized for comfort, softness and breathability. Features serged seams and zipper front with storm flap. Offers protection from dirt, grime and non-hazardous dry particles. Applications include general maintenance and janitorial/cleaning.



ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
Collar, Open Wrists and Ankles					
PB120SBUMD002500	31712500	ProShield® 10 coveralls	Blue	M	25/Cs
PB120SBULG002500	31712501	ProShield® 10 coveralls	Blue	L	25/Cs
PB120SBUXL002500	31712502	ProShield® 10 coveralls	Blue	XL	25/Cs
PB120SBU2X002500	31712503	ProShield® 10 coveralls	Blue	2XL	25/Cs
PB120SBU3X002500	31712504	ProShield® 10 coveralls	Blue	3XL	25/Cs
◆ PB120SBU4X002500	31712505	ProShield® 10 coveralls	Blue	4XL	25/Cs
PB120SWHMD002500	31712510	ProShield® 10 coveralls	White	M	25/Cs
PB120SWHLG002500	31712511	ProShield® 10 coveralls	White	L	25/Cs
PB120SWHXL002500	31712512	ProShield® 10 coveralls	White	XL	25/Cs
PB120SWH2X002500	31712513	ProShield® 10 coveralls	White	2XL	25/Cs
PB120SWH3X002500	31712514	ProShield® 10 coveralls	White	3XL	25/Cs
◆ PB120SWH4X002500	31712515	ProShield® 10 coveralls	White	4XL	25/Cs
Attached Hood and Boots, Elastic Wrists					
PB122SBUMD002500	31712520	ProShield® 10 coveralls	Blue	M	25/Cs
PB122SBULG002500	31712521	ProShield® 10 coveralls	Blue	L	25/Cs
PB122SBUXL002500	31712522	ProShield® 10 coveralls	Blue	XL	25/Cs
PB122SBU2X002500	31712523	ProShield® 10 coveralls	Blue	2XL	25/Cs
PB122SBU3X002500	31712524	ProShield® 10 coveralls	Blue	3XL	25/Cs
◆ PB122SBU4X002500	31712525	ProShield® 10 coveralls	Blue	4XL	25/Cs
PB122SWHMD002500	31712530	ProShield® 10 coveralls	White	M	25/Cs
PB122SWHLG002500	31712531	ProShield® 10 coveralls	White	L	25/Cs
PB122SWHXL002500	31712532	ProShield® 10 coveralls	White	XL	25/Cs
PB122SWH2X002500	31712533	ProShield® 10 coveralls	White	2XL	25/Cs
PB122SWH3X002500	31712534	ProShield® 10 coveralls	White	3XL	25/Cs
◆ PB122SWH4X002500	31712535	ProShield® 10 coveralls	White	4XL	25/Cs
Collar, Elastic Wrists and Ankles					
PB125SBUMD002500	31712540	ProShield® 10 coveralls	Blue	M	25/Cs
PB125SBULG002500	31712541	ProShield® 10 coveralls	Blue	L	25/Cs
PB125SBUXL002500	31712542	ProShield® 10 coveralls	Blue	XL	25/Cs
PB125SBU2X002500	31712543	ProShield® 10 coveralls	Blue	2XL	25/Cs
PB125SBU3X002500	31712544	ProShield® 10 coveralls	Blue	3XL	25/Cs
◆ PB125SBU4X002500	31712545	ProShield® 10 coveralls	Blue	4XL	25/Cs
PB125SWHMD002500	31712550	ProShield® 10 coveralls	White	M	25/Cs
PB125SWHLG002500	31712551	ProShield® 10 coveralls	White	L	25/Cs
PB125SWHXL002500	31712552	ProShield® 10 coveralls	White	XL	25/Cs
PB125SWH2X002500	31712553	ProShield® 10 coveralls	White	2XL	25/Cs
PB125SWH3X002500	31712554	ProShield® 10 coveralls	White	3XL	25/Cs
PB125SWH4X002500	31712555	ProShield® 10 coveralls	White	4XL	25/Cs
Attached Hood, Elastic Wrists and Ankles					
PB127SBUMD002500	31712560	ProShield® 10 coveralls	Blue	M	25/Cs
PB127SBULG002500	31712561	ProShield® 10 coveralls	Blue	L	25/Cs
PB127SBUXL002500	31712562	ProShield® 10 coveralls	Blue	XL	25/Cs
PB127SBU2X002500	31712563	ProShield® 10 coveralls	Blue	2XL	25/Cs
PB127SBU3X002500	31712564	ProShield® 10 coveralls	Blue	3XL	25/Cs
◆ PB127SBU4X002500	31712565	ProShield® 10 coveralls	Blue	4XL	25/Cs
PB127SWHMD002500	31712570	ProShield® 10 coveralls	White	M	25/Cs
PB127SWHLG002500	31712571	ProShield® 10 coveralls	White	L	25/Cs
PB127SWHXL002500	31712572	ProShield® 10 coveralls	White	XL	25/Cs
PB127SWH2X002500	31712573	ProShield® 10 coveralls	White	2XL	25/Cs
PB127SWH3X002500	31712574	ProShield® 10 coveralls	White	3XL	25/Cs
PB127SWH4X002500	31712575	ProShield® 10 coveralls	White	4XL	25/Cs



PB120SBU



PB122SBU



PB125SWH



PB125SBU



DuPont
Personal Protection

DuPont™ Tyvek® 400 Coveralls

Provides an effective barrier for dry, small particles, even after abrasion, with an ideal balance of protection, durability and comfort. Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light non-hazardous liquid splash. Proprietary comfort-fit design offers greater range of movement and increased worker comfort. Features serged seams and nylon zipper. White.



TY122S

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
--------	---------	-------------	-------	-----

Collar, Open Wrists and Ankles

TY120S-M	31710459	Tyvek® 400 coveralls	M	25/Cs
TY120S-L	31710458	Tyvek® 400 coveralls	L	25/Cs
TY120S-XL	31710461	Tyvek® 400 coveralls	XL	25/Cs
TY120S-2XL	31710462	Tyvek® 400 coveralls	2XL	25/Cs
TY120S-3XL	31710463	Tyvek® 400 coveralls	3XL	25/Cs
TY120S-4XL	31710464	Tyvek® 400 coveralls	4XL	25/Cs

Attached Hood and Boots, Elastic Wrists and Ankles

TY122S-M	31710467	Tyvek® 400 coveralls	M	25/Cs
TY122S-L	31710466	Tyvek® 400 coveralls	L	25/Cs
TY122S-XL	31710469	Tyvek® 400 coveralls	XL	25/Cs
TY122S-2XL	31710470	Tyvek® 400 coveralls	2XL	25/Cs
TY122S-3XL	31710471	Tyvek® 400 coveralls	3XL	25/Cs
TY122S-4XL	31710472	Tyvek® 400 coveralls	4XL	25/Cs

Collar, Elastic Wrists and Ankles

TY125S-M	31710476	Tyvek® 400 coveralls	M	25/Cs
TY125S-L	31710475	Tyvek® 400 coveralls	L	25/Cs
TY125S-XL	31710478	Tyvek® 400 coveralls	XL	25/Cs
TY125S-2XL	31710479	Tyvek® 400 coveralls	2XL	25/Cs
TY125S-3XL	31710480	Tyvek® 400 coveralls	3XL	25/Cs
TY125S-4XL	31710481	Tyvek® 400 coveralls	4XL	25/Cs

Attached Hood, Elastic Wrists and Ankles

TY127S-M	31710485	Tyvek® 400 coveralls	M	25/Cs
TY127S-L	31710484	Tyvek® 400 coveralls	L	25/Cs
TY127S-XL	31710487	Tyvek® 400 coveralls	XL	25/Cs
TY127S-2XL	31710488	Tyvek® 400 coveralls	2XL	25/Cs
TY127S-3XL	31710489	Tyvek® 400 coveralls	3XL	25/Cs
TY127S-4XL	31710490	Tyvek® 400 coveralls	4XL	25/Cs

DuPont
Personal Protection

DuPont™ Tychem® 2000 Coveralls

QC122S

Made with polyethylene-coated fabric which provides protection against light liquid splash. Bright yellow color creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Features zipper front.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



ITEM #	ORDER #	DESCRIPTION	STYLE	SIZES	UOM
--------	---------	-------------	-------	-------	-----

Collar, Open Wrists and Ankles

◆ QC120B-L	31710295	Tychem® 2000 coveralls	Bound	L	12/Cs
◆ QC120B-XL	31710298	Tychem® 2000 coveralls	Bound	XL	12/Cs
◆ QC120B-2XL	31710299	Tychem® 2000 coveralls	Bound	2XL	12/Cs
◆ QC120B-3XL	31710300	Tychem® 2000 coveralls	Bound	3XL	12/Cs
◆ QC120B-4XL	31710323	Tychem® 2000 coveralls	Bound	4XL	12/Cs

Attached Hood and Socks, Elastic Wrists and Face

QC122S-L	31710314	Tychem® 2000 coveralls	Serged	L	12/Cs
QC122S-XL	31710317	Tychem® 2000 coveralls	Serged	XL	12/Cs
QC122S-2XL	31710318	Tychem® 2000 coveralls	Serged	2XL	12/Cs
QC122S-3XL	31710319	Tychem® 2000 coveralls	Serged	3XL	12/Cs

Collar, Front Storm Flap, Elastic Wrists and Ankles

◆ QC125B-L	31710321	Tychem® 2000 coveralls	Bound	L	12/Cs
QC125B-XL	31710324	Tychem® 2000 coveralls	Bound	XL	12/Cs
◆ QC125B-2XL	31710325	Tychem® 2000 coveralls	Bound	2XL	12/Cs
◆ QC125B-3XL	31710326	Tychem® 2000 coveralls	Bound	3XL	12/Cs
QC125B-4XL	31710327	Tychem® 2000 coveralls	Bound	4XL	12/Cs
◆ QC125S-L	31710329	Tychem® 2000 coveralls	Serged	L	12/Cs
◆ QC125S-XL	31710332	Tychem® 2000 coveralls	Serged	XL	12/Cs
QC125S-2XL	31710333	Tychem® 2000 coveralls	Serged	2XL	12/Cs
◆ QC125S-3XL	31710334	Tychem® 2000 coveralls	Serged	3XL	12/Cs
◆ QC125S-4XL	31710335	Tychem® 2000 coveralls	Serged	4XL	12/Cs

Attached Hood, Elastic Face, Wrists and Ankles

QC127S-M	31710346	Tychem® 2000 coveralls	Serged	M	12/Cs
QC127S-L	31710345	Tychem® 2000 coveralls	Serged	L	12/Cs
QC127S-XL	31710348	Tychem® 2000 coveralls	Serged	XL	12/Cs
QC127S-2XL	31710349	Tychem® 2000 coveralls	Serged	2XL	12/Cs
QC127S-3XL	31710350	Tychem® 2000 coveralls	Serged	3XL	12/Cs
QC127S-4XL	31710351	Tychem® 2000 coveralls	Serged	4XL	12/Cs
QC127S-5XL	31710352	Tychem® 2000 coveralls	Serged	5XL	12/Cs

DuPont™ Tychem® 6000 Coveralls

Made of proprietary barrier film laminated to Tyvek® substrate. Fabric provides at least 30 minutes of protection against over 180 challenge chemicals including chemical warfare agents and toxic industrial chemicals. Strong, durable and lightweight. Low-visibility gray color is preferred by law enforcement, emergency medical service (EMS) technicians and military personnel. Taped seams (sewn seams covered with a strip of compatible chemical-resistant fabric through heat sealing) offer strong chemical resistance against heavy liquid splashes. Features 2-piece attached hood design with zipper that extends to chin, storm flap that covers zipper, and elastic openings for tighter fit.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



TF145T

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ TF145T-M	31710728	Tychem® 6000 coveralls	M	6/Cs
♦ TF145T-L	31710727	Tychem® 6000 coveralls	L	6/Cs
TF145T-XL	31710729	Tychem® 6000 coveralls	XL	6/Cs
TF145T-2XL	31710730	Tychem® 6000 coveralls	2XL	6/Cs
TF145T-3XL	31710731	Tychem® 6000 coveralls	3XL	6/Cs
TF145T-4XL	31710732	Tychem® 6000 coveralls	4XL	6/Cs

DuPont™ Tychem® 4000 Coveralls

Made from lightweight Tyvek® laminated to chemical-resistant Saranex™ 23P film. Provides protection against a broad spectrum of chemicals, hazardous particles and liquids. Strong fabric reduces risk of tears and abrasions. Zipper front with storm flap. White.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



SL122B

ITEM #	ORDER #	DESCRIPTION	STYLE	SIZES	UOM
Collar, Open Wrists and Ankles					
♦ SL120B-L	31710378	Tychem® 4000 coveralls	Bound	L	12/Cs
♦ SL120B-XL	31710381	Tychem® 4000 coveralls	Bound	XL	12/Cs
♦ SL120B-2XL	31710382	Tychem® 4000 coveralls	Bound	2XL	12/Cs
♦ SL120B-3XL	31710383	Tychem® 4000 coveralls	Bound	3XL	12/Cs
♦ SL120B-4XL	31710384	Tychem® 4000 coveralls	Bound	4XL	12/Cs
Attached Hood and Socks, Elastic Face and Wrists					
SL122B-XL	31710389	Tychem® 4000 coveralls	Bound	XL	12/Cs
SL122B-2XL	31710390	Tychem® 4000 coveralls	Bound	2XL	12/Cs
SL122B-3XL	31710391	Tychem® 4000 coveralls	Bound	3XL	12/Cs
Collar, Elastic Wrists and Ankles					
♦ SL125T-L	31712378	Tychem® 4000 coveralls	Taped	L	6/Cs
♦ SL125T-XL	31710699	Tychem® 4000 coveralls	Taped	XL	6/Cs
♦ SL125T-2XL	31712382	Tychem® 4000 coveralls	Taped	2XL	6/Cs
♦ SL125T-3XL	31713529	Tychem® 4000 coveralls	Taped	3XL	6/Cs
SL125T-4XL	31713314	Tychem® 4000 coveralls	Taped	4XL	6/Cs
♦ SL125B-L	31710399	Tychem® 4000 coveralls	Bound	L	6/Cs
♦ SL125B-XL	31710402	Tychem® 4000 coveralls	Bound	XL	6/Cs
♦ SL125B-2XL	31710403	Tychem® 4000 coveralls	Bound	2XL	6/Cs
♦ SL125B-3XL	31710404	Tychem® 4000 coveralls	Bound	3XL	6/Cs
♦ SL125B-4XL	31710405	Tychem® 4000 coveralls	Bound	4XL	6/Cs

DuPont™ ProShield® 6 SFR Coveralls

Cost-efficient over garment designed to be worn over primary flame-resistant garments to provide a barrier against non-hazardous particles and aerosols. Serged seams. Blue.



TM127SBU

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Collar, Open Wrists and Ankles				
♦ TM120S-L	31712975	ProShield® 6 SFR coveralls	L	25/Cs
♦ TM120S-XL	31712978	ProShield® 6 SFR coveralls	XL	25/Cs
TM120S-2XL	31712979	ProShield® 6 SFR coveralls	2XL	25/Cs
♦ TM120S-3XL	31712980	ProShield® 6 SFR coveralls	3XL	25/Cs
♦ TM120S-4XL	31713965	ProShield® 6 SFR coveralls	4XL	25/Cs
♦ TM120S-5XL	31714029	ProShield® 6 SFR coveralls	5XL	25/Cs
Attached Hood and Socks, Elastic Wrists				
♦ TM122S-L	31713564	ProShield® 6 SFR coveralls	L	25/Cs
♦ TM122S-XL	31713761	ProShield® 6 SFR coveralls	XL	25/Cs
TM122S-2XL	31714082	ProShield® 6 SFR coveralls	2XL	25/Cs
♦ TM122S-3XL	31711122	ProShield® 6 SFR coveralls	3XL	25/Cs
♦ TM122S-4XL	31711123	ProShield® 6 SFR coveralls	4XL	25/Cs
♦ TM122S-5XL	31712509	ProShield® 6 SFR coveralls	5XL	25/Cs
Attached Hood, Elastic Wrists and Ankles				
TM127S-L	31712985	ProShield® 6 SFR coveralls	L	25/Cs
TM127S-XL	31712988	ProShield® 6 SFR coveralls	XL	25/Cs
TM127S-2XL	31712989	ProShield® 6 SFR coveralls	2XL	25/Cs
TM127S-3XL	31712990	ProShield® 6 SFR coveralls	3XL	25/Cs
TM127S-4XL	31710457	ProShield® 6 SFR coveralls	4XL	25/Cs
TM127S-5XL	31714038	ProShield® 6 SFR coveralls	5XL	25/Cs





TJ198TWH

DuPont
Personal Protection

DuPont™ Tyvek® 800J Coveralls

Combines resistance to low-concentration, water-based, inorganic chemicals (even under pressure) with the strength and durability of Tyvek®. Soft, comfortable and lightweight without compromising level of durability. Features hood, serged and over-taped seams for protection and strength, self-adhesive chin flap for tight seal of suit to mask, elastic face, wrists, ankles and thumb loops, and glued-in elastic waist. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TJ198TWHSM0025PI	31710087	Tyvek® 800J coveralls	S	25/Cs
◆ TJ198TWHMD0025PI	31710090	Tyvek® 800J coveralls	M	25/Cs
◆ TJ198TWHLG0025PI	31710091	Tyvek® 800J coveralls	L	25/Cs
◆ TJ198TWHXL0025PI	31710101	Tyvek® 800J coveralls	XL	25/Cs
◆ TJ198TWH2X0025PI	31710102	Tyvek® 800J coveralls	2XL	25/Cs
◆ TJ198TWH3X0025PI	31710103	Tyvek® 800J coveralls	3XL	25/Cs
◆ TJ198TWH4X0025PI	31710104	Tyvek® 800J coveralls	4XL	25/Cs

DuPont
Personal Protection

DuPont™ ProShield® 50 Coveralls

Suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with microporous film that is laminated to spunbonded polypropylene substrate. Features serged seams. Applications include: janitorial, sanitation and general industrial maintenance. White.



NB120S

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Open Wrists and Ankles				
◆ NB120SWHSM002500	31710111	ProShield® 50 coveralls	S	25/Cs
NB120SWHMD002500	31710113	ProShield® 50 coveralls	M	25/Cs
NB120SWHLG002500	31710114	ProShield® 50 coveralls	L	25/Cs
NB120SWHXL002500	31710119	ProShield® 50 coveralls	XL	25/Cs
NB120SWH2X002500	31710122	ProShield® 50 coveralls	2XL	25/Cs
NB120SWH3X002500	31710123	ProShield® 50 coveralls	3XL	25/Cs
NB120SWH4X002500	31710149	ProShield® 50 coveralls	4XL	25/Cs
Attached Hood and Skid-Resistant Boot, Elastic Wrists				
◆ NB122SWHSM002500	31710150	ProShield® 50 coveralls	S	25/Cs
NB122SWHMD002500	31710151	ProShield® 50 coveralls	M	25/Cs
NB122SWHLG002500	31710152	ProShield® 50 coveralls	L	25/Cs
NB122SWHXL002500	31710157	ProShield® 50 coveralls	XL	25/Cs
NB122SWH2X002500	31710072	ProShield® 50 coveralls	2XL	25/Cs
NB122SWH3X002500	31710073	ProShield® 50 coveralls	3XL	25/Cs
NB122SWH4X002500	31710074	ProShield® 50 coveralls	4XL	25/Cs
Elastic Wrists and Ankles				
◆ NB125SWHSM002500	31710075	ProShield® 50 coveralls	S	25/Cs
NB125SWHMD002500	31710076	ProShield® 50 coveralls	M	25/Cs
NB125SWHLG002500	31710077	ProShield® 50 coveralls	L	25/Cs
NB125SWHXL002500	31710079	ProShield® 50 coveralls	XL	25/Cs
NB125SWH2X002500	31710080	ProShield® 50 coveralls	2XL	25/Cs
NB125SWH3X002500	31710161	ProShield® 50 coveralls	3XL	25/Cs
NB125SWH4X002500	31710162	ProShield® 50 coveralls	4XL	25/Cs
Attached Respirator-Fit Hood, Elastic Wrists and Ankles				
◆ NB127SWHSM002500	31710177	ProShield® 50 coveralls	S	25/Cs
NB127SWHMD002500	31710178	ProShield® 50 coveralls	M	25/Cs
NB127SWHLG002500	31710180	ProShield® 50 coveralls	L	25/Cs
NB127SWHXL002500	31710181	ProShield® 50 coveralls	XL	25/Cs
NB127SWH2X002500	31710182	ProShield® 50 coveralls	2XL	25/Cs
NB127SWH3X002500	31710183	ProShield® 50 coveralls	3XL	25/Cs
NB127SWH4X002500	31710185	ProShield® 50 coveralls	4XL	25/Cs



KleenGuard* A10 Light-Duty Coveralls

Lightweight polypropylene material provides great comfort. Features elastic wrists and zipper front closure. Typical uses include food processing, general maintenance and manufacturing. Meets ANSI/ISEA 101-1996 sizing standards. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10468	15401114	A10 Coveralls	L	25/Cs
10636	15401111	A10 Coveralls	XL	25/Cs



10468



46104




44323



KleenGuard* A10 Light-Duty Shoe Covers

Lightweight shoe covers in spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty provides protection against dirt, grime and certain non-hazardous dry particulates. Universal. Blue.



36811

ITEM #	ORDER #	DESCRIPTION	UOM
36811	15406811	A10 Shoe covers, fully elasticized, low skid	300/Cs

More Shoe and Boot Covers, Page 200-201.



KleenGuard* A30 Breathable Splash and Particle Protection Coveralls

Breathable, patented Microforce* Barrier SMS Fabric. Strong and abrasion-resistant. Typical uses include pharmaceutical research, dry particle contamination, aerospace, maintenance/general manufacturing. Reflex* Coverall design offers excellent fit and freedom of movement. Features zipper front closure with 1" flap, and elastic back, wrists and ankles. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
46103	15400581	A30 Coveralls	L	25/Cs
46104	15400582	A30 Coveralls	XL	25/Cs
46105	15400583	A30 Coveralls	2XL	25/Cs
46106	15400585	A30 Coveralls	3XL	21/Cs
◆ 46107	15400586	A30 Coveralls	4XL	21/Cs



49102



KleenGuard* A20 Breathable Particle Protection Coveralls

Constructed of five layers of stacked barrier protection (SMMMMS) which provides protection against hazardous particles. Patented Reflex* Coverall design offers excellent fit and freedom of movement. Typical uses include laboratories, decontamination modesty garment, remediation, pesticides and heavy-dust environments. Lightweight and breathable. Features zipper front closure and elastic back, wrists and ankles.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 49102	15408246	A20 Coveralls	White	M	24/Cs
49103	15408248	A20 Coveralls	White	L	24/Cs
49104	15408250	A20 Coveralls	White	XL	24/Cs
49105	15408244	A20 Coveralls	White	2XL	24/Cs
49106	15408245	A20 Coveralls	White	3XL	20/Cs
◆ 49107	15404910	A20 Coveralls	White	4XL	20/Cs
58503	15408503	A20 Coveralls	Blue	L	24/Cs
58504	15400279	A20 Coveralls	Blue	XL	24/Cs
58505	15408505	A20 Coveralls	Blue	2XL	24/Cs
58506	15408506	A20 Coveralls	Blue	3XL	20/Cs



KleenGuard* A40 Liquid and Particle Protection Coveralls

Breathable, microporous film laminate with zipper front closure. Low in lint. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Collar, Open Wrists and Ankles				
44303	15400303	A40 Coveralls	L	25/Cs
44304	15400304	A40 Coveralls	XL	25/Cs
44305	15400305	A40 Coveralls	2XL	25/Cs
44306	15400306	A40 Coveralls	3XL	25/Cs
Attached Hood, Elastic Wrists and Ankles				
44323	15400298	A40 Coveralls	L	25/Cs
44324	15400299	A40 Coveralls	XL	25/Cs
44325	15401325	A40 Coveralls	2XL	25/Cs
44326	15400300	A40 Coveralls	3XL	25/Cs
44327	15400301	A40 Coveralls	4XL	25/Cs

◆ Non-stock item. Minimum quantity may apply.



KleenGuard* A40 Breathable Back Coveralls with Thumb Hole

Front and sleeves are a microporous film laminate designed for protection against hazardous particles and liquids while breathable back is a SMS fabric extending from shoulder to ankle to keep wearer cool. Features zipper front closure, elastic ankles and elastic wrists with thumb holes for easy donning of gloves. Provides air movement and ventilation. Ideal for wind blade manufacturing, maintenance and general manufacturing. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard. White.



42527

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
42526	15402503	A40 Breathable back coveralls w/ thumb hole	L	25/Cs
42527	15404252	A40 Breathable back coveralls w/ thumb hole	XL	25/Cs
◆ 42528	15402504	A40 Breathable back coveralls w/ thumb hole	2XL	25/Cs
◆ 42529	15402505	A40 Breathable back coveralls w/ thumb hole	3XL	25/Cs



37167



KleenGuard* A45 Liquid and Particle Protection Surface Prep and Paint Coveralls

TAA-compliant protective apparel constructed with Reflex* design. Features open wrists and ankles, and water-resistant zipper with zipper flap. All components are specified as silicone-free. Contains no components made from natural rubber latex. Passes NFPA 99 for anti-static materials. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
37167	15407167	A45 Coveralls w/ snap closure	XL	25/Cs
◆ 37168	15407168	A45 Coveralls w/ snap closure	2XL	25/Cs
◆ 37169	15407169	A45 Coveralls w/ snap closure	3XL	25/Cs



45094



KleenGuard* A60 Bloodborne Pathogen and Chemical Protection Coveralls

Three-layer fabric construction designed with a middle layer of microporous film that allows heat and sweat vapor to escape, yet protects against many dry particulates and liquids, even under pressure. Outer layers provide protection of the film barrier against tearing and abrasion. Seamless front provides greater protection. Features zipper front closure with taped storm flap, attached hood and boots, and elastic back, wrists and ankles. Reflex* coverall design offers excellent fit and freedom of movement. Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 45093	15400424	A60 Coveralls	L	24/Cs
◆ 45094	15405094	A60 Coveralls	XL	24/Cs
45095	15400426	A60 Coveralls	2XL	24/Cs
◆ 45096	15400427	A60 Coveralls	3XL	20/Cs



43744



KleenGuard* A10 Light-Duty Aprons

Lightweight aprons in spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty provides protection against dirt, grime and certain non-hazardous dry particulates. Measures: 28" x 36". White.

ITEM #	ORDER #	DESCRIPTION	UOM
43744	15400293	A10 Aprons	100/Cs



DuPont
Personal Protection

DuPont™ Tychem® 2000 Bib Aprons

Polyethylene-coated fabric offers effective splash protection. Lightweight fabric is durable and resistant to tear and abrasion. Bright yellow color creates contrast across a broad range of backgrounds. Features sewn ties and serged seams. Measures: 28" x 36".

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ QC273BYL00010000	31714084	Tychem® 2000 bib aprons w/ sewn ties, bound seams	100/Cs



QC273B



TY273B

DuPont
Personal Protection

DuPont™ Tyvek® 400 Aprons

Provide front body protection from non-hazardous particles and light liquid splash. Bib-style with neck loop for easy on and off. Low linting and static-free. Measures: 28" x 36". White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY273BWH00010000	31710784	Tyvek® 400 bib-style aprons	100/Cs



TY212S

DuPont
Personal Protection

DuPont™ Tyvek® 400 Lab Coats

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Features open wrists, snap closure and (2) pockets. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY212SWHMD003000	31710508	Tyvek® 400 lab coats	M	30/Cs
TY212SWHLG003000	31710507	Tyvek® 400 lab coats	L	30/Cs
TY212SWHXL003000	31710510	Tyvek® 400 lab coats	XL	30/Cs
TY212SWH2X003000	31710511	Tyvek® 400 lab coats	2XL	30/Cs
TY212SWH3X003000	31710512	Tyvek® 400 lab coats	3XL	30/Cs

DuPont
Personal Protection

DuPont™ Tyvek® 400 Shirts

Flashspun high-density polyethylene (HDPE) substrate provides comfortable inherent barrier protection against hazardous dry particles and non-hazardous, light liquid splash. Features serged seams and snap front with open wrists. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TY303S-M	31710521	Tyvek® 400 long sleeve shirts	M	50/Cs
◆ TY303S-L	31710520	Tyvek® 400 long sleeve shirts	L	50/Cs
TY303S-XL	31710523	Tyvek® 400 long sleeve shirts	XL	50/Cs
TY303S-2XL	31710524	Tyvek® 400 long sleeve shirts	2XL	50/Cs
◆ TY303S-3XL	31710525	Tyvek® 400 long sleeve shirts	3XL	50/Cs
◆ TY303S-4XL	31710526	Tyvek® 400 long sleeve shirts	4XL	50/Cs



TY303S

◆ Non-stock item. Minimum quantity may apply.



DuPont
Personal Protection

DuPont™ Tyvek® 400 Frocks

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Features snap closure and no pockets. White.



TY210S

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Open Wrists				
TY210S-M	31710494	Tyvek® 400 frocks	M	30/Cs
TY210S-L	31710493	Tyvek® 400 frocks	L	30/Cs
TY210S-XL	31710496	Tyvek® 400 frocks	XL	30/Cs
TY210S-2XL	31710497	Tyvek® 400 frocks	2XL	30/Cs
TY210S-3XL	31710498	Tyvek® 400 frocks	3XL	30/Cs
TY210S-4XL	31710499	Tyvek® 400 frocks	4XL	30/Cs
Elastic Wrists, Extra Long				
TY211S-M	31710502	Tyvek® 400 frocks	M	30/Cs
TY211S-L	31710501	Tyvek® 400 frocks	L	30/Cs
TY211S-XL	31710504	Tyvek® 400 frocks	XL	30/Cs
TY211S-2XL	31710505	Tyvek® 400 frocks	2XL	30/Cs
TY211S-3XL	31710506	Tyvek® 400 frocks	3XL	30/Cs
TY211S-4XL	31713282	Tyvek® 400 frocks	4XL	30/Cs
◆ TY211S-5XL	31713266	Tyvek® 400 frocks	5XL	30/Cs

DuPont
Personal Protection

DuPont™ Tyvek® 400 Pants

Unique non-woven technology offers barrier protection against dry particulates and light liquid splash. Reinforced in high-stress areas. Features elastic waist and open ankles. Stops particles down to one micron. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY350SWHMD005000	31710528	Tyvek® 400 pants	M	50/Cs
TY350SWHLG005000	31710527	Tyvek® 400 pants	L	50/Cs
TY350SWHXL005000	31710530	Tyvek® 400 pants	XL	50/Cs
TY350SWH2X005000	31710531	Tyvek® 400 pants	2XL	50/Cs



TY350S



TY657S

DuPont
Personal Protection

DuPont™ Tyvek® 400 Hoods

Designed as a pullover with elasticized face opening and helps cover shoulders. Features serged seams. Universal. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY657S	31710539	Tyvek® 400 pullover hood	100/Cs

DuPont
Personal Protection

DuPont™ Tyvek® 400 Shoe Covers

Flashspun high-density polyethylene provides an ideal balance of durability and comfort. Provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. Universal. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY450SWH00020000	31713959	Tyvek® 400 shoe covers, 5"	200/Cs
TY450SWH000200LG	31714083	Tyvek® 400 shoe covers, 8 1/4"	200/Cs



TY450S

DuPont™ Tyvek® 400 Boot Covers

Flashspun high-density polyethylene provides an ideal balance of durability and comfort. Provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY454SWH0010000	31718090	Tyvek® 400 boot covers, 18"	L	100/Cs
◆ TY454SWHLG0100SR	31714075	Tyvek® 400 boot covers w/ skid-resistant sole, 18"	L	100/Cs
TY454SWHXL0100SR	31714065	Tyvek® 400 boot covers w/ skid-resistant sole, 18"	XL	100/Cs



TY454S



FC454S

DuPont
Personal Protector

DuPont™ Tyvek® 400 FC Boot Covers

Made with spunbonded olefin with skid-resistant friction coating. Features elastic top and serged seams. 18" Height. Universal. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
FC454SGY00010000	31714100	Tyvek® 400 FC boot covers	100/Cs

DuPont
Personal Protector

DuPont™ Tyvek® 400 FC Shoe Covers

Made from Tyvek® with skid-resistant coating and low elastic top. Features serged seams. 5" Height. Universal. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
FC450SGY00020000	31713961	Tyvek® 400 FC shoe covers	200/Cs



FC450S

DuPont
Personal Protector

DuPont™ SureStep™ Shoe and Boot Covers

Features a unique polyethylene extrusion coating for skid resistance. Tear-resistant fabric has a seamless bottom design and is fluid-resistant for safety and extended life. Virtually lint-free, will not delaminate. Generous cut.



PE440SWH

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ PE444SWHLG010000	31716622	Boot covers, 13" high	White	L	50 Pr/Cs
◆ PE444SWHXL010000	31714441	Boot covers, 13" high	White	XL	50 Pr/Cs
◆ PE440SWHLG020000	31710217	Seamless shoe covers, skid-resistant	White	L	100 Pr/Cs
PE440SWHXL020000	31710218	Seamless shoe covers, skid-resistant	White	XL	100 Pr/Cs
PE440SBULG020000	31711669	Seamless shoe covers, skid-resistant	Blue	L	100 Pr/Cs
◆ PE440SBUXL020000	31711670	Seamless shoe covers, skid-resistant	Blue	XL	100 Pr/Cs





TY500S

DuPont
Personal Protection**DuPont™ Tyvek® 400 Sleeves**

Offers extra protection for arms and garments. Effective barrier to hazardous dry particles, aerosols and non-hazardous light liquid splash. Features elastic ends to ensure secure fit and serged seams. 18" Length. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY500S	31710538	Tyvek® 400 sleeves	200/Cs

DuPont
Personal Protection**DuPont™ ProShield® 60 Sleeves**

ProShield® 60 is suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with a microporous film that is laminated to a spunbonded polypropylene substrate. Applications include: automotive refinishing, waste cleanup and remediation. Features serged seams. 18" Length. White.

ITEM #	ORDER #	DESCRIPTION	UOM
NG500SWH00020000	31711577	ProShield® 60 sleeves	200/Cs



NG500S



KVS-2-18TH

Honeywell Perfect Fit™ Kevlar® Sleeve

100% DuPont™ Kevlar® engineered fiber. Seamless knit, 2-ply sleeve offers superior cut and slash resistance. Thumb hole keeps sleeve securely in place while offering increased protection in the palm area. 18" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
KVS-2-18TH	341514211	Kevlar knit sleeve w/ thumb hole	Ea

**Kevlar® Double-Ply
Cut-Resistant Sleeves**

Made with 100% DuPont™ Kevlar. Provides high-tensile strength and will not melt, ignite or conduct electricity. High comfort level allows for manual dexterity. Non-coated, 2-ply, washable and made with FDA-accepted materials for use in food processing applications. Do not bleach. 18" Length. ANSI cut level 3. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
9378E	331416411	Kevlar econo weight sleeve	Ea
9378T	331493781	Kevlar regular weight sleeve w/ thumb slot	Ea
9378TE	331416441	Kevlar econo weight sleeve w/ thumb slot	Ea



9378T



Classic 3-Piece Rain Suit

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and durability. Consists of jacket, detachable hood and fly-front bib pants. Ideal for construction, utilities, airlines and municipalities. Yellow.



2003

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2003-L	331455641	Classic 3-piece rain suit	L	Ea
2003-XL	331455651	Classic 3-piece rain suit	XL	Ea
2003-2X	331455661	Classic 3-piece rain suit	2XL	Ea
2003-3X	331455671	Classic 3-piece rain suit	3XL	Ea
2003-4X	331449851	Classic 3-piece rain suit	4XL	Ea

043



Schooner Poncho

Made of .10 mm PVC film that provides light-duty protection from rain, dust and wind. Features attached hood and side snap closures. Includes handy tote pouch. Universal poncho measures 52" x 80". Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
043	331423721	Schooner poncho	Ea



Dominator Rain Suit

Made with .42 mm PVC/hi-tensile polyester/PVC in green for easy identification. Offers excellent splash protection and is a good choice for use in environments with exposure to chemicals and acids. Jacket has attached hood and zipper front with storm flap; bib pants have plain front and black plastic take-up snaps at ankles. Limited flammability tested in accordance with ASTM D6413-08 test method.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3882-L	331456491	Dominator 2-piece rain suit	L	Ea
3882-XL	331456501	Dominator 2-piece rain suit	XL	Ea
3882-2X	331429241	Dominator 2-piece rain suit	2XL	Ea
3882-3X	331436261	Dominator 2-piece rain suit	3XL	Ea



3882



200C



Classic Series 49" Raincoat

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Applications include construction, utilities, airlines, municipalities and more. Features cape-vented back and (2) patch pockets. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
200C-M	331482561	Classic raincoat	M	Ea
200C-L	331482571	Classic raincoat	L	Ea
200C-XL	331482581	Classic raincoat	XL	Ea
200C-2X	331482591	Classic raincoat	2XL	Ea



Classic Rainwear Rider Coat

Features extended 60" length, matching corduroy collar, detachable hood, cape ventilated back, badge tab holder, black plastic take-up snaps at wrists and snap-close, storm-fly front. Includes inner leg snaps that form chaps. Applications include security work, refineries and wherever more coverage is needed. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
267C-L	331427171	Classic rainwear rider coat	L	Ea
267C-XL	331427201	Classic rainwear rider coat	XL	Ea
267C-2X	331427211	Classic rainwear rider coat	2XL	Ea
267C-3X	331427221	Classic rainwear rider coat	3XL	Ea
267C-4X	331437381	Classic rainwear rider coat	4XL	Ea



267C



Big Jake Flame-Resistant Hi-Viz Jacket

Made of PVC/Nomex® fabric with 2" silver reflective stripes. Features sturdy zipper front with large storm flap, cape ventilated back with D-ring access, attached drawstring hood, (2) front patch pockets and adjustable hook-and-loop wrists. Arc rating: 8.9 cal/cm², CAT2. Meets ASTM F1891 standard specification for arc and flame-resistant rainwear. ANSI/ISEA 107-2015 Class 3, Type R compliant. Fluorescent lime.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ BJ38JHM	331443361	FR hi-viz jacket	M	Ea
◆ BJ38JHL	331443371	FR hi-viz jacket	L	Ea
◆ BJ38JHXL	331443381	FR hi-viz jacket	XL	Ea



BJ38JH



2403R



Classic Plus 3-Piece Reflective Suit

Constructed of .35 mm PVC on polyester broadloom fabric. Ideal for both indoor and outdoor use. Jacket features corduroy collar, cape-ventilated back and detachable hood. Jacket and bib-style pants have highly reflective tape stripes to increase visibility in low-light conditions. Applications include construction, utilities, airlines and municipalities. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2403R-L	331426321	Classic Plus reflective suit	L	Ea
2403R-XL	331426351	Classic Plus reflective suit	XL	Ea
2403R-2X	331426361	Classic Plus reflective suit	2XL	Ea



RS01-NSYV



ERW™ 35 Economy Rainsuit

Keeps workers dry in the rain and provides protection from dirty working conditions. PVC exterior and polyester interior creates added stability between layers for industrial strength. Three-piece rainsuit includes jacket, bib overalls and hood. Features fold down collar, snap front closure, vented cape back, snap adjustments on sleeve and leg cuffs, and lower front pockets with flaps. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ RS01-NSYV-M	336501041	3-Piece economy rainsuit	M	Ea
◆ RS01-NSYV-L	336501051	3-Piece economy rainsuit	L	Ea
◆ RS01-NSYV-XL	336501061	3-Piece economy rainsuit	XL	Ea
◆ RS01-NSYV-2X	336501071	3-Piece economy rainsuit	2XL	Ea



RJ20-NSKV

RB20-NSKV

DURARAD™ 42
Acid Gear Rainwear

Keeps workers dry in the rain and provides protection from dirty working conditions. Heavy-duty, .42 mm PVC/polyester material provides excellent protection in hazardous conditions which require extra performance, yet is soft and flexible for comfort. Jacket features detachable hood, hidden snap front closure and extended, tapered collar. Bib overalls feature no fly front and reinforced crotch for increased protection. Treated polyester is self-extinguishing (SE) to test method D6413. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ RJ20-NSKV-M	336501081	DURARAD 42 jacket	M	Ea
◆ RJ20-NSKV-L	336501091	DURARAD 42 jacket	L	Ea
◆ RJ20-NSKV-XL	336501171	DURARAD 42 jacket	XL	Ea
◆ RJ20-NSKV-2X	336501181	DURARAD 42 jacket	2XL	Ea
◆ RB20-NSKV-M	336501191	DURARAD 42 bib overalls	M	Ea
◆ RB20-NSKV-L	336501261	DURARAD 42 bib overalls	L	Ea
◆ RB20-NSKV-XL	336501271	DURARAD 42 bib overalls	XL	Ea
◆ RB20-NSKV-2X	336501281	DURARAD 42 bib overalls	2XL	Ea

FORTRESS™ 20
High-Visibility Rainwear

Keeps workers dry in the rain and provides protection from dirty working conditions while increasing conspicuity. Hi-viz PVC exterior provides resistance against the elements with the added strength of a lightweight nylon interior. Jacket features detachable hood, vented cape back, hook-and-loop adjustable cuffs, and extended, tapered collar. Pants feature detachable suspenders on waist, pass-through side pocket access and hook-and-loop adjustable cuffs. ANSI/ISEA 107-2015 Type R, Class 3 (jacket) or Class E (pants) compliant. Hi-viz lime.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ RJ25-3ZGV-M	336501381	FORTRESS 20 jacket	M	Ea
◆ RJ25-3ZGV-L	336501391	FORTRESS 20 jacket	L	Ea
◆ RJ25-3ZGV-XL	336501411	FORTRESS 20 jacket	XL	Ea
◆ RJ25-3ZGV-2X	336501421	FORTRESS 20 jacket	2XL	Ea
◆ RP25-EZGV-M	336501431	FORTRESS 20 pants w/ suspenders	M	Ea
◆ RP25-EZGV-L	336501441	FORTRESS 20 pants w/ suspenders	L	Ea
◆ RP25-EZGV-XL	336501451	FORTRESS 20 pants w/ suspenders	XL	Ea
◆ RP25-EZGV-2X	336501461	FORTRESS 20 pants w/ suspenders	2XL	Ea



RJ25-3ZGV



RP25-EZGV

Cold Weather Gear

Winter weather presents hazards including slippery roads/surfaces, strong winds and environmental cold. Employers must prevent illnesses, injuries, or fatalities by controlling these hazards in workplaces.

Visit www.osha.gov for complete details and regulation requirements.



The Safety Company

V-Gard® Winter Liners

Provide excellent protection against cold with maximum economy.

- V-Gard liner knit cap is a stylish skullie cap that prevents liner from obstructing vision. Made from 100% high bulk acrylic.
- V-Gard liner knit hat/cap cover is made from 100% acrylic. Bright yellow-green for greater visibility. Full face tube mounts under or over brim of MSA caps or hats, covering ears, mouth, cheeks and neck. Extended nape and wraparound collar for tucking into coat/shirt.
- V-Gard value liner is made of 100% cotton twill with adjustable chin strap.
- FR 2-piece liner has a multi-layered FR top and features no metal parts. Water-repellant. Arc rating: 8 cal/cm².



10118417



10118418



10118422



10118427

ITEM #	ORDER #	DESCRIPTION	UOM
10118417	3085866D1	V-Gard liner knit cap	Ea
10118418	3085867D1	V-Gard liner knit hat/cap cover	Ea
10118422	3085869D1	V-Gard value liner, extended	Ea
◆ 10118427	3085845D5	FR 2-piece liner	3/Pk



14497



Jackson Safety* Winter Liners

Various navy blue winter liners to protect workers from the cold.

- **14497:** Keeps wind out and traps warmth for temps 0° F to -20° F. Full face and neck model protects mouth and cheeks. Fits over most safety caps. Knitted flame-resistant treated polyester meets 16 CFR 1610, Class 1.
- **14499:** Detachable bottom section double-layered with heavy knit spun polyester. Top section is flame-retardant and bottom section does not support combustion. Top section is lined with red heavyweight fleece.
- **14502:** Quilted nylon shell with fastener straps and (3) layers of thick foam. Water-resistant material. Temperature range between 32° to 0° F. Meets 16 CFR 1610, Class 1.

ITEM #	ORDER #	DESCRIPTION	UOM
14497	C24134371	Full face & neck winter liner	Ea
14499	C24124521	Ultra winter liner	Ea
◆ 14502	C2412409	Poly-fleece winter liner	Ea



Hot Rods® 3-in-1 Plush Fleece Winter Liners

Plush double-napped heavyweight stretch polyester fleece liner can be worn three ways. Can cover the neck only; cover the neck and head; or cover the neck, head and face. Adjustable drawstring can be tightened to keep the liner snug, and (2) hook-and-loop tab closures make it easy to wear with a hard hat. Flame-resistant (FR) version also available.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 1070E	325310711	3-in-1 Plush fleece winter liner, middle weight	Black	Ea
1070-CAMO	325305011	3-in-1 Plush fleece winter liner	Camouflage	Ea
◆ 1070FR	325310731	3-in-1 Plush fleece winter liner, FR	Charcoal black	Ea

1070E





SF560



SS550



LB600



LK810



Winter Liners

Various winter liners to protect user from cold environments.

- Classic shoulder-length fleece: 100% Polyester anti-pilling heavyweight fleece
- Classic shoulder-length Sherpa: 100% Cotton twill outer shell with 50% acrylic/50% polyester Sherpa lining

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
SF560	325302271	Classic shoulder-length fleece	Gray	Ea
SS550	325302291	Classic shoulder-length Sherpa	Navy	Ea



Long Neck Basic Winter Liner

Hard hat liner is designed with 100% cotton twill top with FR treatment until washed. Features heavy fleece lining and an extra long nape. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
LB600	325316001	FR-treated winter liner	Ea



Full Face Tube Winter Liner

Hard hat tube liner fits over regular brim hard hats and covers the majority of face. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
LK810	325301941	Full face tube liner	Pr



RK900FR



LK910FR



Flame-Resistant Hard Hat Tube Liner

Made from 9.5 oz. modacrylic/cotton/spandex blend. Sewn with Nomex® thread. Arc rating: 11.6 cal/cm², HRC2. Meets ASTM F1506 and NFPA 70E. Navy.

ITEM #	ORDER #	DESCRIPTION	UOM
RK900FR	325309251	Hard hat tube liner, FR	Ea



Flame-Resistant Full-Face Tube Liner

Made from 9.5 oz. modacrylic/cotton/spandex blend. Sewn with Nomex® thread. Arc rating: 11.6 cal/cm², HRC2. Meets ASTM F1506 and NFPA 70E. Navy.

ITEM #	ORDER #	DESCRIPTION	UOM
LK910FR	325309191	Full-face tube liner, FR	Ea

◆ Non-stock item. Minimum quantity may apply.



Hot Rods® Winter Liner

Features 100% cotton twill top with polyester fleece lining and 100% polyester bottom. Button closure and zipper are all plastic, no metal parts. Universal. Navy.



LZ620

ITEM #	ORDER #	DESCRIPTION	UOM
LZ620	325301981	Winter liner	Pr



Classic Hard Hat Knitted Tube Liner

Knitted tube liners are constructed of 100% polyester and fit snugly over regular length hard hats, blocking wind tunneling inside the crown. Liners trap warmth inside hard hats to keep head and ears warm. Space-saving design folds up on the outside of a hard hat when not in use. Navy.



RK800

ITEM #	ORDER #	DESCRIPTION	UOM
RK800	325318001	Knitted tube liner	Ea



LUX-SWT3HZ-Y



Class 3 Wicking Zip-Up Sweatshirt

Made of 9 oz., 100% ANSI wicking polyester which keeps wearer warm and dry. Features elastic cuffs and waistband, zipper, attached hood and (2) pockets. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SWT3HZ-YL	325301541	Class 3 wicking zip-up sweatshirt	L	Ea
LUX-SWT3HZ-YXL	325301571	Class 3 wicking zip-up sweatshirt	XL	Ea
LUX-SWT3HZ-Y2X	325301581	Class 3 wicking zip-up sweatshirt	2XL	Ea

More Winter items located on Page 159.



Classic Three-Way Black Bottom Bomber Jacket

Made of 100% ANSI polyester with PU coating and 2" silver reflective tape. Features sealed seams, 100% black polyester fleece zip-out liner, roll-away hood, (2) outer pockets, (1) inner pocket, (1) radio pocket, (1) pencil pocket, (2) mic tabs, and black bottom front, collar, cuffs and waistband. Waterproof. ANSI 107-2015 Type R, Class 3 compliant. Yellow.



LUX-ETBJR-Y

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ LUX-ETBJR-YM	325357891	Classic 3-way bomber jacket	M	Ea
LUX-ETBJR-YL	325357881	Classic 3-way bomber jacket	L	Ea
LUX-ETBJR-YXL	325357901	Classic 3-way bomber jacket	XL	Ea
LUX-ETBJR-Y2X	325357911	Classic 3-way bomber jacket	2XL	Ea



Class 3 4-in-1 Black Bottom Bomber Jacket

Convertible, 2-layer jacket in PU-coated polyester with 3M™ Scotchlite™ Reflective Material. Features snap-on, roll-up hood, flip-up collar, zipper/snap front, radio pocket, (2) outside hand pockets and (1) inside pocket. Collar and elasticized cuffs and waistband are dark to hide dirt. On warmer days, zip out inner fleece lining and wear bomber jacket as windbreaker jacket, still Class 3. Remove sleeves to wear as Class 2 vest alone, or with inner fleece jacket underneath. non-compliant, black fleece jacket can be worn alone when working away from traffic. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ LUX-TJBJ-BYL	325308441	4-in-1 Black bottom bomber jacket	L	Ea
LUX-TJBJ-BYXL	325327191	4-in-1 Black bottom bomber jacket	XL	Ea
LUX-TJBJ-BY2X	325308451	4-in-1 Black bottom bomber jacket	2XL	Ea
LUX-TJBJ-BY3X	325308461	4-in-1 Black bottom bomber jacket	3XL	Ea



LUX-TJBJ-BY



Hot Rods® Hand Warmers Display

Stay productive, warm and comfortable working outdoors with the help of instant hand warmers. Non-toxic and odorless warmers activate after shaking. Reach an average temperature of 120° F and provide warmth up to 8 hours. 40 Pair/box.

ITEM #	ORDER #	DESCRIPTION	UOM
HR1100-80D	325301845	Hot Rods hand warmer display	Bx

HR1100-80D



7750

WELLS LAMONT
Industrial

MechPro® Insulated Gloves

Machine washable synthetic leather in palm and fingertips with stretch spandex back for comfort and fit. Features Feeltite® hook-and-loop adjustable wrist closure, reinforced finger and thumb tips and fleece lining with C70 Thinsulate™ insulation for warmth.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 7750L	416410935	MechPro insulated gloves	L	12/Pk
◆ 7750XL	416410955	MechPro insulated gloves	XL	12/Pk



Y0042

WELLS LAMONT
Industrial

Thermofill™ Lined Leather Palm Gloves

Provides comfort, durability and thermal protection. Grain pigskin leather palm with Gunn cut, wing thumb and safety cuff. Thermofill insulation for warmth. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y0042L	416400455	Thermofill lined leather palm gloves	L	6/Pk



1565



1565 Pigskin Insulated Work Gloves

Rugged top-grain pigskin palm and knuckle strap. Features canvas back, wing thumb, Gunn cut, safety cuff and 3M™ Thinsulate™ lining.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1565	C34119721	Pigskin insulated work gloves	L	Pr



1568



Split Leather/Cotton Winter Gloves

Rugged, select shoulder split cowhide palm, canvas back winter gloves feature ColdBlock™ poly/cotton lining for added all day warmth. Waterproof lining keeps hands dry. Wing thumb naturally fits contours of hand. Heavy-duty duck safety cuff.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1568L	C34119741	Standard winter gloves, blue cowhide	L	Pr

Our full-line of Hand Protection starts on Page 96.



1578B



1578B Economy Winter-Lined Work Gloves

Features rugged cowhide split leather palm and knuckle strap with canvas back. Cotton foam lined for added warmth. Wing thumb naturally fits contour of hand. Heavy-duty safety cuff. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1578B	C34104581	Economy winter-lined work gloves	L	Pr

MAJESTIC Knucklehead X10™ Insulated Gloves

ARMOR SKIN™ synthetic leather palm, PVC anti-slip patches, double wish bone palm and neoprene padding offers impact absorption. Full-finger and backhand shock-absorbing thermoplastic rubber protection. Made from contrasting hi-viz material with pre-curved finger design. Fully sewn with high-tenacity thread. Features elastic wrist, terry cloth brow wipe and 3M™ Thinsulate™ lining. Waterproof.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 21247H0/9	337982465	Knucklehead X10 insulated gloves	Hi-viz orange	M	12/Pk
◆ 21247H0/10	337982475	Knucklehead X10 insulated gloves	Hi-viz orange	L	12/Pk
◆ 21247H0/11	337982485	Knucklehead X10 insulated gloves	Hi-viz orange	XL	12/Pk
◆ 21247H0/12	337982495	Knucklehead X10 insulated gloves	Hi-viz orange	2XL	12/Pk
◆ 21247HY/9	337983465	Knucklehead X10 insulated gloves	Hi-viz yellow	M	12/Pk
◆ 21247HY/10	337983475	Knucklehead X10 insulated gloves	Hi-viz yellow	L	12/Pk
◆ 21247HY/11	337983485	Knucklehead X10 insulated gloves	Hi-viz yellow	XL	12/Pk
◆ 21247HY/12	337983495	Knucklehead X10 insulated gloves	Hi-viz yellow	2XL	12/Pk



2152T

MAJESTIC Bald Eagle Mechanics Gloves

Features premium beige grain pigskin palm with blue stretch knit back, pre-curved finger, neoprene knuckle and Velcro® wrist closure. Thinsulate™ lining provides extra warmth. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2152T/9	337961545	Bald Eagle mechanics gloves w/ Thinsulate lining	M	12/Pk
◆ 2152T/10	337961555	Bald Eagle mechanics gloves w/ Thinsulate lining	L	12/Pk
◆ 2152T/11	337961565	Bald Eagle mechanics gloves w/ Thinsulate lining	XL	12/Pk
◆ 2152T/12	337961575	Bald Eagle mechanics gloves w/ Thinsulate lining	2XL	12/Pk




2153T

MAJESTIC White Eagle Mechanics Gloves

Mechanics-style premium white grain goatskin palm with black stretch knit back, pre-curved finger, neoprene knuckles and Velcro® wrist closure. 3M™ Thinsulate™ lining adds extra warmth. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2153T/9	337994555	White Eagle mechanics gloves w/ Thinsulate lining	M	12/Pk
◆ 2153T/10	337994565	White Eagle mechanics gloves w/ Thinsulate lining	L	12/Pk
◆ 2153T/11	337994575	White Eagle mechanics gloves w/ Thinsulate lining	XL	12/Pk
◆ 2153T/12	337994585	White Eagle mechanics gloves w/ Thinsulate lining	2XL	12/Pk





Emperor Penguin® Winter-Lined Nylon Gloves

Waterproof winter gloves feature 15-gauge shell with a soft, brushed 10-gauge insulated acrylic liner. Closed cell nitrile dip is available in full palm-dip or 3/4 sandy latex palm dip. Hi-viz yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3398DNY/S	337903985	Emperor Penguin gloves w/ closed cell nitrile-dip palm	S	12/Pk
◆ 3398DNY/M	337903995	Emperor Penguin gloves w/ closed cell nitrile-dip palm	M	12/Pk
◆ 3398DNY/L	337904005	Emperor Penguin gloves w/ closed cell nitrile-dip palm	L	12/Pk
◆ 3398DNY/XL	337904015	Emperor Penguin gloves w/ closed cell nitrile-dip palm	XL	12/Pk
◆ 3398DNY/XXL	337904025	Emperor Penguin gloves w/ closed cell nitrile-dip palm	2XL	12/Pk
◆ 3399KLY/S	337963995	Emperor Penguin gloves w/ 3/4 sandy latex palm	S	12/Pk
◆ 3399KLY/M	337964005	Emperor Penguin gloves w/ 3/4 sandy latex palm	M	12/Pk
◆ 3399KLY/L	337964015	Emperor Penguin gloves w/ 3/4 sandy latex palm	L	12/Pk
◆ 3399KLY/XL	337964025	Emperor Penguin gloves w/ 3/4 sandy latex palm	XL	12/Pk
◆ 3399KLY/XXL	337964035	Emperor Penguin gloves w/ 3/4 sandy latex palm	2XL	12/Pk
◆ 3399KNY/S	337964105	Emperor Penguin gloves w/ 3/4 sandy nitrile palm	S	12/Pk
◆ 3399KNY/M	337964115	Emperor Penguin gloves w/ 3/4 sandy nitrile palm	M	12/Pk
◆ 3399KNY/L	337964125	Emperor Penguin gloves w/ 3/4 sandy nitrile palm	L	12/Pk
◆ 3399KNY/XL	337964135	Emperor Penguin gloves w/ 3/4 sandy nitrile palm	XL	12/Pk
◆ 3399KNY/XXL	337964145	Emperor Penguin gloves w/ 3/4 sandy nitrile palm	2XL	12/Pk



3398DNY



23-193

Ansell Winter Monkey Grip™ Gloves

Keeps hands warm, dry and protected from abrasions. Curved fingers, wing thumb, and soft jersey lining are comfortable and easy to wear. Tough vinyl coating stays soft when cold. Great for outdoor work, cold storage and fishing industries.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
23-173	220102365	Monkey Grip gloves, orange vinyl w/ safety cuff & raised finish	10	12/Pk
23-193	220102375	Monkey Grip gloves, orange vinyl w/ safety cuff	10	12/Pk



ActivArm® 97-011 Cold Weather Gloves

Two-ply acrylic brushed liner keeps hands warm in extreme cold, to improve productivity. Exclusive 3/4 double-dipped to protect palm, fingers and back of hands. Sandy nitrile finish provides excellent wet/oily and dry grip. Hi-viz orange to increase worker safety in low-light conditions to avoid accidents and downtime. Tested to perform at -4° F/-20° C.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 97-011-M	220101555	ActivArm 97-011 gloves	M	6/Pk
◆ 97-011-L	220170145	ActivArm 97-011 gloves	L	6/Pk
◆ 97-011-XL	220170115	ActivArm 97-011 gloves	XL	6/Pk



97-011



North Polar® Gloves

Cold weather, insulated gloves with a waterproof liner to help keep liquids out and hands dry. Extended knitwrist provides additional weather protection. Features Gunn cut with wing thumb for comfort. Thinsulated® liner provides excellent thermal protection. Recommended for temperatures down to -36° F (-38° C). Ideal for construction, forestry, snow clearing, de-icing, highway work, baggage handling and maintenance. Blue with yellow back.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
70/6465NK	347636145	Insulated leather palm gloves	Men's	12/Pk



70/6465NK



1320



Thinsulate™ Insulated Gloves

Cowskin leather palm gloves feature Thinsulate lining and a 2 1/2" safety cuff. Ideal for construction, farming, mining, pipe fitting, landscaping, maintenance, sanitation, assembly and general purpose work requiring leather protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1320	331406545	Thinsulate insulated gloves	L	12/Pk



Artic Jack® Insulated Pigskin Leather Palm Gloves

Made with premium grain leather with Thermosock® and 2 1/2" safety cuff. Pigskin tends to become softer with use and withstands moisture without stiffening. Ideal for construction, farming, forklifts, truck driver, utility work, plus general purpose applications requiring greater dexterity.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1965-XL	331408245	Artic Jack insulated pigskin gloves	XL	12/Pk

1965



3460



Artic Jack® Insulated Leather Drivers Gloves

Premium grain pigskin with slip-on cuff, Thermosock® lining and keystone thumb. Pigskin tends to become softer with use and withstands moisture without stiffening. When laundered, this leather will return more to its natural soft texture. Ideal for construction, farming, forklifts, truck driver, utility work plus general purpose applications requiring greater dexterity. 10 Dz/Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3460-M	331409675	Artic Jack insulated gloves	M	12/Pk
◆ 3460-L	331409665	Artic Jack insulated gloves	L	12/Pk
◆ 3460-XL	331409695	Artic Jack insulated gloves	XL	12/Pk

◆ Non-stock item. Minimum quantity may apply.





Ninja® Ice Proprietary HPT™ Coated Palm and Fingertips Gloves

Made from 7-gauge acrylic terry liner on the inside and a 15-gauge HPT-coated nylon liner on the outside. Proprietary coating process creates encapsulated air molecules repelling liquids for a firm wet or dry grip, and provides a cushioning effect to minimize impact. Remains soft and flexible in temperatures as low as -58° F. Treated with Actifresh™ to kill bacteria and promote freshness. Industry applications include: agriculture, cold storage, commercial fishing, construction, outdoor winter use and utilities. 6 Dz/Cs. CE score 3232; CE/EN 511 cold hazard 02X.



N9690

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9690-L	331491015	Ninja Ice HPT gloves	L	12/Pk



NFD11HD



NorthFlex Cold Grip Plus 5™

Flexible, dipped glove provides a high-level of cut, slash and cold weather protection. Constructed of a highly cut-resistant fiber blend outer shell and brushed synthetic thermal inner. Foam PVC coating is 3/4 dipped to cover more surface area to help inhibit liquid penetration. ANSI cut level 4.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ NFD11HD/7S	341568965	NorthFlex Cold Grip Plus 5	7 (S)	12/Pk
◆ NFD11HD/8M	341568975	NorthFlex Cold Grip Plus 5	8 (M)	12/Pk
◆ NFD11HD/9L	341565975	NorthFlex Cold Grip Plus 5	9 (L)	12/Pk
NFD11HD/10XL	341565985	NorthFlex Cold Grip Plus 5	10 (XL)	12/Pk
NFD11HD/11XXL	341565995	NorthFlex Cold Grip Plus 5	11 (XL)	12/Pk



RWG604 Cut-Protection Cold Weather Coated Gloves

Outer shell features 2-ply, 13-gauge blue and white High Performance Polyethylene (HPPE) for cut resistance. Black nitrile palm coating provides protection from abrasion in wet or dry conditions. 7-Gauge acrylic terry liner provides warmth in cold conditions. Seamless cuff design provides a comfortable fit. High-visibility TPR overlays provide added impact protection. ANSI cut level 4, EN388 cut level 5.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ RWG604L	336501331	Cut protection cold weather coated gloves	L	Pr
◆ RWG604XL	336501341	Cut protection cold weather coated gloves	XL	Pr



RWG604



Cold Weather Latex-Coated Gloves

Orange, 13-gauge, 2-ply hi-viz nylon outer shell is water-resistant for extra protection. Features 3/4-dipped micro finish black latex coating, 7-gauge acrylic terry liner with a seamless elastic slip-on cuff. Ideal for cold storage, commercial fishing, frozen food processing and general outdoor activities. Tested to EN388 standards for abrasion, cuts, tear and puncture (3243).

CAUTION: This product contains latex.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ RWG17L	336501351	Cold weather latex-coated gloves	L	Pr
◆ RWG17XL	336501361	Cold weather latex-coated gloves	XL	Pr
◆ RWG17XXL	336501371	Cold weather latex-coated gloves	2XL	Pr



RWG17



Heated Soft Shell Work Jackets

Constructed of soft water and wind-resistant polyester blend outer shell and a polyester inner shell. Up to 5.5 hours of runtime on low setting using the 20 V MAX* rechargeable battery, that is stored in an efficient battery pocket. Has 4 heating zones (left chest, right chest, mid back and collar) and 3 temperature settings (high, medium and low). Features adjustable cuffs and waistline, (4) pockets, and USB power source with (2) USB ports for charging portable electronic devices.



DCHJ060C1

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ DCHJ060B-M	336501561	Heated jacket & USB power source	Black	M	Ea
◆ DCHJ060B-L	336501571	Heated jacket & USB power source	Black	L	Ea
◆ DCHJ060B-XL	336501581	Heated jacket & USB power source	Black	XL	Ea
◆ DCHJ060B-2X	336501591	Heated jacket & USB power source	Black	2XL	Ea
◆ DCHJ060C1-M	336501671	Heated jacket, battery, charger & USB power source	Black	M	Ea
◆ DCHJ060C1-L	336501681	Heated jacket, battery, charger & USB power source	Black	L	Ea
◆ DCHJ060C1-XL	336501691	Heated jacket, battery, charger & USB power source	Black	XL	Ea
◆ DCHJ060C1-2X	336501701	Heated jacket, battery, charger & USB power source	Black	2XL	Ea



060300-AC



060301-GT



Single Serve Hot Stik Tubes

Each great-tasting serving is filled with essential electrolytes, minerals and vitamins to help to stimulate the body and keep it protected during increased exposure to the cold. Green Tea has a natural caffeine content of 13.7 mg per stick. Yield: .16 oz. makes 8-10 oz. drink. 10 Stiks/tube, 20 tubes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 060300-AC	33170300	Apple Cider	Cs
◆ 060301-GT	33170124	Green Tea	Cs
◆ 060303-OS	33170906	Orange Spice	Cs



Hi-Viz Apparel

Employees providing temporary traffic control should wear high-visibility clothing with a background of fluorescent orange-red or yellow-green and retroreflective material of orange, yellow, white, silver, or yellow-green.

Visit www.osha.gov for complete details and regulation requirements.



Two-Tone Mesh Vest

Made of 2.95 oz., 100% polyester mesh with 2" silver reflective tape on contrast band. Features zipper front closure, (1) smartphone flap chest pocket with gusset, (1) large inside pocket, (1) inside pencil pocket and (1) mic tab. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM	PRICE/UOM
Two-Tone Mesh Vest				
ECO-IMZ32T-YL	325310651	L	Ea	
ECO-IMZ32T-YXL	325310661	XL	Ea	
♦ ECO-IMZ32T-Y2X	325310671	2XL	Ea	



ECO-IMZ32T-Y



Class E Two-Tone Mesh Pants

Made of 2.95 oz., 100% polyester mesh with 2" silver reflective tape on contrast band. Features (2) pass-through pockets, adjustable drawstring waist with elastic back and ankles, and wide leg openings with elastic and hook-and-loop. ANSI 107-2015 Type R, Class E compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Class E Two-Tone Mesh Pants			
♦ ECO-TEM2T-YS/M	325310611	S/M	Ea
ECO-TEM2T-YL/XL	325310621	L/XL	Ea
♦ ECO-TEM2T-Y2X/4X	325310631	2XL-4XL	Ea



ECO-TEM2T-Y



Class 2 Expandable Two-Tone Mesh Vest

Bright, 100% ANSI polyester mesh with 2" 3M™ Scotchlite™ Reflective Material, (1) 360° horizontal and (2) vertical stripes with contrasting color trim. Features zipper closure (2) lower inside pockets and (1) outer left chest pocket. ANSI 107-2015 Type R, Class 2 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Class 2 Expandable Two-Tone Mesh Vest			
LUX-SC2TZ-YM/L	325300051	M/L	Ea
LUX-SC2TZ-YXL/2	325300061	XL/2XL	Ea
LUX-SC2TZ-Y3/4X	325300071	3XL/4XL	Ea



LUX-SC2TZ-Y



Class 2 Solid Dual Stripe Vest

Made of 100% ANSI polyester tricot with 2" 3M™ Scotchlite™ Reflective Material, (2) 360° horizontal and (2) vertical stripes. Features hook-and-loop closure. Machine washable. ANSI 107-2015 Type R, Class 2 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Class 2 Dual Stripe Vest			
LUX-SSFULLG-YL	325300571	L	Ea
LUX-SSFULLG-YXL	325300601	XL	Ea
LUX-SSFULLG-Y2X	325300611	2XL	Ea



LUX-SSFULLG-Y



Luminator® Class 2 Mesh Surveyors Vests

Made of mesh polyester material with black side panels and 3" silver/contrasting reflective stripes. Features reinforced zipper front, (2) upper and (2) lower grommets, clear badge holder, mic tab holder, and (4) outer and (2) inner pockets. ANSI/ISEA 107-2015 Class 2, Type R compliant.

ITEM #	ORDER #	COLOR	SIZES	UOM
Class 2 Mesh Surveyors Vest				
♦ SURVCL2LM	331442181	Fluorescent lime	M	Ea
SURVCL2LL	331442051	Fluorescent lime	L	Ea
SURVCL2LXL	331442191	Fluorescent lime	XL	Ea
♦ SURVCL20M	331443321	Fluorescent orange	M	Ea
♦ SURVCL20L	331443331	Fluorescent orange	L	Ea
SURVCL20XL	331443341	Fluorescent orange	XL	Ea



Class 2 Mesh Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Features hook-and-loop closure and (1) inside left chest pocket with closure. ANSI 107-2015 Type R, Class 2 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Class 2 Mesh Vest			
ECO-GC-YS/M	325347531	S/M	Ea
ECO-GC-YL/XL	325347541	L/XL	Ea
ECO-GC-Y2/3X	325347551	2XL/3XL	Ea
ECO-GC-Y4/5X	325347561	4XL/5XL	Ea



Mesh Two-Tone Vest

100% Polyester mesh fabric features 1 3/8" silver reflective tape backed by orange trim. Offers elastic side straps, hook-and-loop closure and (1) inside lower pocket. Yellow.

ITEM #	ORDER #	SIZES	UOM
Mesh Two-Tone Vest			
LUX-XTTM-YR	325307911	Regular	Ea



Class 2 Mesh Two-Tone Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape backed by contrasting ANSI compliant trim. Features hook-and-loop closure and (1) left inner chest pocket. ANSI 107-2015 Type R, Class 2 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Class 2 Mesh Two-Tone Vest			
ECO-GC2T-YL/XL	325322551	L/XL	Ea
♦ ECO-GC2T-Y2/3X	325322561	2XL/3XL	Ea
♦ ECO-GC2T-Y4/5X	325322571	4XL/5XL	Ea





FRMBCL2L



Luminator® FR Class 2 Breakaway Vest

Made of GlenGuard® solid lime modacrylic/aramid blended fabric with 2" silver FR reflective stripes. Features 5-point hook-and-loop for breakaway, and D-ring access for fall protection harness. Arc rating: 5.4 cal/cm², HRC1. Meets ASTM F1506 and NFPA 70E. ANSI/ISEA 107-2015 Class 2, Type R compliant.

ITEM #	ORDER #	SIZES	UOM
FR Class 2 Breakaway Vest			
FRMBCL2LL	331407461	L	Ea
FRMBCL2LXL	331407481	XL	Ea
FRMBCL2LX2	331407501	2XL	Ea
FRMBCL2LX3	331407531	3XL	Ea



Two-Tone Surveyor Mesh Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape backed by contrasting ANSI compliant trim. Features zipper front closure, (2) mic tabs and large arm opening for use over cold weather outerwear. Pockets: double left chest with (4) pencil compartments, right chest radio/phone with hook-and-loop flap, (2) lower front with hook-and-loop flap, (2) lower inside, and (1) inside flashlight. ANSI 107-2015 Type R, Class 2 compliant.



ECO-ATRNSM-Y

ITEM #	ORDER #	SIZES	UOM
Two-Tone Surveyor Mesh Vest			
ECO-ATRNSM-YL	325328511	L	Ea
ECO-ATRNSM-YXL	325328521	XL	Ea
ECO-ATRNSM-Y2X	325328531	2XL	Ea



Class 2 Surveyors Mesh Vests

Lightweight, 100% polyester mesh with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Pockets: (2) inside lower with pen compartment, (4) pen on outside right chest and (1) outside left, double with (4) pen compartments. Features zipper front. ANSI 107-2015 Type R, Class 2 compliant.



LUX-SSGCS-O

ITEM #	ORDER #	COLOR	SIZES	UOM
Class 2 Surveyors Mesh Vest				
LUX-SSGCS-YL/XL	325351121	Yellow	L/XL	Ea
LUX-SSGCS-Y2/3X	325341131	Yellow	2XL/3XL	Ea
LUX-SSGCS-OL/XL	325347381	Orange	L/XL	Ea
LUX-SSGCS-O2/3X	325347391	Orange	2XL/3XL	Ea



Mesh Vests with Zipper

Made of 100% ANSI polyester mesh with 2" silver reflective tape. Features zipper closure and inner left chest pocket. ANSI 107-2015 Type R, Class 2 compliant.



ECO-GCZ-O

ITEM #	ORDER #	COLOR	SIZES	UOM
Mesh Vest with Zipper				
ECO-GCZ-YL/XL	325377191	Yellow	L/XL	Ea
ECO-GCZ-Y2/3X	325305521	Yellow	2XL/3XL	Ea
ECO-GCZ-Y4/5X	325377211	Yellow	4XL/5XL	Ea
ECO-GCZ-OL/XL	325377151	Orange	L/XL	Ea
ECO-GCZ-O2/3X	325327951	Orange	2XL/3XL	Ea
ECO-GCZ-O4/5X	325327961	Orange	4XL/5XL	Ea



Class 2 Solid Vests

Made of lightweight, 100% ANSI polyester tricot with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Features hook-and-loop closure. ANSI 107-2015 Type R, Class 2 compliant.



ECO-G-O

ITEM #	ORDER #	COLOR	SIZES	UOM
Class 2 Solid Vest				
ECO-G-YL/XL	325343111	Yellow	L/XL	Ea
ECO-G-Y2/3X	325343121	Yellow	2XL/3XL	Ea
ECO-G-Y4/5X	325343131	Yellow	4XL/5XL	Ea
ECO-G-OL/XL	325343011	Orange	L/XL	Ea
ECO-G-O2/3X	325343021	Orange	2XL/3XL	Ea
ECO-G-O4/5X	325343031	Orange	4XL/5XL	Ea



Non-ANSI Vest with Gloss Tape

100% Polyester mesh vest with 1" vertical, glossy tape stripes. Features elastic side straps, hook-and-loop closure and (1) inside lower pocket. Non-ANSI. Orange.



LUX-XGTM-OR

ITEM #	ORDER #	SIZES	UOM
Non-ANSI Mesh Vest with Yellow Tape			
LUX-XGTM-OR	325347521	Regular	Ea



Non-ANSI Vests

100% Polyester mesh vest without stripes. Features elastic side straps, hook-and-loop closure and (1) inside lower pocket. Non-ANSI.



LUX-XNTM-YR

ITEM #	ORDER #	COLOR	SIZES	UOM
Non-ANSI Mesh Vest, No Stripes				
LUX-XNTM-YR	325305181	Yellow	Regular	Ea
LUX-XNTM-OR	325305171	Orange	Regular	Ea



ANSI Class 2 Safety Vest

100% Polyester fluorescent yellow mesh material with 2" reflective tape on shoulders and chest. Secures with front hook-and-loop closure. ANSI 107-2010 Class 2 High Visibility Apparel compliant.

Class 2 - requirements for workers who are on or near roadways, where vehicle and equipment speeds are 25 - 50 mph. It is also intended for use in work areas where greater visibility is desired during inclement weather conditions and where complex backgrounds are present.

690-1209



ITEM #	ORDER #	SIZES	UOM
Class 2 Safety Vest			
690-1208	G73512081	M	Ea
690-1209	G73512091	L	Ea
690-1210	G73512101	XL	Ea
690-1211	G73512111	2XL	Ea
690-1212	G73512121	3XL	Ea



Class 3 Zipper-Front Mesh Vest

Made of 100% ANSI polyester mesh with 2" reflective tape stripes, (1) 360° horizontal and (2) vertical. Features (2) pockets and zipper closure. ANSI 107-2015 Type R, Class 3 compliant. Yellow.



ECO-GCZ3-Y

ITEM #	ORDER #	SIZES	UOM
Class 3 Zipper-Front Vest			
ECO-GCZ3-YS/M	325347001	S/M	Ea
ECO-GCZ3-YL/XL	325347011	L/XL	Ea
♦ ECO-GCZ3-Y2/3X	325347021	2XL/3XL	Ea
♦ ECO-GCZ3-Y4/5X	325347031	4XL/5XL	Ea



Black Bottom T-Shirt

Made of 3.8 oz., 100% ANSI wicking birdseye fabric. Features 2" silver reflective tape, left chest pocket and black bottom front to hide dirt. ANSI 107-2015 Type R, Class 2 compliant. Yellow.



LUX-SSETPBK

ITEM #	ORDER #	SIZES	UOM
Black Bottom T-Shirt			
LUX-SSETPBK-L	325327571	L	Ea
LUX-SSETPBK-XL	325327581	XL	Ea
LUX-SSETPBK-2X	325377221	2XL	Ea



Wicking Birdseye T-Shirt with Pocket

Made of 3.8 oz., 100% ANSI wicking birdseye fabric with 2" silver reflective tape. Features left chest pocket and lightweight fabric for comfort. ANSI 107-2015 Type R, Class 2 compliant. Yellow.



LUX-SSETP2B-Y

ITEM #	ORDER #	SIZES	UOM
Wicking Birdseye T-Shirt with Pocket			
LUX-SSETP2B-YL	325337721	L	Ea
♦ LUX-SSETP2B-YXL	325347651	XL	Ea

♦ Non-stock item. Minimum quantity may apply.



LUX-LSETPBK-Y



Black Bottom Wicking Birdseye Long Sleeve Shirt

Made of lightweight 3.8 oz., 100% wicking birdseye polyester with 2" silver reflective tape. Features left chest pocket and black bottom to hide dirt. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Black Bottom Long Sleeve Shirt			
◆ LUX-LSETPBK-YL	325310581	L	Ea
LUX-LSETPBK-YXL	325310601	XL	Ea
◆ LUX-LSETPBK-Y2X	325310541	2XL	Ea



LUX-SWTHZBK-Y



Black Bottom Hoodie Sweatshirt

Made of 9 oz., 100% polyester fleece with 2" silver reflective tape. Features (2) lower front pockets, black bottom to hide dirt, and elastic cuffs and waistband. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Black Bottom Hoodie Sweatshirt			
LUX-SWTHZBK-YL	325310501	L	Ea
LUX-SWTHZBK-YXL	325310531	XL	Ea
◆ LUX-SWTHZBK-Y2X	325310461	2XL	Ea
◆ LUX-SWTHZBK-Y3X	325310471	3XL	Ea



LUX-SWT3HZ-Y



Class 3 Wicking Zip-Up Sweatshirt

Made of 9 oz., 100% ANSI wicking polyester which keeps wearer warm and dry. Features elastic cuffs and waistband, zipper, attached hood and (2) pockets. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

ITEM #	ORDER #	SIZES	UOM
Class 3 Wicking Zip-Up Sweatshirt			
LUX-SWT3HZ-YL	325301541	L	Ea
LUX-SWT3HZ-YXL	325301571	XL	Ea
LUX-SWT3HZ-Y2X	325301581	2XL	Ea

More Winter Items, Pages 206 - 215.



75-1307



Maxx-ON® Waterproof Parka

Constructed of 300-denier breathable Oxford fabric with 2" reflective stripes. Features harness D-ring pass-through with storm flap, vented mesh back, inner and outer pockets, and mic tabs. Separate Class 3 fleece liner zips into parka. ANSI 107-2010 Class 3 compliant. Hi-viz yellow.

ITEM #	ORDER #	SIZES	UOM
Class 3 Waterproof Parka			
◆ 75-1307-L	337901101	L	Ea
◆ 75-1307-X1	337901161	XL	Ea
◆ 75-1307-X2	337901171	2XL	Ea
◆ 75-1307-X3	337901181	3XL	Ea



Class 3 Lined Bomber Jacket

Made of PU-coated polyester with quilted liner and fully taped seams. Features 2" silver reflective tape, concealed hood, elastic ribbed waist, wrist and collar, inside chest pocket, outside slash pockets, and cell phone pocket. Black bottom and wrists to conceal dirt. Meets ANSI/ISEA 107-2004 Class 3 standards. Hi-viz yellow.



75-1313

ITEM #	ORDER #	SIZES	UOM
Class 3 Lined Bomber Jacket			
◆ 75-1313/L	337914071	L	Ea
◆ 75-1313/X1	337913891	XL	Ea
◆ 75-1313/X2	337913791	2XL	Ea
◆ 75-1313/X3	337913691	3XL	Ea



Classic Three-Way Black Bottom Bomber Jacket

Made of 100% ANSI polyester with PU coating and 2" silver reflective tape. Features sealed seams, 100% black polyester fleece zip-out liner, roll-away hood, (2) outer pockets, (1) inner pocket, (1) radio pocket, (1) pencil pocket, (2) mic tabs, and black bottom front, collar, cuffs and waistband. Waterproof. ANSI 107-2015 Type R, Class 3 compliant. Yellow.



LUX-ETBJR-Y

ITEM #	ORDER #	SIZES	UOM
Classic 3-Way Bomber Jacket			
LUX-ETBJR-YM	325357891	M	Ea
LUX-ETBJR-YL	325357881	L	Ea
LUX-ETBJR-YXL	325357901	XL	Ea
LUX-ETBJR-Y2X	325357911	2XL	Ea



Class 3 4-in-1 Black Bottom Bomber Jacket

Convertible, 2-layer jacket in PU-coated polyester with 3M™ Scotchlite™ Reflective Material. Features snap-on, roll-up hood, flip-up collar, zipper/snap front, radio pocket, (2) outside hand pockets and (1) inside pocket. Collar and elasticized cuffs and waistband are dark to hide dirt. On warmer days, zip out inner fleece lining and wear bomber jacket as windbreaker jacket, still Class 3. Remove sleeves to wear as Class 2 vest alone, or with inner fleece jacket underneath. Non-compliant, black fleece jacket can be worn alone when working away from traffic. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

LUX-TJBJ-BY



ITEM #	ORDER #	SIZES	UOM
4-In-1 Black Bottom Bomber Jacket			
◆ LUX-TJBJ-BYL	325308441	L	Ea
LUX-TJBJ-BYXL	325327191	XL	Ea
LUX-TJBJ-BY2X	325308451	2XL	Ea
LUX-TJBJ-BY3X	325308461	3XL	Ea



Hi-Viz Vests with Chainsaw Stripping

Mesh vest with chainsaw designed silver reflective stripes over contrasting color. Features heavy-duty zipper closure, multiple large pockets, clear ID holder, (2) mic tabs and black bottom to conceal dirt. Meets ANSI/ISEA 107-2015 Class 2, Type R standards.



75-3239

75-3240

ITEM #	ORDER #	COLOR	SIZES	UOM
Hi-Viz Vest with Chainsaw Stripping				
◆ 75-3239/M	337901231	Hi-viz yellow	M	Ea
75-3239/L	337901241	Hi-viz yellow	L	Ea
75-3239/X1	337901251	Hi-viz yellow	XL	Ea
◆ 75-3239/X2	337901261	Hi-viz yellow	2XL	Ea
◆ 75-3240/M	337901311	Hi-viz orange	M	Ea
75-3240/L	337901321	Hi-viz orange	L	Ea
75-3240/X1	337901331	Hi-viz orange	XL	Ea
◆ 75-3240/X2	337901341	Hi-viz orange	2XL	Ea

◆ Non-stock item. Minimum quantity may apply.





Plant & Workzone Safety

Employers are mandated by OSHA to provide all employees with jobs and work areas free from recognized hazards that are causing, or are likely to cause, death or serious physical harm. Among other actions, employers shall also comply with the OSHA statutory requirements, standards, and regulations found at www.osha.gov.



Lighting

PAGES 224 - 229



Instrumentation

PAGES 230 - 233



Confined Space

PAGES 234 - 237



Heat Stress

PAGES 238 - 241



First Aid, Showers and Eye Wash

PAGES 242 - 249



Lockout / Tagout

PAGES 250 - 251



Wipes and Cleaners

PAGES 252 - 253



Sorbents

PAGES 254 - 255



Hazardous Storage

PAGES 256 - 259



Lighting

When adequate illumination is not obtainable by permanent lighting sources, temporary lighting may be used as supplementation.

Visit www.osha.gov for complete details and regulation requirements.



0780 **Blackjack™ Helmet Holders**

Made of aerospace aluminum. Features low-profile design, stainless steel hardware and Teflon®-coated attachment screws for secure grip. Includes an integrated allen-key. Full House Blackjack helmet holder works with the following Pelican™ flashlights: 2400, 2400N, 2410, 2430, 2450 and the 2460. Ace Blackjack helmet holder works with the following Pelican flashlights: 2300, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2380R, 3320, 3330, and 7000. All In Blackjack helmet holder works with the following Pelican flashlights: 3310 and 3315 LED.

ITEM #	ORDER #	DESCRIPTION	UOM
0780	548500481	Full House Blackjack helmet holder	Ea
0781	548500531	Ace Blackjack helmet holder	Ea
0782	548500551	All In Blackjack helmet holder	Ea



0783 **Blackjack™ Double Down Strap Retainer**

Features (4) polymer clips which adhere to most standard-size helmets using industrial-grade adhesive to keep headlamp straps secure in nearly any configuration.

ITEM #	ORDER #	DESCRIPTION	UOM
0783	548500575	Blackjack double down strap retainer	4/Pk



1920 **Ultra Compact Aluminum LED Flashlight**

Made with anodized-alloy housing. Features up to 120-lumen output, waterproof design under temporary conditions and on/off push button. Includes convenient carbon-steel pocket clip. Powered by (2) AAA batteries (included). Lifetime warranty. 5 1/2" Length. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
1920	548519201	Ultra compact aluminum LED flashlight	Ea



9435 **Remote Area Lighting System**

Battery-powered, safety-approved handheld remote area light. Made with polycarbonate body. Features 1,500-lumen output on high, 750-lumen output on low and up to 10 hours of run time. Closed dimensions: 7.87" W x 15.75" L x 9.06" H. Extended mast height: 32.28". Powered by (1) NiMH battery (included) with battery level indicator. Lifetime warranty. Certifications: RoHS Compliant, CE Approved, Class I, Division 2, IECEx ic, ATEX Zone 2. Orange.

ITEM #	ORDER #	DESCRIPTION	UOM
9435	548594351	9435 Remote area lighting system	Ea



9490 Remote Area Lighting System

Features 6,000-lumen output on low, 3,000-lumen output on high and up to 24 hours of run time with quick-release, swappable power pack. 72" Deployable mast with 340° rotation. Intelligent control allows for various light level output levels via remote control. Offers full time battery level indicator with low level flashing indicator. Lifetime warranty. Weighs 32 lbs. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
9490	54850038	9490 Remote area lighting system	Ea



9490



MityLite™ 1965 LED Flashlight

Features lightweight and compact design, rotary bezel and 21-lumen output with 4-hour run time. Powered by (2) AAA alkaline batteries (included). Lifetime warranty. 5.48" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
1965-YEL	548501601	MityLite 1965 flashlight	Ea



1965



3310PL Medium LED Flashlight

Features photoluminescent technology which emits a bright glow making it highly visible in pitch black environments. Offers 202-hour run time (low), compact and lightweight design and removable lanyard. 378-lumens on high, 39-lumens on low. Powered by (3) AA alkaline batteries (included). IPX7 waterproof. Lifetime warranty. 6.14" Length.

ITEM #	ORDER #	DESCRIPTION	UOM
3310PL	548500261	3310PL Medium LED light	Ea



3310PL



1910 Small LED Flashlight

Made with compact aluminum, type II anodized body and LED polycarbonate lens. Features high carbon steel clip, momentary switch type and on/off push button. Offers 72-lumens on high and 14-lumens on low. Waterproof under temporary conditions. Powered by (1) AAA alkaline battery (included). Lifetime warranty. 3 3/4" Length. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
1910	548519101	1910 Small LED flashlight	Ea



1910





PELICAN
HeadsUp Lite™ 2690 LED Headlight

Brighter, more efficient headlight. Features compact and lightweight design, 74-lumen output and 11 hours of battery run time. Safety approved for the most versatile environments. Offers rotary bezel switch and heavy-duty cloth and rubber straps. Impact-, chemical- and water-resistant. Powered by (3) AAA alkaline batteries (included). Lifetime warranty. Certifications: Class I, Division 1, Class II, Division 1, Class III, Division 1, IECEx ia. 2.81" Length. Black.



2690

ITEM #	ORDER #	DESCRIPTION	UOM
2690	548526901	HeadsUp Lite 2690 headlight	Ea



2130

PELICAN
Mini Flasher™ 2130 LED

High-visibility mini-flasher that is visible up to 1/2 mile. Made of polycarbonate resin. Features up to 100 hours of burn time, on/off twist design and submersible construction. Powered by (2) L1145 1.2 V alkaline coin cells (included). Lifetime warranty. 1.73" Length.

ITEM #	ORDER #	DESCRIPTION	UOM
2130	548500731	Mini Flasher	Ea



2400PL

PELICAN
StealthLite™ 2400PL Luminescent Waterproof Flashlight

Constructed with Lexan® EXL resin body, corrosion-proof K-Resin® shroud and high-impact, polycarbonate lens. Outfitted with a lens ring that emits a bright glow in the dark. Photoluminescent material in plastic absorbs energy from any light source - fluorescent lights, sun, or even the flashlight's own beam. Xenon lamp module produces bright white beam which cuts through water, smoke, fog and rain. Submersible to 500'. Features 25-lumen output, double shock-mounted battery compartment, adjustable wrist lanyard and nearly 4 hours of run time. IPX7 submersible rating. Class I, Division 1 certified. Powered by (4) AA alkaline batteries (included). Lifetime warranty. 6.49" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
2400PL	548500181	StealthLite luminescent flashlight	Ea



2380R

PELICAN
2380R Tactical Flashlight

Features slide-beam technology, USB recharge-ability and full battery level indication. Offers high performance LED lamp, multiple modes (high, strobe, low) and high carbon steel clip. Provides up to 25 hours of run time, 305-lumen output on high and 30-lumen output on low. Powered by (2) CR-123 disposable, rechargeable batteries (included). Lifetime warranty. 6.48" Length. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
2380R	548500031	2380R Tactical flashlight	Ea



2720

PELICAN
2720 LED Headlight

Features gesture activation control technology which turns on headlight with the wave of a hand, allowing operation when hands are gloved, wet or oily. Offers low level red light that preserves night vision, signaling red (S.O.S) beacon light and optical 4X magnification allows for a wide or penetrating beam. Provides variable light output from 100% to 10% by the press of a button. Powered by (3) AAA alkaline batteries (included). Rubber head strap included. Lifetime warranty. 2.48" Length. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
2720	548527201	LED headlight w/ gesture activation control	Ea



9415



9415 Large LED Lantern Light

Safety-approved lantern for the most volatile work areas. Made with ABS body. Features 413-lumen output, 360-yard illumination and high/low/flashing light modes with battery level indicator. Powered by (4) LED NiMH batteries (included). Lifetime warranty. 8.75" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
9415	548594151	9415 Large LED lantern light	Ea



3310ELS



3310ELS Emergency Lighting Station

Features self-contained glowing beacon and flashlight that's easy to locate in the dark. Made with photoluminescent polycarbonate body, polycarbonate lens and high/low/flashing modes. Housed in clear tamper-proof case that mounts to wall, making it highly visible during a power outage. Offers 234-lumen output, up to 202 hours of run time and IPX7 waterproof design. Powered by (3) AA alkaline batteries (included). Lifetime warranty. 6.14" Length.

ITEM #	ORDER #	DESCRIPTION	UOM
3310ELS	548500251	3310ELS Emergency lighting station	Ea



9410L



9410L Rechargeable LED Lantern

Made with ABS body. Features lightweight design, 450-yard illuminate distance and 120° rotating head. Offers battery status indicator and 3-mode switch (high, low and flashing). Provides 1,253-lumen output on high, 553-lumen output on low and up to 10 1/2 hours of run time. Powered by (4) D NiMH batteries (included). National Fire Protection Association certified. Lifetime warranty. Weighs 3 lbs. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
9410L	548594101	9410 Rechargeable LED lantern	Ea



7000 Tactical LED Flashlight

Pocket-sized tactical flashlight constructed with aluminum body. Features 602-lumen output, intense center beam and 4 light modes (high, medium, low, strobe). Offers up to 16 hours of run time and programmable light settings. Powered by (2) CR-123 batteries (included). Lifetime warranty. 5.31" Length. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
7000	548500071	7000 Tactical LED flashlight	Ea



7000

◆ Non-stock item. Minimum quantity may apply.



2765



Pelican™ Triple-Powered LED Headlamp

Features (3) positioned LED lights which produce up to 105-lumens. Provides up to 9 1/2 hours of run time, full time battery level indicator and multiple modes (high, low, downcast, flashing). Downcast mode allows for pathway lighting without blinding your partner. Includes cloth and rubber straps for a variety of head and helmet applications. Ultra-compact and lightweight. Powered by (3) AAA alkaline batteries (included). Division 1 Approved. Lifetime warranty. 2.25" Length.

ITEM #	ORDER #	DESCRIPTION	UOM
2765	548500311	Pelican triple-powered LED headlamp	Ea



2010



SabreLite™ 2010 LED™ Flashlights

Made with durable, lightweight EXL body. Produces white collimated beam as bright as incandescent light. Twist on/off lens shroud eliminates accidental discharge. Features submersible design, 161-lumen output and 22-hour run time. Powered by (3) C alkaline batteries (included). Lifetime warranty. 8.11" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
2010	548501721	SabreLite LED flashlight	Ea
2010PL	548520121	SabreLite LED photoluminescent	Ea



2745



2745 LED Headlamp

Made with polycarbonate body, lens and shroud. Features ultra-compact and lightweight design, provides 33-lumens and up to 40 hours of run time. Offers multiple modes including high, low and flashing. Includes cloth and rubber head straps as well as center mount adhesive helmet clip. Class I, Division 1 certified. Powered by (3) AAA alkaline batteries (included). Lifetime warranty. 2.25" Length.

ITEM #	ORDER #	DESCRIPTION	UOM
2745	548500191	2745 LED headlamp	Ea



2410PL



StealthLite™ 2410PL LED Flashlight

Features collimated LED beam and EXL resin body. Provides corrosion-proof and submersible design and is resistant to extreme temperatures. Offers 183-lumen output, up to 5 hours and 45 minutes of run time and IPX7 rating. Can be attached to your hard hat with optimal helmet light holder. Powered by (4) AA alkaline batteries (included). Lifetime warranty. 7" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
2410PL	548524101	StealthLite 2410PL LED flashlight w/ photoluminescent shroud	Ea



Coleman® Divide™ + 350L LED Flashlight

Made of strong, lightweight aluminum. Features impact- and water-resistant design and BatteryLock™ system which stops battery drain. Offers 350-lumens and two light settings (high and low). Powered by (4) AA batteries (included). Ideal for camping, outdoor use and emergency survival. Black.



2000028655

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 2000028655	623905081	Coleman Divide + 350L LED flashlight	Ea



2000025267



Coleman® Divide™ LED Headlamp

Features BatteryLock™ system which stops battery drain to preserve battery life and reduce corrosion to protect your device. Offers fully-adjustable head strap, single-button operation and five modes (high spot, high flood, low spot, low flood, red). IPX4 water-resistant design. Powered by (3) AAA batteries (included).

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 2000025267	623905091	275-lumen LED headlamp	Ea

DURACELL® CopperTop Alkaline Batteries

Long-lasting, reliable power for frequently used devices. Engineered to deliver just the right level of power for most electronic needs. Rated for reliable operation in temperature extremes from -20° C to 54° C and contain no added mercury. Guaranteed fresh for 7 years.

ITEM #	ORDER #	DESCRIPTION	UOM
MN1300	169027505	D CopperTop alkaline	12/Pk
MN1500BKD	169027535	AA CopperTop alkaline	24/Pk
MN2400BKD	169001635	AAA CopperTop alkaline	24/Pk



DURACELL® Procell® Alkaline Batteries

Features reliable operation in extremes from -4° F to 129° F and dependable, long-lasting power. Ideal for motion sensors, testing equipment, flashlights and portable electronics. Guaranteed for 7 years in storage.

ITEM #	ORDER #	DESCRIPTION	UOM
PC1300	169029035	Alkaline D/1.5 V	12/Pk
PC1400	169018405	Alkaline C/1.5 V	12/Pk
PC1500BKD09	169021485	Alkaline AA/1.5 V	24/Pk
PC1604BKD09	169027495	Alkaline/9 V	12/Pk
PC2400BKD09	169036485	Alkaline AAA/1.5 V	24/Pk



◆ Non-stock item. Minimum quantity may apply.



Instrumentation

Employers are required to comply with OSHA regulations set forth to minimize employees' exposure to hazardous gases and vapors anywhere potentially present. Continuous and comprehensive air monitoring is also mandatory.

Visit www.osha.gov for complete details and regulation requirements.



ALTAIR® Single-Gas Detectors

Single-gas detection for carbon monoxide, hydrogen sulfide or oxygen that will operate for over 2 years. Offers superior dust/water protection and high resistance to RFI. Rubberized housing and 1-button operation provide durability and ease of use. Features triple alarm system with (2) bright LEDs and audible/vibrating alarms. Automatically records last 25 alarm events. MSA infrared adapter with built-in IR communication port enables user to read data or change alarm set points. Small, thin sensor profile provides high performance in very small package.

ITEM #	ORDER #	DESCRIPTION	UOM
10092521	3085885B1	ALTAIR: H2S, 10 ppm (1st alarm)-15 ppm (2nd alarm)	Ea
◆ 10092522	3085617D1	ALTAIR: CO, 25 ppm (1st alarm)-100 ppm (2nd alarm)	Ea
◆ 10092523	3085157D1	ALTAIR: O2, 19.5% vol. (1st alarm)-23% vol. (2nd alarm)	Ea



ALTAIR® 2X Gas Detectors

Rugged, intrinsically-safe gas detector is available in (3) models to fit all situations. Features tough over-molded rubber armor that can survive 25' drops onto concrete. Agency certified dust and water IP67 construction.

- ALTAIR 2X single-gas detector incorporates proven XCell® sensor technology and records 150+ hours of periodic data
- ALTAIR 2XP single-gas detector with XCell Pulse Technology features stand-alone bump test anytime, anywhere without specific calibration gas; records 150+ hours of periodic data
- ALTAIR 2XT can monitor (2) gases and records 100+ hours of periodic data



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10153986	308501591	ALTAIR 2X: CO w/ XCell sensor technology	Charcoal	Ea
◆ 10153984	308539841	ALTAIR 2XP: H2S w/ XCell Pulse technology	Charcoal	Ea
◆ 10154040	308500991	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Charcoal	Ea
◆ 10154181	308501381	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Phosphorescent	Ea



ALTAIR® 4X Multi-Gas Detectors

Tough, functional detector for LEL, CO, H2S and O2. Rugged, IP67 certified housing provides unsurpassed durability, including ability to survive 20' drop. Easy to operate even in low-light conditions with large, glove-friendly buttons and high-contrast display. Features fast, high-performing sensors, exclusive MSA MotionAlert™ and InstantAlert™ and end-of-sensor-life warning. Sensor response and clear times under 15 seconds. Sixty-second span calibration time. Two-tox CO/H2S sensor with virtually no cross-channel interference. Digital output sensors provide less susceptibility to RF interference. Four-year sensor life with 24-hour run time. Includes quick-start card, datalogging, charger, calibration cap and tubing, and CD manual.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
10107602	3085400D1	ALTAIR 4X: LEL, O2, CO & H2S	Charcoal	Ea
◆ 10107603	3085535D1	ALTAIR 4X: LEL, O2, CO & H2S	Phosphorescent	Ea

10107602



ALTAIR® 5X Multi-Gas Detectors

10116928



Measures up to 6 gases simultaneously and can be fitted with a wide range of both toxic and infrared sensors. Features MSA's XCell™ sensors with extended range covering SO₂, Cl₂ and NH₃. Offers superior stability, accuracy, repeatability, fast response and longevity. Standard sensors designed for average life of more than 4 years (more than 3 years for SO₂, Cl₂, and NH₃); allow for faster response/clear times, bump tests in less than 10 seconds, and span calibration time of 60 seconds for common configurations; provide greater signal stability and repeatability under changing or extreme environmental conditions; are plug-and-play-capable. End-of-sensor-life indicator gives advanced warning to user, eliminating service outages. Event/data log records up to 500 events. MotionAlert™ triggers alarm if user remains motionless for 20 seconds. InstantAlert™ allows users to manually activate all alarms to alert others to potential hazards. Includes triple alarm system (visual, audible and vibration), large hi-res LCD screen (color or monochromatic), 24-hour bump test checkmark, rugged rubberized housing and ergonomic design, auto calibration, Li-polymer battery with up to 18 hours usage between charges, 10' sampling line and 1' probe. MSA Link™ software and Galaxy® system compatible. IP65 rated for dust and water ingress.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10116926	3085842D1	ALTAIR 5X: LEL, O ₂ , CO & H ₂ S Industrial kit w/ monochrome display, 10' sampling line & 1' probe	Ea
◆ 10116928	3085686D1	ALTAIR 5X: LEL, O ₂ , CO & H ₂ S Deluxe kit w/ color display, 10' sampling line & 1' probe	Ea



10128628



10128642



Galaxy® GX2 Automated Test Systems

Provides simple, intelligent testing and calibration of ALTAIR 4X and ALTAIR 5X Multi-Gas Detectors. Easy-to-use automated test stand offers high performance as either stand-alone unit or integrated portable detector management system, enabling total data access and control of the MSA ALTAIR family Gas Detector fleet. New MSA Link™ Pro Software for proactive safety management; gas exposure email alerts, direct data input, live filtering, test and exposure queries, collecting and printing reports.

Features:

- Color touch screen for ease of setup and viewing
- Extremely simple to use; testing starts automatically without touching a single button
- Simultaneous testing of up to ten instruments
- Galaxy GX2 System is optimized for use with MSA's XCell® Sensors; provides up to 50% cost of ownership reduction
- At-a-glance indicators include low calibration gas volume, expiration warnings and test stand status
- MSA Link Pro Software provides proactive safety management, dashboard overview and total record-keeping
- 18 Languages available for test stand and MSA Link Pro Software that simplifies usage and reduces training

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10128642	30853030	Galaxy GX2 w/ 1 valve for ALTAIR 4/4X	Ea
◆ 10128628	308586291	Galaxy GX2 w/ 1 valve for ALTAIR 5/5X	Ea

◆ Non-stock item. Minimum quantity may apply.



711058



10048280



Econo-Cal® Aluminum Calibration Cylinders - Reactive Gases

Aluminum cylinder has 500 psig and contains approximately 34 L at atmospheric pressure. Size: 13 3/4" x 3". Weighs 1 lb., 1 oz.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 711058	30851058	Multi-gas cylinder: CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	Ea
◆ 10048280	30858280	Multi-gas cylinder: CO 60 ppm, O2 15%, Pentane 1.45%, H2S 20 ppm, balance N	Ea

Confined Space Products found on Page 234.



804770



10045035



Model RP Aluminum Calibration Cylinders - Reactive Gases

Aluminum cylinder has 500 psig and contains approximately 58 L at atmospheric pressure.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 467897	308551731	Single-gas cylinder: H2S 40 ppm, balance N	58 L	Ea
◆ 804770	30854770	Multi-gas cylinder: CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	58 L	Ea
◆ 10045035	308535101	Multi-gas cylinder: CO 60 ppm, O2 15%, Methane 1.45%, H2S 20 ppm, balance N	58 L	Ea



710288



Gas Miser® Demand Regulator

Constructed of nickel-plated brass and polished aluminum (especially important for reactive gases). Regulator can supply gas flow from 0.1 lpm to 3.0 lpm. Designed for use with any MSA Model RP Calibration cylinder except chlorine and ammonia and features automatic ON/OFF valve that releases gas only on demand, using only amount of gas needed to calibrate your MSA instrument. When calibration is complete, regulator shuts off automatically. Regulator can stay connected to cylinder where it remains in ready state, making it ideal for fixed installations such as work benches and calibration stations. Eliminates need to change regulators to accommodate different instruments or flow rates. Supplied with calibration tubing and special fitting.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 710288	308586011	Model RP Gas Miser regulator, 0.1-3.0 lpm	Ea

Model RP Calibration Check Kit

Kit includes 0.25 lpm regulating valve with gauge to measure container pressure, 30' tubing (without sampling line connection), calibration plug for MSA electrochemical sensors, zero plugs for MSA electrochemical sensors and calibration plug for MSA electrochemical sensors, adapter hose, instructions and case fitted with room for (2) Model RP cylinders of calibration check gas.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 477149	30857149	Calibration check kit	Ea



477149



When to Bump Test and When to Calibrate

According to the International Safety Equipment Association (ISEA), "A bump test or full calibration of direct-reading portable gas monitor should be made before each day's use in accordance with manufacturer's instructions, using an appropriate test gas."

If the instrument fails a bump test, it must be adjusted through a full calibration before it is used. The acceptable interval between testing should never exceed 30 days. Only use certified calibration test gases in the proper concentration before the expiration date.

To learn more, visit www.osha.gov or www.safetysystem.org for further information on portable gas monitor bump testing and calibration.



467895

Model RP Fixed Flow Regulator

Model RP regulator with fixed flow rate of 0.25 lpm. Fixed flow design provides constant and accurate flow to the instrument pump or aspirator. Approved for all MSA calibration gases.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 467895	30857895	Model RP cylinder regulator, 0.25 lpm	Ea



Honeywell ToxiPro® Single-Gas Detectors

Compact, rugged in design and fully serviceable with simple 1-button operation. Available sensors: O2, CO, H2S, PH3 and NH3. Three highly-visible, chasing yellow and red alarm LEDs plus vibration. Max, STEL and TWA readings are accessible by pressing the MODE button. Datalogging included. Continuous real-time gas readings. Includes event logger (100 events). Meets IP66/IP67 ingress protection. Compatible with the IQ Express Docking Station. C-UL®-US. Classified for Class I, Div. I, Groups A, B, C and D T4; Class II, Div. I, Groups E, F and G.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 54-45-01V	C23500011	ToxiPro: CO	Ea
◆ 54-45-02V	C23545041	ToxiPro: H2S	Ea
◆ 54-45-13V	C23545131	ToxiPro: PH3	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 54-45-21V	C23545221	ToxiPro: NH3	Ea
◆ 54-45-90V	C23545911	ToxiPro: O2	Ea

Confined Space

Areas with restricted means of entry and/or exit are dangerous and require very specific safety precautions including training, ventilation and PPE.

Visit www.osha.gov for complete details and regulation requirements.



ALLEGRO AC Axial Blowers with Canister

With the highest output available from an 8" axial blower, this compact unit offers light weight and high output from an AC electric motor. Features tough steel construction, durable grill, convenient carry handle and rubber feet. Small profile for easy storage. Flow rates: free air 1,275 CFM; one 90° bend 661 CFM; two 90° bends 582 CFM. (CFM calculated using 15' x 8" or 16" ducting based on the diameter of the blower.) Certified to CSA STD C22.2 No 113. Air delivery certified CEESI.

ITEM #	ORDER #	DESCRIPTION	WEIGHT	UOM
◆ 9514	334203231	AC axial blower w/ canister & 15' ducting	32 lbs.	Ea
◆ 9514-25	334203271	AC axial blower w/ canister & 25' ducting	46 lbs.	Ea



Ships Direct FOB Mfg. 

Confined Space



Ships Direct FOB Mfg. 

ALLEGRO 12" Plastic Axial Blower

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. 1 hp, 115/230 VAC All World motor, 50/60 Hz. Safety orange color. Flow rates: free air 1,842 CFM; one 90° bend 1,004 CFM; two 90° bends 933 CFM. UL® Listed, CSA Certified, CE Certified.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	UOM
◆ 9543	33429543	12" Plastic Axial blower	1,842 CFM	Ea
◆ 9543-15	33429544	12" Plastic Axial blower w/ canister & 15' ducting	1,842 CFM	Ea
◆ 9543-25	33429545	12" Plastic Axial blower w/ canister & 25' ducting	1,842 CFM	Ea



9515



ALLEGRO 16" and 20" Axial Blowers

Designed for large confined spaces. Delivers high output for drawing or pushing air. Constructed with durable metal housing. Standard and explosion-proof 16" blowers have a 1/2 hp motor. High-output blowers have a 2 hp motor with 3-blade impeller. Safety orange color. Explosion-proof blowers include single phase motor and are UL®/CSA listed and NEMA rated 115 V plug. Meet Class I, Division 1 and 2, Group C and D, Class II, Division 1 and 2, Group F and G.

Ships Direct FOB Mfg. 

ITEM #	ORDER #	DESCRIPTION	WEIGHT	SIZES	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
16" Axial Blowers								
◆ 9515	334203291	Standard axial blower	47 lbs.	18" L x 18" W x 19" H	3,400 CFM	2,800 CFM	2,300 CFM	Ea
◆ 9516	334203321	High-output axial blower	74 lbs.	18" L x 18" W x 19" H	5,500 CFM	4,950 CFM	4,400 CFM	Ea
◆ 9515-01	334203311	Explosion-proof axial blower	67 lbs.	18" L x 18" W x 19" H	2,900 CFM	1,800 CFM	1,750 CFM	Ea
20" Axial Blowers								
◆ 9525	33429525	Standard axial blower	56 lbs.	19" L x 22" W x 22 1/2" H	4,650 CFM	3,150 CFM	2,950 CFM	Ea
◆ 9525-50	33422550	High-output axial blower	83 lbs.	19" L x 22" W x 22 1/2" H	7,500 CFM	6,700 CFM	6,130 CFM	Ea
◆ 9525-01	33422501	Explosion-proof axial blower	75 lbs.	19" L x 22" W x 22 1/2" H	4,650 CFM	3,150 CFM	2,950 CFM	Ea



9533-15

ALLEGRO 8" Plastic COM-PAX-IAL Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport.

Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. Electric, single-phase All World motor is 1/3 hp, 3 A/115/230 VAC, 50/60 Hz. UL® Listed, CSA Certified, CE Certified.

Electric, explosion-proof, single-phase motor is UL®/CSA listed and includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Safety orange color. Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous Location Requirements.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
◆ 9533	334203461	8" AC blower only	831 CFM	709 CFM	586 CFM	Ea
◆ 9533-15	334203481	8" AC blower w/ canister & 15' ducting	831 CFM	709 CFM	586 CFM	Ea
◆ 9533-25	334203491	8" AC blower w/ canister & 25' ducting	831 CFM	709 CFM	586 CFM	Ea
◆ 9536	334203561	8" DC Axial blower	816 CFM	526 CFM	442 CFM	Ea
◆ 9536-15	334203571	8" DC Axial blower w/ canister & 15' ducting	816 CFM	526 CFM	442 CFM	Ea
◆ 9536-25	334203581	8" DC Axial blower w/ canister & 25' ducting	816 CFM	526 CFM	442 CFM	Ea
◆ 9538	334295381	8" Explosion-proof AC blower only	900 CFM	650 CFM	625 CFM	Ea
◆ 9538-15	33423815	8" Explosion-proof AC blower w/ canister & 15' statically-conductive ducting	900 CFM	650 CFM	625 CFM	Ea
◆ 9538-25	33423825	8" Explosion-proof AC blower w/ canister & 25' statically-conductive ducting	900 CFM	650 CFM	625 CFM	Ea

Ships Direct FOB Mfg. 

◆ Non-stock item. Minimum quantity may apply.



ALLEGRO

9535

Air Bag Blowers with Ducting

Blower built into heavy-duty bag with zippered ends that allows use without removing from bag. Constructed with 9-blade polypropylene fan, steel/powder-coated housing and grill, and carry handle with molded-in 2-speed switch. Includes single-ply, lightweight vinyl/polyester PVC-coated ducting.

ITEM #	ORDER #	DESCRIPTION	WEIGHT	SIZES	FREE AIR	UOM
◆ 9535-08	334205381	8" Air bag blower w/ 15' ducting, 1/4 hp	25 lbs.	27" L x 15" W x 12" H	760 CFM	Ea
◆ 9535-12	334235121	12" Air bag blower w/ 15' ducting, 1/2 hp	35 lbs.	28" L x 16" W x 14" H	1,840 CFM	Ea

Ships Direct **FOB Mfg.** 

See More Gas Detection Products on Pages 230-233.



9553-15

ALLEGRO

16" Axial Blower

Lightweight, portable and durable. High output blower is ideally suited for large confined spaces such as paper mills, tank purging or utility sites. Made from corrosion-, UV- and chemical-resistant polyethylene. Delivers both positive and negative airflow. Super quiet, molded carry handle with built-in on/off switch as well as enclosed electrical components. Single phase motor: 1 hp, 115 VAC, 60 Hz. Flow rates: 3,200 CFM; one 90° bend 2,350 CFM; two 90° bends 2,250 CFM. Weight: 40 lbs. Orange. Certified to CSA Standard C22.2 No. 113.



9553

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 9553	334205841	16" Axial blower	Ea
◆ 9553-15	334205851	16" Axial blower w/ 15' ducting	Ea
◆ 9553-25	334205861	16" Axial blower w/ 25' ducting	Ea

Ships Direct **FOB Mfg.** 



Manhole Accessories

- Guard rail: Strong 1" tubular .078 gauge steel construction is powder-coated in safety yellow for durable finish and high visibility. Rail locks open and (2) hooking chains provide protected entry and exit. For safety, rail accommodates signs, flags or lights, and for convenience, can be used with a guard rail tent, umbrellas or winch. Protects an area of 33" x 33" for added safety. The 42" high guard rail collapses to only 44" square x 4" for easy storage. Single-piece construction assembles easily without tools. Weighs 34 lbs. Made in USA.*
- Lid Lifter features long all-steel handle that provides necessary leverage to lift the heaviest lids. For safe storage, alloy-steel hook recesses and locks into pole. Rubber grips on handle and foot prevent slips. Cadmium plating fights rust.

Ships Direct **FOB Mfg.** 

*Shield sold separately

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 9401	334202661	Manhole guard rail	Ea
◆ 9401-20	334202691	Manhole lid lifter	Ea



Magnetic Manhole Lid Lifters

Quickly and safely removes and replaces manhole covers up to 36" without needing a pry bar. Minimizes stress and strain on back and body. Collapsible for easy storage and transport. Can access uneven textured surface found on manhole covers with dual-position lifting points to provide the power to break loose stubborn covers. For safety, the magnet must be in contact with manhole cover to be engaged. Available with steel or aluminum dolly.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 9401-25	33422127	Magnet w/ steel dolly, 660-lb. lift weight	Ea
◆ 9401-25A	33422129	Magnet w/ aluminum dolly, 660-lb. lift weight	Ea
◆ 9401-26A	33422130	Magnet w/ aluminum dolly, 900-lb. lift weight	Ea


Ships Direct **FOB Mfg.** 

◆ Non-stock item. Minimum quantity may apply.

Heat Stress

Prolonged exposure to heat can cause illness and even death. The most serious heat illness is heat stroke. Employers are required to provide preventative measures for employees against heat related illnesses.

Visit www.osha.gov for complete details and regulation requirements.



936-BL



934-BL



933-BL



937-BL



MiraCool® Heat Stress Prevention Products

Fast activation, 1-2 minutes in water. Increase alertness and productivity by keeping workers cool. Works without freezing or ice and is reusable thousands of times. Provides exceptional cooling power. Available in assorted styles. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
930-BL	325309301	Cooling neck wrap	Ea
931-BL	325309391	Cooling towel	Ea
932-BL	325319321	PVA bandana	Ea
◆ 933-BL	325319331	PVA neck shade	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 934-BL	325319341	PVA hard hat pad w/ shade	Ea
935-BL	325319351	Snap-On hard hat sweatbands	Ea
936-BL	325319365	PVA sweatbands	10/Pk
◆ 937-BL	325319371	PVA 2-in-1 multifunctional towel	Ea



Wicking and Cooling Products

Comfortable, soft hand, lightweight fabric helps reduce effects of heat stress. Skull caps feature tie-back to ensure close fit to the head. Bandanas and towels can be worn multiple ways or used to wipe down. 23% More cooling power than microfiber.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TD200-018	325310261	Wicking & cooling skull cap	Navy	Ea
◆ TD200-HVY	325310271	Wicking & cooling skull cap	Hi-viz yellow	Ea
TD300-018	325310301	Wicking & cooling bandana	Navy	Ea
◆ TD300-HVY	325310311	Wicking & cooling bandana	Hi-viz yellow	Ea
TD400-018	325310331	Wicking & cooling towel	Navy	Ea
◆ TD400-HVY	325310251	Wicking & cooling towel	Hi-viz yellow	Ea



TD300-018



TD200-HVY

TD400-HVY



MiraCool® Bandanas

MiraCool crystals provide the heat relief that workers need to stay safe and productive. Securely encased within the bandana, the crystals can hold up to 1,000 times their weight in water. Soaking in cold water for 10-20 minutes keeps bandanas hydrated for several days and workers feeling refreshed.



940-WAV

ITEM #	ORDER #	DESCRIPTION	UOM
940-WAV	325305091	MiraCool bandana, wavy flag	Ea
940-12	325305081	MiraCool bandana, assorted prints	Ea



Chill-Its® 6602 Cooling Towels

Dampen synthetic space age towel to create a super-evaporative cooling aid significantly colder than ambient air. Simply wet to activate. Advanced PVA material holds water without feeling heavy. Wear around neck for hours of cooling relief. Machine washable. Measures: 13" x 29 1/2".



12438

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
12420	332107341	6602 Cooling towel	Blue	Ea
◆ 12438	332124381	6602 Cooling towel	Gray	Ea



Coolers and Accessories

Durable coolers with industrial strength handles, cup dispenser mount and convenient "urn-style" spigot for easy product dispensing. Custom imprinted Sqwincher® 12 oz. cups have pre-measured fill lines for easy liquid concentrate mixing right in the cup.



400107

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 158400104	331701331	5-Gal. cooler w/ screw-on lid	Ea
◆ 400107	331700031	7-Gal. double cooler	Ea
◆ 200101	33170129	Sqwincher cups, 12 oz.	2,000/Cs
◆ 205200	331752001	Plastic cup dispenser	Ea

3000004064



5-Gal. OSHA Beverage Cooler

Cooler includes cup dispenser and insulated case to keep drinks cold. Features Comfort Grip over-molded handles, easy-to-use faucet and antimicrobial liner. ANSI color and reflective accents meet OSHA compliance.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 3000004064	623905101	5-Gal. OSHA beverage cooler	Ea



2000024114

5295A780G

3000001017



Instant Wide Base Shelter

Quickly put up some shade that stays stable in all kinds of conditions. Made of rugged Polyguard 2X™ double-thick fabric with UVGuard™ material for 50+ UPF protection. Features telescoping poles with Comfort Grip™ technology, and wide slanted legs with large feet that can be stepped on for easy setup. Includes ground stakes, pre-attached guy lines and wheeled carry bag for easy storage and transport. 12' x 12' Tent provides 100 sq. ft. of shade.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 2000024114	623905111	Instant wide base shelter	Ea



Beverage Container and Cooler

Thick, premium polyurethane insulation focused primarily on the lid and base results in small exterior dimensions compared to capacity and high performance. Features molded handles.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 3000001017	623910171	1/2-Gal. jug	Red	Ea
◆ 5295A780G	623904861	54-Qt. combo cooler	Blue	Ea



Eskey® Series 85-Qt. Cooler

Thick insulation and tight-fitting gasket retain ice for up to 8 days. Features lock slot for padlock, catch-free latches, integrated hinges with stainless steel pins, antimicrobial lid and liner, and tie-down points to secure cooler while leaving lid free to open and close. Certified to resist grizzly bears when using a padlock. Measures 32.8" x 19.4" x 21.8" and weighs 42 lbs.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 3000003047	623905121	Eskey Series 85-qt. cooler	Ea



3000003047



Powder Mix Lite™, 3-Gallon

Replace lost fluids, lost electrolytes and avoid dangerous dehydration in high-heat environments. Naturally sweetened, naturally flavored, lower calories and lower sugar than regular Squawcher®, and contains no added color. Quickly mixes with water and is convenient enough to take anywhere. Yield: 19.1 oz. package makes 3 gals.



016850-GR

ITEM #	ORDER #	DESCRIPTION	UOM
016850-GR	33176806	Grape	20/Cs
016851-OR	33176807	Orange	20/Cs
016852-FP	33176808	Fruit Punch	20/Cs
016853-LL	33176809	Lemon-Lime	20/Cs

Single Serve Fast Pack® Zero

Single-serving packs contain no calories or sugars, providing an ideal solution for diabetics or any consumers monitoring their daily intake. Mixes easily with water and packet becomes drinking cup. Yield: 0.6 oz. packet makes 6 oz. drink.



015500-OR

ITEM #	ORDER #	DESCRIPTION	UOM
015500-OR	33170017	Orange	200/Cs
015501-FP	33170018	Fruit Punch	200/Cs



Powder Mix

Replace lost fluids and electrolytes and avoid dangerous dehydration in high-heat environments. Quickly mixes with water and is convenient enough to take anywhere.

016040-LA

ITEM #	ORDER #	DESCRIPTION	UOM
23.83 oz. Powder Pack Dry Mix Makes 2 1/2 Gals.			
♦ 016040-LA	33174854	Lemonade	32/Cs
016041-OR	33174856	Orange	32/Cs
016042-FP	33174857	Fruit Punch	32/Cs
016043-LL	33174858	Lemon-Lime	32/Cs
016044-AS	33170030	Assorted	32/Cs
016045-TE	33170031	Tea	32/Cs
016046-GR	33174855	Grape	32/Cs
016047-CH	33170032	Cherry	32/Cs
016048-MB	33170033	Mixed Berry	32/Cs
016049-TC	33170034	Tropical Cooler	32/Cs
016050-CC	33170035	Cool Citrus	32/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
47.66 oz. Powder Pack Dry Mix Makes 5 Gals.			
016400-MB	33170036	Mixed Berry	16/Cs
016401-CH	33170037	Cherry	16/Cs
016402-CC	33170038	Cool Citrus	16/Cs
016403-LA	33170039	Lemonade	16/Cs
016404-OR	33170040	Orange	16/Cs
016405-FP	33170041	Fruit Punch	16/Cs
016406-GR	33170042	Grape	16/Cs
016408-LL	33170043	Lemon-Lime	16/Cs
016409-TC	33170044	Tropical Cooler	16/Cs



016403-LA



Single Serve Fast Pack®

Offers workers fluid and electrolyte replenishment anywhere, anytime. Mixes easily with water and packet becomes drinking cup. Handy size is more convenient than carrying a cooler. Yield: 0.6 oz. packet makes 6 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
015300-MB	33170007	Mixed Berry	200/Cs
015301-CH	33170008	Cherry	200/Cs
015302-GR	33170009	Grape	200/Cs
015303-LA	33170010	Lemonade	200/Cs
015304-OR	33170011	Orange	200/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
015305-FP	33170012	Fruit Punch	200/Cs
015306-TE	33170013	Tea	200/Cs
015308-LL	33170014	Lemon-Lime	200/Cs
015309-TC	33170015	Tropical Cooler	200/Cs
015310-CC	33170016	Cool Citrus	200/Cs



FAST PACK



Single Serve Lite™ Stiks

Perfect for those looking for less calories, no color and no artificial flavor or additives. Contains the perfect electrolyte blend, naturally flavored and naturally sweetened and contains no added color. 1 oz. Package yields 16.9-20 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
060280-GR	331768105	Grape	8/Bg
060281-OR	331768115	Orange	8/Bg
060282-FP	331768125	Fruit Punch	8/Bg
060283-LL	331768135	Lemon-Lime	8/Bg



060283-LL



Single Serve QwikServ™

Electrolyte replacement drink is low in sodium, non-carbonated and contains no caffeine. Simply pour powder mix from the convenient pack into 16.9 oz. bottled water and shake.

ITEM #	ORDER #	DESCRIPTION	UOM
060900-OR	33170900	Orange	96/Cs
060901-FP	33170901	Fruit Punch	96/Cs
060902-LL	33170902	Lemon-Lime	96/Cs
060904-GR	33170904	Grape	96/Cs



060900-OR



030321-CH



Liquid Concentrate

Great tasting, scientifically formulated electrolyte replacement drink restores important mineral salts and fluids lost through dehydration, physical exertion and heat stress. More satisfying than water or soft drinks because it is readily absorbed by the body. Mixes quickly and easily with water.

ITEM #	ORDER #	DESCRIPTION	UOM
64 oz. Liquid Concentrate Makes 5 Gal.			
◆ 030319-SL	33170319	Strawberry Lemonade	6/Cs
030320-MB	33170055	Mixed Berry	6/Cs
030321-CH	33170056	Cherry	6/Cs
030322-GR	33178663	Grape	6/Cs
030323-LA	33178662	Lemonade	6/Cs
030324-OR	33178664	Orange	6/Cs
030325-FP	33178665	Fruit Punch	6/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
030328-LL	33178666	Lemon-Lime	6/Cs
030329-TC	33170058	Tropical Cooler	6/Cs
◆ 030330-CC	33170059	Cool Citrus	6/Cs
128 oz. Liquid Concentrate Makes 6 Gal.			
◆ 040202-GR	33170070	Grape	4/Cs
◆ 040204-OR	33170072	Orange	4/Cs
◆ 040205-FP	33170073	Fruit Punch	4/Cs
◆ 040208-LL	33170075	Lemon-Lime	4/Cs



Liquid Concentrate Zero

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Sqwincher® (high in potassium and low in sodium to aid the body in replenishing essential elements lost to heat stress and fatigue). Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gals.



050103-GR

ITEM #	ORDER #	DESCRIPTION	UOM
050102-FP	33170098	Fruit Punch	6/Cs
050103-GR	33170099	Grape	6/Cs
050104-LL	33170100	Lemon-Lime	6/Cs
◆ 050106-MB	33170102	Mixed Berry	6/Cs
050107-OR	33170103	Orange	6/Cs



Squeeze Pops

Reduce core body temperature and protect from heat stress and fatigue. Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals needed for proper rehydration. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry. Also available in Zero sugar-free flavors. 3 oz. each.



SQUEEZE POPS

ITEM #	ORDER #	DESCRIPTION	UOM
159200201	33170128	Assorted flavors	150/Cs
159200228	33170228	Zero Fruit Punch	150/Cs
159200229	33170229	Zero Tangerine Orange	150/Cs



060100-OR



060099-SL



060104-PT



060102-FP



060101-MB



060106-LL



060109-CC



060103-LA



060107-GR



060119-AS



Single Serve Qwik Stik™ Zero

Offers the same great taste and electrolyte content as regular Sqwincher® (high in potassium and low in sodium) with no calories or sugar. Simply tear open the convenient, single-serve pouch, add to bottled water, shake and enjoy. Individual packets yield 20 oz. drinks.

ITEM #	ORDER #	DESCRIPTION	UOM
060119-AS	33176119	Qwik Stik Tube, assorted flavors, 10 Pk/Tube	200/Cs
060099-SL	331760995	Strawberry Lemonade	50/Pk
060100-OR	331701195	Orange	50/Pk
060101-MB	331701205	Mixed Berry	50/Pk
060102-FP	331701215	Fruit Punch	50/Pk

ITEM #	ORDER #	DESCRIPTION	UOM
060103-LA	331701225	Lemonade	50/Pk
060104-PT	331701405	Peach Tea	50/Pk
060106-LL	331711065	Lemon-Lime	50/Pk
060107-GR	331711075	Grape	50/Pk
060109-CC	331711095	Cool Citrus	50/Pk

◆ Non-stock item. Minimum quantity may apply.



First Aid

First aid refers to medical attention that is administered immediately consisting of short-term treatment requiring little technology or training to administer.

Visit www.osha.gov for complete details and regulation requirements.



019742-0029L



Construction Bulk First Aid Kits

Provides a wide variety of items that meet the needs for most minor injuries encountered in a construction environment. Economical, weatherproof kits made of tough polypropylene are latex-free and comply with OSHA 1926.50 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019742-0029L	347627481	10-Person Construction bulk first aid kit	5 1/8" H x 8" W x 2 3/4" D	Ea
019743-0030L	347627491	25-Person Construction bulk first aid kit	10 1/4" H x 7" W x 3" D	Ea
◆ 019744-0031L	347627501	50-Person Construction bulk first aid kit	10" H x 10" W x 3" D	Ea

DESCRIPTION	019742-0029L			019743-0030L			019744-0031L		
	10 PERSON			25 PERSON			50 PERSON		
Adhesive bandage, 1" x 3", plastic	16	32	100						
Knuckle bandage, cloth	-	-	8						
Triangular bandage, non-sterile	1	1	1						
Adhesive tape, 1/2" x 2 1/2 yds.	1	1	2						
Gauze pads, 3" x 3", sterile	4	6	10						
Bloodstopper® bandage	-	-	1						
Roller bandage, 3" x 6 yds., non-sterile	1	2	3						
Trauma pad, 5" x 9", sterile	1	1	2						
First aid/burn cream w/ aloe	6	6	12						
Antibiotic ointment pouch	6	6	12						
Antiseptic wipes, BZK	10	10	20						
Aypanal non-aspirin	3	3	6						
Ammonia inhalants, 2/Pk	-	-	10						
Sting relief wipes	6	6	12						
Eye pad, sterile	2	3	4						
Buffered eyewash	-	-	1						
Forceps, pointed, plastic	1	1	1						
Scissors, angled, red handle	1	1	1						
Instant cold pak	1	1	2						
Medical gloves, synthetic, pair	2	2	4						



First Aid Station

Large quantity and assortment of first aid medical supplies for most minor injuries, aches and pains. Medicinals are packaged in single-dose, tamper-evident units.

Ideal for large office and manufacturing settings. Contains CPR barriers and trauma dressings. 10 1/2" W x 15" H x 4 3/4" D. ANSI Z308.1-2015, Class B compliant.



FAK100CAB-CLSB

ITEM #	ORDER #	DESCRIPTION	UOM
FAK100CAB-CLSB	34761009	First aid station, 100-person	Ea

DESCRIPTION	FAK100CAB-CLSB
Adhesive bandage, 3/4" x 3", cloth	100
Adhesive bandage, 1" x 3", plastic	200
Adhesive bandage, extra large, plastic	25
Conforming bandage, 2" x 6 yds., non-sterile	4
Conforming bandage, 3" x 6 yds., non-sterile	4
Elastic bandage, 3"	1
Fingertip bandage, cloth	40
Knuckle bandage, cloth	40
Bloodstopper® bandage	1
Triangular bandage, non-sterile	1
Adhesive tape, 1/2" x 5 yds., spool	1
Adhesive tape, 1" x 5 yds., spool	1
Gauze compress, 1 sq. yd.	-
Gauze pads, 3" x 3", sterile	1
Gauze pads, 2" x 2", sterile	1
Non-adherent pads, 2" x 3"	2
Eye dressing pads w/ adhesive strips	1
Eyewash, 4 oz.	1
Alcohol prep pads, 10/Pk	2
Antibiotic ointment, 10/Pk	1
Antiseptic pump spray, 2 oz.	1
Burn pump spray, 2 oz.	1
PVP iodine wipes, 10/Pk	4
Aypanal non-aspirin, 100/Bx	1
Cherry cough drops, 50/Bx	-
CPR Microshield® w/ 1 pair gloves & wipes, unitized	1
Forceps, pointed, plastic	1
Scissors, angled, red handle	1
Instant cold pak	2
Medical gloves, synthetic	5 pr.
First aid guide	1



Body Fluid Cleanup Kit

For the safe removal and disposal of body fluids.



55NA123P

ITEM #	ORDER #	DESCRIPTION	UOM
55NA123P	004708911	Body fluid disposal kit w/ mask & goggles	Ea

DESCRIPTION	55NA123P
Latex gloves	2 pr.
Red bio-hazard bag	1
Body fluid clean-up absorbent	1
Disposable towels	2
Anti-microbial wipes	2
Face mask with eye shield	1
Pick-up scoops with scraper	10
Gown	1
S.O.S. surface cleaning wipes, 8" x 11"	50



First Aid Kits

Contains economical supplies that are readily accessible. Ideal for settings where a wide variety of first aid items are required. Available in weatherproof plastic, steel or metal.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 019759-0035L	347697351	3-Person small vehicle kit, metal	5 1/3" H x 8" W x 2 5/8" D	Ea
◆ 019730-0017L	347627361	16-Unit Construction unitized first aid kit	6 3/8" H x 9 1/2" W x 2 1/2" D	Ea
◆ 019748-0033L	34762752	10-Unit BBP response kit, plastic	5 1/8" H x 8" W x 2 3/4" D	Ea
019700-0001L	347627131	10-Person Bulk kit, plastic, ANSI 2009	5" H x 8" W x 2 3/4" D	Ea
019701-0001L	347627141	10-Person Bulk kit, steel, ANSI 2009	5" H x 8" W x 2 3/4" D	Ea
019709-0005L	347627221	10-Unit kit, steel, ANSI 2009	8" H x 5" W x 2 5/8" D	Ea
FAK25PL-CLSA	347627151	25-Person Bulk kit, plastic, ANSI 2015. Class A	7" H x 10 1/4" W x 3" D	Ea
FAK25STL-CLSA	347627161	25-Person Bulk kit, steel, ANSI 2015. Class A	7" H x 10 1/4" W x 3" D	Ea
FAK50PL-CLSA	347627171	50-Person Bulk kit, plastic, ANSI 2015. Class A	11" H x 15 3/4" W x 3" D	Ea
FAK50STL-CLSA	347627181	50-Person Bulk kit, steel, ANSI 2015. Class A	11" H x 15 3/4" W x 3" D	Ea
◆ FAK75STL-CLSA	347627201	75-Person Bulk kit, steel, ANSI 2015. Class A	13 7/10" H x 9 2/5" W x 2 7/10" D	Ea

DESCRIPTION	019700-0001L				FAK25PL-CLSA	FAK50PL-CLSA	FAK75STL-CLSA
	019759-0035L	019730-0017L	019701-0001L	019709-0005L	FAK25STL-CLSA	FAK50STL-CLSA	
Plastic adhesive bandage, 1" x 3"	16	32	16	16	32	100	100
Fingertip bandage, cloth	-	-	1	-	3	4	8
Knuckle bandage, cloth	-	-	-	-	2	3	6
Adhesive bandage, extra large, plastic	-	-	1	-	1	2	3
Adhesive tape, 1/2" x 2 1/2 yds.	1	2	2	2	2	2	3
Compress bandage, 4" offset	-	1	-	-	-	-	-
Conforming bandage, 2" x 6 yds., non-sterile	-	-	1	-	2	3	4
Conforming bandage, 3" x 6 yds., non-sterile	-	-	1	-	1	2	2
Elastic bandage, 2"	-	-	-	-	-	1	1
Triangular bandage, non-sterile	-	1	1	1	1	1	1
Gauze compress, 36" sq.	-	-	-	1	-	-	-
Gauze pads, 2" x 2", sterile	-	-	4	-	4	10	10
Gauze pads, 3" x 3", sterile	4	4	1	4	1	2	10
Gauze roller bandage, sterile	1	-	-	-	-	-	-
Trauma pad, 5" x 9", sterile	1	-	1	-	1	1	1
Antiseptic wipes, BZK	6	-	6	-	6	12	12
Antibiotic ointment pouch	6	-	6	-	6	12	12
Sting relief wipes	6	-	6	-	6	12	12
Insect repellent	2	-	-	-	-	-	-
First aid/burn cream w/ aloe	6	6	6	10	6	12	12
Eye-Lert® eyewash, 1 oz.	-	1	-	-	1	1	2
Eye pad, sterile	-	-	-	-	1	2	3
Eye dressing w/ (4) adhesive strips	-	4	-	-	-	-	-
CPR Filtershield™	-	-	-	-	1	1	1
Forceps, pointed, plastic	-	1	1	2	1	1	-
Scissors, angled, red handle	1	-	1	1	1	1	1
Instant cold pak	-	1	1	1	1	2	2
Medical gloves, synthetic	4 pr.	2 pr.	4 pr.	2 pr.	4 pr.	4 pr.	10 pr.
First aid guide	1	-	1	1	1	1	1
PVP iodine wipes	-	10	-	10	-	-	-
Aypanal packs	3	-	-	-	-	-	-
Ammonia inhalant	-	10	-	-	-	-	-
Alcohol prep pads	-	10	-	-	-	-	-



BugX[®] 30 Towelettes

Individually packaged in convenient, leak proof, foil pouches. Formulated with 30% DEET to repel mosquitoes, ticks, fleas, chiggers, black flies and deer flies. 8" x 5". 50/Bx.

BugX is a registered trademark of ISIS Investment Corp.

122004XA

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 122004XA	347629961	BugX towelettes	Bx



Protective Skin Cream

Protect skin in wet or dry work environments. Barrier against many sticky, staining, irritating industrial substances. Contains silicone. 4 oz.

272204



ITEM #	ORDER #	DESCRIPTION	UOM
272204	347622041	Barrier cream w/ silicone	Ea

◆ Non-stock item. Minimum quantity may apply.

Showers & Eyewash

Requirements specify that "... suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area..."

Visit www.osha.gov for complete details and regulation requirements.



5135



Portable Low-Profile Eyewash Station

One of the top OSHA citations is lacking an emergency eyewash station. As required by law, protect employees and guard against personal injury claims. Operates with one motion, one hand. Gravity fed 15-minute flow time. No plumbing required. Provides a minimum 15-minute flushing period. Includes mounting bracket, inspection tag and preservative. Change water every 3-6 months. Measures 11 1/2" x 19 1/2" x 25". Meets ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
5135	G73551351	Portable eyewash station	Ea
5136	G7355136	Eyewash preservative, 8 oz.	4/Cs

Honeywell

Personal Eyewashes and Wall Stations

Sealed, sterile bottles contain Eyesaline® – a buffered, saline solution superior to tap water for emergency eye care. Blow-fill-seal bottles are tamper-resistant, yet easily removed in an emergency. Extended flow opening provides longer flow rate than conventional bottles. Durable, open face design holds bottles firmly in place with easy access to bottles in an emergency. Mounts to wall with provided screws. Durable plastic is easy-to-clean. Simple, highly visible operating instructions are provided on each unit. Bottles feature trilingual instructions. Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates. DOES NOT MEET the current ANSI Z358.1-2014 15-minute flushing requirement.



32-000462-0000



ITEM #	ORDER #	DESCRIPTION	UOM
32-000460-0000	341501091	Single wall station, 16 oz. bottle	Ea
32-000461-0000	341501101	Single wall station, 32 oz. bottle	Ea
32-000465-0000	34156501	Double wall station, 16 oz. bottles	4/Cs
32-000462-0000	341501111	Double wall station, 32 oz. bottles	Ea

Showers & Eyewash



32-001000-0000

Honeywell

Fendall Pure Flow 1000® Eyewash Station

Saline is physiologically correct, buffered to the eye and delivered from factory-sealed cartridges. No costly plumbing required. Integral reservoir captures waste fluid. Stop valve allows easy draining of reservoir after use. Cartridges have 2-year shelf life; sold separately. Provides a constant ribbon fluid flow rate of 0.4 gpm for the entire 15-minute flushing period required by industry standards. Meets ANSI Z358.1-2014.



32-001050-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-001000-0000	341554681	Fendall Pure Flow 1000 eyewash station, English	Ea
32-001050-0000	341500791	Purified saline refill cartridges, trilingual	Pr



Honeywell

Fendall 2000™ Eyewash Station

Provides 100% sterile Eyesaline® eyewash solution via a 100% sterile delivery system. Portable unit includes emergency eyewash station sign, bracket, installation DVD and tamper seals. Integrated waste containment prevents spilling and empties easily. Built-in alarm sounds when unit is activated and again when 15-minute flush is complete. Measures 34 3/4" H x 17 1/2" W x 15 1/2" D. Sterile Eyesaline solution cartridges sold separately. 24-Month cartridge life. One-year warranty. Meets ANSI Z358.1-2014.

ITEM #	ORDER #	DESCRIPTION	UOM
32-002000-0000	341556331	Fendall 2000 eyewash station	Ea
32-ST2050-0000	341556341	Sterile Eyesaline refill cartridge	Ea

32-002000-000



Honeywell

Fendall Porta Stream® I Eyewash Station

Portable, lightweight and delivers 6 minutes of uninterrupted, hands-free flushing without costly plumbing. Gravity-fed flow begins immediately when the nozzle pull strap is removed. Supplied with 70 oz. of Eyesaline® concentrate which, when mixed with tap water provides 6 gals. of saline solution. May be mounted on a wall, mobile cart or mobile stand for easy and affordable safety near most workplace hazards. Nozzle strap is easily removed, leaving hands free to hold eyelids open. Large fill hole simplifies refilling and cleaning. Illustrated operating instructions printed on the unit. Suitable for nuisance situations such as dust or particle flushing where a 15-minute flushing device is not a requirement. Hi-viz green.



32-000100-0000



ITEM #	ORDER #	DESCRIPTION	UOM
32-000100-0000	341500761	Fendall Porta Stream I eyewash station w/ saline concentrate	Ea

Honeywell

Fendall Porta Stream® II Eyewash Station

Portable, self-contained design may be mounted on a wall or mobile cart. Nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Supplied with Eyesaline® concentrate; when mixed provides 14-16 gals. of preserved, buffered saline solution. Industry-compliant 15-minute flow cycle from a large 16-gal. reservoir permits thorough eye flushing by providing a 0.4 gpm flow rate over the eyes. Large fill hole with lockable fill cap simplifies refilling and cleaning and reduces risk of possible tampering. Includes Emergency Eyewash sign. Meets ANSI Z358.1-2014 15-minute flushing requirements for primary eyewash stations. Hi-viz green.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000200-0000	341500881	Fendall Porta Stream II eyewash station w/ saline concentrate	Ea



32-000200-0000



32-000454-0000

Honeywell

Eyesaline® Personal Eyewashes

Bottles contain Eyesaline saline solution for use in personal eyewash devices that offer secondary response and are intended to supplement, not replace, primary eyewash units. Also used for continued irrigation when moving an injured person from a primary eyewash unit to medical care. Easy-open top is tamper-resistant, yet easily removed in an emergency. User-controlled volume delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle. Made of FDA-grade polyethylene with lot numbers and expiration dates to ensure quality. Three-year shelf life.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000451-0000	34150105	Eyesaline personal eyewash, 1 oz.	24/Cs
32-000454-0000	341501071	Eyesaline personal eyewash, 16 oz.	Ea
32-000455-0000	341501081	Eyesaline personal eyewash, 32 oz.	Ea

**Protective Eyewear,
starting on Page 22.**



Honeywell

Eyesaline® Concentrate

Physiologically balanced to match natural tears and aid in reducing additional damage to the injured eye when flushed properly. Specifically formulated to be mixed with clean, potable water (10:1 ratio) and provides a cost-effective solution for the eyewash refills. May be used with Porta Stream® I, II & III (sold separately). The 180 oz. bottle makes 14-16 gals.; 70 oz. bottle makes 5-7 gals.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000502-0000	341501141	Saline solution premix, 1 gal., for use w/ Fendall Porta Stream I, II & III	Ea
32-000509-0000	341501151	Saline concentrate, 70 oz., for use w/ Fendall Porta Stream I	Ea
32-000513-0000	341501171	Saline concentrate, 180 oz., for use w/ Fendall Porta Stream II & III	Ea



32-000513-0000



G1100



**G1100 EyeSafe™ and G1101 EyeSafe-X™
Faucet-Mounted Eyewashes**

Features EyeSafe and EyeSafe-X mounts, easy installation and an unlimited supply of potable water for rinsing user's eyes. EyeSafe spray head outlets mount 3" apart to fit most faucets; EyeSafe-X large profile spray head outlets mount 5" apart to fit gooseneck faucets. Adjustable outlet heads deliver a soft, aerated flow of water. Includes forged brass diverter valve, inlet body with 55/64"-27 female thread and three adapters plus furnished outlet with removable aerator on bottom. Requires two motions to operate (turn on water, pull knob to activate eyewash flow). Intended solely as supplemental units for use with plumbed eyewash equipment already installed in the workplace. Should be used with cold or warm water only. Fully assembled and 100% tested.

ITEM #	ORDER #	DESCRIPTION	UOM
G1100	B73101021	EyeSafe faucet-mounted eyewash	Ea
G1101	B73101031	EyeSafe-X faucet-mounted eyewash, gooseneck version	Ea



G1806



**G1806 Deck-Mounted Eyewashes
with 90° Swivel**

Eyewash swings horizontally out over the sink for operation. Flow is activated with flag handle and remains in operation until handle is released. Two large GS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes. Each head has a "flip top" dust cover, internal flow control and filter to remove impurities. Polished chrome-plated brass construction. Meets ANSI Z358.1-2014 Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1806	B73101981	Eyewash, deck-mounted, 90° swivel, right hand mount	Ea
◆ G1806LH	B73101991	Eyewash, deck-mounted, 90° swivel, left hand mount	Ea



G1540 AquaGuard 16-Gal. Portable Eyewashes

Self-contained, 16-gal. gravity-flow eyewash unit uses gravity to deliver water through dual spray heads. Unit delivers over 8 gals. (30 liters) of water for 15 minutes, thus complying with the provisions of ANSI Z358.1-2014 for eyewashes. Rugged plastic tank can be installed in a wide variety of locations. Ideal for use where a continuous supply of potable water is not available, especially in remote plant areas and low traffic areas. Tank has built-in carrying handle, heavy wall construction and reinforced ribs to support weight of unit. Eyewash delivers over .5 gallons per minute for 15 minutes. Water flow is activated by pulling down on bright yellow eyewash tray. Integral full flow nozzles deliver soft spray of water. Swing tray up to storage position to stop flow. Can be wall-mounted or used on countertop. Heated, freeze-resistant unit also available.



G1540

G1540HTR

ITEM #	ORDER #	DESCRIPTION	UOM
G1540	B73101151	AquaGuard gravity-flow portable eyewash, 16 gal.	Ea
◆ G1540HTR	B7311546	AquaGuard gravity-flow portable eyewash, heated	Ea
G1540BA	B73101161	AquaGuard bacteriostatic additive, 8 oz.	Ea



G1600 Series Emergency Showers

ABS plastic shower head is 10" in diameter. Furnished with stainless steel actuating arm, 29" pull rod, and 1" IPS chrome-plated brass, stay-open ball valve with Teflon® seals. 1" NPT female inlet supply. 100% tested to meet ANSI Z358.1. Orange.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1635	B73101271	Emergency shower, vertically mounted	Ea
◆ G1643	B73101311	Emergency shower, horizontally mounted	Ea



G1635



G1814



G1814P



G1814 Series Wall-Mounted Eyewashes

Features (2) GS-Plus™ spray-type heads with "flip-top" dust cover, internal flow control and filter to remove impurities from the water flow. Includes signage and inspection tag. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
G1814	B73102031	Eyewash w/ stainless steel bowl	Ea
G1814P	B73102041	Eyewash w/ ABS plastic bowl	Ea
◆ G1814BC	B73111141	Eyewash w/ stainless steel bowl & cover	Ea





G1750P

G1750BC

Guardian G1750 Series Eye/Face Washes

Specially designed for wall mounting. Two large FS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes and face. Spray head assembly features internal flow control and filter to remove impurities from the water flow. Furnished with 1/2" IPS chrome-plated brass, stay-open ball valve with Teflon® seals and 1/2" NPT female inlet supply. Heavy-duty cast aluminum wall bracket is corrosion-resistant with powder-coated finish. Includes ANSI-compliant identification sign. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1750	B73101661	Eye/face wash, stainless steel bowl	Ea
◆ G1750BC	B7310332	Eye/face wash, stainless steel bowl w/ cover	Ea
◆ G1750P	B73101671	Eye/face wash, plastic bowl	Ea

Guardian GFR3100 Heated Safety Station with Eyewash

Electric heat-traced station prevents freezing even in extreme conditions. Thermostat regulated unit heated by self-limiting heat-tracing cable wrapped around internal pipe. Intended for cold weather use down to -40° F. Features 10" dia. orange ABS plastic shower head with 20 gpm flow control. Supplies are: 1 1/4" NPT female top supply inlet; 1" IPS brass stay-open ball shower valve with stainless steel actuating arm and 29" stainless steel pull rod; and 1/2" IPS brass three-way self-draining stay-open ball eyewash valve with 1/2" NPT port to drain water from spray heads after use. Valves made in USA with brass ball and Teflon® seals. Galvanized steel pipe and fittings, UV-resistant, orange, ABS plastic jacket with polyethylene foam insulation, and freeze-resistant spray head assembly with float-off dust covers and internal flow control. Units approved for Class I, Division 2, Groups B, C, and D. Electrical components are FM, UL® and CSA approved.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ GFR3100	B7313100	Heated safety station w/ eyewash	Ea



GFR3100



G1902P

Guardian G1902 Series Safety Stations with Eyewash

Features 10" diameter, ABS plastic shower head and (2) GS-Plus™ spray-type outlet heads with "flip-top" dust cover, internal flow control and filter to remove impurities. G1902BC eyewash has a stainless steel bowl and cover to protect spray heads from dust, dirt and other contaminants. Cover is raised automatically when flag handle is activated. Includes signage and inspection tags. 100% Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1902	B7311903	Safety station eyewash & shower w/ stainless steel bowl	Ea
◆ G1902BC	B73103251	Safety station eyewash & shower w/ stainless steel bowl & cover	Ea
◆ G1902P	B7311902	Safety station eyewash & shower w/ plastic bowl	Ea



G1902



G1825 Series Pedestal-Mounted Eyewashes

Free-standing, pedestal-mounted eyewash. Two GS-Plus™ spray-type spray heads. Each head has a “flip top” dust cover, internal flow control and filter to remove impurities from the water flow. Water flow is activated by flag handle; optional bowl cover (on G1825BC model) is automatically raised when unit is activated. Includes ANSI-compliant identification sign. 100% Tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1825P	B73102121	Eyewash, ABS plastic bowl	Ea
◆ G1825	B73102101	Eyewash, stainless steel bowl	Ea
◆ G1825BC	B7311825	Eyewash, stainless steel bowl & cover	Ea



G5000 Series Eyewash/Drench Hose Units

Dual-purpose eyewash/drench hose for wall or deck mounting. Can be used as a fixed eyewash, leaving hands free. Unit may be removed for use as a drench hose to rinse any part of user’s eyes, face or body. Fully assembled and 100% tested to meet ANSI Z358.1 as both an eyewash and a drench hose.


ITEM #	ORDER #	DESCRIPTION	UOM
◆ G5026	B73102851	Eyewash/drench hose unit, wall-mounted	Ea
◆ G5022	B73102811	Eyewash/drench hose unit, deck-mounted	Ea



G1562 15-Gal. Portable Eyewash/Drench Hose Units

Self-contained eyewash/drench hose units ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, and low traffic areas where installation of plumbed equipment is not cost-effective. 15-Gal. units provide approximately 10 usable gals. (37.9 liters) of water for effective rinsing of the eyes, face or body, for fifteen minutes, thus complying with the provisions of ANSI Z358.1-2014 for eyewashes. Stainless steel pressurized tank includes built-in carrying handles, air intake fitting, pressure gauge and pressure relief valve. Unit features (2) GS-Plus™ spray heads, each with a “flip top” dust cover, internal flow control and filter, and a 1/2” IPS chrome-plated, brass stay-open ball valve with flag handle. Pressure regulator controls eyewash flow to 0.65 GPM for 15 minutes. Drench hose features single GS-Plus spray head with “flip top” dust cover, internal flow control and filter; chrome-plated, brass squeeze valve with stainless steel lever handle and 6’ reinforced PVC hose. Heated, freeze-resistant model also available.

ITEM #	ORDER #	DESCRIPTION	UOM
G1562	B7311562	Portable eyewash/drench hose	Ea
◆ G1562HTR	B7311547	Portable eyewash/drench hose, heated	Ea



G3600LF and G3800LF Tempering Valves

Blends hot and cold water by sensing incoming water temperature and automatically blending it to 85° F. High temperature limit stop is set to 90° F. Features dial thermometer on outlet to monitor temperature of delivered water. If hot water supply is restricted or fails, 20 gpm of cold water at 30 psi can be delivered. If cold water supply is lost, valve will close and not deliver water. 6-Gal. capacity valve has flow capacity of 2 to 6 gpm and can be used with eyewash, eye/face wash, dual purpose eyewash/drench hose and drench hose units. 44-Gal. capacity valve has flow capacity of 3 to 44 gpm and can be used with single installation of emergency showers and safety stations, and with multiple installations of emergency shower, eyewash, eye/face wash, dual purpose eyewash/drench hose, drench hose and safety station units.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G3600LF	B73102541	G3600LF tempering valve, 6-gal. capacity	Ea
◆ G3800LF	B73102621	G3800LF tempering valve, 44-gal. capacity	Ea

◆ Non-stock item. Minimum quantity may apply.




Lockout/Tagout

Proper lockout/tagout practices and procedures safeguard workers from the release of hazardous energy. OSHA outlines specific action and procedures for addressing and controlling hazardous energy.

Visit www.osha.gov for complete details and regulation requirements.



Honeywell



VS04

Honeywell V-SAFE Valve Lockouts

Helps to properly lockout valve wheels from 1" up to 14" dia. Designed with (2) flattened half-moons that completely cover valve wheel. Made from polypropylene plastic. Fully dielectric and resistant to extreme temperature changes (-50° F to 360° F). Resistant to cracking and abrasion. Meets OSHA 29 CFR 1910.147 and 1910.269 regulations and ANSI Z353.1. Red.



ITEM #	ORDER #	SIZES	UOM
V-Safe Valve Cover			
VS02	347620021	1"-2 1/2"	Ea
VS04	347620041	2 1/2"-5"	Ea
VS06	347626071	5"-6 1/2"	Ea
VS09	347626111	6 1/2"-10"	Ea
VS13	347626151	10"-14"	Ea

Honeywell B-SAFE Ball Valve Lockouts

Made of durable polypropylene plastic and is fully dielectric. Highly resistant to many solvents and other chemical products. Easy-to-use design is available in three different sizes. Only the BS01 can lock in the open position. Resistant to extreme temperature changes (-50° F to 360° F). Red.



BS01R

ITEM #	ORDER #	DESCRIPTION	UOM
BS01R	347600031	Ball valve lockout, 3/8"-1 1/4", 7/8" handle	Ea
BS02R	347699021	Ball valve lockout, 1 1/2"-2 1/2"	Ea
◆ BS03R	347605991	Ball valve lockout, 2"-8", 1 5/8" handle	Ea
◆ BS04R	347606051	Universal butterfly valve lockout	Ea



BS02R

Honeywell Cable Lockouts

Hasp is constructed of tough and durable nylon for strength and durability. Can accommodate up to (6) padlocks. Highly visible red color identifies padlock for lockout use. All metal parts are zinc-coated or non-corroding. The 3/16" steel cable is rated at 1,000 lbs. minimum pull strength at the weakest point, which prevents accidental energizations. Cables are PVC-coated for wear resistance. Available in 6' or 10' cable lengths.

ITEM #	ORDER #	SIZES	UOM
◆ CBLOK06R	347607411	6'	Ea
CBLOK10R	347607421	10'	Ea



CBLOK06

CBLOK10R




MS01



Honeywell M-SAFE Nylon Lockout Hasp

Heavy-duty hasp is made entirely of dielectric nylon. Holds 1-6 padlocks allowing users to properly lockout equipment and prevent accidental operation. Non-conductive and chemical-resistant for strength and durability. Hi-viz red.

ITEM #	ORDER #	DESCRIPTION	UOM
MS01	347619881	Nylon lockout hasp	Ea



CB02R

CB03R

CB01R

Honeywell C-SAFE Circuit Breaker Lockouts

Constructed of rigid plastic. Available for single or double pole circuit breaker lockout applications. Red color helps to identify from a distance.

- **CB01** single pole lockout requires a switch breaker with a recessed hole in it
- **CB02** double pole lockout requires the breakers to be connected with a cross bar for lockout application
- **CB03** single pole lockout that does not require a switch breaker with a recessed hole in it

ITEM #	ORDER #	DESCRIPTION	UOM
◆ CB01R	347600075	Single pole lockout	6/Pk
◆ CB02R	347607455	Double pole lockout	6/Pk
◆ CB03R	347600135	Single pole lockout	6/Pk


Honeywell Group Lock Box

Used for work team situations where multiple employees, energy sources, machines and processes need to be locked out. All keys are securely stored in the tamper-resistant heavy steel lock box. A single person (group leader or foreman) locks the box until the job is complete and all group members are cleared from work area. Helps to simplify lockout procedures for large equipment. Once the equipment or process is locked out, the key or keys are placed in the box. Then, each authorized work team member places a personal lock or tagout device to the group lock box. This ensures that no single person has access to the box unless all employees have removed their locks or tags. Accepts up to (13) individual locks. Bilingual. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
GLB03	347617041	Group lock box	Ea



GLB03



LP550

LP110

Honeywell E-SAFE Plug Lockouts

Completely encloses plug from any accidental reconnection. Electrical cable is inserted through the opening and then closed. Made of polypropylene plastic, which is totally dielectric and resists cold or hot temperatures.

LP110 accepts 110 V and certain models of the 220 V plugs (up to 3.25" width, 1.75" inside height, 1.75" inside width, .312" lock hole) with a maximum cable diameter of 1/2".

LP550 accepts 220 V and 550 V plugs (up to 3" x 3" x 6 3/4") with a maximum cable diameter of 1".

ITEM #	ORDER #	DESCRIPTION	UOM
◆ LP110	347601101	Single entry, accepts 110 V & certain models of the 220 V plugs	Ea
◆ LP550	347605501	Multiple entry, accepts 220 V & 550 V plugs	Ea

◆ Non-stock item. Minimum quantity may apply.



Wipes & Cleaners

Employers shall provide handwashing facilities. When handwashing facilities are not feasible, employers shall provide either an appropriate antiseptic hand cleaner in conjunction with clean cloth/paper towels or antiseptic towelettes.

Visit www.osha.gov for complete details and regulation requirements.



75260

Scott® Rags in a Box

Soft, absorbent towels that perform like a cloth. Multi-purpose for thousands of projects. Pop-Up* box with built-in handle allows the product to be taken to the job while keeping rags clean. Ideal for painting, wiping up spills, staining and refinishing furniture. White.

ITEM #	ORDER #	DESCRIPTION	UOM
75260	15405260	Rags, 200/Bx	8 Bx/Cs



41041



Wypall* X80 Wipers

Wypall* X80 are the wiper of choice for the toughest jobs. For heavy industrial tasks, cleaning grease, grime and oil, solvent wiping, cleaning rough surfaces, or any other challenging task. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 41041	15401041	Brag* Box, 160/Cs	12.5" x 16.8"	1/Cs



Wypall* X60 Wipers

Wypall* X60 in the popular Brag* box format bring the absorbing power of Hydroknit* material technology to a lightweight wiper, combining versatile performance and economy for light-duty tasks. Designed to reduce waste, which means you spend less. White.

34015



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
34015	15404015	Brag* Box, 180/Cs	12.5" x 16.8"	1/Cs

05812



Wypall* L30 Wipers

Ideal for general-purpose, light-duty cleanups. Removes soils and liquid from face and hands. White.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
05812	15405812	Wipers, 1/4 fold, 90/Pk	12.5" x 12"	12 Pk/Cs



Kimtech® Prep Wipers For Bleach Disinfectants and Sanitizers

Open bucket of chemicals with textile rags are hazardous and unsanitary. Use the Wettask® System with Kimtech prep® wipers to create a safer, more efficient surface sanitizing system. Designed to be compatible with quat disinfectants, sanitizers and bleach. Maintain target disinfectant concentration and provide more uniform application than cotton rags and microfiber cloths. Simply add chemicals to the Wettask® bucket with secure lid. Wipers dispense one at a time, and because it is an enclosed system, it helps avoid cross contamination of the wipers and cleaning solution while reducing exposure to vapors and splash. Buckets can be prepared ahead of time and are very easy to transport. Free disposable bucket in every case.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 06411	15406264	Wettask® System Bucket Wipers, 90/Bucket: 6/Cs	12" x 12.5"	6/Cs



06411



91371



Wypall® Waterless Cleaning Wipes

Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. The ideal pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Green. Orange/citrus fragrance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
91371	154013711	Waterless Cleaning Wipes, 75/Bucket	9.5" x 12"	Ea
◆ 58310	15408310	Waterless Cleaning Wipes, 50/Canister	12" x 10"	8/Cs



Kimtech® Wettask® Dual Performance Wiping System

Innovative wipers feature a purple, textured side to make cleaning hard to remove substances easier. Use white side for regular cleaning and purple side for tougher jobs when extra scrubbing power is needed. Leaves surfaces looking and feeling cleaner. Purple.



36101

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 36101	15400234	Kimtech® Wettask® Dual Performance Wiping System, 90/RI	6 RI/Cs



75130



Scott® Shop Towels

Whether faced with automotive detail, cleaning the garage or simply wiping windows, Scott® shop towels are exactly what are needed to get the job done. Each towel is strong, durable and absorbent. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75130	15405130	Shop Towels On A Roll, 55/RI	11" x 10.4"	30 RI/Cs
75190	15405190	Shop Towels In A Pop-Up® Box, 200/Bx	10" x 12"	8 Bx/Cs



Kimtech® Wettask® Wipers for Solvents

Feature a strong Hydroknit® base sheet for saturated wiping with solvents and detergents. Just add cleaner to the bucket provided. White.



06001

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 06001	15405290	Kimtech Prep® Wipers w/ Hydroknit® Material, 60/RI	12" x 12 1/2"	6 RI/Cs

Sorbents

Where hazardous substances may be released by spilling from a container that will expose employees to the hazards of the materials, the employer will need to implement a program to contain and control the spilled material.

Visit www.osha.gov for complete details and regulation requirements.



3M 3M™ Petroleum Sorbent Boom T-270 and Double Boom T-280

Petroleum sorbents repel water while absorbing oil and petroleum-based liquids from spills and effluent discharges. Booms are scrim-encased tubes of particulate sorbent material secured by UV-resistant netting. T-280 is double-constructed with (2) 4" booms secured in UV-resistant netting. Built-in attachment clips on ends of booms allow them to be linked together and overlapped, helping to reduce seepage between the segments. T-270 absorbs approximately 20 gals. per boom, T-280 absorbs approximately 10 gals. per boom. 4 Booms/case. Pink.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ T-270	66550855	Petroleum boom	8" x 10'	4/Cs
◆ T-280	66550856	Petroleum double boom	4" x 10'	4/Cs

T-280



T-270



M-FL550DD



3M™ Maintenance Sorbent Folded M-FL550DD, High-Capacity

Easy-to-use for containing and cleaning up spills, drips and fluid leaks. Scrim on one side increases strength and helps reduce linting. Dispensed from a carrying/dispenser box on a perforated roll. Utilizes folded sorbent technology and can be used as a pillow, pad, roll or boom. Each box absorbs approximately 10 1/2 gals. 5" x 50'. 3 Boxes/case. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
M-FL550DD	66550793	Maintenance sorbent, folded	3 Bx/Cs

⚠ WARNING

Failure to properly handle and dispose of sorbents contaminated by hazardous materials could result in serious physical injury or death. For proper handling, consult the *Material Safety Data Sheet* for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M CSD Technical Service in the USA at 1-800-626-8578.



3M 3M™ Petroleum Sorbent Pads

Highly sorbent petroleum pad features a low-profile design for easy placement in tight areas. For use in oil-only sorbent applications. Pads are conveniently sized and can be quickly spread on and in the path of a thin spill. May be used on a work surface in anticipation of a spill. Ideal for use under docks, in shallow water, rocky shorelines, marshes and beaches. Standard pads (200 count) absorb approximately 43 1/2 gals. per case; high-capacity pads (100 count) absorb approximately 37 1/2 gals. per case. 17" x 19". White.

ITEM #	ORDER #	DESCRIPTION	UOM
T-151	66550853	Standard sorbent pads	200/Cs
HP-156	66559156	High-capacity sorbent pads	100/Cs



T-151

3M 3M™ Chemical Sorbent Pads P-110

Powerful enough to handle acids (including hydrofluoric acid), bases and coolants without reacting to most hazardous chemicals. Absorb petroleum-based fluids, non-aggressive chemicals and water-based solutions, reducing the need for different sorbent types. High-capacity chemical sorbent pads absorb approximately 17 gals./case. 11" x 13". 50 Pads/box, 4 boxes/case. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
P-110	66550802	Chemical sorbent pads	4 Bx/Cs



P-110



Industrial Sorbents, Containment and Spill Control

Construction site secondary containment and ways to clean up spills with spill kits are vital to protect public health and safety. From pillows, pads, and pouches to socks, sweeps, booms, mats, and rolls – several types of industrial sorbents come in a wide variety of shapes and sizes for both indoors and out-of-plant uses. Knowing the right sorbent product for the job is crucial. Be aware that there are sorbents that are intended for specific jobs:

UNIVERSAL TYPES for everyday industrial non-caustic spills including machine coolants and non-aggressive solutions

OIL ONLY TYPES are used strictly for petroleum-based products including lubricants, greases, oils and petro-solvents

HAZMAT TYPES are for caustic and aggressive liquids and chemicals that pose an immediate health hazard to personnel if not handled properly

Hazardous Storage

Chemicals require very specific and specialized storage which minimizes risk, personal injury and damage to property and equipment. Safe storage of chemicals also requires that all chemicals be properly identified including statement of hazards.

Visit www.osha.gov for complete details and regulation requirements.



896020

894520



Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U•Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and SpillSlope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Yellow. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved.

Ships Direct FOB Mfg.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
30-Gallon Cabinets				
◆ 893000	B6168930	Cabinet w/ 2 doors & 1 shelf, manual close	44" H x 43" W x 18" D	Ea
◆ 893020	B6163020	Cabinet w/ 2 doors & 1 shelf, self-close	44" H x 43" W x 18" D	Ea
45-Gallon Cabinets				
◆ 894500	B61611021	Cabinet w/ 2 doors & 2 shelves, manual close	65" H x 43" W x 18" D	Ea
◆ 894520	B6164520	Cabinet w/ 2 doors & 2 shelves, self-close	65" H x 43" W x 18" D	Ea
60-Gallon Cabinets				
◆ 896000	B6166000	Cabinet w/ 2 doors & 2 shelves, manual close	65" H x 34" W x 34" D	Ea
◆ 896020	B6161795	Cabinet w/ 2 doors & 2 shelves, self-close	65" H x 34" W x 34" D	Ea

Hazardous Storage



Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Yellow. Complies with OSHA and NFPA regulations. 12-Gal. cabinets are FM approved.

Ships Direct FOB Mfg.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 890400	B6164400	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea
◆ 890420	B6161801	4-Gal. countertop cabinet, self-close	22" H x 17" W x 17" D	Ea
◆ 891200	B6161796	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea
◆ 891220	B6161803	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea



890400



JUSTRITE
Sure-Grip®
EX Blue Steel
Countertop and
Compac Cabinets
for Corrosives

Allows increased access to often-used corrosive liquids without compromising safety. Portable size keeps work areas flexible. Fits almost anywhere and provides protection when space is at a premium. Includes (1) adjustable shelf. Measures: 22" H x 17" W x 17" D. Blue. Meets NFPA regulations.

890402

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 890402	B6162402	4-Gal. countertop, 1 door, manual close	Ea
◆ 890422	B6162422	4-Gal. countertop, 1 door, self-close	Ea

Ships Direct **FOB Mfg.**

JUSTRITE
Blue Polyethylene
Storage Cabinets
for Corrosives

Hollow-bodied, polyethylene cabinet withstands highly corrosive acids and offers maximum protection against chemical corrosion and leaks. Clearly labeled for ACID contents and accepts a padlock (not included) for added security. Stores up to (2) 1-qt. bottles. Door can be hinged from either side for best worktop space utilization. Polyethylene spill tray inside contains leaks and can be removed for easy cleaning. Separate polyethylene tray stores under the cabinet and can be used as a handy work tray. Measures: 19 1/2" H x 14 1/4" W x 16 1/4" D. Blue.



24040

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 24040	B61609581	Countertop cabinet w/ 1 door	Ea

Ships Direct **FOB Mfg.**

26800



26800D

26800B



JUSTRITE
Smokers Cease-Fire® Cigarette
Butt Receptacles

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved. Made in USA.

ITEM #	ORDER #	COLOR	UOM
Cigarette Butt Receptacle			
◆ 26800	B6160010	Pewter gray	Ea
◆ 26800B	B6160001	Adobe Beige	Ea
◆ 26800D	B6160003	Deco black	Ea

JUSTRITE
Oily Waste Cans

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable powder-coat paint finish. Red. FM tested and approved, UL® listed, and TÜV certified.

09100



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 09100	B61606921	6-Gal. oily waste can w/ foot-operated cover	11 7/8" OD x 15 7/8" H	Ea
◆ 09300	B61606971	10-Gal. oily waste can w/ foot-operated cover	13 15/16" OD x 18 1/4" H	Ea
◆ 09500	B61607011	14-Gal. oily waste can w/ foot-operated cover	16 1/16" OD x 20 1/4" H	Ea
◆ 09700	B61607041	21-Gal. oily waste can w/ foot-operated cover	18 3/8" OD x 23 7/16" H	Ea

◆ Non-stock item. Minimum quantity may apply.



JUSTRITE Type I Steel Safety Cans

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Type I Flammable Safety Cans, Red				
◆ 10301	B61607181	1-Gal. safety can w/ trigger handle	7 1/4" dia. x 11 1/2" H	Ea
◆ 7110100	B61621001	1-Gal. safety can w/ swinging handle	9 1/2" dia. x 11" H	Ea
◆ 7120100	B61631001	2-Gal. safety can w/ swinging handle	9 1/2" dia. x 13 3/4" H	Ea
◆ 7125100	B61651001	2 1/2-Gal. safety can w/ swinging handle	11 3/4" dia. x 11 1/2" H	Ea
◆ 7150100	B61618091	5-Gal. safety can w/ swinging handle	11 3/4" dia. x 16 7/8" H	Ea
◆ 7150110	B61651101	5-Gal. safety can w/ swinging handle & 11202Y poly funnel	11 3/4" dia. x 16 7/8" H	Ea
Type I Diesel Safety Cans, Yellow				
◆ 7150200	B61652001	5-Gal. safety can w/ swinging handle	11 3/4" dia. x 16 7/8" H	Ea
Funnels				
◆ 11202Y	B61608451	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L	Ea



JUSTRITE Type II AccuFlow™ Safety Cans

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, glug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough powder-coat paint finish for durability. Measures: 11 3/4" dia. x 17 1/2" H. Red. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 7250120	B61661201	5-Gal. AccuFlow™ safety can w/ 5/8" hose	Ea
◆ 7250130	B61631301	5-Gal. AccuFlow™ safety can w/ 1" hose	Ea

JUSTRITE Bench Cans

Help make cleaning small parts with solvents much easier and safer. Simply place parts on the spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Plated steel dasher also serves as an effective flame arrester and hinged cover minimizes evaporation losses. Designed with a protected rim to reduce possible hand injury. Constructed of sturdy, 24-gauge, lead-free coated steel, can is finished in tough powder-coat paint finish for added durability. Red. FM tested and approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10175	B61607131	1-Qt. steel bench can	4 7/8" OD x 5 1/2" H	Ea
◆ 10295	B61607171	2-Qt. steel bench can	9 3/8" OD x 3 1/4" H	Ea



Ships Direct **FOB Mfg.**



26750

JUSTRITE™ Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" Dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. Red. FM Approved.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 26750	B61614361	Self-close drum cover w/ fusible link for 55-gal. drums	Ea

Ships Direct **FOB Mfg.**



EcoPolyBlend™ Spill Control Pallet

Durable, UV-protected EcoPolyBlend™ polyethylene is made of black, 100% recycled material that is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction and oversized, leak-proof sump prevent leaks even if a 55-gal. drum fails and completely empties its contents. Sturdy, self-locating grates are nearly 2 1/2" thick for superior crack resistance and can be removed for quick sump inspection and cleaning. Includes wide forklift pockets for easy relocation. Meets or z EPA 40 CFR 264.175, NFPA 1 and the International Fire Code, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 9.13.1 and OSHA 29 CFR 1910.106(e)(2)(iii).

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 28623	B6168623	2-Drum pallet, in-line w/out drain	Ea

Ships Direct **FOB Mfg.**



28623



28653



EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning. Modular centers allow for creating a customized system using optional joining clips to firmly lock units together to expand storage space. Sumps remain separate and clips can be removed for easy repositioning.



28657



ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 28653	B6168653	1-Drum accumulation center	Black	5 1/2" H x 25" W x 25" D	Ea
◆ 28655	B61618071	2-Drum accumulation center	Black	5 1/2" H x 49" W x 25" D	Ea
◆ 28657	B6168657	4-Drum accumulation center	Black	5 1/2" H x 49" W x 49" D	Ea
◆ 28656	B6168656	4-Drum accumulation center	Yellow	5 1/2" H x 49" W x 49" D	Ea

Ships Direct **FOB Mfg.**

◆ Non-stock item. Minimum quantity may apply.



Safety Resources

There are numerous resources... which can be relied on to help identify risks, protect people, train safety solutions and to enforce rules without prejudice to workers and employers.

SAFETY RESOURCE HOTLINES

CAS Substance Identification(800) 848-6538
(Identify chemical substances by CAS number or name.)

NIOSH Technical Information(800) 232-4636

OSHA Hotline.....(800) 321-6742
(24-hour access line to report unsafe work practices.)

AMERICAN SAFETY RESOURCES

ABIH - American Board of Industrial Hygiene

6015 W. St. Joseph, Ste. 102
Lansing, MI 48917-3980
(517) 321-2638
www.abih.org

ACGIH - American Conference of Governmental Industrial Hygienists

1330 Kemper Meadow Dr., Ste. 600
Cincinnati, OH 45240
(513) 742-2020
www.acgih.org

AIHA - American Industrial Hygiene Association

3141 Fairview Park Dr., Ste. 777
Falls Church, VA 22042
(703) 207-3561
www.aiha.org

ANSI - American National Standards Institute

25 West 43rd St. (4th Floor)
New York, NY 10036
(212) 642-4900
(212) 398-0023 (Fax)
www.ansi.org

ASSE - American Society of Safety Engineers

Customer Service
520 N. Northwest Hwy., Park Ridge, IL 60068
(847) 699-2929
(847) 768-3434 (Fax)
www.asse.org

AWMA - Air and Waste Management Association

1 Gateway Center, 3rd Floor
420 Fort Duquesne Blvd.
Pittsburgh, PA 15222-1435
(412) 232-3444
(800) 270-3444
www.awma.org

CDC - Centers for Disease Control and Prevention

1600 Clifton Rd. NE
Atlanta, GA 30329-4027
(800) 232-4636 CDC public inquiries
(800) 222-1222 Regional Poison Control Centers
www.cdc.gov

DOT - United States Department of Transportation

1200 New Jersey Ave., SE
Washington, DC 20590
855-368-4200
www.transportation.gov

EPA - Environmental Protection Agency

Regulates and enforces environmental laws, such as the Clean Air Act, Superfund and Resource Conservation and Recovery Act (RCRA).

1200 Pennsylvania Ave., NW
Washington, DC 20460
(202) 272-0167
www.epa.gov

FCIC - Federal Citizen Information Center

An office of GSA that provides information directly to the public.

U.S. General Services Administration
1800 F St., NW, Washington, DC 20405
(800) 333-4636
<http://gsa.gov/portal/category/101011>
www.usa.gov

FDA - United States Food and Drug Administration

Food and Drug Administration
10903 New Hampshire Ave.
Silver Spring, MD 20993-0002
(888) 463-6332
www.fda.gov

HHS - Department of Health and Human Services

The HHS researches aspects of human health, and regulates the FDA, CDC and NIH.

200 Independence Ave. SW
Washington, DC 20201
(877) 696-6775
www.hhs.gov

IGA - International Glove Association

P.O. Box 146
Brookville, PA 15825
(814) 328-5208
www.iga-online.com

**MSHA - Mine Safety & Health Administration**

Regulates the mining industry and sets safety and health standards for mines.

US Department of Labor
Mine Safety and Health Administration
201 12th St. S., Arlington, VA 22202
(202) 693-9400
www.msha.gov

NIOSH - National Institute for Occupational Safety and Health

NIOSH is responsible for research and recommendations concerning the prevention of work-related illness and injury.

Division of the CDC
1600 Clifton Rd.
Atlanta, GA 30329-4027
(800) 232-4636 NIOSH Information Line
www.cdc.gov/niosh

NLAAC - National Lead Assessment & Abatement Council

Office of Pollution and Toxics
1200 Pennsylvania Ave. NW
Mailcode: 7404T
Washington, DC 20460
(800) 424-5323
<http://www.epa.gov/lead/abatement.html>

NSC - National Safety Council

The NSC offers periodicals and reference sources; safety software; consulting services; training resources on safety and health, youth concerns, off-the-job safety, driving safety and specialty fields; and posters, award programs, incentives and recognition awards. They also sponsor and conduct safety courses throughout the year through the National Safety Council.

1121 Spring Lake Dr.
Itasca, IL 60143-3201
(800) 621-7615
(630) 285-1315 (Fax)
www.nsc.org

OSHA - Occupational Safety & Health Administration

OSHA creates and enforces safety and health regulations to ensure that employees work in environments that are free of recognized hazards.

200 Constitution Ave. NW, Rm. N-3647
Washington, DC 20210
(800) 321-6742
www.osha.gov

SEI - Safety Equipment Institute

The SEI certification program is voluntary and available to any manufacturer of safety equipment.

1307 Dolley Madison Blvd., Ste. 3A
McLean, VA 22101
(703) 442-5732
(703) 442-5756 (Fax)
www.seinet.org

SCAA - Spill Control Association of America

103 Oronoco St., Ste. 200
Alexandria, VA 22314
Phone: 571-451-0433
www.scaa-spill.org

USCG - United States Coast Guard

US Coast Guard Headquarters
Commandant, U.S. Coast Guard,
2703 Martin Luther King Jr. Ave. SE
Washington, DC 20593-7000
(202) 372-2100
www.uscg.mil

WSO - World Safety Organization

P.O. Box 518
Warrensburg, MO 64093
(660) 747-3132
(660) 747-2647 (Fax)
www.worldsafety.org

CANADIAN SAFETY RESOURCES**CCOHS - Centre for Occupational Health & Safety**

135 Hunter Street East,
Hamilton, ON
Canada L8N 1M5
(905) 572-2981
Toll-free: 800-668-4284
(905) 572-4500 (Fax)
www.ccohs.ca

CSA - Canadian Standards Association Central Office

178 Rexdale Blvd.
Toronto, ON
Canada M9W 1R3
(416) 747-4000
(800) 463-6727
www.csa.ca or
www.csagroup.org

CSSE - Canadian Society of Safety Engineering

468 Queen St. East, LL-02
Toronto, ON
Canada M5A 1T7
(416) 646-1600
Toll-free: 877-446-2674
(416) 646-9460 (Fax)
www.csse.org

ECGC - Environment Canada

Environment Canada Inquiry Centre
10 Wellington, 23rd Floor
Gatineau, QC
Canada K1A 0H3
(819) 997-2800
(800) 668-6767 (Canada only)
www.ec.gc.ca

Visit www.osha.gov for complete details and regulation requirements.





MANUFACTURER INDEX


Safety Resources | MANUFACTURER INDEX





3M 3M Company www.mmm.com

Eye Protection	25 – 26, 41 – 45, 51
Head & Face Protection	63
Hearing Protection	64 – 69, 75 – 77
New Products	9, 17
Respiratory Protection	80 – 82, 87 – 89, 91 – 92
Sorbents	254 – 255
Welding & FR Safety	144

  DBI Sala	
Fall Protection	164, 168 – 171, 174, 177 – 185
New Products	6

  DBI Sala Python Safety	
Fall Protection	183 – 185

  PROTECTA	
Fall Protection	168, 171, 174, 177, 185
New Products	5



ALLEGRO Allegro Industries www.allegrosafety.com

Confined Space	234 – 237
Respiratory Protection	95



Ansell Ansell Edmont Industrial Inc. www.ansellpro.com

Cold Weather Gear	212
Hand Protection	96 – 97, 105 – 106, 114, 118 – 119, 136
New Products	12 – 13



Bullard www.bullard.com

Head & Face Protection	58 – 60
------------------------	---------



Coleman www.coleman.com

Heat Stress	239
Lighting	229
New Products	8



DeWALT
www.Dewalt.com

Cold Weather 215
 Eye Protection 48 – 49



Ergodyne
www.ergodyne.com

Ergonomics 161 – 162
 Footwear 159
 Hand Protection 128
 Head & Face Protection 54
 Heat Stress 238
 New Products 11, 19



DuPont
 Personal Protection

DuPont Personal Protection
www.Dupont.com

New Products 9
 Protective Clothing 192 – 196, 199 – 202



Gateway Safety
www.gatewaysafety.com

Eye Protection 27, 48
 Head & Face Protection 57
 Hearing Protection 70
 Respiratory Protection 86



DURACELL Duracell
www.duracell.com

Lighting 229



Gerson, Inc.
www.gersonco.com

Respiratory Protection 86

◆ Non-stock item. Minimum quantity may apply.



 **Guardian Equipment**
www.gesafety.com

Showers & Eyewash 246 – 249




Honeywell
www.honeywell.com

Hand Protection 109, 140
Head & Face Protection 62
Instrumentation 233
Lockout/Tagout 250 – 251
New Products 7, 15
Protective Clothing 202
Showers & Eyewash 244 – 246

 **Fibre-Metal**
Head & Face Protection 61 – 62
Welding & FR Safety 143

 **Howard Leight**
Hearing Protection 65, 69 – 71, 77 – 79
New Products 7

 **Miller**
Fall Protection 166 – 167, 172 – 173,
175 – 176, 179 – 181, 183 – 185
New Products 14

 **North Safety Products**
Cold Weather Gear 213 – 214
First Aid 242 – 243
Hand Protection 101, 110, 115, 121 – 122
Head & Face Protection 60
New Products 15
Respiratory Protection 85 – 86, 93 – 94

 **Uvex**
Eye Protection 22 – 24, 28 – 34, 49 – 50
Head & Face Protection 60
Welding & FR 143



 **Ironclad**
ironclad.com

Hand Protection 110 – 111, 136 – 140
New Products 4 – 5



 **John Tillman & Co.**
www.jtillman.com

Cold Weather Gear 210
Hand Protection 124 – 126, 128 – 129
New Products 6, 17
Welding & FR Safety 145 – 151



 **Justrite Manufacturing Company**
www.justritemfg.com

Hazardous Storage 256 – 259



Kimberly-Clark Corporation

www.kcprofessional.com

Cold Weather Gear	206
Eye Protection	27, 46 – 47, 50 – 51
Hand Protection	98, 107 – 108, 119
Head & Face Protection	55 – 57
New Products	10
Protective Clothing	197 – 198
Welding & FR Safety	142 – 144
Wipes & Cleaners	252 – 253



MCR Safety

www.mcrcsafety.com

Cold Weather Gear	213 – 214
Eye Protection	23, 26 – 27, 37 – 41, 50
Hand Protection	99 – 105, 113, 121, 124, 126 – 127, 135 – 136
Head & Face Protection	62
Hi-Viz Apparel	217 – 218
New Products	11, 13, 18
Protective Clothing	202 – 204



Mack Boots

www.mackboots.com

Footwear	152 – 158
----------	-----------



Mechanix Wear

www.mechanix.com

Hand Protection	102, 129 – 133
New Products	18



Majestic Gloves

www.majesticglove.com

Cold Weather Gear	211 – 212
Hand Protection	98 – 99, 108 – 109, 121, 126, 134 – 135
Hi-Viz Apparel	220 – 221
New Products	14, 16 – 18



Moldex-Metric, Inc.

www.moldex.com

Hearing Protection	71 – 74, 78 – 79
New Products	9, 16
Respiratory Protection	83 – 86, 90 – 91

◆ Non-stock item. Minimum quantity may apply.



MSA
The Safety Company www.msasafety.com

Cold Weather Gear	206
Fall Protection	165, 172, 174 – 175, 179, 182
Head & Face Protection	52 – 54
Instrumentation	230 – 233
New Products	11 – 12
Respiratory Protection	94 – 95



OccuNomix International Inc.
www.occunomix.com

Cold Weather Gear	206 – 209
Ergonomics	160 – 163
Head & Face Protection	54 – 55
Heat Stress	238
Hi-Viz Apparel	216 – 221
New Products	8, 19



PELICAN Pelican
www.pelican.com

Lighting	224 – 228
New Products	2 – 3



Radians
www.radians.com

Cold Weather	214
Eye Protection	48 – 49
Protective Clothing	204 – 205
New Products	14



SAS Safety Corp.
www.sassafety.com

Eye Protection	26, 35 – 36
Hand Protection	116 – 117, 141
Hi-Viz Apparel	219
New Products	10, 19
Respiratory Protection	86
Showers & Eyewash	244



SHOWA **Showa**
www.showagloves.com
 Hand Protection 97, 106 – 107, 114, 120 – 121



 www.stearnsflotation.com
 Water Safety 186 – 191



 **Smith & Wesson**
www.smith-wesson.com
 Eye Protection 47



WELDAS® Weldas Company
www.weldas.com
 Head & Face Protection 58



 **Sqwincher Corporation**
www.sqwincher.com
 Cold Weather Gear 215
 Heat Stress 239 – 241



WELLS LAMONT Industrial Wells Lamont Industry Group
www.wellslamontindustry.com
 Cold Weather Gear 209 – 210
 Hand Protection 101 – 102, 111 – 113, 115, 122 – 124, 127, 133
 New Products 15 – 16

◆ Non-stock item. Minimum quantity may apply.



PRODUCT INDEX

A

Accessories

eye protection	22 – 23
lighting	224
respirator	89 – 91, 93 – 95
Accumulation Centers, drum	259
Adapters & Brackets, faceshield	53, 57 – 60, 62 – 64
Air Blowers, confined space ventilation	234 – 236
Air Quality, detection	230 – 233
Anchors & Connectors, fall protection	179 – 181
ANSI Class Apparel	216 – 221
Anti-exposure Immersion Suits	191
Anti-vibration Gloves	129 – 130, 132 – 133, 136 – 138
Apparel, workwear	192 – 205
Aprons	145, 198 – 199
disposable	198 – 199
leather & FR	145 – 147
Arc Flash Protection	145 – 147
Automatic Inflation Vests	189 – 190
Axial Blowers, ventilation	234 – 236

B

Backhand Pads	151
Back Supports, ergonomics	160 – 161
Ball Valve Lockout Devices	250
Bandanas & Doo Rags	238
Banded Earplugs	65, 67, 71
Batteries	229
Beam Anchors, fall protection	180
Bench Cans, hazardous storage	258
Beverage Coolers	239
Bibs, leather	145
Blowers, confined space	234 – 236
Body & Eyewash Shower Units	244 – 249
Body Fluid Cleanup Kits	242
Booms, sorbent	254 – 255
Booties	197, 200 – 201
Boots & shoes	152 – 158
Buoys, water safety	190
Brackets, headgear & faceshield	53, 57 – 60, 62 – 64
Breaker Lockouts	251
Buckets, tool	183
Bug Repellent Wipes	243
Bulk First Aid Kits	242 – 243
Butt Receptacles, cigarette	257

C

Cabinets, flammable storage	256 – 257
Cable Lockouts	250

Cable Sleeves, fall protection	181
Calibration, gas	233
Cans, safety	257 – 258
Cap Mount Earmuffs	75, 77 – 78
Caps & Hard Hats	52 – 58, 61 – 64
Cape Sleeves, welding	145 – 146
Carabiners, fall protection	185
Cartridges & Filters, respiratory	89 – 91, 93 – 95
Chaps, leather welding	145
Chemical Protection Apparel	192 – 198
Chemical Resistant Gloves	114 – 115
Chemical Sorbents	254 – 255
Cigarette Butt Receptacles	257
Circuit Breaker Lockout Devices	251
Cleaning, lens	22 – 23
Cleaning, respirators	95
Clothing, Protective	192 – 205
aprons	145, 198 – 199
booties	197, 200 – 201
cold weather	206 – 215
coveralls	192 – 198
disposable	198 – 202
frocks	200
hi-viz	203 – 205, 216 – 221
hoods	200
lab coats	199
jackets	208 – 209, 215, 220 – 221
pants	200
shirts	199
rainwear	203 – 205
SOLAS	191
sleeves	147, 202
sweatshirts	208, 220
welding	145 – 147
winter liners	206 – 208
Coil Tethers, fall protection	184
Cold Water Immersion Suits	191
Cold Weather Gear	206 – 215
apparel	206 – 209
gloves	209 – 214
head liners	206 – 208
heated jacket	215
hot stik tubes	215
Combination Shower & Eyewash Units	244 – 249
Compaxial Blowers, confined space	235
Confined Space	234 – 237
blowers	234 – 236
manhole accessories	182, 237
Construction First Aid Kits	242
Containment & Spill Control	254 – 255
Coolers, beverage	239
Corrosive Storage Cabinets	256 – 257
Countertop Storage Cabinets	257
Coveralls	192 – 198



Cut Resistant Gloves & Sleeves	202
Cylinders, calibration gas	233

D

D-rings & tie-offs, fall protection	185
Detectors, gas	230 – 233
Dispensers	
ear plugs	68 – 69, 72
hand warmers	209
lens cleaning	22 – 23
Disposable Products	
apparel	198 – 202
earplugs	65 – 74
gloves	116 – 121
respirators	80 – 86
wipes, hand	252 – 253
Drinks, electrolyte	240 – 241
Doo Rags & Sweatbands	238
Drench Hose, eyewash units	249
Drivers & Work Gloves	124 – 127
Drum Accumulation Centers	259
Drum Covers	259

E

Ear Protection	
(See Hearing Protection)	65 – 79
Earplugs	65 – 74
Earmuffs	65, 75 – 79
Electrical Safety, lockout/tagout devices	250 – 251
Electrolyte Drinks	240 – 241
Emergency Escape Respirator	94
Emergency Lighting System	227
Emergency Response	
eyewash & showers	244 – 249
first aid	242 – 243
water safety / rescue	186 – 191
Ergonomics	160 – 163
anti-vibration gloves	129 – 130, 132 – 133, 136 – 138
back supports	160 – 161
knee pads	161 – 163
ring and watch guards	163
wrist supports	161 – 162
Eye Protection	22 – 51
cleaners & accessories	22 – 23, 51
eyewash units	244 – 247
goggles	23 – 27
readers & magnifiers	49 – 51
safety glasses	28 – 49
welding	143 – 144
Eyeglass Cords	22
Eyewash & Showers	244 – 249
combination units	248
drench hose units	249
permanent units	245 – 249
personal	244
portable	245
refill solution	246

F

Faceshields & Visors	53, 57, 59 – 60, 62 – 64
Fall Protection	164 – 185
anchors & connectors	179 – 181
arc flash & welding	165, 170, 177
beam anchors	180
carabiners	185
D-rings & tie-offs	185
harnesses	165 – 171
hoist systems	182
kits	171
lanyards	172 – 174
limiters	175 – 176
manhole guard system	182
rope grabs & restraints	181
SRLs	176 – 179
tool safety	183 – 184
Faucet-Mounted Eyewash Units	244 – 247
Filters & Cartridges, respiratory	89 – 91, 93 – 95
First Aid	242 – 243
eyewash & showers	244 – 249
heat stress	238 – 241
insect repellent	243
kits	242 – 243
skin creams	243
stations	242
Fit Testing, respiratory	95
Flame-Resistant Apparel	145 – 147
Flammable Storage	256 – 259
Flashlights	224 – 229
Flotation Gear, <i>water safety</i>	186 – 190
Footwear	152 – 159
boots & shoes	152 – 158
ice traction devices	159
Freezer Pops, electrolytes	241
Frocks & Lab Coats	199 – 200
Full Face Respirators	88, 90, 93 – 94

G

Gas Detection	
Glasses, safety	28 – 49
Gloves	96 – 141
accessories	128
anti-vibration	129 – 130, 132 – 133, 136 – 138
chemical resistant	114 – 115
cold weather	209 – 214
cut-resistant	102 – 113
disposable	116 – 121
electrical	141
general purpose, light duty	96 – 101
hand pads	122 – 123, 151
hand warmers	209
heat-resistant	122 – 123
hi-viz	98 – 99, 101, 103, 105, 111, 120, 129 – 136, 138, 140, 211
leather & drivers	124 – 127
sleeves	147

◆ Non-stock item. Minimum quantity may apply.



Gloves, continued

trade & utility	128 – 140
welders	148 – 151
Goggles	23 – 27
Group Lock Box	251
Guard Rails, manhole	182

H

Half face masks	87 – 88, 90, 93 – 94
-----------------	----------------------

Hand Protection 96 – 141

accessories	128
anti-vibration	129 – 130, 132 – 133, 136 – 138
chemical resistant	114 – 115
cold weather	209 – 214
cut-resistant	102 – 113
disposable	116 – 121
electrical	141
general purpose, light duty	96 – 101
hand pads	122 – 123, 151
hand warmers	209
heat-resistant	122 – 123
hi-viz	98 – 99, 101, 103, 105, 111, 120, 129 – 136, 138, 140, 211
leather & drivers	124 – 127
sleeves	147
trade & utility	128 – 140
welders	148 – 151
wipes & cleaners	252 – 253

Hard Hats & Caps	52 – 58, 61 – 64
------------------	------------------

Harnesses, fall protection	165 – 171
----------------------------	-----------

Hazardous Storage 256 – 259

cabinets & cans	256 – 258
containment	259
drums	259
smoking receptacles	257
spill pallets	259

Head & Face Protection 52 – 63

balACLAVAS	55
brackets & adapters	53, 57 – 60, 62 – 63
faceshields & visors	53, 57, 59 – 60, 62 – 64
hard hats & caps	52 – 58, 61 – 64
spray socks	95
suspensions	54
sweatbands & doo rags	54 – 56, 58, 60
welding helmets	142 – 144
winter liners	206 – 208

Headlamps	226, 228 – 229
-----------	----------------

Hearing Protection 64 – 79

banded earplugs	65, 67, 71
dispensers	68 – 69, 72
detectable	67, 69, 70
earmuffs	65, 75 – 79
earplugs	65 – 74
noise indicator	76
radio headsets	77 – 79

Heat Resistant

apparel	145 – 147
gloves	122 – 123

Heat Stress 238 – 241

bandanas & doo rags	238
coolers	239
drinks	240 – 241
shelters	239
sweatbands	238
towels	238

Helmet holders	224
----------------	-----

Helmets, welding	142 – 144
------------------	-----------

Highway Safety, apparel	216 – 221
-------------------------	-----------

Hi-Viz Apparel 216 – 221

class 2 apparel	216 – 219, 221
class 3 apparel	219
gloves	98 – 99, 101, 103, 105, 111, 120, 129 – 136, 138, 140, 211
jackets	208 – 209, 220 – 221
non-compliant apparel	219
pants	216
rainwear	203 – 205
Shirts	199, 219 – 220
SOLAS	191
sweatshirts	208, 220
vests	216 – 219, 221

Hoist Systems, fall protection	182
--------------------------------	-----

Holster, tool	183
---------------	-----

Hoods, respiratory	91, 200
--------------------	---------

Horizontal Lifelines, fall protection	181
---------------------------------------	-----

Hot drinks	215
------------	-----

I

Ice Rescue Suits, water safety	191
--------------------------------	-----

Ice traction devices	159
----------------------	-----

Immersion Suits, water safety	191
-------------------------------	-----

Industrial First Aid Kits	242 – 243
---------------------------	-----------

Insect Repellent, skin	243
------------------------	-----

Instrumentation 230 – 233

gas detection	230 – 233
noise indicator	76

Insulated Gloves	209 – 214
------------------	-----------

J

Jackets

ANSI Class	220 – 221
cold weather	208 – 209, 215
flotation	189
FR, welding	145 – 147
rainwear	203 – 205

K

Kits

calibration, gas	233
fall protection	171
first aid	242 – 243
respiratory	88



L

Lab Coats & Frocks	199 – 200
Ladder Safety, fall protection	161
Lanterns	227
Lanyards, fall protection	172 – 174
Leather Apparel	145 – 147
Leather & Driver Gloves	124 – 127
Leggings, leather	147
Lens Cleaning, eyewear	22 – 23
Lid Lifters, manhole	237
Life Jackets, water safety	186 – 190
Lighted Eyewear	44
Lighting	224 – 229
accessories	224
batteries	229
emergency lighting system	227
flashlights	224 – 229
headlamps	226, 228 – 229
helmet holders	224
lanterns	227
remote lighting system	224 – 225
strapdown retainer	224
Limiters, fall protection	175 – 176
Lock Box	251
Lockout/Tagout	250 – 251
cable lockouts	250
circuit breaker lockouts	251
lock boxes	251
plug lockouts	251
valve lockouts	250
Lumbar & Back Supports	160 – 161

M

Magnifiers & Readers, eyewear	49 – 51
Maintenance Sorbents	254 – 255
Manhole Safety	
accessories	237
guard system	182
lid lifter	237
ventilation	234 – 237
Maritime Safety	189 – 191
Mold Remediation Respirator Kit	88
Mounted Eyewash & Shower Units	245 – 249
Mouthbit Respirator	94
Multi-gas Detectors	230 – 231

N

New Products	2 – 19
Noise Indicator	76

O

Oily Waste Cans	257
---------------------------	-----

P

Pads, sorbent	254 – 255
Pants & Shirts, disposable apparel	199 – 200
PAPRs, respiratory	92, 95
Particulate Respirators	80 – 86
Pedestal-Mounted Eyewash Units	249
Permanent Showers & Eyewash Units	245 – 249
Personal Eyewash Units	244 – 245
Petroleum Sorbents	254 – 255
PFDs, water safety	186 – 190
Plug Lockouts	251
Ponchos, rain	203
Portable Eyewash Units	244 – 245
Pouches, tool	183
Protective Clothing	192 – 205
aprons	198 – 199
booties	197, 200 – 201
cold weather	206 – 215
coveralls	192 – 198
disposable	198 – 202
frocks	200
hi-viz	191, 199, 203 – 205, 208 – 209, 216 – 221
hoods	200
jackets	208 – 209, 215, 220 – 221
lab coats	199
pants	200
shirts	199
rainwear	203 – 205
sleeves	202
SOLAS	191
sweatshirts	208, 220
welding	145 – 147
winter liners	206 – 209

R

Radio Earmuffs	77 – 79
Rags, shop	252 – 253
Rainwear	203 – 205
Readers, eyewear	49 – 51
Reflective Apparel	191, 199, 203 – 205, 208 – 209, 216 – 221
Regulators, gas detection	233
Remediation Kits, mold	88
Remote Lighting Systems	224 – 225
Rescue Bags, water safety	190
Rescue Suits & Vests, water safety	191
Receptacles, cigarette butt	257
Respiratory Protection	80 – 95
cartridges & filters	89 – 91, 93 – 95
cleaning	95
disposable	80 – 86
fit testing & accessories	95
hoods	91
lockers	84

◆ Non-stock item. Minimum quantity may apply.



Respiratory Protection, continued

mold remediation	88
PAPRs	92, 95
reusable	87 – 88, 90, 93 – 94
spray socks	95
storage	95
welding	82, 85

Resources

American & Canadian	260
Hotlines	260 – 261
Retractable Lifelines, fall protection	176 – 179
Ring and watch guards	163
Ring Buoy, water safety	190
Roof Anchors, fall protection	179 – 181
Rope Grabs & Restraints, fall protection	181

S

Safety Cabinets & Cans, hazardous storage	256 – 258
Safety Eyewear (See <i>Eye Protection</i>)	28 – 49
Safety Footwear	152 – 159
Saline, eyewash	246
Search & Rescue, maritime	189 – 191
Shield, manhole	237
Shirts & Pants, disposable apparel	199 – 200
Shoe Covers, disposable	197, 200 – 201
Shoes & Boots	152 – 159
Shop Rags	252 – 253
Showers & Eyewash Units	244 – 249
combination units	248
drench hose units	249
permanent units	245 – 249
personal	244
portable	245
refill solution	246
Side shields, eyewear	51
Single-gas Detectors	230, 233
Skin Creams	243
Sleeves, protective	147, 202
Smoking receptacles, hazardous storage	257
SOLAS Products, water safety	191
Sorbents	254 – 255
pads & booms	254 – 255
Spats, leather	147
Specialty coated / cut resistant gloves	102 – 113
Spill Control & Containment	254 – 255
Spray Socks	95
Storage, hazardous	256 – 259
SRLs, fall protection	176 – 179
Stations, first aid	242
Steel Toe Footwear	152 – 159
Storage Bags, respirator	95
Storage Cabinets, hazardous	256 – 257
Strapdown retainers, lighting	224

Sweatbands, Doo Rags & Winter Liners	54 – 56, 58, 60, 206 – 208
Sweatshirts	208, 220

T

T-Shirts	219
Tethers, fall protection	184
Tool Holsters	183
Tool Lanyards, fall protection	183 – 184
Towels, shop	253
Trade & Utility Gloves	128 – 140

Traffic & Work Zone Safety

guardrails, manhole	182,
reflective apparel	191, 199, 203 – 205, 208 – 209, 216 – 221

V

Valve Lockouts	250
Ventilation, confined space	234 – 237

Vests

flotation	186 – 190
hi-viz	219 – 219, 221
Visors & Faceshields	53, 57, 59 – 60, 62 – 64

W

Wall-Mount Eyewash Units	244 – 248
Watch guards	163
Water Safety	186 – 191
automatic vests	189 – 190
buoys	190
cold water immersion suits	191
flotation jackets	189
flotation vests	186 – 190
immersion suits	191
rescue bags	190
rescue suits	191
Welding & FR Safety	142 – 151
apparel	145 – 147
fall protection	165, 170
flotation vest	187
lenses & goggles	143 – 144
gloves	148 – 151
helmets & filters	142 – 144
respiratory	82, 85
Winter Apparel & Gloves	206 – 215
Winter Liners	206 – 208
Wipes & Hand Cleaners	252 – 253
rags	252
shop towels	253
wipes	252 – 253
Work Gloves	
Work Suits, anti-exposure	191
Workwear Apparel	192 – 205
Wrist supports	161 – 162



Distributing the **BEST** Safety Products!



Branch Locations

Cincinnati, Ohio

Houston, Texas

Fresno, California



Safety Products CATALOG • VOLUME 8



R3 RELIABLE REDISTRIBUTION RESOURCE®

Toll-Free: (800) 421-7081

Fax: (888) 822-5665

Website: www.r3safety.com

eMail: r3so@r3safety.com

Address: 6021 Union Centre Blvd.
Fairfield, OH 45014

©2017 R3 Safety. The content of this catalog is owned by R3 Safety and may not be reproduced in whole or in any part without permission. All rights reserved. Printed in the USA.



Call:
(800) 421-7081



Fax:
(888) 822-5665



Chat:
www.R3Safety.com



Fall Protection
for Tools

Stop the drop.

Protect those around you.

Harnesses. Lanyards. SRLs. The focus of fall protection equipment has always been to protect you from falling. But now you can also look out for your colleagues with 3M™ DBI-SALA® Fall Protection for Tools. This comprehensive line of specialized tethers, holsters, pouches and more is designed to reduce lost productivity, tool loss, property damage and, most importantly, injury caused by dropped objects.

For more information,
call 800-328-6146 or visit
www.3M/FallProtection

3M Science. Applied to Life.™

