



# Footwear

Protective footwear is required by OSHA anywhere that objects could pierce the sole or when there are dangers of rolling objects and/or falling objects in the area.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

## BLAST



## INDUSTRIAL FOOTWEAR

Innovative Design. Exceptional Comfort.

- Full Range of Workboots
- Style, Safety and Comfort
- Composite and Steel Toe Available

## BULLDOG



## RIGGER



## GRANITE





## Mack® Tradie

Hard wearing, 6" double elastic gusset safety boots with padded ankle, collar, tongue and Cambrelle® lining offers comfort, durability and moisture management. PU midsole for cushioning and shock absorption plus the TPU outsole pattern gives excellent slip resistance and heat resistance to 302° F. Water-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF070	E93811031	7	Pr
◆ MKTRADIE-BBF075	E93811041	7.5	Pr
◆ MKTRADIE-BBF080	E93811051	8	Pr
◆ MKTRADIE-BBF085	E93811061	8.5	Pr
◆ MKTRADIE-BBF090	E93811071	9	Pr
◆ MKTRADIE-BBF095	E93811081	9.5	Pr
◆ MKTRADIE-BBF100	E93811091	10	Pr
◆ MKTRADIE-BBF105	E93811101	10.5	Pr
◆ MKTRADIE-BBF110	E93811111	11	Pr
◆ MKTRADIE-BBF115	E93811121	11.5	Pr
◆ MKTRADIE-BBF120	E93811131	12	Pr
◆ MKTRADIE-BBF125	E93811141	12.5	Pr
◆ MKTRADIE-BBF130	E93811151	13	Pr



MKTRADIE-BBF



MKTRADES-BBF



## Mack® Tradesman

Heavy-duty, 6" lace-up hiking style safety boots with padded ankle, collar and tongue. Buffalo leather upper with a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling the skin to remain cool and dry. Polyurethane (PU) midsole and bump cap thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fat, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
◆ MKTRADES-BBF070	E93812021	7	Pr
◆ MKTRADES-BBF075	E93812031	7.5	Pr
◆ MKTRADES-BBF080	E93812041	8	Pr
◆ MKTRADES-BBF085	E93812051	8.5	Pr
◆ MKTRADES-BBF090	E93812061	9	Pr
◆ MKTRADES-BBF095	E93812161	9.5	Pr
◆ MKTRADES-BBF100	E93812071	10	Pr
◆ MKTRADES-BBF105	E93812171	10.5	Pr
◆ MKTRADES-BBF110	E93812081	11	Pr
◆ MKTRADES-BBF115	E93812181	11.5	Pr
◆ MKTRADES-BBF120	E93812091	12	Pr
◆ MKTRADES-BBF125	E93812101	12.5	Pr
◆ MKTRADES-BBF130	E93812111	13	Pr



## Mack® Blast

Nubuck full grain leather 7" boots feature steel toe cap and anti-static TPU sole. Lace/zip, padded collar, ankle and tongue plus a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling skin to remain cool and dry. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. PU midsole and bump cap and a thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and is heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKBLAST-HHF070	E93814061	7	Pr
MKBLAST-HHF080	E93814071	8	Pr
MKBLAST-HHF085	E93814211	8.5	Pr
◆ MKBLAST-HHF090	E93814081	9	Pr
◆ MKBLAST-HHF095	E93814141	9.5	Pr
◆ MKBLAST-HHF100	E93814091	10	Pr
◆ MKBLAST-HHF105	E93814151	10.5	Pr
◆ MKBLAST-HHF110	E93814101	11	Pr
◆ MKBLAST-HHF115	E93814161	11.5	Pr
◆ MKBLAST-HHF120	E93814111	12	Pr
◆ MKBLAST-HHF130	E93814121	13	Pr



MKBLAST-HHF





Range	Tough Range	Tough Range	MTA	MTA	MTA
Style	Tradie	Tradesman	Blast	Charge	Turbo
Closure	Slip-On	Lace-Up	Zip-Up	Lace-up	Lace-up
Toecap	Steel	Steel	Steel	Steel	Steel
H2O-Resistant	•	•	•	•	•
Slip-Resistant	•	•	•	•	•
Wellmax® Penetration Resistant	-	-	-	-	-
Anti-Static	•	•	•	•	•
Scuff Cap	-	-	•	•	•
Reflective	-	-	-	-	•
Heat-Resistant Sole	302°F	302°F	302°F	302°F	302°F
TPU Outsole	•	•	•	•	•
Midsole	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane
Innersole	EVA - Cushioned Foam	EVA - Cushioned Foam	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane
Traction Sole	-	-	-	-	-
Low-Catch Sole	-	-	-	-	-
Anti-Torsion Sole	-	-	-	-	-
Stability Cup	-	-	-	-	-
Anterior Ankle Flex	-	-	-	-	-
Forefoot Flex	•	•	•	•	•
Heel Bevel	•	•	•	•	•
Rake 10mm	•	•	•	•	•
Material	Buffalo Leather	Buffalo Leather	Nubuck Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper Nubuck Full Grain Leather & Nylon Mesh
Lining	No Lining	Knitted Polyester	Knitted Polyester	Knitted Polyester	Knitted Polyester
Special Feature	Double Gusset Elastic	Additional Ankle Stability	Zip Closure	Cushioned PU Midsole and Innersole	Reflective Upper to improve visibility in low light
Colors	Black	Black	Honey	Black, Honey	Black
Sizes	5 - 17   6.5 - 12.5	5 - 17   7.5 - 12.5	5 - 14   8.5 - 11.5	5 - 14   7.5 - 11.5	7 - 14   7.5 - 11.5
Height	6"	6"	7"	7"	6"
Weight	1.52 lb	1.43 lb	1.79 lb	1.70 lb	1.59 lb
Approved Standards	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)



## Mack® Charge

The 7" (7) eyelet lace-up safety boots feature steel toe cap and anti-static polyurethane (PU)/thermoplastic urethane (TPU) sole. Cowhide full-grain leather upper with soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture enabling the skin to remain cool and dry. Full-length, extra thick shock-absorbing PU footbed with arch and heel support. PU midsole and bump cap and TPU outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11.



ITEM #	ORDER #	COLOR	SIZES	UOM
MKCHARGE-BBF070	E93815061	Black	7	Pr
MKCHARGE-BBF075	E93815311	Black	7.5	Pr
MKCHARGE-BBF080	E93815071	Black	8	Pr
MKCHARGE-BBF085	E93815321	Black	8.5	Pr
MKCHARGE-BBF090	E93815081	Black	9	Pr
MKCHARGE-BBF095	E93815361	Black	9.5	Pr
MKCHARGE-BBF100	E93815091	Black	10	Pr
MKCHARGE-BBF105	E93815371	Black	10.5	Pr
MKCHARGE-BBF110	E93815101	Black	11	Pr
MKCHARGE-BBF115	E93815341	Black	11.5	Pr
MKCHARGE-BBF120	E93815111	Black	12	Pr
MKCHARGE-BBF130	E93815121	Black	13	Pr

ITEM #	ORDER #	COLOR	SIZES	UOM
MKCHARGE-HHF070	E93891071	Honey	7	Pr
MKCHARGE-HHF075	E93815621	Honey	7.5	Pr
MKCHARGE-HHF080	E93891081	Honey	8	Pr
MKCHARGE-HHF085	E93815661	Honey	8.5	Pr
MKCHARGE-HHF090	E93891091	Honey	9	Pr
MKCHARGE-HHF095	E93815631	Honey	9.5	Pr
MKCHARGE-HHF100	E93891101	Honey	10	Pr
MKCHARGE-HHF105	E93815671	Honey	10.5	Pr
MKCHARGE-HHF110	E93891111	Honey	11	Pr
MKCHARGE-HHF115	E93815641	Honey	11.5	Pr
MKCHARGE-HHF120	E93891121	Honey	12	Pr
MKCHARGE-HHF130	E93891131	Honey	13	Pr



Supertec			Pinnacle		
Bulldog	Rider	Rigger	Granite	Heeler	Dingo
Lace-up	Slip-On	Slip-On	Lace-up	Lace-up	Lace-up
Steel	Steel	Steel	Composite	Composite	Composite
-	•	-	•	•	•
•	•	•	•	•	•
-	-	-	•	-	-
-	-	-	-	-	-
-	-	-	•	•	•
-	-	-	•	•	•
572°F	572°F	572°F	572°F	572°F	572°F
•	-	-	-	-	-
Phylon	Phylon	Phylon	Phylon	Phylon	Phylon
PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	Silicone Gel	Silicone Gel	Silicone Gel
-	-	-	•	•	•
-	-	-	•	•	•
-	-	-	•	•	•
-	-	-	•	•	•
-	-	-	•	•	•
•	•	•	•	•	•
-	-	-	-	-	-
-	•	•	•	•	•
Cowhide Full Grain Leather	Cowhide Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather
Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®
Quick Release Lace Loops	High Heat Resistance, Double Elastic Gusset	No Lace, "Cowboy Boot" Style	Ultimate Boot w/Poron® Metguard Protection, Wellmax® Penetration Resistant	Silicone Gel Heel, 1" Extra Ankle Protection compared to Dingo	Silicone Gel Heel, Forefoot & Ankle Flexibility
Black, Honey, Brown	Black, Brown	Brown	Black, Honey	Black, Honey	Black, Honey, Brown
4 - 16   7.5 - 11.5	5 - 14   7.5 - 11.5	7 - 14	5 - 16   8.5 - 11.5	5 - 17   8.5 - 11.5	5 - 16   8.5 - 11.5
6"	6"	11"	7"	7"	6"
1.65 lb	1.50 lb	2 lb	1.6 lb	1.56 lb	1.40 lb
ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75 MT 75 PR)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)

**Mack® Turbo**

6" Hiker style boot with padded collar, tongue and ankle. Nubuck and nylon mesh upper with soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap/thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.



**MKTURBO-BBF**



ITEM #	ORDER #	SIZES	UOM
MKTURBO-BBF070	E93880071	7	Pr
◆ MKTURBO-BBF075	E93880201	7.5	Pr
MKTURBO-BBF080	E93880081	8	Pr
◆ MKTURBO-BBF085	E93880211	8.5	Pr
MKTURBO-BBF090	E93880091	9	Pr
◆ MKTURBO-BBF095	E93880221	9.5	Pr
MKTURBO-BBF100	E93880101	10	Pr

ITEM #	ORDER #	SIZES	UOM
◆ MKTURBO-BBF105	E93880231	10.5	Pr
◆ MKTURBO-BBF110	E93880111	11	Pr
◆ MKTURBO-BBF115	E93880241	11.5	Pr
MKTURBO-BBF120	E93880121	12	Pr
MKTURBO-BBF130	E93880131	13	Pr
MKTURBO-BBF140	E93880141	14	Pr

◆ Non-stock item. Minimum quantity may apply.



## Mack® Bulldog

The original lightweight, 6" leather lace-up safety boots with Cambrelle® lining offer comfort, durability and moisture management. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. Lightweight Phylon midsole for greater cushioning and shock absorption. Features steel toe and PU comfort sock. Rubber nitrile outsole heat-resistant to 572° F. Slip-resistant. Steel toe cap complies with ASTM F2413-11.



MKBULLDOG-BBF



MKBULLDOG-HHF



MKBULLDOG-ROF

SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
	<b>Black</b>		<b>Honey</b>		<b>Brown</b>		
7	MKBULLDOG-BBF070	E93816321	MKBULLDOG-HHF070	E93816531	MKBULLDOG-ROF070	E93816061	Pr
7.5	MKBULLDOG-BBF075	E93816331	MKBULLDOG-HHF075	E93816541	MKBULLDOG-ROF075	E93816831	Pr
8	◆ MKBULLDOG-BBF080	E93893081	MKBULLDOG-HHF080	E93816551	MKBULLDOG-ROF080	E93816071	Pr
8.5	◆ MKBULLDOG-BBF085	E93893201	MKBULLDOG-HHF085	E93816561	◆ MKBULLDOG-ROF085	E93816201	Pr
9	MKBULLDOG-BBF090	E93893091	MKBULLDOG-HHF090	E93816571	MKBULLDOG-ROF090	E93816081	Pr
9.5	MKBULLDOG-BBF095	E93893211	MKBULLDOG-HHF095	E93816581	MKBULLDOG-ROF095	E93816211	Pr
10	MKBULLDOG-BBF100	E93893101	MKBULLDOG-HHF100	E93816591	MKBULLDOG-ROF100	E93816091	Pr
10.5	MKBULLDOG-BBF105	E93893221	MKBULLDOG-HHF105	E93816671	MKBULLDOG-ROF105	E93816221	Pr
11	MKBULLDOG-BBF110	E93893111	MKBULLDOG-HHF110	E93816601	MKBULLDOG-ROF110	E93816101	Pr
11.5	MKBULLDOG-BBF115	E93816341	MKBULLDOG-HHF115	E93816611	◆ MKBULLDOG-ROF115	E93816231	Pr
12	MKBULLDOG-BBF120	E93816351	MKBULLDOG-HHF120	E93816621	MKBULLDOG-ROF120	E93816111	Pr
13	MKBULLDOG-BBF130	E93893131	MKBULLDOG-HHF130	E93816631	MKBULLDOG-ROF130	E93816121	Pr
14	MKBULLDOG-BBF140	E93816361	MKBULLDOG-HHF140	E93816641	MKBULLDOG-ROF140	E93816131	Pr



## Mack® Rider

Lightweight elastic sided safety boots with steel toe caps that comply with ASTM F2413-11. 6" Double elastic gusset and Cambrelle® lining offers comfort, durability and moisture management. BMX dual-density nitrile rubber outsole and Phylon midsole for cushioning and shock absorption. Features PU comfort sock and rubber nitrile outsole heat-resistant to 572° F. Slip-resistant.



MKRIDER-BBF



MKRIDER-ROF

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ MKRIDER-BBF070	E93870071	Black	7	Pr
◆ MKRIDER-BBF075	E93870201	Black	7.5	Pr
◆ MKRIDER-BBF080	E93870081	Black	8	Pr
◆ MKRIDER-BBF085	E93870211	Black	8.5	Pr
◆ MKRIDER-BBF090	E93870091	Black	9	Pr
◆ MKRIDER-BBF095	E93870221	Black	9.5	Pr
◆ MKRIDER-BBF100	E93870101	Black	10	Pr
◆ MKRIDER-BBF105	E93870231	Black	10.5	Pr
◆ MKRIDER-BBF110	E93870111	Black	11	Pr
◆ MKRIDER-BBF115	E93870241	Black	11.5	Pr
◆ MKRIDER-BBF120	E93870121	Black	12	Pr
◆ MKRIDER-BBF130	E93870131	Black	13	Pr
◆ MKRIDER-BBF140	E93870141	Black	14	Pr

ITEM #	ORDER #	COLOR	SIZES	UOM
MKRIDER-ROF070	E93872071	Brown	7	Pr
MKRIDER-ROF075	E93872191	Brown	7.5	Pr
MKRIDER-ROF080	E93872081	Brown	8	Pr
MKRIDER-ROF085	E93872201	Brown	8.5	Pr
MKRIDER-ROF090	E93872091	Brown	9	Pr
MKRIDER-ROF095	E93872211	Brown	9.5	Pr
MKRIDER-ROF100	E93872101	Brown	10	Pr
MKRIDER-ROF105	E93872221	Brown	10.5	Pr
MKRIDER-ROF110	E93872111	Brown	11	Pr
MKRIDER-ROF115	E93872231	Brown	11.5	Pr
MKRIDER-ROF120	E93872121	Brown	12	Pr
MKRIDER-ROF130	E93872131	Brown	13	Pr
◆ MKRIDER-ROF140	E93872141	Brown	14	Pr



## Mack® Rigger

Rigger-style 11" safety boot with padded ankle, collar and Cambrelle® lining offers comfort, durability and moisture management. BMX dual-density nitrile rubber outsole and Phylon midsole for cushioning and shock absorption. Features PU comfort sock and rubber nitrile outsole heat-resistant to 572° F. Slip-resistant. Steel toe cap complies with ASTM F2413-11. Brown.

ITEM #	ORDER #	SIZES	UOM
◆ MKRIGGER-ROF070	E93873071	7	Pr
◆ MKRIGGER-ROF080	E93873081	8	Pr
◆ MKRIGGER-ROF090	E93873091	9	Pr
◆ MKRIGGER-ROF100	E93873101	10	Pr
◆ MKRIGGER-ROF110	E93873111	11	Pr
◆ MKRIGGER-ROF120	E93873121	12	Pr
◆ MKRIGGER-ROF130	E93873131	13	Pr
◆ MKRIGGER-ROF140	E93873141	14	Pr



MKRIGGER-ROF



## Mack® Granite

7" Cowhide lace-up hiking style boots with padded ankle, collar and tongue. Penetration-resistant midsole and PORON® metatarsal guard make this the ultimate boot. Cambrelle® lining for comfort and moisture management. Gravity® dual-density nitrile rubber outsole (heat-resistant to 572° F) with Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip- and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11 standards.



MKGRANITE-BBF



MKGRANITE-HHF



ITEM #	ORDER #	COLOR	SIZES	UOM
MKGRANITE-BBF70	E93827061	Black	7	Pr
MKGRANITE-BBF080	E93827071	Black	8	Pr
◆ MKGRANITE-BBF85	E93863301	Black	8.5	Pr
MKGRANITE-BBF090	E93827081	Black	9	Pr
◆ MKGRANITE-BBF95	E93863311	Black	9.5	Pr
MKGRANITE-BBF100	E93827091	Black	10	Pr
MKGRANITE-BBF105	E93863321	Black	10.5	Pr
◆ MKGRANITE-BBF110	E93827101	Black	11	Pr
MKGRANITE-BBF115	E93863331	Black	11.5	Pr
MKGRANITE-BBF120	E93827111	Black	12	Pr
MKGRANITE-BBF130	E93827121	Black	13	Pr
◆ MKGRANITE-BBF140	E93827131	Black	14	Pr

ITEM #	ORDER #	COLOR	SIZES	UOM
◆ MKGRANITE-HHF070	E93857071	Honey	7	Pr
◆ MKGRANITE-HHF080	E93857081	Honey	8	Pr
◆ MKGRANITE-HHF085	E93857201	Honey	8.5	Pr
◆ MKGRANITE-HHF090	E93857091	Honey	9	Pr
◆ MKGRANITE-HHF095	E93857211	Honey	9.5	Pr
◆ MKGRANITE-HHF100	E93857101	Honey	10	Pr
◆ MKGRANITE-HHF105	E93857221	Honey	10.5	Pr
◆ MKGRANITE-HHF110	E93857111	Honey	11	Pr
◆ MKGRANITE-HHF115	E93857231	Honey	11.5	Pr
◆ MKGRANITE-HHF120	E93857121	Honey	12	Pr
◆ MKGRANITE-HHF130	E93857131	Honey	13	Pr
◆ MKGRANITE-HHF140	E93857141	Honey	14	Pr

◆ Non-stock item. Minimum quantity may apply.



## Mack® Heeler

7" Cowhide lace-up hiking style safety toe boots, with padded ankle, collar and tongue. Cambrelle® lining for comfort, durability and moisture management. Sole and heel incorporate an absorbing gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip- and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKHEELER-HHF070	E93826321	7	Pr
◆ MKHEELER-HHF080	E93826331	8	Pr
MKHEELER-HHF085	E93826341	8.5	Pr
◆ MKHEELER-HHF090	E93826351	9	Pr
MKHEELER-HHF095	E93826361	9.5	Pr
◆ MKHEELER-HHF100	E93826371	10	Pr
MKHEELER-HHF105	E93826381	10.5	Pr
◆ MKHEELER-HHF110	E93826391	11	Pr
MKHEELER-HHF115	E93826401	11.5	Pr
MKHEELER-HHF120	E93826411	12	Pr
MKHEELER-HHF130	E93826421	13	Pr



MKHEELER-HHF



## Mack® Dingo

Lace-up, 6" hiking style safety boots with cowhide genuine leather upper and Cambrelle® lining offers comfort, durability and moisture management. Dual-density nitrile rubber outsole (heat-resistant to 572° F) and lightweight Phylon midsole for greater cushioning and shock absorption. Sole incorporates a high toe guard for extra protection and boot is fitted with an energy-absorbing gel insert in the heel area to attenuate heel strike. Lightweight and airport friendly. Slip- and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11.



MKDINGO-HHF

MKDINGO-ROF

MKDINGO-BBF



SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
	Honey		Brown		Black		
7	MKDINGO-HHF070	E93852071	◆ MKDINGO-ROF070	E93853071	MKDINGO-BBF070	E93824061	Pr
8	◆ MKDINGO-HHF080	E93852081	MKDINGO-ROF080	E93853081	MKDINGO-BBF080	E93824071	Pr
8.5	◆ MKDINGO-HHF085	E93852201	◆ MKDINGO-ROF085	E93853211	◆ MKDINGO-BBF085	E93824201	Pr
9	◆ MKDINGO-HHF090	E93852091	◆ MKDINGO-ROF090	E93853091	MKDINGO-BBF090	E93824081	Pr
9.5	◆ MKDINGO-HHF095	E93852211	◆ MKDINGO-ROF095	E93853221	◆ MKDINGO-BBF095	E93824211	Pr
10	◆ MKDINGO-HHF100	E93852101	MKDINGO-ROF100	E93853101	MKDINGO-BBF100	E93824091	Pr
10.5	◆ MKDINGO-HHF105	E93852221	MKDINGO-ROF105	E93853231	MKDINGO-BBF105	E93824221	Pr
11	MKDINGO-HHF110	E93852111	MKDINGO-ROF110	E93853111	MKDINGO-BBF110	E93824101	Pr
11.5	MKDINGO-HHF115	E93852231	MKDINGO-ROF115	E93853241	◆ MKDINGO-BBF115	E93824231	Pr
12	◆ MKDINGO-HHF120	E93852121	MKDINGO-ROF120	E93853121	MKDINGO-BBF120	E93824111	Pr
13	◆ MKDINGO-HHF130	E93852131	◆ MKDINGO-ROF130	E93853131	MKDINGO-BBF130	E93824121	Pr



## TREX™ 6300 Ice Traction Devices

Eight rugged, heat-treated carbon steel studs for tenacious grip and stability and stretchable rubber for easy on/off. Remains flexible to -40° F. Eight replacement studs sold separately.

### Men's sizes:

Medium fits 5-8

Large fits 8-11

X-Large fits 11-14

2X-Large fits 14-16



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
16753	332103631	1-Piece ice traction device	M	Pr
16754	332103641	1-Piece ice traction device	L	Pr
16755	332103651	1-Piece ice traction device	XL	Pr
16756	332103691	1-Piece ice traction device	2XL	Pr



## TREX™ 6310 Adjustable Ice Traction Devices

One-piece ice traction devices feature (10) rugged, heat-treated carbon steel studs for grip and stability, tight adjustable cord cinches for secure fit, and stretchable rubber for easy on/off. Aggressive tread connects to mid-foot and heel stud zones. Flexible to -40° F. Black with reflective pull-on tabs for enhanced visibility.

### Men's sizes:

Medium fits 5-8

Large fits 8-11

X-Large fits 11-14

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 16773	332167731	Adjustable ice traction device	M	Pr
◆ 16774	332163101	Adjustable ice traction device	L	Pr
◆ 16775	332167751	Adjustable ice traction device	XL	Pr

