




**FULLER** COMPATIBLE PRODUCTS




2026  
**CATALOGUE**




## **EXPERIENCE**

**Over 5 decades of specific know-how  
in the gear sector.**



## **QUALITY**

**100% Made in Italy production  
with cutting-edge technologies.**




## **RELIABILITY**

**Fast and timely responses to every request  
for information and assistance.**

In a constantly evolving global market, KPM stands out for its ability to combine the flexibility of a dynamic structure with the solidity of deep technical expertise.

Our passion for work and the professionalism of our staff allow us to anticipate customers' needs, offering a product range that is always updated and aligned with the developments of modern industrial vehicles.



***INDEX***


**Company ..... 04**

**Production ..... 04**

**Products and Services ..... 06**


**COMPATIBLE PRODUCT RANGE**

**Fuller ..... 07**



## Company

**KPM Ricambi S.r.l.** was founded in 2006, after more than 30 years of consolidated experience in the transmission gear production sector. Based in Zola Predosa (Bologna), in the beating heart of the Italian Motor Valley, the company has established itself as a strategic partner for the worldwide spare parts market.






## Production and Quality "Made in Italy"


**The entire production cycle of KPM Ricambi takes place strictly in Italy.**

This choice reflects our commitment to maintaining the quality standards that have made Italian mechanics famous worldwide.

**Solutions with perfect interchangeability:** we produce non-original components designed to be perfectly interchangeable with the applications of the main European and American manufacturers.

Every piece undergoes rigorous testing and quality checks to ensure that assembly and performance are identical to the original.





## Products and Services

Thanks to extensive experience in the sector, we offer an excellence "Made in Italy" range of transmission gears, cylindrical and bevel gear sets intended for the spare parts market of gearboxes and differentials for trucks, buses, and tractors.

We produce non-original components that are perfectly interchangeable with the main American and European applications (such as Volvo, Mercedes, Mack, Fuller/TTC and Spicer).

Every piece is manufactured with modern technologies and subjected to strict Klingelberg quality controls, guaranteeing high production standards and a rapid, timely, and highly professional technical support service.

To satisfy specific needs, upon request we activate a special customization service both on the product, through the marking of your logo, and on the packaging, with a custom label applied to the box.



GEARS




CROWN WHEEL AND PINIONS




QUALITY CONTROLS

*“ Our mission is to provide mechanical components of the highest precision that guarantee reliability and durability over time.*

*For years supporting professionals with technologically advanced solutions. ”*






**KPM RICAMBI**


**FULLER** compatible products






**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
14274	WASHER
14275	WASHER
14276	WASHER
14711	WASHER
14712	WASHER
14713	WASHER
16021	SLIDING CLUTCH
16118	SLIDING CLUTCH
16226	SLIDING CLUTCH
16227	GEAR
16228	GEAR-MAINSHAFT
16229	GEAR
16234	IDLER GEAR
16300	SHIFT YOKE
16709	GEAR
16715	GEAR-AUX DRIVE
16716	SLIDING CLUTCH
16720	GEAR
16756	GEAR-MAINSHAFT
16759	SLIDING CLUTCH
16805	MAINSHAFT
16815	GEAR-MAINSHAFT
17217	GEAR-MAINSHAFT
17568	GEAR
17911	COUPLER-MAINSHAFT
17914	COUPLER-MAINSHAFT
18167	SPIDER
18438	SLINDING CLUTCH
18439	SLINDING CLUTCH
18440	GEAR-M/S
18448	GEAR-M/S
18922	SHIFT YOKE-RXT
18994	GEAR-MAINSHAFT
19128	SHIFT YOKE
19131	COUPLER-MAINSHAFT
19132	SLIDING CLUTCH
19165	GEAR-MAINSHAFT

CODE	DESCRIPTION
19205	GEAR-M/S
19206	GEAR-M/S
	
Material:	20MnCr5
Number of teeth:	Z-56/18
Unit weight:	2,12 Kg.
Specifications:	-
19207	GEAR-M/S
19209	COUNTERSHAFT
19210	GEAR-C/S RT
19211	GEAR-C/S
19277	GEAR
19296	GEAR-C/S RT
19299	GEAR-C/S RTO
19300	GEAR-C/s RT
19632	GEAR
19633	GEAR
19663	GEAR-MAINSHAFT
19667	GEAR-AUX M/S (REDUCTION)
19783	GEAR-MAINSHAFT
20024	GEAR-MAINSHAFT
20323	SLIDING CLUTCH
20336	SLIDING CLUTCH
20377	GEAR-M/S
20378	GEAR-M/S
20379	GEAR-M/S
20380	GEAR-C/S
20381	GEAR-M/S
20382	GEAR-C/S
20383	GEAR-M/S
20388	GEAR-MAINSHAFT



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>20389</b>	GEAR
<b>20390</b>	GEAR-MAINSHAFT
<b>20391</b>	GEAR



Material:	20MnCr5
Number of teeth:	Z-58/18
Unit weight:	2,64 Kg.
Specifications:	-


<b>20392</b>	GEAR
<b>20450</b>	SHIFT YOKE-RXT
<b>20458</b>	GEAR
<b>20459</b>	GEAR
<b>20460</b>	GEAR
<b>20461</b>	GEAR COUNTERSHAFT
<b>20471</b>	GEAR COUNTERSHAFT
<b>20480</b>	GEAR
<b>20482</b>	GEAR COUNTERSHAFT
<b>20615</b>	MOZZO
<b>20840</b>	GEAR
<b>20917</b>	GEAR M/S
<b>21018</b>	GEAR-COUNTERSHAFT
<b>21019</b>	GEAR-MAIN DRIVE
<b>21020</b>	GEAR-COUNTERSHAFT
<b>21021</b>	GEAR-MAIN DROVE
<b>21024</b>	GEAR
<b>21025</b>	GEAR-COUNTERSHAFT
<b>21261</b>	GEAR-MAINSHAFT
<b>21262</b>	GEAR-countershaft
<b>21263</b>	GEAR-MAINSHAFT
<b>21264</b>	GEAR-COUNTERSHAFT
<b>21319</b>	GEAR-MAINSHAFT

CODE	DESCRIPTION
<b>21320</b>	RING
<b>21321</b>	AUX. DRIVE GEAR
<b>21322</b>	AUX DRIVE GEAR
<b>21325</b>	Output Shaft
<b>21354</b>	WASHER



Material:	20MnCr5
Number of teeth:	-
Unit weight:	0,20 Kg.
Specifications:	-

<b>21360</b>	SLIDING CLUTCH
<b>21361</b>	GEAR-MAINSHAFT
<b>21546</b>	GEAR - M/S 3rd
<b>21547</b>	HUB SLEEVE
<b>21586</b>	GEAR
<b>21661</b>	GEAR-MD/D RT
<b>21662</b>	SL.CLUTCH
<b>21663</b>	GEAR-M/S RT
<b>21664</b>	WASHER
<b>21665</b>	WASHER
<b>21669</b>	GEAR
<b>21670</b>	GEAR - M/S
<b>21671</b>	GEAR- MAIN DRIVE
<b>21672</b>	GEAR-MAINSHAFT 3rd
<b>21930</b>	SLIDING CLUTCH
<b>21931</b>	GEAR
<b>22025</b>	GEAR
<b>22026</b>	SLIDING CLUTCH
<b>22027</b>	GEAR - MAINSHAFT OVERDRIVE
<b>22028</b>	GEAR MAIN DRIVE
<b>22898</b>	WASHER



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
22899	WASHER
22915	SLIDING CLUTCH
22961	GEAR-MAIN DRIVE
23102	GEAR
23159	AUX DRIVE GEAR
23653	GEAR-M/S
23694	SYNCHRO HUB (K-2272)
23695	MAINSHAFT (K-2272)
228296	SYNCHRO
228306	SYNCHRO
241012	C/S DRIVE GEAR
241016	GEAR - C/S 3rd
4300035	REDUCTION GEAR
4300190	GEAR-MAINSHAFT O/D
4300191	GEAR-countershaft (Ground Teeth)
4300238	GEAR-MAINDRIVE
4300240	GEAR-M/S



Material:	20MnCr5
Number of teeth:	Z-60/18
Unit weight:	3,09 Kg.
Specifications:	-


4300241	GEAR-C/S
4300242	GEAR-M/S
4300243	COUNTERSHAFT(K-2958)
4300247	GEAR-COUNTERSHAFT
4300312	MAINSHAFT AUX
4300325	GEAR-MAINSHAFT
4300382	WASHER
4300383	WASHER
4300384	WASHER

CODE	DESCRIPTION
4300385	WASHER
4300386	WASHER
4300830	WASHER
4300858	GEAR MAINSHAFT
4300860	COUNTERSHAFT(K-2960)
4300904	MAINSHAFT_AUX
4300907	SLIDING CLUTCH
4300911	SPACER,aux drive gear
4300912	SPACER
4300924	SLIDING CLUTCH plate
4300938	AUX DRIVE GEAR



Material:	20MnCr5
Number of teeth:	Z-34/29
Unit weight:	2,31 Kg.
Specifications:	-

4300940	GEAR-AUX M/S (REDUCTION)
4301075	MAINSHAFT-AUX
4301220	GEAR
4301222	GEAR
4301396	GEAR-MAINSHAFT LOW
4301397	kit K-2640
4301400	GEAR MAINSHAFT
4301532	MAINSHAFT
4301533	CLUTCH
4301795	GEAR-AUX M/S (REDUCTION)
4301840	SLIDING CLUTCH
4302041	SPLITTER GEAR-M/S
4302059	MAINSHAFT AUX
4302088	GEAR-MAINSHAFT OVERDRIVE



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>4302090</b>	<b>GEAR</b>
<b>4302092</b>	<b>REDUCTION GEAR</b>
<b>4302258</b>	<b>WASHER</b>
<b>4302265</b>	<b>SLIDING CLUTCH</b>



Material:	20MnCr5
Number of teeth:	Z-28/18
Unit weight:	0,78 Kg.
Specifications:	-

<b>4302271</b>	<b>GEAR COUNTERSHAFT o/d</b>
<b>4302276</b>	<b>AUX MAINSHAFT</b>
<b>4302313</b>	<b>SPACER-AUX</b>
<b>4302318</b>	<b>MAIN SHAFT</b>
<b>4302376</b>	<b>GEAR AUX DRIVE</b>
<b>4302381</b>	<b>GEAR -MAINSHAFT</b>
<b>4302384</b>	<b>GEAR-MA INSHAFT</b>
<b>4302393</b>	<b>GEAR-MAINSHAFT O/D</b>



Material:	18NiCrMo5
Number of teeth:	Z-42/24
Unit weight:	1,08 Kg.
Specifications:	-

<b>4302394</b>	<b>GEAR</b>
<b>4302398</b>	<b>WASHER</b>

CODE	DESCRIPTION
<b>4302411</b>	<b>GEAR MAINSHAFT</b>




Material:	20MnCr5
Number of teeth:	Z-76/28
Unit weight:	4,59 Kg.
Specifications:	-

<b>4302413</b>	<b>REDUCTION GEAR</b>
<b>4302420</b>	<b>GEAR COUNTERSHAFT</b>
<b>4302421</b>	<b>GEAR MAINSHAFT</b>




Material:	20MnCr5
Number of teeth:	Z-62/28
Unit weight:	3,80 Kg.
Specifications:	-


<b>4302422</b>	<b>GEAR COUNTERSHAFT</b>
<b>4302427</b>	<b>REDUCTION GEAR</b>
<b>4302435</b>	<b>AUX DRIVE GEAR</b>
<b>4302506</b>	<b>GEAR-M/S 3rd</b>
<b>4302529</b>	<b>GEAR-MAINSHAFT</b>
<b>4302652</b>	<b>COUNTERSHAFT(K-2947)</b>
<b>4302666</b>	<b>GEAR-COUNTERSHAFT</b>
<b>4302670</b>	<b>GEAR MAINSHAFT</b>



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>4302695</b>	<b>SPLITTER GEAR KIT</b>
	
Material:	20MnCr5
Number of teeth:	Z-42/18/29
Unit weight:	2,92 Kg.
Specifications:	-
<b>4303033</b>	<b>REVERSE GEAR-MAINSHAFT</b>
<b>4303120</b>	<b>GEAR-C/S DRIVE</b>
<b>4303121</b>	<b>GEAR-C/S DRIVE</b>
<b>4303184</b>	<b>GEAR COUNTERSHAFT o/d</b>
<b>4303185</b>	<b>SPACER, AUX DRIVE GEAR</b>
<b>4303359</b>	<b>MAINSHAFT AUX</b>
<b>4303360</b>	<b>AUX DRIVE GEAR</b>
<b>4303406</b>	<b>GEAR</b>
<b>4303409</b>	<b>GEAR-MAINSHAFT LOW</b>
<b>4303412</b>	<b>GEAR</b>
<b>4303420</b>	<b>GEAR</b>
<b>4303422</b>	<b>GEAR</b>
<b>4303428</b>	<b>GEAR</b>
<b>4303477</b>	<b>GEAR</b>
<b>4303558</b>	<b>GEAR</b>
<b>4303649</b>	<b>SHAFT</b>

CODE	DESCRIPTION
<b>4303666</b>	<b>GEAR-countershaft</b>
	
Material:	20MnCr5
Number of teeth:	Z-73
Unit weight:	4 Kg.
Specifications:	GROUND TEETH
<b>4303673</b>	<b>SPACER</b>
<b>4303689</b>	<b>CLUTCH</b>
<b>4303701</b>	<b>GEAR</b>
<b>4303705</b>	<b>SHAFT</b>
<b>4303737</b>	<b>COUNTERSHAFT GEAR</b>
<b>4303822</b>	<b>SLIDING CLUTH</b>
<b>4303859</b>	<b>COUPLER-MAINSHAFT</b>
<b>4303875</b>	<b>GEAR-COUNTERSHAFT drive</b>
<b>4303877</b>	<b>COUNTERSHAFT</b>
<b>4303878</b>	<b>COUNTERSHAFT (no key)</b>
<b>4303880</b>	<b>GEAR_MAINSHAFT</b>
<b>4303962</b>	<b>Vedi K-3243</b>
<b>4303969</b>	<b>GEAR-MAINSHAFT</b>
<b>4304001</b>	<b>GEAR-MAINSHAFT O/D</b>
<b>4304007</b>	<b>GEAR-MAINSHAFT O/D</b>
<b>4304013</b>	<b>GEAR</b>
<b>4304014</b>	<b>SLIDING CLUTCH</b>
<b>4304060</b>	<b>GEAR-COUNTERSHAFT</b>
<b>4304060/1</b>	<b>GEAR-COUNTERSHAFT</b>
<b>4304073</b>	<b>COUNTERSHAFT</b>
<b>4304084</b>	<b>Aux Drive Gear</b>



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>4304086</b>	<b>GEAR AUX MAINSHAFT</b>



Material:	18NiCrMo5
Number of teeth:	Z-38/23/29
Unit weight:	3,42 Kg.
Specifications:	GROUND TEETH

<b>4304086/1</b>	<b>GEAR AUX MAINSHAFT</b>
<b>4304098</b>	<b>GEAR</b>
<b>4304317</b>	<b>SLIDING CLUTCH</b>



Material:	20MnCr5
Number of teeth:	Z-24/17
Unit weight:	0,60 Kg.
Specifications:	-


<b>4304491</b>	<b>GEAR-COUNTERSHAFT</b>
<b>4304500</b>	<b>SPACER</b>
<b>4304508</b>	<b>GEAR-COUNTERSHAFT O/D</b>
<b>4304510</b>	<b>GEAR-MAINSHAFT</b>
<b>4304512</b>	<b>GEAR_COUNTERSHAFT</b>

CODE	DESCRIPTION
<b>4304514</b>	<b>GEAR-MAINSHAFT O/D</b>




Material:	18NiCrMo5
Number of teeth:	Z-42/24
Unit weight:	1,17 Kg.
Specifications:	GROUND TEETH

<b>4304516</b>	<b>GEAR MAINSHAFT</b>
<b>4304518</b>	<b>GEAR-COUNTERSHAFT</b>
<b>4304518/1</b>	<b>GEAR COUNTERSHAFT</b>
<b>4304544</b>	<b>GEAR MAINSHAFT</b>
<b>4304604</b>	<b>KEY, SELECTOR</b>
<b>4304617</b>	<b>MAIN SHAFT</b>
<b>4304618</b>	<b>GEAR COUNTERSHAFT</b>
<b>4304621</b>	<b>GEAR</b>
<b>4304635</b>	<b>GEAR- MAIN DRIVE</b>
<b>4304639</b>	<b>GEAR-MAIN DRIVE</b>
<b>4304641</b>	<b>GEAR-MAIN DRIVE</b>
<b>4304642</b>	<b>GEAR-MAINDRIVE</b>



Material:	20MnCr5
Number of teeth:	Z-52/26/26
Unit weight:	2,45 Kg.
Specifications:	GROUND TEETH



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>4304750</b>	<b>GEAR-MAINSHAFT O/D</b>
<b>4304765</b>	<b>GEAR-COUNTERSHAFT</b>
<b>4304790</b>	<b>GEAR-COUNTERSHAFT O/D</b>
<b>4304791</b>	<b>GEAR-MAINSHAFT O/D</b>
<b>4304792</b>	<b>GEAR-COUNTERSHAFT DRIVE</b>
<b>4304793</b>	<b>GEAR MAIN DRIVE</b>
<b>4305052</b>	<b>GEAR</b>
<b>4305068</b>	<b>GEAR-MAINDRIVE</b>
<b>4305069</b>	<b>GEAR-C/S DRIVE</b>
<b>4305070</b>	<b>GEAR-MAINSHAFT O/D</b>
<b>4305071</b>	<b>GEAR-countershaft</b>
<b>4305657</b>	<b>GEAR-countershaft</b>
<b>4305659</b>	<b>GEAR MAIN DRIVE</b>
<b>4305663</b>	<b>GEAR -MAINSHAFT</b>
<b>4305665</b>	<b>GEAR-Countershaft Drive</b>



Material:	20MnCr5
Number of teeth:	Z-66
Unit weight:	3,30 Kg.
Specifications:	-

<b>4305880</b>	<b>MAIN DRIVE GEAR</b>
<b>4305910</b>	<b>GEAR-MAINDRIVE</b>
<b>4305996</b>	<b>SLIDING CLUTCH</b>
<b>4306076</b>	<b>COUNTERSHAFT GEAR</b>
<b>4306650</b>	<b>SLIDING CLUTCH</b>
<b>A-4096</b>	<b>COUNTERSHAFT</b>

CODE	DESCRIPTION
<b>A-4330</b>	<b>AUX COUNTERSHAFT</b>
<b>A-4728</b>	<b>C/S 14609B-P-R</b>
<b>A-4918</b>	<b>GEAR-COUNTERSHAFT</b>




Material:	20MnCr5
Number of teeth:	Z-33/38
Unit weight:	3,30 Kg.
Specifications:	-

<b>A-4957</b>	<b>AUX COUNTERSHAFT ASSY</b>
<b>A-5156</b>	<b>MAINSHAFT ASSY (BUSHING IN.)</b>
<b>A-5158</b>	<b>COUNTERSHAFT ASSY- (K-3499)</b>
<b>A-6387</b>	<b>AUX Countershaft</b>
<b>A-6434</b>	<b>AUX Countershaft</b>
<b>A-6436</b>	<b>AUX Countershaft</b>



Material:	20MnCr5
Number of teeth:	Z-16/43
Unit weight:	3,74 Kg.
Specifications:	-


<b>A-6756</b>	<b>AUX Countershaft</b>
---------------	-------------------------



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>A-6888</b>	<b>AUX Countershaft</b>
Material:	20MnCr5
Number of teeth:	Z-15/41/43
Unit weight:	17,40 Kg.
Specifications:	GROUND TEETH
<b>K-1546</b>	<b>KIT (HUB+BUSH+SNAP RING)</b>
<b>K-1650</b>	<b>REPL.KIT AUX DRIVE GEAR</b>
<b>K-21325</b>	<b>MAINSHAFT</b>
<b>K-21360</b>	<b>SLIDING CLUTCH</b>
<b>K-2272</b>	<b>MAINSHAFT KIT</b>
<b>K-2309</b>	<b>REPL.KIT AUX DRIVE GEAR</b>
<b>K-2310</b>	<b>REPL.KIT AUX.DRIVE</b>
<b>K-2311</b>	<b>REPL.KIT AUX DRIVE GEAR</b>
<b>K-2640</b>	<b>AUX DRIVE GEAR</b>
<b>K-2808</b>	<b>AUX DRIVE GEAR kit</b>
Material:	20MnCr5
Number of teeth:	Z-34/29/17/17
Unit weight:	3,17 Kg.
Specifications:	-

CODE	DESCRIPTION
<b>K-2947</b>	<b>COUNTERSHAFT (4302652)</b>
Material:	20MnCr5
Number of teeth:	Z-17/17
Unit weight:	8,50 Kg.
Specifications:	-
<b>K-2958</b>	<b>COUNTERSHAFT (4300243)</b>
<b>K-2960</b>	<b>COUNTERSHAFT (4300860)</b>
<b>K-3122</b>	<b>SPLITTER GEAR KIT</b>
<b>K-3189</b>	<b>AUX DRIVE GEAR</b>
<b>K-3202</b>	<b>AUX Countershaft</b>
<b>K-3220</b>	<b>AUX Countershaft</b>
Material:	20MnCr5
Number of teeth:	Z-15/41/43
Unit weight:	17,40 Kg.
Specifications:	4303124 WASHER INCLUDED
<b>K-3243</b>	<b>C/S GEAR update KIT (no key)</b>
<b>K-3262</b>	<b>COUNTERSHAFT KIT</b>
<b>K-3264</b>	<b>COUNTERSHAFT KIT</b>
<b>K-3367</b>	<b>Oil Pump</b>



**FULLER compatible products | Data sheets**

CODE	DESCRIPTION
<b>K-3419**</b>	<b>GEAR KIT</b>
<b>K-3420**</b>	<b>GEAR KIT</b>
<b>K-3480</b>	<b>AUX.DRIVE GEAR KIT</b>
<b>K-3499</b>	<b>AUX COUNTERSHAFT (OLD A-5158)</b>
<b>K-3500</b>	<b>AUX COUNTERSHAFT (OLD A-6846)</b>






Material:	20MnCr5
Number of teeth:	Z-11/17/41
Unit weight:	9,79 Kg.
Specifications:	-

<b>S-1252</b>	<b>INPUT SHAFT</b>
<b>S-1253</b>	<b>INPUT SHAFT</b>
<b>S-1254</b>	<b>INPUT SHAFT</b>
<b>S-1255</b>	<b>INPUT SHAFT</b>
<b>S-1340</b>	<b>SHAFT</b>
<b>S-1341</b>	<b>MAINSHAFT ASSY</b>
<b>S-2395</b>	<b>INPUT SHAFT</b>
<b>S-2560</b>	<b>MAINSHAFT</b>
<b>S-2562</b>	<b>MAINSHAFT</b>
<b>S-2688</b>	<b>MAINSHAFT</b>
<b>S-2822</b>	<b>MAINSHAFT</b>









**K.P.M. RICAMBI s.r.l.**

**Via Del Greto n° 12 - 40069 Zola Predosa (BO)**

**Tel: +39 051 759717 - Fax: +39 051 759727**

**Email: [kpm@kpmricambi.com](mailto:kpm@kpmricambi.com)**



**[www.kpmricambi.it](http://www.kpmricambi.it)**

