

HOUSE OF ROHL

PRESENTS

**PERRIN & ROWE®**  
L O N D O N



Kitchen designed by: Erin Fetherston | Photographer: Elizabeth Messina

2025 PRICE BOOK



HOUSE OF ROHL

PRESENTS

## THE STORY OF A LIFE WELL CRAFTED™

We believe distinctive stories are what make life exceptional.

At House of Rohl®,  
A portfolio of luxury décor brands,  
We pursue the discovery of time-honored craft  
That opens the door to stories unlike any other.

Stories of place and provenance.  
Stories of dedication and passion.  
Stories of artistry and heritage.

Through our collection of brands, you will find storied details that bring  
endless curated design possibilities.  
And the closer you look, the more you will see the details of your own story.

The story of a life well crafted

Riobel

PERRIN & ROWE  
LONDON



victoria + albert®

ROHL

Schaub

EMTEK.



HOUSE OF ROHL

PRESENTS

**PERRIN & ROWE<sup>®</sup>**  
L O N D O N

---

**MADE IN BRITAIN AND  
MADE TO LAST**

Like the finest jewelry, Perrin & Rowe<sup>®</sup> faucets and fixtures have an exacting sense of proportion. We believe the best way to make the best is to bring together the foremost in innovation with time-tested techniques. Crafted in England, Perrin & Rowe designs juxtapose reinterpretations of the past with novel styles of the present. Made in Britain, and made to last, with quality and integrity.

---

Cover kitchen design features: Perrin & Rowe<sup>®</sup> Georgian Era<sup>®</sup> faucet and a Shaws<sup>®</sup> Lancaster<sup>®</sup> sink.

Kitchen designed by: Erin Fetherston @erinfetherston  
Photographer: Elizabeth Messina @elizabethmessina

<div><div>Home</div><div>Index</div></div>		INDEX AND TAB GUIDE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
COLLECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			



# QUICK REFERENCE PRODUCT GUIDE

PART	#PAGE	PART	#PAGE	PART	#PAGE
9.28385 . . . . .	136	40126HS1 . . . . .	133	U.1220. . . . .	20
0126BS1 . . . . .	145	50226HS3 . . . . .	134	U.1307. . . . .	21
0126SBHS1. . . . .	140	200127SA. . . . .	131	U.1323. . . . .	11
0327WO. . . . .	143	AG600. . . . .	6, 13, 22, 31, 38	U.1347. . . . .	30
402HS5 . . . . .	134	AKIT8073 . . . . .	137	U.1601. . . . .	29
0427WO. . . . .	143	AS425 . . . . .	6, 13, 22, 31, 38	U.1621. . . . .	10
1005N. . . . .	114	AS450 . . . . .	5, 12, 22, 31, 38	U.1625. . . . .	20
1037/8 . . . . .	128	BI00059. . . . .	126	U.1633. . . . .	4
1070/8 . . . . .	128	DC3142 . . . . .	148	U.1998. . . . .	11, 21, 30, 37
1080/8 . . . . .	126	DC3143 . . . . .	148	U.3064LS OR U.3065X . . . . .	99
1085/8 . . . . .	126	DC3144 . . . . .	148	U.3100. . . . .	53
1150/8 . . . . .	134	DC3146 . . . . .	148	U.3110. . . . .	53
1151/8 . . . . .	134	HRF-1000. . . . .	5, 11, 20, 29, 36	U.3120LS OR U.3121X . . . . .	52
1252. . . . .	140	HRK-2000. . . . .	5, 11, 20, 29, 36	U.3135. . . . .	52
1265. . . . .	140	I00410. . . . .	128	U.3141LS OR U.3142X . . . . .	52
1266. . . . .	141	R23 . . . . .	114	U.3152LS OR U.3153X . . . . .	53
1267. . . . .	141	R45 . . . . .	114	U.3164LS OR U.3165X . . . . .	55
1270. . . . .	142	R51 . . . . .	114	U.3170LS OR U.3171X . . . . .	52
1271. . . . .	141	R104. . . . .	114	U.3178LS OR U.3179X . . . . .	53
1272E . . . . .	142	R1062BO . . . . .	115	U.3183. . . . .	53, 135
1279. . . . .	141	RH08W . . . . .	115	U.3230R. . . . .	116
1282. . . . .	142	RH26BS01 . . . . .	115	U.3231R. . . . .	116
1300E . . . . .	137	RH360. . . . .	115	U.3240L OR U.3241X . . . . .	69
1301E . . . . .	138	SDABS2/3. . . . .	149	U.3248L OR U.3249X . . . . .	66
1310. . . . .	138	SDCI2 . . . . .	149	U.3260R. . . . .	116
1311. . . . .	138	SDCI2-3142 . . . . .	147	U.3261R. . . . .	116
1330. . . . .	138	SDCI2-3143 . . . . .	147	U.3321LS OR U.3322X . . . . .	96
1440/8 . . . . .	129	SDCI2-3144 . . . . .	147	U.3330. . . . .	97, 136
1475/12. . . . .	130	SDCI2-3146 . . . . .	147	U.3331LS OR U.3332X . . . . .	97
1505/12. . . . .	131	SDPVC2/3 . . . . .	148	U.3440R. . . . .	115
1505/24. . . . .	132	SDPVC2/3-3142 . . . . .	146	U.3500L OR U.3501X . . . . .	66, 83
1505/6 . . . . .	131	SDPVC2/3-3143 . . . . .	146	U.3510L OR U.3511X . . . . .	66
1600. . . . .	138	SDPVC2/3-3144 . . . . .	146	U.3520L OR U.3521X . . . . .	65
1660. . . . .	144	SDPVC2/3-3146 . . . . .	147	U.3560L OR U.3561X . . . . .	65
5445. . . . .	110	SHC-1 . . . . .	6, 13, 23, 31, 38	U.3580L OR U.3581X . . . . .	66
5447. . . . .	110	U.7AR27SA . . . . .	129	U.3585. . . . .	67, 135
5927SH . . . . .	136	U.20AR27SA . . . . .	130	U.3626. . . . .	64
6442. . . . .	111	U.0127DOF . . . . .	110	U.3648LS/LSP OR U.3649X. . . . .	83
7444. . . . .	110	U.0226BS1 . . . . .	145	U.3670. . . . .	64
8446. . . . .	110	U.0227WO . . . . .	143	U.3705L OR U.3706X . . . . .	64
16295 . . . . .	136	U.0326BS1 . . . . .	145	U.3712LS/LSP OR U.3713X. . . . .	82
16295/79. . . . .	137	U.1106. . . . .	12, 21, 30, 37	U.3720L OR U.3721X . . . . .	64

# QUICK REFERENCE PRODUCT GUIDE

PART	#PAGE	PART	#PAGE	PART	#PAGE
U.3723LS/LSP OR U.3724X. . . . .	.82	U.4744. . . . .	.17	U.5546. . . . .	.142
U.3737L OR U.3738X . . . . .	.67	U.4746. . . . .	9	U.5550L OR U.5552X . . . . .	.69
U.3745L OR U.3746X . . . . .	.66	U.4756L OR U.4755X . . . . .	9	U.5565L OR U.5566X . . . . .	.68
U.3747LS/LSP OR U.3748X. . . . .	.83	U.4759. . . . .	.10	U.5570. . . . .	.145
U.3760L OR U.3761X . . . . .	.64	U.4764L OR U.4763X . . . . .	9	U.5585L OR U.5586X . . . . .	.69
U.3774LS/LSP OR U.3775X. . . . .	.84	U.4766. . . . .	9	U.5751LS OR U.5752X . . . . .	.85
U.3780L OR U.3781X . . . . .	.65	U.4776. . . . .	9	U.5783N. . . . .	.135
U.3785. . . . .	.67, 135	U.4791. . . . .	.17	U.5785LS OR U.5786X . . . . .	.84
U.3790L OR U.3791X . . . . .	.65	U.4799LS OR U.4798X . . . . .	10, 19	U.5800. . . . .	.126
U.3793LS/LSP OR U.3794X. . . . .	.82	U.4842. . . . .	.28	U.5810. . . . .	.133
U.3805. . . . .	.67, 135	U.4846. . . . .	.28	U.5815. . . . .	.133
U.3848LS OR U.3849X . . . . .	.97	U.4899. . . . .	.29	U.5825. . . . .	.133
U.3860LS OR U.3861X . . . . .	.96	U.5100. . . . .	.144	U.5840. . . . .	.140
U.3870. . . . .	.96	U.5135. . . . .	.127	U.5846. . . . .	.142
U.3955LS OR U.3956X . . . . .	.96	U.5140. . . . .	.139	U.5870. . . . .	.144
U.3975LS OR U.3976X . . . . .	43, 97	U.5146. . . . .	.143	U.5882. . . . .	.129
U.3990. . . . .	.97	U.5157LS OR U.5158X . . . . .	.55	U.5884. . . . .	.130
U.4034. . . . .	.27	U.5182. . . . .	.129	U.5885LS OR U.5886X . . . . .	.99
U.4043. . . . .	.28	U.5184. . . . .	.130	U.5888. . . . .	.131
U.4044. . . . .	.27	U.5195. . . . .	.137	U.6055. . . . .	.107
U.4046. . . . .	.27	U.5204. . . . .	.128	U.6122. . . . .	.55
U.4213. . . . .	.28	U.5205. . . . .	.127	U.6135. . . . .	.55
U.4273. . . . .	.27	U.5235. . . . .	.127	U.6140. . . . .	.56
U.4279. . . . .	.27	U.5237. . . . .	.128	U.6141. . . . .	.56
U.4312. . . . .	.28	U.5260. . . . .	.127	U.6142. . . . .	.56
U.4513. . . . .	4	U.5300. . . . .	.144	U.6148. . . . .	.55
U.4534. . . . .	3	U.5302. . . . .	.143	U.6421. . . . .	.99
U.4543. . . . .	4	U.5350. . . . .	.139	U.6422. . . . .	.100
U.4544. . . . .	3	U.5362. . . . .	.129	U.6434. . . . .	.100
U.4546. . . . .	3	U.5373N. . . . .	.135	U.6437. . . . .	.101
U.4549. . . . .	3	U.5379. . . . .	.145	U.6440. . . . .	.100
U.4551. . . . .	3	U.5381. . . . .	.132	U.6441. . . . .	.100
U.4599. . . . .	4	U.5384. . . . .	.130	U.6442. . . . .	.100
U.4700. . . . .	.19	U.5387. . . . .	.137	U.6447. . . . .	.99
U.4702. . . . .	.18	U.5388. . . . .	.131	U.6448. . . . .	.99
U.4710. . . . .	.18	U.5391. . . . .	.132	U.6482. . . . .	.101
U.4711. . . . .	.19	U.5393. . . . .	.132	U.6495. . . . .	.31
U.4719L OR U.4718X . . . . .	.18	U.5394. . . . .	.132	U.6560. . . . .	.107
U.4734. . . . .	.17	U.5399. . . . .	.146	U.6561. . . . .	.107
U.4736L OR U.4735X . . . . .	.18	U.5535. . . . .	.139	U.6570. . . . .	.106
U.4739. . . . .	.10	U.5540. . . . .	.139	U.6571. . . . .	.107
U.4743. . . . .	.19	U.5544. . . . .	.144	U.6580. . . . .	.106



PART	#PAGE	PART	#PAGE	PART	#PAGE
U.6581. . . . .	106	U.6995. . . . .	12, 22	U.TAR23W1 (Shared). . . . .	44
U.6590. . . . .	106	U.40226HS1 . . . . .	133	U.TAR44W1 (No Share) . . . . .	44
U.6591. . . . .	106	U.80126RS1 . . . . .	127	U.TAR45W1 (Shared). . . . .	44
U.6595. . . . .	5	U.AR01UD1. . . . .	42	U.TAR47W1 (No Share) . . . . .	44
U.6621. . . . .	85	U.AR08D3. . . . .	42	U.TAR51W1 . . . . .	44
U.6622. . . . .	85	U.AR08LD3 . . . . .	42	U.TDC23W1 (Shared) . . . . .	54
U.6634. . . . .	85	U.AR09D3. . . . .	42	U.TDC44W1 (No Share) . . . . .	54
U.6640. . . . .	86	U.AR25WRH . . . . .	45	U.TDC45W1 (Shared) . . . . .	54
U.6641. . . . .	86	U.AR25WTB24 . . . . .	46	U.TDC47W1 (No Share) . . . . .	54
U.6642. . . . .	86	U.AR25WTP. . . . .	45	U.TDC51W1. . . . .	54
U.6648. . . . .	85	U.AR25WTR. . . . .	45	U.TEW23W1 (Shared) . . . . .	68
U.6695. . . . .	12, 22	U.AR0127HH . . . . .	134	U.TEW44W1 (No Share) . . . . .	68
U.6792. . . . .	18	U.AR260127SB. . . . .	139	U.TEW45W1 (Shared) . . . . .	68
U.6793. . . . .	17	U.GA01D1. . . . .	82	U.TEW47W1 (No Share) . . . . .	68
U.6794. . . . .	17	U.KIT1NL OR U.KIT1NX . . . . .	74	U.TEW51W1. . . . .	67
U.6907. . . . .	140	U.KIT2L OR U.KIT2X . . . . .	74	U.TGA23W1 (Shared) . . . . .	84
U.6910. . . . .	72, 87	U.KIT1220. . . . .	19	U.TGA44W1 (No Share) . . . . .	83
U.6911. . . . .	141	U.KIT1307. . . . .	21	U.TGA45W1 (Shared) . . . . .	84
U.6913. . . . .	149	U.KIT1323. . . . .	11	U.TGA47W1 (No Share) . . . . .	84
U.6916. . . . .	72, 150	U.KIT1347. . . . .	30	U.TGA51W1. . . . .	83
U.6918. . . . .	72	U.KIT1601. . . . .	29	U.THB23W1 (Shared) . . . . .	98
U.6921. . . . .	70	U.KIT1621. . . . .	10	U.THB44W1 (No Share) . . . . .	98
U.6922. . . . .	70	U.KIT1625. . . . .	20	U.THB45W1 (Shared) . . . . .	98
U.6923. . . . .	70	U.KIT1633. . . . .	4	U.THB47W1 (No Share) . . . . .	98
U.6931. . . . .	72, 87	U.KIT1833. . . . .	5	U.THB51W1. . . . .	98
U.6935. . . . .	70	U.KITSB72D1. . . . .	37	V00275 . . . . .	146
U.6938. . . . .	73, 87	U.PRF1 . . . . .	12, 21, 30, 37	WI0123 . . . . .	126
U.6940. . . . .	70	U.SB53D1. . . . .	35		
U.6941. . . . .	71	U.SB55D1. . . . .	35		
U.6942. . . . .	71	U.SB57D3. . . . .	35		
U.6947. . . . .	69	U.SB58D3. . . . .	35		
U.6951. . . . .	149	U.SB60D1. . . . .	36		
U.6952. . . . .	149	U.SB62W1 . . . . .	36		
U.6953. . . . .	71	U.SB65D1. . . . .	35		
U.6959. . . . .	150	U.SB70D1. . . . .	36		
U.6960. . . . .	69	U.SB80SD. . . . .	37		
U.6961. . . . .	71	U.TAR05F1 . . . . .	43		
U.6962. . . . .	150	U.TAR06F1 . . . . .	43		
U.6967. . . . .	150	U.TAR06W3 . . . . .	43		
U.6968. . . . .	150	U.TAR08W3 . . . . .	42		
U.6969. . . . .	72, 86	U.TAR13W1 . . . . .	45		
U.6975. . . . .	71, 86	U.TAR18W1 . . . . .	45		



PAIRED WITH EMTEK® | SCHAUB



## EMTEK® | SCHAUB PAIRED WITH PERRIN & ROWE®

Discover timeless elegance and exceptional craftsmanship with the House of Rohl® portfolio of brands.

Explore our curated product selections, thoughtfully chosen to complement each other in design

and finish to elevate your space with seamless design harmony.



### SCHAUB

Atherton  
Cabinet Knob

572



### PERRIN & ROWE

Georgian Era™ Column  
Spout Widespread Faucet

U3723LS



### EMTEK

Turino Door Lever  
with Regular Rosette

8100T



### SCHAUB

Atherton Cabinet Pull

576








### PERRIN & ROWE

Georgian Era Column Spout  
Widespread Faucet

U3723LS

### COMPLEMENTARY FINISHES

					
PERRIN & ROWE	C Chrome	PN Polished Nickel	STN Satin Nickel	SEG Satin English Gold	ULB* Unlaquered Brass
EMTEK	US26 Polished Chrome	US14 Polished Nickel	US15 Satin Nickel	US4 Satin Brass	US3NL* Unlaquered Brass
SCHAUB	26 Polished Chrome	PN Polished Nickel	—	SB Satin Brass	—

LIVING  
FINISH

# 2025 UPDATES

## NEW PRODUCT HIGHLIGHTS

### BATHROOM

#### ARMSTRONG™ COLLECTION EXPANSION



U.TAR06W3  
Wall Mount Tub Faucet Trim  
Page [43](#)



U.AR0127HH  
(Wall Mounted)  
Shower Parking Bracket  
Page [143](#)

#### EDWARDIAN™ FINISH EXPANSION



SEG  
Satin English Gold finish  
available in Edwardian Bath



## DISCONTINUATION HIGHLIGHTS

### KITCHEN

#### HOLBORN™



U.4272  
Bridge Kitchen Faucet  
Cross Handle Only



EB  
English Bronze finish  
Other finishes remain

#### GEORGIAN ERA™



U.4790  
Bridge Kitchen Faucet

### BATHROOM

#### DECO™



U.3111  
Exposed Wall Mount  
Tub Filler



STN / ULB  
Satin Nickel and  
Unlaquered Brass finishes  
Other finishes remain

#### GEORGIAN ERA™



U.3708  
Bridge Lavatory Faucet



EXPOSED  
TUB FILLERS

#### HOLBORN™



U.3871  
Single Handle Tall  
Lavatory Faucet

#### MULTIPLE ACCESSORIES



VARIOUS COLLECTIONS

# COMPLETE YOUR CODE

## CODE EXAMPLE



	FINISH CHOICES						
	APC	PN	STN	SEG	EG	ULB	EB
U.4755X-__-2	\$	\$	\$	\$	\$	\$	\$
U.4755L-__-2	\$	\$	\$	\$	\$	\$	\$

U.4755 L - \_\_ / TO-2



- 1 Product Code
- 2 Handle Choice\*
- 3 Finish Choice

\*Indicate only if applicable

U.4755 L - APC / TO-2



- 3 To order your faucet, you must complete your code by indicating the desired finish.

## HANDLE CODES

<b>HT</b> Textured Metal Lever	<b>LS</b> Metal Lever	<b>X</b> Cross Handle	<b>IW</b> Industrial Wheel
<b>L</b> Metal and Porcelain Lever	<b>LSP</b> Metal Lever (with Porcelain Cap)	<b>XM</b> Cross	

## FINISH CODES



**APC**  
Polished  
Chrome



**PN**  
Polished  
Nickel



**STN**  
Satin  
Nickel



**SEG**  
Satin English  
Gold



**EG**  
English  
Gold

LIVING  
FINISH



**ULB\***  
Unlaquered  
Brass



**EB**  
English  
Bronze









## LUXURY ACCELERATED

# SHIPS WITHIN TWO BUSINESS DAYS

House of Rohl® is excited to launch DécorXpress. DécorXpress offers exclusive access to our top-selling world renowned collections. These select collections now have unprecedented availability with an expected ship date of two business days.\* This improved service level comes at no additional cost to you. Exclusions apply. Scan the QR Code above for details.

Now available for select Kitchen and Bath Collections.

## ELIGIBLE COLLECTIONS



**ARMSTRONG™**  
Kitchen | [1](#)



**GEORGIAN ERA™**  
Kitchen | [15](#)



**ARMSTRONG**  
Bath | [39](#)



**EDWARDIAN™**  
Bath | [61](#)



**GEORGIAN ERA**  
Bath | [79](#)

*\*After order finalization, unless ship date is specified by the customer.*





## SELF-SERVICE EXPANDED

## WELCOME TO B2B CONNECT

Our new self-service business site expands your capabilities with features to help you check inventory, view returns and see your order history with tracking details and more to help you manage your business efficiently.

Register at [B2BConnect.houseofrohl.com](https://B2BConnect.houseofrohl.com)

## NEW SYSTEM CAPABILITIES INCLUDE

- Check order status
- Check inventory
- Obtain order confirmations
- Integrated message area with robust editing tools for the system administration
- Get order shipment tracking details
- View and print packing slips
- Details on multi-ship orders
- Customer Administration roles by account for self-service user maintenance
- Search, view and track returns
- Download return authorization

KITCHEN — SHOP BY PRICE OR STYLE

(Prices shown are for Polished Chrome)

TRADITIONAL



GEORGIAN ERA  
U.4744 / \$1518



GEORGIAN ERA  
U.4734 / \$1858

TRANSITIONAL



SOUTHBANK  
U.SB55D1 / \$1378



SOUTHBANK  
U.SB53D1 / \$1718



SOUTHBANK  
U.SB58D3 / \$1948



ARMSTRONG  
U.4544 / \$1378



ARMSTRONG  
U.4534 / \$1718



ARMSTRONG  
U.4549 / \$1948



ARMSTRONG  
U.4546 / \$1378



HOLBORN  
U.4044 / \$1548



HOLBORN  
U.4034 / \$1878



ARMSTRONG  
U.4551 / \$1948



HOLBORN  
U.4046 / \$1548



HOLBORN  
U.4846 / \$1878

PRICE (\$)



EDWARDIAN  
U.4766 / \$2258



GEORGIAN ERA  
U.4710 / \$2368



EDWARDIAN  
U.4776 / \$2658



EDWARDIAN  
U.4756L OR U.4755X / \$3108

TRADITIONAL



GEORGIAN ERA  
U.4702 / \$2368



GEORGIAN ERA  
U.4736L OR U.4735X / \$2468



SOUTHBANK  
U.SB57D3 / \$2198

TRANSITIONAL



HOLBORN  
U.4273 / \$2678



HOLBORN  
U.4279 / \$2678

PRICE (\$\$\$)

QUICK REFERENCE

# BATH — SHOP BY PRICE OR STYLE

(Prices shown are for Polished Chrome)

TRADITIONAL



EDWARDIAN  
U.3760L OR U.3761X / \$1348



GEORGIAN ERA  
U.3712LS/LSP OR U.3713X  
\$1398

TRANSITIONAL



ARMSTRONG  
U.AR08D3 / \$1428



HOLBORN  
U.3860LS OR U.3861X / \$1398



HOLBORN  
U.3955LS OR U.3956X  
\$1508

PRICE (\$)





EDWARDIAN  
U.3705L OR U.3706X / \$1668



EDWARDIAN  
U.3720L OR U.3721X / \$1838



GEORGIAN ERA  
U.3723LS/LSP OR U.3724X  
\$1948

TRADITIONAL



DECO  
U.3141LS OR U.3142X / \$1768

TRANSITIONAL

PRICE (\$\$\$)








## PRICE STRUCTURE








# BATH COLLECTION








## PRICE STRUCTURE

A18








# KITCHEN PLATFORM








	KITCHEN MAIN PULL-DOWN FAUCET: PRICE STRUCTURE						
	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
ARMSTRONG	•	•	•	•		•	
GEORGIAN ERA	•	•	•	•	•	•	•
HOLBORN	•	•	•	•	•	•	
SOUTHBANK	•	•	•	•	•	•	•








	KITCHEN MAIN BRIDGE FAUCET: PRICE STRUCTURE						
	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
ARMSTRONG	•	•	•	•		•	
EDWARDIAN	•	•	•	•	•	•	•
GEORGIAN ERA	•	•	•	•	•	•	•
HOLBORN	•	•	•	•	•	•	
SOUTHBANK	•	•	•	•	•	•	•

	KITCHEN PREP/BAR FAUCET: PRICE STRUCTURE						
	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
ARMSTRONG	•	•	•	•		•	
EDWARDIAN	•	•	•	•	•	•	•
GEORGIAN ERA	•	•	•	•	•	•	•
HOLBORN	•	•	•	•	•	•	
SOUTHBANK	•	•	•	•	•	•	•

KITCHEN PLATFORM

	POT FILLER: PRICE STRUCTURE						
	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
ARMSTRONG	•	•	•	•		•	
EDWARDIAN	•	•	•	•	•	•	•
GEORGIAN ERA	•	•	•	•	•	•	•
HOLBORN	•	•	•	•		•	
SOUTHBANK	•	•	•	•	•	•	•








	KITCHEN FILTER FAUCET: PRICE STRUCTURE						
	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
ARMSTRONG	•	•	•	•		•	
EDWARDIAN	•	•	•	•	•	•	•
GEORGIAN ERA	•	•	•	•	•	•	•
HOLBORN	•	•	•	•	•	•	
SOUTHBANK	•	•	•	•	•	•	•

	KITCHEN HOT WATER DISPENSER: PRICE STRUCTURE						
	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
ARMSTRONG	•	•	•	•		•	
EDWARDIAN	•	•	•	•	•	•	•
GEORGIAN ERA	•	•	•	•	•	•	•
HOLBORN	•	•	•	•			
SOUTHBANK	•	•	•	•	•	•	•










# BATH PLATFORM








## LAVATORY SINGLE HANDLE FAUCET: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•	•		•		
STN	•	•	•	•	•	•	•
SEG	•	•	•		•	•	•
EG	•	•	•		•	•	
ULB	•	•	•		•	•	
EB	•	•	•		•	•	

## LAVATORY WIDESPREAD FAUCET: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•	•		•		
STN	•	•	•	•	•	•	•
SEG	•	•	•		•	•	•
EG	•	•	•		•	•	
ULB	•	•	•		•	•	
EB	•	•	•		•	•	

## LAVATORY WALL MOUNT FAUCET: PRICE STRUCTURE








	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•			•		
STN	•	•	•	•	•	•	•
SEG	•	•	•		•	•	•
EG	•	•	•		•	•	
ULB	•	•	•		•	•	
EB	•	•	•		•	•	

## FINISH GUIDES

## BATH PLATFORM










## TUB FILLER FLOOR MOUNT: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•	•	•	•	•	
STN	•	•	•	•	•	•	•
SEG	•	•	•	•	•	•	•
EG	•	•	•	•	•	•	•
ULB	•	•	•	•	•	•	•
EB	•	•	•	•	•	•	•










## TUB FILLER WALL MOUNT: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•	•	•	•	•	
STN	•	•	•	•	•	•	•
SEG	•	•	•	•	•	•	•
EG	•	•	•	•	•	•	•
ULB	•	•	•	•	•	•	•
EB	•	•	•	•	•	•	•










## TUB FILLER DECK MOUNT: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•	•	•	•	•	
STN	•	•	•	•	•	•	•
SEG	•	•	•	•	•	•	•
EG	•	•	•	•	•	•	•
ULB	•	•	•	•	•	•	•
EB	•	•	•	•	•	•	•



















## TUB FILLER SPOUT: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC	•	•	•	•	•	•	
PN	•	•	•	•	•	•	
STN	•	•	•	•	•	•	•
SEG	•	•	•	•	•	•	•
EG	•	•	•	•	•	•	•
ULB	•	•	•	•	•	•	•
EB	•	•	•	•	•	•	•

## KITCHEN PLATFORM

## KITCHEN ACCESSORIES: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC							
PN							
STN							
SEG							
EG							
ULB							
EB							
 <b>U.6995</b> <a href="#">Page 12</a>	•	•	•	•	•	•	•
 <b>U.6695</b> <a href="#">Page 12</a>	•	•	•	•	•	•	•
 <b>U.6595</b> <a href="#">Page 5</a>	•	•	•	•	•	•	
 <b>U.6495</b> <a href="#">Page 31</a>	•	•	•	•	•	•	
 <b>U.SB80SD</b> <a href="#">Page 37</a>	•	•	•	•	•	•	•
 <b>AG600</b> <a href="#">Page 13</a>	•	•	•	•	•	•	•
 <b>AS450</b> <a href="#">Page 12</a>	•	•	•	•	•	•	•
 <b>AS425</b> <a href="#">Page 13</a>	•	•	•	•	•	•	•
 <b>SHC-1</b> <a href="#">Page 13</a>	•	•	•		•		•

BATH PLATFORM

SHOWERHEADS: PRICE STRUCTURE

TIER 1

TIER 2 (C + 35%)

TIER 3 (C + 50%)



APC



PN



STN



SEG



EG



ULB



EB



WI0123  
[Page 126](#)



BI00059  
[Page 126](#)



1085/8  
[Page 126](#)



1080/8  
[Page 126](#)



U.5800  
[Page 126](#)



U.5205  
[Page 127](#)




U.5260  
[Page 127](#)



U.5135  
[Page 127](#)



U.5235  
[Page 127](#)



U.80126RS1  
[Page 127](#)














1070/8  
[Page 128](#)



# BATH PLATFORM

SHOWERHEADS: PRICE STRUCTURE

	TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
	APC	PN	STN	SEG	EG	ULB	EB
 <b>1037/8</b> <a href="#">Page 128</a>	•	•	•			•	
 <b>I00410</b> <a href="#">Page 128</a>	•	•	•				
 <b>U.5204</b> <a href="#">Page 128</a>	•	•	•	•	•	•	•
 <b>U.5237</b> <a href="#">Page 128</a>	•	•	•	•	•	•	•



## BATH PLATFORM



















## SHOWER ARMS: PRICE STRUCTURE

	TIER 1		TIER 2 (C + 35%)			TIER 3 (C + 50%)		
	 APC	 PN	 STN	 SEG	 EG	 ULB	 EB	
 <b>U.5388</b> <a href="#">Page 131</a>	•	•	•	•	•	•	•	
 <b>U.5888</b> <a href="#">Page 131</a>	•	•	•	•	•	•	•	
 <b>1505/6</b> <a href="#">Page 131</a>	•	•	•			•		
 <b>1505/12</b> <a href="#">Page 131</a>	•	•	•			•		
 <b>1505/24</b> <a href="#">Page 132</a>	•	•	•			•		

FINISH GUIDES









BATH PLATFORM

HANDSHOWERS: PRICE STRUCTURE














TIER 1		TIER 2 (C + 35%)			TIER 3 (C + 50%)		
							
APC		PN	STN	SEG	EG	ULB	EB
	U.5825 Page 133	•	•	•		•	•
	U.5810 Page 133	•	•	•		•	
	40126HS1 Page 133	•	•	•			
	U.5815 Page 133	•	•	•		•	
	U.40226HS1 Page 133	•	•	•	•	•	
	1150/8 Page 134	•	•	•			
	1151/8 Page 134	•	•	•		•	
	402HS5 Page 134	•	•	•			
	50226HS3 Page 134	•	•	•			
	U.5387 Page 137	•	•	•	•	•	•
	U.5195 Page 137	•	•		•		•

## BATH PLATFORM

## HANDSHOWER SETS: PRICE STRUCTURE

		TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
								
		APC	PN	STN	SEG	EG	ULB	EB
	<b>AKIT8073</b> <a href="#">Page 137</a>	•	•	•				
	<b>1300E</b> <a href="#">Page 137</a>	•	•	•			•	
	<b>1301E</b> <a href="#">Page 138</a>	•	•	•			•	
	<b>1310</b> <a href="#">Page 138</a>	•	•	•				
	<b>1311</b> <a href="#">Page 138</a>	•	•	•			•	
	<b>1330</b> <a href="#">Page 138</a>	•	•	•			•	
	<b>1600</b> <a href="#">Page 138</a>	•	•	•				
	<b>0126SBHS1</b> <a href="#">Page 140</a>	•	•	•				













BATH PLATFORM

SHOWER OUTLETS: PRICE STRUCTURE						
TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
 APC	 PN	 STN	 SEG	 EG	 ULB	 EB
 <b>U.5546</b> <a href="#">Page 142</a>	•	•	•	•	•	•
 <b>U.5846</b> <a href="#">Page 142</a>	•	•	•	•	•	
 <b>U.5146</b> <a href="#">Page 142</a>	•	•		•		
 <b>U.0227W0</b> <a href="#">Page 143</a>	•	•	•	•	•	
 <b>0327W0</b> <a href="#">Page 143</a>	•	•	•		•	
 <b>0427W0</b> <a href="#">Page 143</a>	•	•	•		•	



## BATH PLATFORM

## BODY SPRAYS: PRICE STRUCTURE

		TIER 1	TIER 2 (C + 35%)			TIER 3 (C + 50%)		
								
		APC	PN	STN	SEG	EG	ULB	EB
	<b>U.5870</b> <a href="#">Page 144</a>	•	•	•		•	•	•
	<b>U.5570</b> <a href="#">Page 145</a>	•	•	•	•	•	•	•
	<b>U.0326BS1</b> <a href="#">Page 145</a>	•	•	•	•	•	•	
	<b>0126BS1</b> <a href="#">Page 145</a>	•	•	•				
	<b>U.0226BS1</b> <a href="#">Page 145</a>	•	•	•	•	•	•	









## KITCHEN COLLECTION ARMSTRONG™

The strong, streamlined design of the Armstrong Kitchen Collection is inspired by George and Joseph Armstrong, railway engineers whose innovations made an impact during the Industrial Revolution. The Armstrong marries a modern aesthetic with subtle references to its origins. Handles designed like industrial levers have crosshatch nuances. Ring detailing and bolt-like shapes mirror industrial hardware. The Armstrong brings a sense of dynamic precision to a design of minimalist beauty to complement any kitchen décor.

# ARMSTRONG™

FINISH OPTIONS



APC



PN



STN



SEG



ULB

LIVING  
FINISH

HANDLE DESIGNS



HT

KITCHEN FAUCETS



U.4534  
[p.3](#)



U.4544  
[p.3](#)



U.4546  
[p.3](#)



U.4549  
[p.3](#)



U.4551  
[p.3](#)

BAR AND FILTRATION FAUCETS



U.4543  
[p.4](#)



U.4513  
[p.4](#)



U.1633  
[p.4](#)

POT FILLERS



U.4599  
[p.4](#)





APC



PN



STN



SEG




ULB



Home




Index

**U.4534** Armstrong™ Pull-Down Touchless Kitchen Faucet


Handle	APC	PN	STN	SEG	ULB
U.4534HT-__-2	1718	2320	2320	2577	2577

- 3" (7.62 cm) activation range and 2 minute auto shut-off
- Requires 2 1/2" clearance from backsplash to center of faucet hole
- Dual-spray functionality with stream and spray settings
- Allows for mechanical and touchless activation
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Powered by 6 AA batteries (included) or order optional AC adapter with power splitter U.CC80AC: \$168

**U.4544** Armstrong™ Pull-Down Kitchen Faucet With C-Spout


Handle	APC	PN	STN	SEG	ULB
U.4544HT-__-2	1378	1861	1861	2067	2067

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole

**U.4546** Armstrong™ Pull-Down Kitchen Faucet With U-Spout


Handle	APC	PN	STN	SEG	ULB
U.4546HT-__-2	1378	1861	1861	2067	2067

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole

**U.4549** Armstrong™ Pull-Down Bridge Kitchen Faucet With C-Spout

Handle	APC	PN	STN	SEG	ULB
U.4549HT-__-2	1948	2630	2630	2922	2922


- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet

**U.4551** Armstrong™ Pull-Down Bridge Kitchen Faucet With U-Spout

Handle	APC	PN	STN	SEG	ULB
U.4551HT-__-2	1948	2630	2630	2922	2922

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet






### U.4543 Armstrong™ Pull-Down Bar/Food Prep Kitchen Faucet



Handle		APC	PN	STN	SEG	ULB
U.4543HT-	-2	1378	1861	1861	2067	2067

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash




### U.4513 Armstrong™ Bar/Food Prep Kitchen Faucet



Handle		APC	PN	STN	SEG	ULB
U.4513HT-	-2	1158	1564	1564	1737	1737

- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash




### U.4599 Armstrong™ Pot Filler



		APC	PN	STN	SEG	ULB
U.4599HT-	-2	2048	2765	2765	3072	3072

- Dual handle shut-offs, one at the wall and one at the outlet
- Folds away when not in use
- 1.8 GPM/6.7 LPM at 60 PSI
- 1/2" female NPT inlet




### U.KIT1633 Armstrong™ Filter Kitchen Faucet Kit



		APC	PN	STN	SEG	ULB
U.KIT1633HT-	-2	1686	2032	2032	2180	2180

- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression
- Includes HRK-2000 filtration system




### U.1633 Armstrong™ Filter Kitchen Faucet



		APC	PN	STN	SEG	ULB
U.1633HT-	-2	988	1334	1334	1482	1482

- May be used with HRK-2000 inline filter system
- Not suitable for reverse osmosis systems or instant hot systems
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression




### HRK-2000 Arolla™ Filtration System With Cartridge



HRK-2000	\$ 698
----------	--------

- Includes cartridge, housing and connection hoses
- Filter faucet not included
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- For replacement filter cartridge, order HRF-1000: \$128
- Recommend changing filter system every 3 years due to constant water pressure on the inlet




### HRF-1000 Arolla™ Replacement Filter Cartridge



HRF-1000	\$ 128
----------	--------

- Replacement cartridge for HRK-2000 filter system
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor




### U.KIT1833 Armstrong™ Hot Water and Kitchen Filter Faucet Kit



	APC	PN	STN	SEG	ULB
U.KIT1833HT- - -2	2384	3219	3219	3576	3576



- Pull handle forward for filtered water, push backward for instant filtered hot water
- Water activates by pushing handle inwards toward spout
- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- Order U.1408 for replacement filtration system
- Includes U.1998 Hot water tank and U.1408 filtration system
- For replacement filter cartridge, order U.PRF1: \$157
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters




### U.6595 Armstrong™ Soap Dispenser



	APC	PN	STN	SEG	ULB
U.6595	337	455	455	506	506

- Brass construction
- 16 fluid ounce bottle capacity
- Top fill



### AS450 Waste Disposal Control Box With Air Switch Button

ROHL




	APC	SS	PN	STN	MB	AG	ULB	IB	TCB
AS450	448	605	605	605	605	672	672	672	672

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available
- Control box with mounting hardware included

### AS425 Waste Disposal Air Switch Button

ROHL




	APC	SS	PN	STN	ULB
AS425	158	214	214	214	237

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available

### AG600 Air Gap

ROHL




	APC	SS	PN	STN	ULB
AG600	118	160	160	160	177

- Prevents contaminated sink water from entering the dishwasher

### SHC-1 Sink Hole Cover

ROHL



	APC	PN	STN	EG	EB
SHC-1	28	40	40	44	44

- $2"$  diameter to cover existing sink holes
- Stainless Steel construction





## KITCHEN COLLECTION

# EDWARDIAN™

The Edwardian era of the early 1900s was the start of the modern age, when design looked both forward and back. It combined a spirit of optimism with classical style and Neo-Baroque detail. The Edwardian Kitchen Collection follows this look with a tall faucet column and a distinctive curved, question-mark neck. Rounded shapes and ring detailing on the base, neck, and spout add dimension and personality. In the Edwardian age people loved to show off their homes, and this Collection most definitely makes a style statement meant to be shown off.

COLLECTION HIGHLIGHTS

EDWARDIAN™

FINISH OPTIONS



HANDLE DESIGNS



KITCHEN FAUCETS



U.4756L OR U.4755X

p.9



U.4776L

p.9



U.4764L OR U.4763X

p.9



U.4746

p.9



U.4766

p.9

BAR AND FILTRATION FAUCETS



U.4739

p.10



U.4759

p.10



U.1621

p.10


POT FILLERS



U.4799LS

p.10






### U.4756L OR U.4755X Edwardian™ Bridge Kitchen Faucet With Side Spray



Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4755X-	-2	3108	4196	4196	4662	4662	4662	4662
U.4756L-	-2	3108	4196	4196	4662	4662	4662	4662

- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression




### U.4776 Edwardian™ Two Handle Kitchen Faucet With Side Spray



Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4776L-	-2	2658	3589	3589	3987	3987	3987	3987

- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression




### U.4764L OR U.4763X Edwardian™ Extended Spout Bridge Kitchen Faucet With Side Spray



Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4763X-	-2	3328	4493	4493	4992	4992	4992	4992
U.4764L-	-2	3328	4493	4493	4992	4992	4992	4992

- 11" (27.94 cm) extended spout reach
- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet




### U.4746 Edwardian™ Kitchen Faucet With Side Spray



Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4746	-2	2098	2833	2833	3147	3147	3147	3147

- Water activates by pushing handle inwards toward spout
- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole




### U.4766 Edwardian™ Two Handle Kitchen Faucet With Side Spray



Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4766	-2	2258	3049	3049	3387	3387	3387	3387

- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression






### U.4739 Edwardian™ Bar/Food Prep Kitchen Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4739	-2	1468	1982	1982	2202	2202	2202



- Water activates by pushing handle inwards toward spout
- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash




### U.4759 Edwardian™ Two Handle Bar/Food Prep Kitchen Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4759	-2	1588	2144	2144	2382	2382	2382



- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression




### U.4799LS OR U.4798X Traditional Pot Filler



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4798X-	-2	1978	2671	2671	2967	2967	2967
U.4799LS-	-2	1978	2671	2671	2967	2967	2967



- Dual handle shut-offs, one at the wall and one at the outlet
- Folds away when not in use
- Coordinates with Edwardian™ and Georgian Era™ Collections
- 1.8 GPM/6.7 LPM at 60 PSI
- 1/2" female NPT inlet




### U.KIT1621 Edwardian™ Filter Kitchen Faucet Kit



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.KIT1621L-	-2	2016	2478	2478	2675	2675	2675



- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression
- Includes HRK-2000 filtration system




### U.1621 Edwardian™ Filter Kitchen Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.1621L-	-2	1318	1780	1780	1977	1977	1977



- May be used with HRK-2000 inline filter system
- Not suitable for reverse osmosis systems or instant hot systems
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression




### HRK-2000 Arolla™ Filtration System With Cartridge



HRK-2000	\$ 698
----------	--------

- Includes cartridge, housing and connection hoses
- Filter faucet not included
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- For replacement filter cartridge, order HRF-1000: \$128
- Recommend changing filter system every 3 years due to constant water pressure on the inlet




### HRF-1000 Arolla™ Replacement Filter Cartridge



HRF-1000	\$ 128
----------	--------

- Replacement cartridge for HRK-2000 filter system
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor




### U.KIT1323 Edwardian™ Hot Water Dispenser, Tank And Filter Kit



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.KIT1323LS--2	2582	2988	2988	3161	3161	3161	3161

- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- For replacement filter cartridge, order U.PRF1: \$157
- Includes U.1998 hot water tank and U.1106 filtration system




### U.1323 Edwardian™ Hot Water Dispenser



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.1323LS--2	1158	1564	1564	1737	1737	1737	1737

- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- Only compatible with the Perrin & Rowe U.1998 high performance hot water tank and U.1106 filter system
- Does not work with ISE tank systems




### U.1998 High Performance Hot Water Tank




U.1998	\$ 1013
--------	---------

- 3-Year limited warranty
- Not compatible with ISE type dispensers




### U.1106 Hot Water Filtration System



U.1106	\$
	411

- Includes cartridge, housing and connection hoses
- Filter faucet not included
- For replacement filter cartridge, order U.PRF1: \$157
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters




### U.PRF1 Hot Water Replacement Filter Cartridge



U.PRF1	\$
	157

- Designed for use with U.1106 and U.1408 hot water filtration systems
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters




### U.6995 Edwardian™ Soap Dispenser



	APC	PN	STN	SEG	EG	ULB	EB
U.6995	628	848	848	942	942	942	942

- Brass construction
- 16 fluid ounce bottle capacity
- Top fill




### U.6695 Georgian Era™ Soap Dispenser



	APC	PN	STN	SEG	EG	ULB	EB
U.6695	568	767	767	852	852	852	852

- Brass construction
- 16 fluid ounce bottle capacity
- Top fill



### AS450 Waste Disposal Control Box With Air Switch Button




	APC	PN	STN	ULB	SEG	EG	EB
AS450	448	605	605	672	672	672	672

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available
- Control box with mounting hardware included

ROHL

### AS425 Waste Disposal Air Switch Button

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS425	158	214	214	237	237	237	237

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available

### AG600 Air Gap

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AG600	118	160	160	177	177	177	177

- Prevents contaminated sink water from entering the dishwasher

### SHC-1 Sink Hole Cover

ROHL




	APC	PN	STN	EG	EB
SHC-1	28	40	40	44	44

- 2" diameter to cover existing sink holes
- Stainless Steel construction







## KITCHEN COLLECTION

# GEORGIAN ERA™

The Georgian period was a time of gentility and decorum, when design looked to classic Greek and Roman architecture for inspiration. The Georgian Era Kitchen Collection carries on this tradition of perfected proportion. A tall column that flows into the high arc of the neck is balanced by a subtle fluted tip and ring details around the base and spout. This Neoclassical style has resonance for today as its symmetry, simplicity, and aristocratic understatement complement all décors.

FINISH OPTIONS



APC



PN



STN



SEG



EG

LIVING  
FINISH



ULB



EB

HANDLE DESIGNS



L OR LS



X

KITCHEN FAUCETS



U.4744  
[p.17](#)



U.4734  
[p.17](#)



U.4791L  
[p.17](#)



U.4719L OR U.4718X  
[p.18](#)



U.4702  
[p.18](#)

BAR AND FILTRATION FAUCETS



U.4700  
[p.19](#)



U.4743  
[p.19](#)



U.4711  
[p.19](#)



U.1625  
[p.20](#)



U.1220  
[p.20](#)

POT FILLERS



U.4799LS  
[p.19](#)





APC



PN



STN



SEG



EG



ULB



EB



Home



Index

GEORGIAN ERA

HOLBORN


SOUTHBANK

ARMSTRONG

DECO


EDWARDIAN

GEORGIAN ERA

**U.4734 Georgian Era™ Pull-Down Touchless Kitchen Faucet**


	APC	PN	STN	SEG	ULB	EB
U.4734 - -2	1858	2509	2509	2787	2787	2787

- 3" (7.62 cm) activation range and 2 minute auto shut-off
- Requires 2 1/2" clearance from backsplash to center of faucet hole
- Dual-spray functionality with stream and spray settings
- Allows for mechanical and touchless activation
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Powered by 6 AA batteries (included) or order optional AC adapter with power splitter U.CC80AC: \$168

**U.4744 Georgian Era™ Pull-Down Kitchen Faucet**


Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4744 - -2	1518	2050	2050	2277	2277	2277	2277

- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole
- Water activates by pushing handle inwards toward spout
- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash

**U.4791 Georgian Era™ Bridge Kitchen Faucet Without Unions**


Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4791L - -2	1408	1901	1901	2112	2112	2112	2112

- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" female NPT inlet
- Unions sold separately:
  - For wall mount or deck mount installation, order U.6792, U.6793 or U.6794

**U.6793 Georgian Era™ Bridge Kitchen Faucet Deck Unions**

	APC	PN	STN	SEG	EG	ULB	EB
U.6793 - -2	628	848	848	942	942	942	942


- 1/2" male NPT inlet
- Use with U.4790X or U.4791L bridge kitchen faucets
- Not for use with U.4718X or U.4719L

**U.6794 Georgian Era™ Bridge Faucet Straight Deck Unions**

	APC	PN	STN	SEG	EG	ULB	EB
U.6794 - -2	628	848	848	942	942	942	942

- 1/2" male NPT inlet
- Use with U.4790X or U.4791L bridge kitchen faucets






## U.6792 Georgian Era™ Bridge Kitchen Faucet Wall Unions

	APC	PN	STN	SEG	EG	ULB	EB
U.6792 -2	628	848	848	942	942	942	942

- 1/2" male NPT inlet
- Use with U.4790X or U.4791L bridge kitchen faucets
- Not for use with U.4718X or U.4719L




## U.4719L OR U.4718X Georgian Era™ Bridge Kitchen Faucet With Side Spray



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4718X- -2	2418	3265	3265	3627	3627	3627	3627
U.4719L- -2	2418	3265	3265	3627	3627	3627	3627

- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet




## U.4702 Georgian Era™ Kitchen Faucet With Side Spray



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4702 -2	2368	3197	3197	3552	3552	3552	3552

- Water activates by pushing handle inwards toward spout
- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole




## U.4710 Georgian Era™ Two Handle Kitchen Faucet With Side Spray



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4710 -2	2368	3197	3197	3552	3552	3552	3552

- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression



## U.4736L OR U.4735X Georgian Era™ Two Handle Kitchen Faucet With Side Spray



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.4735X- -2	2468	3332	3332	3702	3702	3702	3702
U.4736L- -2	2468	3332	3332	3702	3702	3702	3702

- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression







APC



PN



STN



SEG



EG



ULB




EB



Home




Index

**U.4700** Georgian Era™ Bar/Food Prep Kitchen Faucet


Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4700	-2	1188	1604	1604	1782	1782	1782	1782

- Water activates by pushing handle inwards toward spout
- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash

**U.4743** Georgian Era™ Pull-Down Bar/Food Prep Kitchen Faucet


Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4743	-2	1518	2050	2050	2277	2277	2277	2277

- Water activates by pushing handle inwards toward spout
- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash

**U.4711** Georgian Era™ Two Handle Bar/Food Prep Kitchen Faucet


Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4711	-2	1188	1604	1604	1782	1782	1782	1782

- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression

**U.4799LS OR U.4798X** Traditional Pot Filler

Handle		APC	PN	STN	SEG	EG	ULB	EB
U.4798X-	-2	1978	2671	2671	2967	2967	2967	2967
U.4799LS-	-2	1978	2671	2671	2967	2967	2967	2967


- Dual handle shut-offs, one at the wall and one at the outlet
- Folds away when not in use
- Coordinates with Edwardian™ and Georgian Era™ Collections
- 1.8 GPM/6.7 LPM at 60 PSI
- 1/2" female NPT inlet

**U.KIT1220** Georgian Era™ Three Handle Bar/Food Prep Filter Kitchen Faucet Kit

Handle		APC	PN	STN	SEG	EG	ULB	EB
U.KIT1220LS-	-2	2306	2869	2869	3110	3110	3110	3110

- Center handle activates filtered water through dedicated waterway
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- 1.5 GPM/5.69 LPM at 60 PSI, 0.5 GPM/1.9 LPM filtered water (CEC compliant)
- 3/8" speedway compression
- Includes HRK-2000 filtration system






### U.KIT1625 Georgian Era™ Filter Kitchen Faucet Kit



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.KIT1625L- -2	1856	2262	2262	2435	2435	2435	2435

- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression
- Includes HRK-2000 filtration system




### U.1220 Georgian Era™ Three Handle Bar/Food Prep Filter Kitchen Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.1220LS- -2	1608	2171	2171	2412	2412	2412	2412

- Center handle activates filtered water through dedicated pathway
- Not suitable for reverse osmosis systems or instant hot systems
- 1.5 GPM/5.69 LPM at 60 PSI, 0.5 GPM/1.9 LPM filtered water (CEC compliant)
- 3/8" speedway compression
- May be used with HRK-2000 inline filter system




### U.1625 Georgian Era™ Filter Kitchen Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.1625L- -2	1158	1564	1564	1737	1737	1737	1737

- May be used with HRK-2000 inline filter system
- Not suitable for reverse osmosis systems or instant hot systems
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression




### HRF-1000 Arolla™ Replacement Filter Cartridge



HRF-1000	\$
	128

- Replacement cartridge for HRK-2000 filter system
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor



### HRK-2000 Arolla™ Filtration System With Cartridge



HRK-2000	\$
	698

- Includes cartridge, housing and connection hoses
- Filter faucet not included
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- For replacement filter cartridge, order HRF-1000: \$128
- Recommend changing filter system every 3 years due to constant water pressure on the inlet



APC



PN



STN



SEG



EG



ULB



EB



Home



Index

GEORGIAN ERA

HOLBORN


SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA




## U.KIT1307 Georgian Era™ Hot Water Dispenser, Tank And Filter Kit

Handle	APC	PN	STN	SEG	EG	ULB	EB
U.KIT1307LS-__-2	2582	2988	2988	3161	3161	3161	3161



- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- For replacement filter cartridge, order U.PR.F1: \$157
- Includes U.1998 hot water tank and U.1106 filtration system




## U.1307 Georgian Era™ Hot Water Dispenser

Handle	APC	PN	STN	SEG	EG	ULB	EB
U.1307LS-__-2	1158	1564	1564	1737	1737	1737	1737



- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- Only compatible with the Perrin & Rowe U.1998 high performance hot water tank and U.1106 filter system
- Does not work with ISE tank systems




## U.1998 High Performance Hot Water Tank

U.1998	\$
	1013




- 3-Year limited warranty
- Not compatible with ISE type dispensers




## U.1106 Hot Water Filtration System

U.1106	\$
	411




- Includes cartridge, housing and connection hoses
- Filter faucet not included
- For replacement filter cartridge, order U.PR.F1: \$157
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters




## U.PR.F1 Hot Water Replacement Filter Cartridge

U.PR.F1	\$
	157



- Designed for use with U.1106 and U.1408 hot water filtration systems
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters


## U.6695 Georgian Era™ Soap Dispenser



	APC	PN	STN	SEG	EG	ULB	EB
U.6695	568	767	767	852	852	852	852

- Brass construction
- 16 fluid ounce bottle capacity
- Top fill

## U.6995 Edwardian™ Soap Dispenser




	APC	PN	STN	SEG	EG	ULB	EB
U.6995	628	848	848	942	942	942	942

- Brass construction
- 16 fluid ounce bottle capacity
- Top fill

## AS450 Waste Disposal Control Box With Air Switch Button

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS450	448	605	605	672	672	672	672

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available
- Control box with mounting hardware included

## AS425 Waste Disposal Air Switch Button

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS425	158	214	214	237	237	237	237

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available

## AG600 Air Gap

ROHL



	APC	PN	STN	ULB	SEG	EG	EB
AG600	118	160	160	177	177	177	177

- Prevents contaminated sink water from entering the dishwasher





APC



PN



STN



SEG



EG



ULB




EB



Home



Index



## SHC-1 Sink Hole Cover

ROHL

	APC	PN	STN	EG	EB
SHC-1	28	40	40	44	44

- 2" diameter to cover existing sink holes
- Stainless Steel construction



GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA





## KITCHEN COLLECTION HOLBORN™

Holborn may be one of the oldest districts of London, but it's constantly reinventing itself. Now it boasts some of the more celebrated modern structures in the city. The Holborn Kitchen Collection takes after London's innovative, of-the-moment architecture. Clean and sleek, virtually devoid of ornamentation, the Holborn's long neck and curved arc express movement and flow. While it's definitively a minimalist form, the timeless purity of its silhouette makes a bold statement.

COLLECTION HIGHLIGHTS

# HOLBORN™

## FINISH OPTIONS



APC



PN



STN



SEG



EG

LIVING  
FINISH



ULB

## HANDLE DESIGNS



L OR LS

## KITCHEN FAUCETS



U.4044  
[p.27](#)



U.4034  
[p.27](#)



U.4046  
[p.27](#)



U.4273LS  
[p.27](#)



U.4846  
[p.28](#)

## BAR AND FILTRATION FAUCETS



U.4043  
[p.28](#)



U.4842  
[p.28](#)



U.4213  
[p.28](#)



U.1601  
[p.29](#)

## POT FILLERS



U.4899  
[p.29](#)





APC



PN



STN



SEG



EG



ULB



Home



Index

GEORGIAN ERA

HOLBORN


SOUTHBANK

ARMSTRONG

DECO


EDWARDIAN

GEORGIAN ERA

**U.4034 Holborn™ Pull-Down Touchless Kitchen Faucet**


Handle	APC	PN	STN	SEG	ULB
U.4034LS-__-2	1878	2536	2536	2817	2817

- 3" (7.62 cm) activation range and 2 minute auto shut-off
- Requires 2 1/2" clearance from backsplash to center of faucet hole
- Dual-spray functionality with stream and spray settings
- Allows for mechanical and touchless activation
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Powered by 6 AA batteries (included) or order optional AC adapter with power splitter U.CC80AC: \$168

**U.4044 Holborn™ Pull-Down Kitchen Faucet With C-Spout**


Handle	APC	PN	STN	SEG	EG	ULB
U.4044__-2	1548	2090	2090	2322	2322	2322

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash

**U.4046 Holborn™ Pull-Down Kitchen Faucet With U-Spout**


Handle	APC	PN	STN	SEG	EG	ULB
U.4046L-__-2	1548	2090	2090	2322	2322	2322

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash

**U.4273 Holborn™ Bridge Kitchen Faucet With C-Spout and Side Spray**


Handle	APC	PN	STN	SEG	EG	ULB
U.4273LS-__-2	2678	3616	3616	4017	4017	4017

- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet

**U.4279 Holborn™ Bridge Kitchen Faucet With U-Spout and Side Spray**

Handle	APC	PN	STN	SEG	EG	ULB
U.4279LS-__-2	2678	3616	3616	4017	4017	4017

- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet




### U.4846 Holborn™ Kitchen Faucet With Side Spray



Handle	APC	PN	STN	SEG	ULB
U.4846LS- -2	1878	2536	2536	2817	2817



- Water activates by pushing handle inwards toward spout
- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 1/2" female NPSM inlet
- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole




### U.4312 Holborn™ Two Handle Kitchen Faucet With Side Spray



Handle	APC	PN	STN	SEG
U.4312LS- -2	1718	2320	2320	2577



- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression




### U.4043 Holborn™ Pull-Down Bar/Food Prep Kitchen Faucet



Handle	APC	PN	STN	SEG	EG	ULB
U.4043 - -2	1548	2090	2090	2322	2322	2322



- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash




### U.4842 Holborn™ Bar/Food Prep Kitchen Faucet



Handle	APC	PN	STN	SEG	ULB
U.4842LS- -2	1318	1780	1780	1977	1977



- Water activates by pushing handle inwards toward spout
- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" female NPSM inlet
- Requires 2 1/2" (6.35 cm) clearance from backsplash



### U.4213 Holborn™ Two Handle Bar/Food Prep Kitchen Faucet



Handle	APC	PN	STN	SEG	ULB
U.4213LS- -2	1098	1483	1483	1647	1647



- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression



APC



PN



STN




SEG



EG




ULB

**U.4899 Holborn™ Pot Filler**


	APC	PN	STN	SEG	ULB
U.4899LS-__-2	2168	2927	2927	3252	3252

- Dual handle shut-offs, one at the wall and one at the outlet
- Folds away when not in use
- 1.8 GPM/6.7 LPM at 60 PSI
- 1/2" female NPT inlet

**U.KIT1601 Holborn™ Filter Kitchen Faucet Kit**


Handle	APC	PN	STN	SEG	EG	ULB
U.KIT1601L-__-2	1736	2100	2100	2255	2255	2255

- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression
- Includes HRK-2000 filtration system

**U.1601 Holborn™ Filter Kitchen Faucet**


Handle	APC	PN	STN	SEG	EG	ULB
U.1601L-__-2	1038	1402	1402	1557	1557	1557

- May be used with HRK-2000 inline filter system
- Not suitable for reverse osmosis systems or instant hot systems
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression

**HRK-2000 Arolla™ Filtration System With Cartridge**


HRK-2000	\$
	698

- Includes cartridge, housing and connection hoses
- Filter faucet not included
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- For replacement filter cartridge, order HRF-1000: \$128
- Recommend changing filter system every 3 years due to constant water pressure on the inlet

**HRF-1000 Arolla™ Replacement Filter Cartridge**

HRF-1000	\$
	128

- Replacement cartridge for HRK-2000 filter system
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor




## U.KIT1347 Holborn™ Hot Water Dispenser, Tank And Filter Kit

Handle	APC	PN	STN	SEG	EG
U.KIT1347LS-	-2	2462	2826	2826	2981



- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- For replacement filter cartridge, order U.PR1: \$157
- Includes U.1998 hot water tank and U.1106 filtration system




## U.1347 Holborn™ Hot Water Dispenser

Handle	APC	PN	STN	SEG	EG
U.1347LS-	-2	1038	1402	1402	1557



- 0.5 GPM/1.9 LPM at 45 PSI (CEC compliant)
- 3/8" speedway compression
- Only compatible with the Perrin & Rowe U.1998 high performance hot water tank and U.1106 filter system
- Does not work with ISE tank systems




## U.1998 High Performance Hot Water Tank

U.1998	\$
	1013



- 3-Year limited warranty
- Not compatible with ISE type dispensers




## U.1106 Hot Water Filtration System

U.1106	\$
	411




- Includes cartridge, housing and connection hoses
- Filter faucet not included
- For replacement filter cartridge, order U.PR1: \$157
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters



## U.PR1 Hot Water Replacement Filter Cartridge

U.PR1	\$
	157



- Designed for use with U.1106 and U.1408 hot water filtration systems
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters



APC



PN



STN




SEG



EG



ULB


**U.6495 Holborn™ Soap Dispenser**

	APC	PN	STN	SEG	ULB
U.6495	628	848	848	942	942

- Brass construction
- 16 fluid ounce bottle capacity
- Top fill

**AS450 Waste Disposal Control Box With Air Switch Button**

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS450	448	605	605	672	672	672	672

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available
- Control box with mounting hardware included

**AS425 Waste Disposal Air Switch Button**

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS425	158	214	214	237	237	237	237

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available

**AG600 Air Gap**

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AG600	118	160	160	177	177	177	177

- Prevents contaminated sink water from entering the dishwasher

**SHC-1 Sink Hole Cover**

ROHL



	APC	PN	STN	EG	EB
SHC-1	28	40	40	44	44

- 2" diameter to cover existing sink holes
- Stainless Steel construction









## KITCHEN COLLECTION

# SOUTHBANK

The Southbank Collection takes its name from the vibrant neighborhood of London where Mid-century architecture predominates. Past and present merge harmoniously here, just as they do in the Southbank Collection. Flourishes of Mid-century curves and contours enhance elegant, classic design. The straight lines of the handles and rounded detailing echo elements characteristic of Mid-century furniture. Yet, the Southbank Collection stands apart from its inspiration to create its own rich aesthetic and flow—arresting, rhythmic, and refined.

# COLLECTION HIGHLIGHTS

## SOUTHBANK

### FINISH OPTIONS



APC



PN



STN



SEG



EG

LIVING  
FINISH



ULB



EB

### HANDLE DESIGNS



LM

### KITCHEN FAUCETS



U.SB53D1  
[p.35](#)



U.SB55D1  
[p.35](#)



U.SB58D3  
[p.35](#)



U.SB57D3  
[p.35](#)

### BAR AND FILTRATION FAUCETS



U.SB65D1  
[p.35](#)




U.SB60D1  
[p.36](#)



U.SB70D1  
[p.36](#)

### POT FILLERS



U.SB62W1  
[p.36](#)



APC



PN



STN



SEG



EG



ULB



EB



Home



Index

GEORGIAN ERA

HOLBORN


SOUTHBANK

ARMSTRONG

DECO


EDWARDIAN

GEORGIAN ERA

**U.SB53D1 Southbank™ Pull-Down Touchless Kitchen Faucet**


	APC	PN	STN	SEG	EG	ULB	EB
U.SB53D1LM	1718	2320	2320	2577	2577	2577	2577

- 3" (7.62 cm) activation range and 2 minute auto shut-off
- Requires 2 1/2" clearance from backsplash to center of faucet hole
- Dual-spray functionality with stream and spray settings
- Allows for mechanical and touchless activation
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Powered by 6 AA batteries (included) or order optional AC adapter with power splitter U.CC80AC: \$168

**U.SB55D1 Southbank™ Pull-Down Kitchen Faucet**


	APC	PN	STN	SEG	EG	ULB	EB
U.SB55D1LM	1378	1861	1861	2067	2067	2067	2067

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash to center of faucet hole

**U.SB58D3 Southbank™ Pull-Down Bridge Kitchen Faucet**


	APC	PN	STN	SEG	EG	ULB	EB
U.SB58D3LM	1948	2630	2630	2922	2922	2922	2922

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet

**U.SB57D3 Southbank™ Bridge Kitchen Faucet With Side Spray**

	APC	PN	STN	SEG	EG	ULB	EB
U.SB57D3LM	2198	2968	2968	3297	3297	3297	3297


- Single-spray functionality
- 1.5 GPM/5.69 LPM at 60 PSI (CEC compliant)
- 1/2" male NPSM inlet

**U.SB65D1 Southbank™ Pull-Down Bar/Food Prep Kitchen Faucet**

	APC	PN	STN	SEG	EG	ULB	EB
U.SB65D1LM	1378	1861	1861	2067	2067	2067	2067

- Dual-spray functionality with stream and spray settings
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash






## U.SB60D1 Southbank™ Bar/Food Prep Kitchen Faucet



	APC	PN	STN	SEG	EG	ULB	EB
U.SB60D1LM	1158	1564	1564	1737	1737	1737	1737


- Single-spray functionality
- 1.8 GPM/6.8 LPM at 60 PSI (CEC compliant)
- 9/16" speedway compression
- Requires 2 1/2" (6.35 cm) clearance from backsplash

## U.SB62W1 Southbank™ Pot Filler



	APC	PN	STN	SEG	EG	ULB	EB
U.SB62W1LM	2048	2765	2765	3072	3072	3072	3072

- Dual handle shut-offs, one at the wall and one at the outlet
- Folds away when not in use
- 1.8 GPM/6.7 LPM at 60 PSI
- 1/2" female NPT inlet




## U.SB70D1 Southbank™ Filter Kitchen Faucet



	APC	PN	STN	SEG	EG	ULB	EB
U.SB70D1LM	988	1334	1334	1482	1482	1482	1482

- May be used with HRK-2000 inline filter system
- Not suitable for reverse osmosis systems or instant hot systems
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression




## HRK-2000 Arolla™ Filtration System With Cartridge



	\$
HRK-2000	698

- Includes cartridge, housing and connection hoses
- Filter faucet not included
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor
- For replacement filter cartridge, order HRF-1000: \$128
- Recommend changing filter system every 3 years due to constant water pressure on the inlet




## HRF-1000 Arolla™ Replacement Filter Cartridge



	\$
HRF-1000	128

- Replacement cartridge for HRK-2000 filter system
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters
- Top of the line 0.2-micron ceramic filter and active carbon material
- Yields reduced PFA's, lead, heavy metals, bacteria, foul taste and odor






## U.KITSB72D1 Southbank™ Hot Water and Kitchen Filter Faucet Kit

	APC	PN	STN	SEG	EG	ULB	EB
U.KITSB72D1LM	2384	3219	3219	3576	3576	3576	3576



- Pull handle forward for filtered water, push backward for instant filtered hot water
- Water activates by pushing handle inwards toward spout
- 0.5 GPM/1.9 LPM at 60 PSI (CEC compliant)
- 3/8" speedway compression
- Order U.1408 for replacement filtration system
- Includes U.1998 Hot water tank and U.1408 filtration system
- For replacement filter cartridge, order U.PR1: \$157
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters




## U.1998 High Performance Hot Water Tank

U.1998	\$
	1013




- 3-Year limited warranty
- Not compatible with ISE type dispensers




## U.1106 Hot Water Filtration System

U.1106	\$
	411




- Includes cartridge, housing and connection hoses
- Filter faucet not included
- For replacement filter cartridge, order U.PR1: \$157
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters




## U.PR1 Hot Water Replacement Filter Cartridge

U.PR1	\$
	157



- Designed for use with U.1106 and U.1408 hot water filtration systems
- Recommend changing filter every 6 months or 1,000 gallons/3785 liters



## U.SB80SD Southbank™ Soap Dispenser


	APC	PN	STN	SEG	EG	ULB	EB
U.SB80SD	337	455	455	506	506	506	506



- Brass construction
- 16 fluid ounce bottle capacity
- Top fill

## AS450 Waste Disposal Control Box With Air Switch Button

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS450	448	605	605	672	672	672	672

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available
- Control box with mounting hardware included

## AS425 Waste Disposal Air Switch Button

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AS425	158	214	214	237	237	237	237

- Remote on/off air switch button for activating garbage disposals
- Solution for island countertops or where an electrical switch is not available

## AG600 Air Gap

ROHL




	APC	PN	STN	ULB	SEG	EG	EB
AG600	118	160	160	177	177	177	177

- Prevents contaminated sink water from entering the dishwasher

## SHC-1 Sink Hole Cover

ROHL



	APC	PN	STN	EG	EB
SHC-1	28	40	40	44	44

- 2" diameter to cover existing sink holes
- Stainless Steel construction



## BATH COLLECTION

## ARMSTRONG™

The Armstrong Bath Collection balances past and present with precision and proportion, taking aspects from the era of invention and industry and translating them into modern form. The details found in each element of the design embody geometric grace. Handles echo the silhouette of spools once used in creating textiles, and the sleek curve of the spout completes a look of understated elegance that always stands out.

GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA



COLLECTION HIGHLIGHTS

# ARMSTRONG™

## FINISH OPTIONS



## HANDLE DESIGNS



## BATH FAUCETS



U.AR01UD1  
[p.42](#)



U.AR08D3  
[p.42](#)



U.AR09D3  
[p.42](#)



U.AR08LD3  
[p.42](#)



U.TAR08W3  
[p.42](#)

## TUB FILLERS



U.TAR05F1  
[p.43](#)



U.TAR06F1  
[p.43](#)



U.TAR06W3  
[p.43](#)



U.3975LS OR U.3976X  
[p.43](#)

## ACCESSORIES



U.AR25WTP  
[p.45](#)



U.AR25WRH  
[p.45](#)




U.AR25WTR  
[p.45](#)




U.AR25WTB24  
[p.46](#)


## SHOWER TRIMS




U.TAR51W1  
[p.44](#)



U.TAR23W1  
[p.44](#)



U.TAR45W1  
[p.44](#)



U.TAR13W1  
[p.45](#)

U.TAR44W1  
[NO Share p.44](#)

U.TAR47W1  
[NO Share p.44](#)

## TUB PACKAGE



3/4" TUB FILLER OPTION 1  
[p.46](#)

## SHOWER PACKAGES



PRESSURE BALANCE SHOWER  
OPTION 1  
[p.47](#)




1/2" THERM/PRESSURE BALANCE  
OPTION 1  
[p.47](#)



3/4" THERMOSTATIC SHOWER  
OPTION 1  
[p.48](#)






## U.AR01UD1 Armstrong™ Single Handle Lavatory Faucet



	APC	PN	STN	SEG	EG	ULB
U.AR01UD1HT	988	1334	1334	1482	1482	1482



- Swiveling aerator allows you to change the direction of the water spray to best suit your preference
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" female NPSM inlet
- Push drain included with faucet




## U.AR08D3 Armstrong™ Widespread Lavatory Faucet With C-Spout



	APC	PN	STN	SEG	EG	ULB
U.AR08D3HT	1428	1928	1928	2142	2142	2142
U.AR08D3IW	1428	1928	1928	2142	2142	2142
U.AR08D3XM	1428	1928	1928	2142	2142	2142



- Swiveling aerator allows you to change the direction of the water spray to best suit your preference
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 3/8" speedway compression
- Push drain included with faucet




## U.AR09D3 Armstrong™ Widespread Lavatory Faucet With U-Spout



	APC	PN	STN	SEG	EG	ULB
U.AR09D3HT	1428	1928	1928	2142	2142	2142
U.AR09D3IW	1428	1928	1928	2142	2142	2142
U.AR09D3XM	1428	1928	1928	2142	2142	2142



- Swiveling aerator allows you to change the direction of the water spray to best suit your preference
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 3/8" speedway compression
- Push drain included with faucet




## U.AR08LD3 Armstrong™ Widespread Lavatory Faucet With Low Spout



	APC	PN	STN	SEG	EG	ULB
U.AR08LD3HT	1428	1928	1928	2142	2142	2142
U.AR08LD3IW	1428	1928	1928	2142	2142	2142
U.AR08LD3XM	1428	1928	1928	2142	2142	2142



- Swiveling aerator allows you to change the direction of the water spray to best suit your preference
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 3/8" speedway compression
- Push drain included with faucet



## U.TAR08W3 Armstrong™ Wall Mount Lavatory Faucet Trim



	APC	PN	STN	SEG	EG	ULB
U.TAR08W3HT	1128	1523	1523	1692	1692	1692
U.TAR08W3IW	1128	1523	1523	1692	1692	1692
U.TAR08W3XM	1128	1523	1523	1692	1692	1692




- Summer 2025 orders for RH08W will transition to RH08WM
- Swiveling aerator allows you to change the direction of the water spray to best suit your preference
- Drain sold separately. See drain options below and Lavatory Drain tab for pricing
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- Rough-in valve sold separately
- Order RH08W wall rough-in valve: \$318



APC



PN



STN



SEG



EG



ULB



Home



Index

## SEE LAVATORY DRAINS TAB FOR PRICING



5445



5447



6442



7444



8446



CC2310FW0




O127DOF



CNZREMOTE




U.6702

**U.TAR05F1** Armstrong™ Single Hole Floor Mount  
Tub Filler Trim With U-Spout


	APC	PN	STN	SEG	EG	ULB
U.TAR05F1HT	2958	3994	3994	4437	4437	4437

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 8 GPM/30 LPM at 60 PSI
- Rough-in valve sold separately:  
—Order U.3440R floor rough-in valve: \$770

**U.TAR06F1** Armstrong™ Single Hole Floor Mount  
Tub Filler Trim With C-Spout


	APC	PN	STN	SEG	EG	ULB
U.TAR06F1HT	2958	3994	3994	4437	4437	4437

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 8 GPM/30 LPM at 60 PSI
- Rough-in valve sold separately:  
—Order U.3440R floor rough-in valve: \$770

**U.TAR06W3** Armstrong™ Wall Mount Tub Filler Trim


	APC	PN	STN	SEG	EG	ULB
U.TAR06W3HT	1248	1685	1685	1872	1872	1872
U.TAR06W3IW	1248	1685	1685	1872	1872	1872
U.TAR06W3XM	1248	1685	1685	1872	1872	1872

- Extended lead time item (12-16 weeks)
- Summer 2025 orders for RH08W will transition to RH08WM
- 10 GPM/38 LPM at 60 PSI
- Rough-in valve sold separately:  
—Order RH08W wall rough-in valve: \$318


**U.3975LS OR U.3976X** Holborn™ 4-Hole Deck Mount  
Tub Filler With C-Spout

Handle	APC	PN	STN	EG	ULB
U.3975LS-	3468	4682	4682	5202	5202
U.3976X-	3468	4682	4682	5202	5202

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install




## U.TAR51W1 Armstrong™ 1/2" Pressure Balance Trim




	APC	PN	STN	SEG	EG	ULB
U.TAR51W1HT	758	1024	1024	1137	1137	1137

- Bottom outlet compatible with diverter tub spout
- Temp. & volume control at 5.8 GPM/22 LPM at 60 PSI
- 1 function
- Rough-in valve sold separately:
  - Order R51 rough-in valve: \$178
- Extension kits available, 1 1/4" EXT51KIT114 and 3/4" EXT51KIT34




## U.TAR44W1 (No Share) Armstrong™ 1/2" Therm & Pressure Balance Trim With 2 Functions




	APC	PN	STN	SEG	EG	ULB
U.TAR44W1IW	958	1294	1294	1437	1437	1437
U.TAR44W1XM	958	1294	1294	1437	1437	1437

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions (CEC compliant)
- Rough-in valve sold separately:
  - Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




## U.TAR23W1 (Shared) Armstrong™ 1/2" Therm & Pressure Balance Trim With 3 Functions




	APC	PN	STN	SEG	EG	ULB
U.TAR23W1IW	958	1294	1294	1437	1437	1437
U.TAR23W1XM	958	1294	1294	1437	1437	1437

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions and 1 shared function
- Rough-in valve sold separately:
  - Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




## U.TAR47W1 (No Share) Armstrong™ 1/2" Therm & Pressure Balance Trim With 3 Functions




	APC	PN	STN	SEG	EG	ULB
U.TAR47W1IW	958	1294	1294	1437	1437	1437
U.TAR47W1XM	958	1294	1294	1437	1437	1437

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 5 GPM/19 LPM at 60 PSI
- 3 dedicated functions (CEC compliant)
- Rough-in valve sold separately:
  - Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34



## U.TAR45W1 (Shared) Armstrong™ 1/2" Therm & Pressure Balance Trim With 5 Functions



	APC	PN	STN	SEG	EG	ULB
U.TAR45W1IW	958	1294	1294	1437	1437	1437
U.TAR45W1XM	958	1294	1294	1437	1437	1437

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 3 dedicated functions and 2 shared functions
- Rough-in valve sold separately:
  - Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34



APC



PN



STN



SEG



EG



ULB



Home



Index

GEORGIAN ERA

HOLBORN



SOUTHBANK

ARMSTRONG

DECO


EDWARDIAN

GEORGIAN ERA

**U.TAR13W1** Armstrong™ 3/4" Thermostatic Trim Without Volume Control


	APC	PN	STN	SEG	EG	ULB
U.TAR13W1HT	1158	1564	1564	1737	1737	1737
U.TAR13W1IW	1158	1564	1564	1737	1737	1737
U.TAR13W1XM	1158	1564	1564	1737	1737	1737

- Temperature control only
- Rough-in valve sold separately:  
—Order 1005N rough-in valve: \$428
- Volume control(s) required

**U.TAR18W1** Armstrong™ Trim For Volume Control And Diverter



	APC	PN	STN	SEG	EG	ULB
U.TAR18W1HT	298	403	403	447	447	447
U.TAR18W1IW	298	403	403	447	447	447
U.TAR18W1XM	298	403	403	447	447	447

- Volume control or diverter only
- Rough-in valve sold separately. Select one:  
—Order R1040R 3/4" volume control rough-in valve: \$178  
—Order R1062BO 4-port, 3-way dedicated diverter rough-in valve: \$361

**U.AR25WTP** Armstrong™ Toilet Paper Holder


	APC	PN	STN	SEG	EG	ULB
U.AR25WTP	278	376	376	417	417	417

- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls

**U.AR25WRH** Armstrong™ Robe Hook

	APC	PN	STN	SEG	EG	ULB
U.AR25WRH	268	362	362	402	402	402

- Holds one robe or towel close to your shower or bathing space


**U.AR25WTR** Armstrong™ Towel Ring

	APC	PN	STN	SEG	EG	ULB
U.AR25WTR	278	376	376	417	417	417

- Elegantly display bath towels in a coordinated fashion with other accessories



U.AR25WTB24 Armstrong™ 24" Towel Bar



	APC	PN	STN	SEG	EG	ULB
U.AR25WTB24	558	754	754	837	837	837

- Length cannot be cut down

ARMSTRONG 3/4" TUB FILLER OPTION 1



		Suggested Retail Price
Model	Description	Polished Chrome
U.TAR13W1HT	Trim	1158
U.3330	Tub Spout	868
U.TAR18W1HT	Volume Control Trim (QTY: 2)	596
U.40226HS1	Handshower	758
U.5544	Handshower Holder	568
9.28385	Hose	178
U.0227WO	Outlet	248
1005N	Rough	428
R1040R	Volume Control Rough (QTY: 2)	356
Total Package List Price With Roughs		5158

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.



APC



PN



STN



SEG



EG



ULB



Home



Index

GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA

## ARMSTRONG PRESSURE BALANCE SHOWER OPTION 1

Suggested Retail Price

Model	Description	Polished Chrome
U.TAR51W1HT	Trim	758
U.40226HS1	Handshower	758
U.AR260127SB	Handshower Bar	1098
U.0227WO	Outlet	248
9.28385	Hose	178
R51	Rough	178
Total Package List Price With Roughs		3218

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.



## ARMSTRONG ½" THERM/PRESSURE BALANCE SHOWER OPTION 1

Suggested Retail Price

Model	Description	Polished Chrome
U.TAR23W1XM	Trim	958
U.5235	Showerhead	818
U.20AR27SA	Shower Arm	528
U.40226HS1	Handshower	758
U.AR260127SB	Handshower Bar	1098
U.0227WO	Outlet	248
9.28385	Hose	178
R23	Rough	258
Total Package List Price With Roughs		4844
U.TAR44W1XM	Trim (No Share)	958
Total Package List Price With Roughs		4844

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.





## ARMSTRONG ½" THERM/PRESSURE BALANCE SHOWER OPTION 2



## Suggested Retail Price

Model	Description	Polished Chrome
U.TAR45W1XM	Trim	958
U.5800	Showerhead	628
U.7AR27SA	Shower Arm	478
U.5237	Ceiling Rain Showerhead	1158
U.5888	Ceiling Shower Arm	238
U.40226HS1	Handshower	758
U.AR260127SB	Handshower Bar	1098
U.0227WO	Outlet	248
9.28385	Hose	178
R45	Rough	318
Total Package List Price With Roughs		6060
U.TAR47W1XM	Trim (No Share)	958
Total Package List Price With Roughs		6060

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## ARMSTRONG ¾" THERMOSTATIC SHOWER OPTION 1



## Suggested Retail Price

Model	Description	Polished Chrome
U.TAR13W1HT	Trim	1158
U.5800	Showerhead	628
U.7AR27SA	Shower Arm	478
U.5237	Ceiling Rain Showerhead	1158
U.5888	Ceiling Shower Arm	238
U.40226HS1	Handshower	758
U.AR260127SB	Handshower Bar	1098
U.0227WO	Outlet	248
9.28385	Hose	178
U.0326BS1	Body Sprays (QTY: 3)	1344
U.TAR18W1HT	Volume Control Trim (QTY: 4)	1192
R1040R	Volume Control Rough (QTY: 4)	712
1005N	Rough	428
Total Package List Price With Roughs		9618

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.





## BATH COLLECTION

# DECO™

The Art Deco design movement of the 1920s and 30s made geometry glamorous. Triangular forms and sharp angles were portrayed with the shine and facets of diamonds. The Deco Bath Collection follows suit. Inspired by London's grandest Deco structures, like the Savoy Hotel, the Collection brings panache and polish to the bath. Handles and spout form octagonal shapes designed to gleam with sophistication. Refined details add to the sense of splendor. The Deco Collection captures a moment in time to bring luxury to bathrooms of today.

FINISH OPTIONS



APC



PN



EG

HANDLE DESIGNS



LS



X

BATH FAUCETS



U.3135

[p.52](#)



U.3141LS OR U.3142X

[p.52](#)



U.3170LS OR U.3171X

[p.52](#)

TUB FILLERS



U.3120LS OR U.3121X

[p.52](#)



U.3178LS OR U.3179X

[p.53](#)



U.3110

[p.53](#)



U.3152LS OR U.3153X


[p.53](#)

ACCESSORIES



U.6148

[p.55](#)



U.6122

[p.55](#)



U.6135

[p.55](#)



U.6140

[p.56](#)



U.6141

[p.56](#)




U.6142

[p.56](#)



## SHOWER TRIMS




U.TDC51W1  
[p.54](#)




U.TDC23W1  
[p.54](#)

U.TDC44W1  
[NO Share p.54](#)



U.TDC45W1  
[p.54](#)

U.TDC47W1  
[NO Share p.54](#)



U.5157LS OR U.5158X  
[p.55](#)

## TUB PACKAGE



3/4" TUB FILLER OPTION 1  
[p.57](#)

## SHOWER PACKAGES




PRESSURE BALANCE SHOWER  
OPTION 1  
[p.57](#)



1/2" THERM/PRESSURE BALANCE  
OPTION 1  
[p.58](#)



3/4" THERMOSTATIC SHOWER  
OPTION 1  
[p.59](#)




### U.3135 Deco™ Single Handle Lavatory Faucet



Handle	APC	PN	EG
U.3135LS- -2	1608	2171	2412



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" female NPSM inlet
- Lift rod drain assembly included with faucet




### U.3141LS OR U.3142X Deco™ Widespread Lavatory Faucet



Handle	APC	PN	EG
U.3141LS- -2	1768	2387	2652
U.3142X- -2	1768	2387	2652



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet



### U.3170LS OR U.3171X Deco™ Wall Mount Lavatory Faucet Trim



Handle	APC	PN	EG
U.3170LS- /TO-2	1518	2050	2277
U.3171X- /TO-2	1518	2050	2277



- Drain sold separately. See drain options below and Lavatory Drain tab for pricing
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- Plumber to provide 1/2" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3260R-2 wall rough-in valves (set of 2) for lever handles: \$409
  - Order U.3261R-2 wall rough-in valves (set of 2) for cross handles: \$409

### SEE LAVATORY DRAINS TAB FOR PRICING



5445



5447



6442



7444



8446



CC2310FW0




O127DOF



CNZREMOTE



U.6702



### U.3120LS OR U.3121X Deco™ Floor Mount Tub Filler



Handle	APC	PN	EG
U.3120LS/1-	7008	9462	10512
U.3121X/1-	7008	9462	10512



- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 19 GPM/72 LPM at 60 PSI
- 1/2" male NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install




APC



PN




EG

**U.3178LS OR U.3179X Deco™ Wall Mount Tub Filler Trim**


Handle	APC	PN	EG
U.3178LS-___/TO	1608	2171	2412
U.3179X-___/TO	1608	2171	2412

- Extended lead time item (12-16 weeks)
- 16 GPM/60.5 LPM at 60 PSI
- Plumber to provide 3/4" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3230R wall rough-in valves (set of 2) for lever handles: \$499
  - Order U.3231R wall rough-in valves (set of 2) for cross handles: \$499
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73

**U.3110 Deco™ Exposed Wall Mount Tub Filler**


Handle	APC	PN	EG
U.3110LS/1-___	4785	6461	7178

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 19 GPM/72 LPM at 60 PSI
- 3/4" female NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install

**U.3152LS OR U.3153X Deco™ 4-Hole Deck Mount Tub Filler**


Handle	APC	PN	EG
U.3152LS-___	3638	4912	5457
U.3153X-___	3638	4912	5457

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install

**U.3100 Deco™ Exposed Deck Mount Tub Filler**


Handle	APC	PN	EG
U.3100LS/1-___	4616	6233	6924

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 19 GPM/72 LPM at 60 PSI
- 3/4" male NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install


**U.3183 Deco™ Wall Mount Tub Spout**

	APC	PN	EG
U.3183-___	818	1105	1227

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction




### U.TDC51W1 Deco™ 1/2" Pressure Balance Trim




Handle	APC	PN	EG
U.TDC51W1LS-	818	1105	1227

- Bottom outlet compatible with diverter tub spout
- Temp. & volume control at 5.8 GPM/22 LPM at 60 PSI
- 1 function
- Rough-in valve sold separately:  
—Order R51 rough-in valve: \$178
- Extension kits available, 1 1/4" EXT51KIT114 and 3/4" EXT51KIT34




### U.TDC44W1 (No Share) Deco™ 1/2" Therm & Pressure Balance Trim With 2 Functions




Handle	APC	PN	EG
U.TDC44W1LS-	1098	1483	1647

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




### U.TDC23W1 (Shared) Deco™ 1/2" Therm & Pressure Balance Trim With 3 Functions




Handle	APC	PN	EG
U.TDC23W1LS-	1098	1483	1647

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions and 1 shared function
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




### U.TDC47W1 (No Share) Deco™ 1/2" Therm & Pressure Balance Trim With 3 Functions




Handle	APC	PN	EG
U.TDC47W1LS-	1098	1483	1647

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 5 GPM/19 LPM at 60 PSI
- 3 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34



### U.TDC45W1 (Shared) Deco™ 1/2" Therm & Pressure Balance Trim With 5 Functions



Handle	APC	PN	EG
U.TDC45W1LS-	1098	1483	1647

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 3 dedicated functions and 2 shared functions
- Rough-in valve sold separately:  
—Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34







APC



PN




EG

**U.5157LS OR U.5158X** Deco™ 3/4" Thermostatic Trim Without Volume Control


Handle	APC	PN	EG
U.5157LS-__ /TO	1438	1942	2157
U.5158X-__ /TO	1438	1942	2157

- Temperature control only
- Rough-in valve sold separately:  
—Order 1005N rough-in valve: \$428
- Volume control(s) required

**U.3164LS OR U.3165X** Deco™ Trim For Volume Control And Diverter



Handle	APC	PN	EG
U.3164LS-__ /TO	588	794	882
U.3165X-__ /TO	588	794	882

- Volume control or diverter only
- Rough-in valve sold separately. Select one:  
—Order R1040R 3/4" volume control rough-in valve: \$178  
—Order R1062BO 4-port, 3-way dedicated diverter rough-in valve: \$361

**U.6148** Deco™ Toilet Paper Holder


	APC	PN	EG
U.6148	298	403	447

- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls

**U.6122** Deco™ Double Robe Hook

	APC	PN	EG
U.6122	238	322	357


- Optimize space with this double hook for multiple robe/towel storage

**U.6135** Deco™ Towel Ring

	APC	PN	EG
U.6135	318	430	477

- Elegantly display bath towels in a coordinated fashion with other accessories


## U.6140 Deco™ 18" Towel Bar



	APC	PN	EG
U.6140	548	740	822

- Length cannot be cut down


## U.6141 Deco™ 24" Towel Bar



	APC	PN	EG
U.6141	558	754	837

- Length cannot be cut down

## U.6142 Deco™ 30" Towel Bar



	APC	PN	EG
U.6142	568	767	852

- Length cannot be cut down



APC



PN



EG



Home



Index

GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA

## DECO ¾" TUB FILLER OPTION 1



### Suggested Retail Price

Model	Description	Polished Chrome
U.5157T0	Trim	1438
U.3183	Tub Spout	818
U.3164T0	Volume Control Trim (QTY: 2)	1176
U.5195	Handshower With Hose	988
U.5544	Handshower Holder	568
U.5146	Outlet	318
1005N	Rough	428
R1040R	Volume Control Rough (QTY: 2)	356
Total Package List Price With Roughs		6090

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## DECO PRESSURE BALANCE SHOWER OPTION 1



### Suggested Retail Price

Model	Description	Polished Chrome
U.TDC51W1	Trim	818
U.5195	Handshower With Hose	988
U.5140	Handshower Bar	1378
U.5146	Outlet	318
R51	Rough	178
Total Package List Price With Roughs		3680

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## DECO ½" THERM/PRESSURE BALANCE SHOWER OPTION 1

Suggested Retail Price

Model	Description	Polished Chrome
U.TDC23W1	Trim	1098
U.5135	Showerhead	988
U.5184	Shower Arm	698
U.5195	Handshower With Hose	988
U.5140	Handshower Bar	1378
U.5146	Outlet	318
R23	Rough	258
Total Package List Price With Roughs		5726
U.TDC44W1	Trim (No Share)	1098
Total Package List Price With Roughs		5726

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## DECO ½" THERM/PRESSURE BALANCE SHOWER OPTION 2

Suggested Retail Price

Model	Description	Polished Chrome
U.TDC45W1	Trim	1098
U.5800	Showerhead	628
U.5182	Shower Arm	648
U.5135	Showerhead	988
U.5388	Ceiling Shower Arm	248
U.5195	Handshower With Hose	988
U.5140	Handshower Bar	1378
U.5146	Outlet	318
R45	Rough	318
Total Package List Price With Roughs		6612
U.TDC47W1LS	Trim (No Share)	1098
Total Package List Price With Roughs		6612

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

DECO ¾" THERMOSTATIC SHOWER OPTION 1



		Suggested Retail Price
Model	Description	Polished Chrome
U.5157T0	Trim	1438
U.5800	Showerhead	628
U.5182	Shower Arm	648
U.5237	Ceiling Rain Showerhead	1158
U.5388	Ceiling Shower Arm	248
U.5195	Handshower With Hose	988
U.5140	Handshower Bar	1378
U.5146	Outlet	318
U.5570	Body Sprays (QTY: 3)	1764
U.3164T0	Volume Control Trim (QTY: 4)	2352
R1040R	Volume Control Rough (QTY: 4)	712
1005N	Rough	428
Total Package List Price With Roughs		12060

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.










## BATH COLLECTION

## EDWARDIAN™

It wasn't until the Edwardian age that indoor plumbing became common, putting an emphasis on bathroom design, especially fixtures. Faucet styles took after Neo-Baroque architecture, a cross between simplicity and grandeur, classic silhouettes with pronounced details, and a touch of whimsy. The Edwardian Collection makes a similar statement with a combination of columns, curves, and rounded shapes. Refined ring detailing graces the base, handles, neck and spout. The Collection captures the ebullient spirit of the age in styles perfect for today.

COLLECTION HIGHLIGHTS  
**EDWARDIAN™**

FINISH OPTIONS



HANDLE DESIGNS



BATH FAUCETS



U.3670  
[p.64](#)



U.3626X  
[p.64](#)



U.3760L OR U.3761X  
[p.64](#)



U.3720L OR U.3721X  
[p.64](#)



U.3705L OR U.3706X  
[p.64](#)



U.3790L OR U.3791X  
[p.65](#)



U.3560L OR U.3561X  
[p.65](#)

TUB FILLERS



U.3520L OR  
U.3521X  
[p.65](#)



U.3780L OR  
U.3781X  
[p.65](#)



U.3580L OR  
U.3581X  
[p.66](#)



U.3510L OR  
U.3511X  
[p.66](#)



U.3500L OR  
U.3501X  
[p.66](#)



U.3248L OR  
U.3249X  
[p.66](#)



U.3745L OR  
U.3746X  
[p.66](#)

ACCESSORIES



U.6960  
[p.69](#)



U.6947  
[p.69](#)



U.6921  
[p.70](#)



U.6922  
[p.70](#)



U.6923  
[p.70](#)



U.6935  
[p.70](#)



U.6940  
[p.70](#)



## SHOWER TRIMS



U.TEW51W1  
[p.67](#)



U.TEW23W1  
[p.68](#)



U.TEW45W1  
[p.68](#)



U.5565L OR U.5566X  
[p.68](#)



U.5585L OR U.5586X  
[p.69](#)

U.TEW44W1  
[NO Share p.68](#)

U.TEW47W1  
[NO Share p.68](#)

## TUB PACKAGE



3/4" TUB FILLER OPTION 1  
[p.75](#)

## SHOWER PACKAGES




PRESSURE BALANCE SHOWER  
OPTION 1  
[p.75](#)



1/2" THERM/PRESSURE BALANCE  
OPTION 1  
[p.76](#)



3/4" THERMOSTATIC SHOWER  
OPTION 1  
[p.77](#)




## U.3670 Edwardian™ Single Handle Lavatory Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3670L-	-2	1208	1631	1631	1812	1812	1812



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" female NPSM inlet
- Lift rod drain assembly included with faucet
- Includes both porcelain and metal lever inserts




## U.3626 Edwardian™ Two Handle Lavatory Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3626X-	-2	1208	1631	1631	1812	1812	1812



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" female NPSM inlet
- Lift rod drain assembly included with faucet




## U.3760L OR U.3761X Edwardian™ Widespread Lavatory Faucet



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3760L-	-2	1348	1820	1820	2022	2022	2022
U.3761X-	-2	1348	1820	1820	2022	2022	2022



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet
- Includes both porcelain and metal lever inserts for U.3760L




## U.3720L OR U.3721X Edwardian™ Widespread Lavatory Faucet With Column Spout



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3720L-	-2	1838	2482	2482	2757	2757	2757
U.3721X-	-2	1838	2482	2482	2757	2757	2757



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet
- Includes both porcelain and metal lever inserts for U.3720L



## U.3705L OR U.3706X Edwardian™ Widespread Lavatory Faucet With Low Spout



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3705L-	-2	1668	2252	2252	2502	2502	2502
U.3706X-	-2	1668	2252	2252	2502	2502	2502



- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet
- Includes both porcelain and metal lever inserts for U.3705L





APC



PN



STN



SEG



EG



ULB



EB



GEORGIAN ERA

HOLBORN

SOUTHBANK


ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA


## U.3790L OR U.3791X Edwardian™ Wall Mount Lavatory Faucet Trim With Column Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3790L- __ /TO-2	1128	1523	1523	1692	1692	1692
U.3791X- __ /TO-2	1128	1523	1523	1692	1692	1692

- Includes both porcelain and metal lever inserts for U.3790L/TO
- Drain sold separately
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- Plumber to provide 1/2" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3260R-2 wall rough-in valves (set of 2) for lever handles: \$409

## U.3560L OR U.3561X Edwardian™ Wall Mount Lavatory Faucet Trim With U-Spout



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3560L- __ /TO-2	1128	1523	1523	1692	1692	1692	1692
U.3561X- __ /TO-2	1128	1523	1523	1692	1692	1692	1692

- Includes both porcelain and metal lever inserts for U.3560L/TO
- Drain sold separately. See drain options below and Lavatory Drain tab for pricing
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- Plumber to provide 1/2" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3260R-2 wall rough-in valves (set of 2) for lever handles: \$409

## SEE LAVATORY DRAINS TAB FOR PRICING



5445



5447



6442



7444



8446



CC2310FWO



O127DOF




CNZREMOTE



U.6702


## U.3520L OR U.3521X Traditional Floor Mount Tub Filler



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3520L/1- __	6343	8106	8106	9005	9005	9005	9005
U.3521X/1- __	6343	8106	8106	9005	9005	9005	9005

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3520L
- 19 GPM/72 LPM at 60 PSI
- 1/2" male NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install


## U.3780L OR U.3781X Edwardian™ Wall Mount Tub Filler Trim With Column Spout



Handle	APC	PN	STN	SEG	EG	EB	ULB
U.3780L- __ /TO	1608	2171	2171	2412	2412	2412	—
U.3781X- __ /TO	1608	2171	2171	2412	2412	2412	2412

- Extended lead time item (12-16 weeks)
- Includes both porcelain and metal lever inserts for U.3780L/TO
- 16 GPM/60.5 LPM at 60 PSI
- Plumber to provide 3/4" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3230R wall rough-in valves (set of 2) for lever handles: \$499
  - Order U.3231R wall rough-in valves (set of 2) for cross handles: \$499
- Order two U.3243 1 1/4" extension kits to extend valves: \$84


## U.3580L OR U.3581X Edwardian™ Wall Mount Tub Filler Trim With U-Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3580L- /TO	1608	2171	2171	2412	2412	2412
U.3581X- /TO	1608	2171	2171	2412	2412	2412

- Extended lead time item (12-16 weeks)
- Includes both porcelain and metal lever inserts for U.3580L/TO
- 16 GPM/60.5 LPM at 60 PSI
- Plumber to provide 3/4" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3230R wall rough-in valves (set of 2) for lever handles: \$499
  - Order U.3231R wall rough-in valves (set of 2) for cross handles: \$499
- Order two U.3243 1 1/4" extension kits to extend valves: \$84


## U.3510L OR U.3511X Traditional Exposed Wall Mount Tub Filler



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3510L/1-	4253	5743	5743	6380	6380	6380	6380
U.3511X/1-	4253	5743	5743	6380	6380	6380	6380

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3510L
- 19 GPM/72 LPM at 60 PSI
- 3/4" female NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install


## U.3500L OR U.3501X Traditional Exposed Deck Mount Tub Filler



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3500L/1-	4083	5514	5514	6125	6125	6125	6125
U.3501X/1-	4083	5514	5514	6125	6125	6125	6125

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3500L
- 19 GPM/72 LPM at 60 PSI
- 3/4" male NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install


## U.3248L OR U.3249X Edwardian™ 4-Hole Deck Mount Tub Filler



Handle	APC	PN	STN	EG	ULB	EB
U.3248L-	3588	4844	4844	5382	5382	5382
U.3249X-	3588	4844	4844	5382	5382	5382

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3248L
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install


## U.3745L OR U.3746X Edwardian™ 4-Hole Deck Mount Tub Filler With Column Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3745L-	3638	4912	4912	5457	5457	5457
U.3746X-	3638	4912	4912	5457	5457	5457

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3745L
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install


## U.3737L OR U.3738X Edwardian™ 4-Hole Deck Mount Tub Filler With Low Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3737L-	3588	4844	4844	5382	5382	5382
U.3738X-	3588	4844	4844	5382	5382	5382

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3737L
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install


## U.3805 Edwardian™ Wall Mount Tub Spout With C-Spout



	APC	PN	STN	EG	EB
U.3805	988	1334	1334	1482	1482

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction


## U.3785 Edwardian™ Wall Mount Tub Spout



	APC	PN	STN	EG	ULB	EB
U.3785	988	1334	1334	1482	1482	1482


- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction

## U.3585 Edwardian™ Wall Mount Tub Spout With U-Spout



	APC	PN	STN	SEG	EG	ULB	EB
U.3585	698	943	943	1047	1047	1047	1047

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction




## U.TEW51W1 Edwardian™ 1/2" Pressure Balance Trim



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.TEW51W1L-	798	1078	1078	1197	1197	1197	1197

- Bottom outlet compatible with diverter tub spout
- Temp. & volume control at 5.8 GPM/22 LPM at 60 PSI
- 1 function
- Rough-in valve sold separately:
  - Order R51 rough-in valve: \$178
- Extension kits available, 1 1/4" EXT51KIT114 and 3/4" EXT51KIT34

Ø7-7/8  
[200 mm]



## U.TEW44W1 (No Share)


Edwardian™ 1/2" Therm & Pressure  
Balance Trim With 2 Functions



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.TEW44W1L-	1078	1456	1456	1617	1617	1617	1617

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Includes both porcelain and metal lever inserts
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34

Ø200  
[8]



## U.TEW23W1 (Shared)


Edwardian™ 1/2" Therm & Pressure  
Balance Trim With 3 Functions



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.TEW23W1L-	1078	1456	1456	1617	1617	1617	1617

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Includes both porcelain and metal lever inserts
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions and 1 shared function
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34

Ø7-7/8  
[200 mm]



## U.TEW47W1 (No Share)


Edwardian™ 1/2" Therm & Pressure  
Balance Trim With 3 Functions



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.TEW47W1L-	1078	1456	1456	1617	1617	1617	1617

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Includes both porcelain and metal lever inserts
- Temp. & volume control with diverter at 5 GPM/19 LPM at 60 PSI
- 3 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34

Ø7-7/8  
[200 mm]




## U.TEW45W1 (Shared)

Edwardian™ 1/2" Therm & Pressure  
Balance Trim With 5 Functions



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.TEW45W1L-	1078	1456	1456	1617	1617	1617	1617

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Includes both porcelain and metal lever inserts
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 3 dedicated functions and 2 shared functions
- Rough-in valve sold separately:  
—Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34



## U.5565L OR U.5566X Edwardian™ 3/4" Round Thermostatic Trim Without Volume Control



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.5565L- /TO	1378	1861	1861	2067	2067	2067	2067
U.5566X- /TO	1378	1861	1861	2067	2067	2067	2067

- Includes both porcelain and metal lever inserts for U.5565L
- Temperature control only
- 1 1/4" (3.175 cm) extension kit available, order part # 9.21585: \$70
- Rough-in valve sold separately:  
—Order 1005N rough-in valve: \$428
- Volume control(s) required





APC



PN



STN



SEG



EG



ULB




EB



Home



Index




## U.5585L OR U.5586X Edwardian™ 3/4" Octagonal Thermostatic Trim Without Volume Control



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.5585L-__ /TO	1378	1861	1861	2067	2067	2067	2067
U.5586X-__ /TO	1378	1861	1861	2067	2067	2067	2067

- Includes both porcelain and metal lever inserts for U.5585L
- Temperature control only
- 1 1/4" (3.175 cm) extension kit available, order part # U.3550: \$168
- Rough-in valve sold separately:
  - Order 1005N rough-in valve: \$428
- Volume control(s) required




## U.3240L OR U.3241X Edwardian™ Trim For Volume Control And Diverter



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3240L-__ /TO	298	403	403	447	447	447	447
U.3241X-__ /TO	298	403	403	447	447	447	447

- Includes both porcelain and metal lever inserts for U.3240L/TO
- Volume control or diverter only
- Rough-in valve sold separately. Select one:
  - Order R1040R 3/4" volume control rough-in valve: \$178
  - Order R1062BO 4-port, 3-way dedicated diverter rough-in valve: \$361




## U.5550L OR U.5552X Edwardian™ 3/4" Exposed Therm Valve With Volume And Temperature Control



Handle	APC	PN	STN	SEG	EG	ULB	EB
U.5550L-__	3918	5290	5290	5877	5877	5877	5877
U.5552X-__	3918	5290	5290	5877	5877	5877	5877


- Includes both porcelain and metal lever inserts for U.5550L
- Temperature and volume control
- 14 GPM/53 LPM at 60 PSI
- Use return elbow U.5397 to add concealed shower functions or U.5398 to add tub spout
- For additional top outlet functionality, choose from the various outlet options in this chapter

## U.6960 Edwardian™ Toilet Paper Holder With Lift Arm




	APC	PN	STN	SEG	EG	ULB	EB
U.6960	428	578	578	642	642	642	642

- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls




## U.6947 Wall Mount Spare Toilet Paper Holder



	APC	PN	STN	SEG	EG	ULB	EB
U.6947	268	362	362	402	402	402	402


- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls



### U.6921 Edwardian™ Robe Hook

	APC	PN	STN	SEG	EG	ULB	EB
U.6921	238	322	322	357	357	357	357


- Holds one robe or towel close to your shower or bathing space



### U.6922 Edwardian™ Double Robe Hook

	APC	PN	STN	SEG	EG	ULB	EB
U.6922	238	322	322	357	357	357	357


- Optimize space with this double hook for multiple robe/towel storage



### U.6923 Edwardian™ Triple Robe Hook

	APC	PN	STN	SEG	EG	ULB	EB
U.6923	248	335	335	372	372	372	372


- Optimize space with this triple hook for multiple robe/towel storage



### U.6935 Edwardian™ Towel Ring

	APC	PN	STN	SEG	EG	ULB	EB
U.6935	268	362	362	402	402	402	402

- Elegantly display bath towels in a coordinated fashion with other accessories



### U.6940 Edwardian™ 20" Towel Bar

	APC	PN	STN	SEG	EG	ULB	EB
U.6940	568	767	767	852	852	852	852

- Length can be cut down





APC



PN



STN



SEG



EG



ULB



EB



Home



Index

GEORGIAN ERA

HOLBORN


SOUTHBANK

ARMSTRONG

DECO


EDWARDIAN

GEORGIAN ERA

**U.6941 Edwardian™ 26" Towel Bar**


	APC	PN	STN	SEG	EG	ULB	EB
U.6941	608	821	821	912	912	912	912

- Length can be cut down

**U.6942 Edwardian™ 32" Towel Bar**


	APC	PN	STN	EG	ULB	EB
U.6942	628	848	848	942	942	942

- Length can be cut down

**U.6961 Edwardian™ Wall Mount Towel Shelf**


	APC	PN	STN	SEG	EG	ULB	EB
U.6961	908	1226	1226	1362	1362	1362	1362

- Towel rack with bar for hanging towels
- 11 5/8" (29.52 cm) projection

**U.6975 Wall Mount Glass Vanity Shelf**


	APC	PN	STN	EG	ULB	EB
U.6975	848	1145	1145	1272	1272	1272

- Tempered glass
- 6 1/4" (15.87 cm) projection

**U.6953 Edwardian™ Wall Mount Tempered Glass Vanity Shelf**

	APC	PN	STN	SEG	EG	EB
U.6953	798	1078	1078	1197	1197	1197


- Tempered glass
- 5" (12.7 cm) projection



## U.6916 Edwardian™ Wall Mount Corner Basket

	APC	PN	STN	SEG	EG	ULB	EB
U.6916	318	430	430	477	477	477	477

- An elegant addition to the shower space that provides a dedicated holder for your bar soap
- 7 3/4" (19.68 cm) projection



## U.6969 Tumbler Holder

	APC	PN	STN	EG	ULB	EB
U.6969	318	430	430	477	477	477



- Complements traditional designs



## U.6910 Edwardian™ 28-32" Bath Rack

	APC	PN	STN	SEG	EG	ULB	EB
U.6910	738	997	997	1107	1107	1107	1107


- Adjustable Width
- Brass construction



## U.6931 Freestanding Makeup Mirror

	APC	PN	STN	SEG	EG	ULB	EB
U.6931	628	848	848	942	942	942	942


- 3x magnification
- Brass construction



## U.6918 Wall Mount Makeup Mirror

	APC	PN	STN	SEG	EG	ULB	EB
U.6918	738	997	997	1107	1107	1107	1107

- 3x magnification on magnified side of mirror







APC



PN



STN



SEG



EG



ULB




EB



Home



Index



## U.6938 Wall Mount Toilet Brush Holder



	APC	PN	STN	SEG	EG	ULB	EB
U.6938	678	916	916	1017	1017	1017	1017

- Unique wall mount design combining solid brass holder and brush handle with a white porcelain canister
- 5 5/8" (14.28 cm) projection

GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA



## EDWARDIAN

### U.KIT1NL or U.KIT1NX WALL MOUNT THERMOSTATIC SHOWER WITH VOLUME CONTROL AND HANDSHOWER

#### Suggested Retail Price

APC	PN	STN	SEG	EB	EG	ULB
7932	10710	10710	11898	11898	11898	11898

- European styling
- Brass construction
- Handshower and showerhead flow rate is 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant).
- Valve flow rate is 14 GPM/53 LPM at 60 PSI.

#### Kit Includes:

- U.5550 or U.5552X - Exposed Therm Valve With Volume And Temperature Control
- U.5373N - Riser Diverter, Handshower, Hose, Parking Bracket And 8" Thermostatic Outlet
- U.5205 8" Rain Showerhead
- U.5393 31" Tall X 15" Reach Rigid Riser And Shower Outlet 40" Total Height

Complete your Shower experience by including one of our decorative drain options.



## EDWARDIAN

### U.KIT2L or U.KIT2X WALL MOUNT THERMOSTATIC SHOWER WITH VOLUME CONTROL

#### Suggested Retail Price

APC	PN	STN	EG	ULB	EB
5824	7864	7864	8736	8736	8736

- European styling
- Brass construction
- Showerhead flow rate is 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant).
- Valve flow rate is 14 GPM/53 LPM at 60 PSI.

#### Kit Includes:

- U.5550 or U.5552X - Exposed Therm Valve With Volume And Temperature Control
- U.5205 8" Rain Showerhead
- U.5391 40" Tall x 15" Reach Riser

Complete your Shower experience by including one of our decorative drain options.

## EDWARDIAN ¾" TUB FILLER OPTION 1



### Suggested Retail Price

Model	Description	Polished Chrome
U.5565T0	Trim	1378
U.3585	Tub Spout	698
U.3240T0	Volume Control Trim (QTY: 2)	596
U.5387	Handshower	928
U.5544	Handshower Holder	568
U.5546	Outlet	268
1005N	Rough	428
R1040R	Volume Control Rough (QTY: 2)	356
Total Package List Price With Roughs		5220

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## EDWARDIAN PRESSURE BALANCE SHOWER OPTION 1



### Suggested Retail Price

Model	Description	Polished Chrome
U.TEW51W1	Trim	798
U.5387	Handshower With Hose	928
U.5540	Handshower Bar	1318
U.5546	Outlet	268
R51	Rough	178
Total Package List Price With Roughs		3490

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.



## EDWARDIAN ½" THERM/PRESSURE BALANCE SHOWER OPTION 1

Suggested Retail Price

Model	Description	Polished Chrome
U.TEW23W1	Trim	1078
U.5205	Showerhead	868
U.5384	Shower Arm	648
U.5387	Handshower With Hose	928
U.5540	Handshower Bar	1318
U.5546	Outlet	268
R23	Rough	258
Total Package List Price With Roughs		5366
U.TEW44W1	Trim (No Share)	1078
Total Package List Price With Roughs		5366

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## EDWARDIAN ½" THERM/PRESSURE BALANCE SHOWER OPTION 2

Suggested Retail Price

Model	Description	Polished Chrome
U.TEW45W1	Trim	1078
U.5800	Showerhead	628
U.5362	Shower Arm	588
U.5204	Ceiling Rain Showerhead	1208
U.5388	Ceiling Shower Arm	248
U.5387	Handshower With Hose	928
U.5540	Handshower Bar	1318
U.5546	Outlet	268
R45	Rough	318
Total Package List Price With Roughs		6582
U.TEW47W1	Trim (No Share)	1078
Total Package List Price With Roughs		6582

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.





## EDWARDIAN ¾" THERMOSTATIC SHOWER OPTION 1



		Suggested Retail Price
Model	Description	Polished Chrome
U.5565T0	Trim	1378
U.5800	Showerhead	628
U.5362	Shower Arm	588
U.5204	Ceiling Rain Showerhead	1208
U.5388	Ceiling Shower Arm	248
U.5387	Handshower With Hose	928
U.5535	Handshower Bar	1608
U.5570	Body Sprays (QTY: 3)	1764
U.3240T0	Volume Control Trim (QTY: 3)	894
R1040R	Volume Control Rough (QTY: 3)	534
1005N	Rough	428
Total Package List Price With Roughs		10206

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.









## BATH COLLECTION

# GEORGIAN ERA™

The Georgian Era Bath Collection is influenced by the 18th Century English design that echoed ancient Greek and Roman architecture. A hallmark of the style is purity of form and restraint versus ornamentation. The shapes and subtlety of classic columns and arches repeat in the lines and curves of the Collection. Stylistic touches like ring details around the base, neck, and spout display understated elegance. The Collection is a perfect example of English refinement reinterpreted for today's varied décors.

GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA

COLLECTION HIGHLIGHTS

# GEORGIAN ERA™

## FINISH OPTIONS



APC



PN



STN



EG

LIVING  
FINISH



ULB



EB

## HANDLE DESIGNS



LS



LSP



X

## BATH FAUCETS



U.GA01D1

[p.82](#)



U.3723LS/LSP OR U.3724X

[p.82](#)



U.3712LS/LSP OR U.3713X

[p.82](#)



U.3793LS/LSP OR U.3794X

[p.82](#)

## TUB FILLERS



U.3747LS/LSP OR U.3748X

[p.83](#)



U.3648LS/LSP OR U.3649X

[p.83](#)



U.3500L OR U.3501X

[p.83](#)

## ACCESSORIES



U.6648

[p.85](#)



U.6621

[p.85](#)



U.6622

[p.85](#)



U.6634

[p.85](#)



U.6640

[p.86](#)



U.6641

[p.86](#)



U.6642

[p.86](#)

## SHOWER TRIMS



U.TGA51W1  
[p.83](#)



U.TGA23W1  
[p.84](#)



U.TGA45W1  
[p.84](#)



U.5785LS OR U.5786X  
[p.84](#)

U.TGA44W1  
[NO Share p.83](#)

U.TGA47W1  
[NO Share p.84](#)

## TUB PACKAGE



3/4" TUB FILLER OPTION 1  
[p.89](#)

## SHOWER PACKAGES



PRESSURE BALANCE SHOWER  
OPTION 1  
[p.89](#)




1/2" THERM/PRESSURE BALANCE  
OPTION 1  
[p.90](#)



3/4" THERMOSTATIC SHOWER  
OPTION 1  
[p.91](#)




## U.GA01D1 Georgian Era™ Single Handle Lavatory Faucet



	APC	PN	STN	EG	ULB	EB
U.GA01D1	1158	1564	1564	1737	1737	1737

- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" female NPSM inlet
- Push drain included with faucet


## U.3723LS/LSP OR U.3724X Georgian Era™ Widespread Lavatory Faucet With Column Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3723LS- -2	1948	2630	2630	2922	2922	2922
U.3723LSP- -2	1948	2630	2630	2922	2922	2922
U.3724X- -2	1948	2630	2630	2922	2922	2922

- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet


## U.3712LS/LSP OR U.3713X Georgian Era™ Widespread Lavatory Faucet



Handle	APC	PN	STN	EG	ULB	EB
U.3712LS- -2	1398	1888	1888	2097	2097	2097
U.3712LSP- -2	1398	1888	1888	2097	2097	2097
U.3713X- -2	1398	1888	1888	2097	2097	2097

- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet

## U.3793LS/LSP OR U.3794X Georgian Era™ Wall Mount Lavatory Faucet Trim



Handle	APC	PN	STN	EG	EB	ULB
U.3793LS- /TO-2	1268	1712	1712	1902	1902	—
U.3793LSP- /TO-2	1268	1712	1712	1902	1902	1902
U.3794X- /TO-2	1268	1712	1712	1902	1902	1902

- Drain sold separately
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- Plumber to provide 1/2" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3260R-2 wall rough-in valves (set of 2) for lever handles: \$409
  - Order U.3261R-2 wall rough-in valves (set of 2) for cross handles: \$409

### SEE LAVATORY DRAINS TAB FOR PRICING



5445



5447



6442



7444



8446



CC2310FW0




O127DOF



CNZREMOTE



U.6702




### U.3747LS/LSP OR U.3748X Georgian Era™ 4-Hole Deck Mount Tub Filler With Column Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3747LS-	3758	5074	5074	5637	5637	5637
U.3747LSP-	3758	5074	5074	5637	5637	5637
U.3748X-	3758	5074	5074	5637	5637	5637



- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install




### U.3648LS/LSP OR U.3649X Georgian Era™ 4-Hole Deck Mount Tub Filler With C-Spout



Handle	APC	PN	STN	EG	ULB	EB
U.3648LS-	3758	5074	5074	5637	5637	5637
U.3648LSP-	3758	5074	5074	5637	5637	5637
U.3649X-	3758	5074	5074	5637	5637	5637



- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install



### U.3500L OR U.3501X Traditional Exposed Deck Mount Tub Filler




Handle	APC	PN	STN	SEG	EG	ULB	EB
U.3500L/1-	4083	5217	5217	5795	5795	5795	5795
U.3501X/1-	4083	5217	5217	5795	5795	5795	5795



- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- Includes both porcelain and metal lever inserts for U.3500L
- 19 GPM/72 LPM at 60 PSI
- 3/4" male NPT inlet
- Vacuum breaker not included
- No additional rough-in valve required to install

Ø 7-7/8  
[200 mm]



### U.TGA51W1 Georgian Era™ 1/2" Pressure Balance Trim




Handle	APC	PN	STN	EG	ULB	EB
U.TGA51W1LS-	788	1064	1064	1182	1182	1182



- Bottom outlet compatible with diverter tub spout
- Temp. & volume control at 5.8 GPM/22 LPM at 60 PSI
- 1 function
- Rough-in valve sold separately:  
—Order R51 rough-in valve: \$178
- Extension kits available, 1 1/4" EXT51KIT114 and 3/4" EXT51KIT34

Ø 7-7/8  
[200 mm]




### U.TGA44W1 (No Share) Georgian Era™ 1/2" Therm & Pressure Balance Trim With 2 Functions



Handle	APC	PN	STN	EG	ULB	EB
U.TGA44W1LSP-	1068	1442	1442	1602	1602	1602



- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




## U.TGA23W1 (Shared) Georgian Era™ 1/2" Therm & Pressure Balance Trim With 3 Functions



Handle	APC	PN	STN	EG	ULB	EB
U.TGA23W1LSP-	1068	1442	1442	1602	1602	1602



- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions and 1 shared function
- Rough-in valve sold separately:
  - Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




## U.TGA47W1 (No Share) Georgian Era™ 1/2" Therm & Pressure Balance Trim With 3 Functions



Handle	APC	PN	STN	EG	ULB	EB
U.TGA47W1LSP-	1068	1442	1442	1602	1602	1602



- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 5 GPM/19 LPM at 60 PSI
- 3 dedicated functions (CEC compliant)
- Rough-in valve sold separately:
  - Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




## U.TGA45W1 (Shared) Georgian Era™ 1/2" Therm & Pressure Balance Trim With 5 Functions



Handle	APC	PN	STN	EG	ULB	EB
U.TGA45W1LSP-	1068	1442	1442	1602	1602	1602



- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 3 dedicated functions and 2 shared functions
- Rough-in valve sold separately:
  - Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34




## U.5785LS OR U.5786X Georgian Era™ 3/4" Round Thermostatic Trim Without Volume Control



Handle	APC	PN	STN	EG	ULB	EB
U.5785LS- /TO	1418	1915	1915	2127	2127	2127
U.5786X- /TO	1418	1915	1915	2127	2127	2127



- Temperature control only
- Rough-in valve sold separately:
  - Order 1005N rough-in valve: \$428
- Volume control(s) required



## U.3774LS/LSP OR U.3775X Georgian Era™ Trim For Volume Control And Diverter



Handle	APC	PN	STN	EG	ULB	EB
U.3774LS- /TO	318	430	430	477	477	477
U.3774LSP- /TO	318	430	430	477	477	477
U.3775X- /TO	318	430	430	477	477	477



- Volume control or diverter only
- Rough-in valve sold separately. Select one:
  - Order R1040R 3/4" volume control rough-in valve: \$178
  - Order R1062BO 4-port, 3-way dedicated diverter rough-in valve: \$361



APC



PN



STN



EG



ULB




EB



Home



Index



## U.5751LS OR U.5752X Georgian Era™ 3/4" Exposed Therm Valve With Volume And Temperature Control




Handle	APC	PN	STN	EG	ULB	EB
U.5751LS-	4148	5600	5600	6222	6222	6222
U.5752X-	4148	5600	5600	6222	6222	6222




- Temperature and volume control
- 14 GPM/53 LPM at 60 PSI
- Use return elbow U.5397 to add concealed shower functions or U.5398 to add tub spout
- For additional top outlet functionality, choose from the various outlet options in this chapter

## U.6648 Georgian Era™ Toilet Paper Holder



	APC	PN	STN	EG	ULB	EB
U.6648	628	848	848	942	942	942

- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls




## U.6621 Georgian Era™ Robe Hook



	APC	PN	STN	EG	ULB	EB
U.6621	238	322	322	357	357	357

- Holds one robe or towel close to your shower or bathing space




## U.6622 Georgian Era™ Double Robe Hook



	APC	PN	STN	EG	ULB	EB
U.6622	238	322	322	357	357	357

- Optimize space with this double hook for multiple robe/towel storage



## U.6634 Georgian Era™ Towel Ring




	APC	PN	STN	EG	ULB	EB
U.6634	268	362	362	402	402	402

- Elegantly display bath towels in a coordinated fashion with other accessories




### U.6640 Georgian Era™ 20" Towel Bar



	APC	PN	STN	EG	ULB	EB
U.6640	678	916	916	1017	1017	1017

- Length can be cut down


### U.6641 Georgian Era™ 26" Towel Bar



	APC	PN	STN	EG	ULB	EB
U.6641	718	970	970	1077	1077	1077

- Length can be cut down


### U.6642 Georgian Era™ 32" Towel Bar



	APC	PN	STN	EG	ULB	EB
U.6642	738	997	997	1107	1107	1107

- Length can be cut down


### U.6975 Wall Mount Glass Vanity Shelf



	APC	PN	STN	EG	ULB	EB
U.6975	848	1145	1145	1272	1272	1272

- Tempered glass
- 6 1/4" (15.87 cm) projection

### U.6969 Tumbler Holder



	APC	PN	STN	EG	ULB	EB
U.6969	318	430	430	477	477	477

- Complements traditional designs



APC



PN



STN



EG



ULB



EB



GEORGIAN ERA

HOLBORN

SOUTHBANK


ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA


## U.6910 Edwardian™ 28-32" Bath Rack



	APC	PN	STN	EG	ULB	EB
U.6910	738	997	997	1107	1107	1107

- Adjustable Width
- Brass construction


## U.6931 Freestanding Makeup Mirror



	APC	PN	STN	SEG	EG	ULB	EB
U.6931	628	848	848	942	942	942	942

- 3x magnification
- Brass construction

## U.6938 Wall Mount Toilet Brush Holder



	APC	PN	STN	SEG	EG	ULB	EB
U.6938	678	916	916	1017	1017	1017	1017

- Unique wall mount design combining solid brass holder and brush handle with a white porcelain canister
- 5 5/8" (14.28 cm) projection



**GEORGIAN ERA™ 3/4" EXPOSED WALL MOUNT THERMOSTATIC SHOWER SYSTEM U.KIT61NL OR U.KIT61NX**

**Suggested Retail Price**

	APC	PN	STN	EG	ULB	EB
U.KIT61NLS-	8290	11193	11193	12435	12435	12435
U.KIT61NX-	8290	11193	11193	12435	12435	12435

- European styling
- Brass construction
- Handshower and showerhead flow rate is 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant). Valve flow rate is 14 GPM/53 LPM at 60 PSI.

### Kit Includes:

- U.5751LS or U.5752X - Exposed Therm Valve With Volume And Temperature Control
- U.5373NLS - Riser Diverter, Handshower, Hose, Parking Bracket And 8" Thermostatic Outlet
- U.5205 8" Rain Showerhead
- U.5393 31" Tall X 15" Reach Rigid Riser And Shower Outlet 40" Total Height

Complete your Shower experience by including one of our decorative drain options.



**GEORGIAN ERA™ 3/4" EXPOSED WALL MOUNT THERMOSTATIC SHOWER SYSTEM U.GA19W2LS OR U.GA19W2X**

**Suggested Retail Price**

	APC	PN	STN	EG	ULB	EB
U.GA19W2LS-__	6353	8577	8577	9530	9530	9530
U.GA19W2X-	6353	8577	8577	9530	9530	9530

- European styling
- Brass construction
- Showerhead flow rate is 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant). Valve flow rate is 14 GPM/53 LPM at 60 PSI.

### Kit Includes:

- U.5550 or U.5552X - Exposed Therm Valve With Volume And Temperature Control
- U.5205 8" Rain Showerhead
- U.5391 40" Tall x 15" Reach Riser

Complete your Shower experience by including one of our decorative drain options.



APC



PN



STN



EG



ULB



EB



Home



Index

GEORGIAN ERA

HOLBORN

SOUTHBANK

ARMSTRONG

DECO

EDWARDIAN

GEORGIAN ERA

## GEORGIAN ERA ¾" TUB FILLER OPTION 1



Suggested Retail Price

Model	Description	Polished Chrome
U.5785T0	Trim	1418
U.3805	Tub Spout	988
U.3774T0	Volume Control Trim (QTY: 2)	636
U.5195	Handshower With Hose	988
U.5544	Handshower Holder	568
U.5546	Outlet	268
1005N	Rough	428
R1040R	Volume Control Rough (QTY: 2)	356
Total Package List Price With Roughs		5650

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## GEORGIAN ERA PRESSURE BALANCE SHOWER OPTION 1



Suggested Retail Price

Model	Description	Polished Chrome
U.TGA51W1	Trim	788
U.5195	Handshower With Hose	988
U.5540	Handshower Bar	1318
U.5546	Outlet	268
R51	Rough	178
Total Package List Price With Roughs		3540

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.





### GEORGIAN ERA ½" THERM/PRESSURE BALANCE SHOWER OPTION 1

Suggested Retail Price		
Model	Description	Polished Chrome
U.TGA23W1	Trim	1068
U.5205	Showerhead	868
U.5384	Shower Arm	648
U.5195	Handshower With Hose	988
U.5540	Handshower Bar	1318
U.5546	Outlet	268
R23	Rough	258
Total Package List Price With Roughs		5416
U.TGA44W1	Trim (No Share)	1068
Total Package List Price With Roughs		5416

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

### GEORGIAN ERA ½" THERM/PRESSURE BALANCE SHOWER OPTION 2

Suggested Retail Price		
Model	Description	Polished Chrome
U.TGA45W1	Trim	1068
U.5800	Showerhead	628
U.5362	Shower Arm	588
U.5204	Ceiling Rain Showerhead	1208
U.5388	Ceiling Shower Arm	248
U.5195	Handshower With Hose	988
U.5540	Handshower Bar	1318
U.5546	Outlet	268
R45	Rough	318
Total Package List Price With Roughs		6632
U.TGA47W1LSP	Trim (No Share)	1068
Total Package List Price With Roughs		6632

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## GEORGIAN ERA ¾" THERMOSTATIC SHOWER OPTION 1



		Suggested Retail Price
Model	Description	Polished Chrome
U.5785T0	Trim	1418
U.5800	Showerhead	628
U.5362	Shower Arm	588
U.5204	Ceiling Rain Showerhead	1208
U.5388	Ceiling Shower Arm	248
U.5195	Handshower With Hose	988
U.5535	Handshower Bar	1608
U.5570	Body Sprays (QTY: 3)	1764
U.3774T0	Volume Control Trim (QTY: 3)	954
R1040R	Volume Control Rough (QTY: 3)	534
1005N	Rough	428
Total Package List Price With Roughs		10366

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.










## BATH COLLECTION HOLBORN™

The district of Holborn has some of the oldest and newest styles of architecture in London. Integrating modern structures with Tudor and Baroque styles for a natural flow requires an eye for reinvention. The Holborn Bath Collection does just that, creating a new, smooth contemporary form. A pure, minimalist shape with a timeless quality, its clean curves and lines have a dynamic sense of motion. Lacking ornamentation, it stands out with sleek simplicity, which makes the distinctly modern Holborn feel at home everywhere.



COLLECTION HIGHLIGHTS  
**HOLBORN™**

FINISH OPTIONS



LIVING  
FINISH

HANDLE DESIGNS



BATH FAUCETS



U.3870  
[p.96](#)



U.3860LS OR U.3861X  
[p.96](#)



U.3955LS OR U.3956X  
[p.96](#)



U.3321LS OR U.3322X  
[p.96](#)

TUB FILLERS



U.3990  
[p.97](#)



U.3331LS OR U.3332X  
[p.97](#)



U.3848LS OR U.3849X  
[p.97](#)



U.3975LS OR U.3976X  
[p.97](#)

ACCESSORIES



U.6447  
[p.99](#)



U.6448  
[p.99](#)



U.6421  
[p.99](#)



U.6422  
[p.100](#)



U.6434  
[p.100](#)



U.6440  
[p.100](#)



U.6441  
[p.100](#)

## SHOWER TRIMS



U.THB51W1  
[p.98](#)



U.THB23W1  
[p.98](#)

U.THB44W1  
[NO Share p.98](#)



U.THB45W1  
[p.98](#)

U.THB47W1  
[NO Share p.98](#)



U.5885LS OR U.5886X  
[p.99](#)

## TUB PACKAGE



3/4" TUB FILLER OPTION 1  
[p.102](#)

## SHOWER PACKAGES




PRESSURE BALANCE SHOWER  
OPTION 1  
[p.102](#)



1/2" THERM/PRESSURE BALANCE  
OPTION 1  
[p.103](#)



3/4" THERMOSTATIC SHOWER  
OPTION 1  
[p.104](#)




### U.3870 Holborn™ Single Handle Lavatory Faucet



	APC	PN	STN	EG	ULB
U.3870LS- -2	1158	1564	1564	1737	1737

- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" female NPSM inlet
- Lift rod drain assembly included with faucet




### U.3860LS OR U.3861X Holborn™ Widespread Lavatory Faucet



Handle	APC	PN	STN	EG	ULB
U.3860LS- -2	1398	1888	1888	2097	2097
U.3861X- -2	1398	1888	1888	2097	2097

- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet




### U.3955LS OR U.3956X Holborn™ Widespread Lavatory Faucet With C-Spout



Handle	APC	PN	STN	EG	ULB
U.3955LS- -2	1508	2036	2036	2262	2262
U.3956X- -2	1508	2036	2036	2262	2262

- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- Lift rod drain assembly included with faucet



### U.3321LS OR U.3322X Holborn™ Wall Mount Lavatory Faucet Trim



Handle	APC	PN	STN	EG	ULB
U.3321LS- /TO-2	1268	1712	1712	1902	1902
U.3322X- /TO-2	1268	1712	1712	1902	1902

- Drain sold separately. See drain options below and Lavatory Drain tab for pricing
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- Plumber to provide 1/2" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:
  - Order U.3260R-2 wall rough-in valves (set of 2) for lever handles: \$409
  - Order U.3261R-2 wall rough-in valves (set of 2) for cross handles: \$409

### SEE LAVATORY DRAINS TAB FOR PRICING



5445



5447



6442



7444



8446



CC2310FW0



0127DOF



CNZREMOTE



U.6702



APC



PN



STN



EG




ULB



Home




Index

**U.3990 Holborn™ Single Hole Floor Mount Tub Filler Trim With C-Spout**


	APC	PN	STN	EG	ULB
U.3990LS-_/TO	2958	3994	3994	4437	4437

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 8 GPM/31 LPM at 60 PSI
- Rough-in valve sold separately:  
—Order U.3440R floor rough-in valve: \$770

**U.3331LS OR U.3332X Holborn™ Wall Mount Tub Filler Trim**


Handle	APC	PN	STN	EG	ULB
U.3331LS-_/TO	1488	2009	2009	2232	2232
U.3332X-_/TO	1488	2009	2009	2232	—

- Extended lead time item (12-16 weeks)
- 16 GPM/60.5 LPM at 60 PSI
- Plumber to provide 3/4" male nipple T-fitting for spout installation
- Rough-in valve sold separately. Select one:  
—Order U.3230R wall rough-in valves (set of 2) for lever handles: \$499  
—Order U.3231R wall rough-in valves (set of 2) for cross handles: \$499
- Order two U.3243 1 1/4" extension kits to extend valves: \$84
- Order two U.3243S 5/8" extension kits to extend valves: \$73

**U.3848LS OR U.3849X Holborn™ 4-Hole Deck Mount Tub Filler With U-Spout**


Handle	APC	PN	STN	EG
U.3848LS-_/TO	3418	4615	4615	5127
U.3849X-_/TO	3418	4615	4615	5127

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install

**U.3975LS OR U.3976X Holborn™ 4-Hole Deck Mount Tub Filler With C-Spout**

Handle	APC	PN	STN	EG	ULB
U.3975LS-_/TO	3468	4682	4682	5202	5202
U.3976X-_/TO	3468	4682	4682	5202	5202

- Extended lead time item (12-16 weeks)
- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI (CEC Compliant)
- 20 GPM/76 LPM at 60 PSI
- 3/4" male NPT inlet
- No additional rough-in valve required to install

**U.3330 Transitional Wall Mount Tub Spout**


	APC	PN	STN	SEG	EG	ULB
U.3330-_/TO	868	1172	1172	1302	1302	1302

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction





Ø 7-7/8  
[200 mm]




### U.THB51W1 Holborn™ 1/2" Pressure Balance Trim



Handle	APC	PN	STN	EG	ULB
U.THB51W1LS-	738	997	997	1107	1107

- Bottom outlet compatible with diverter tub spout
- Temp. & volume control at 5.8 GPM/22 LPM at 60 PSI
- 1 function
- Rough-in valve sold separately:  
—Order R51 rough-in valve: \$178
- Extension kits available, 1 1/4" EXT51KIT114 and 3/4" EXT51KIT34

Ø 7-7/8  
[200 mm]




### U.THB44W1 (No Share) Holborn™ 1/2" Therm & Pressure Balance Trim With 2 Functions



Handle	APC	PN	STN	EG	ULB
U.THB44W1LS-	1018	1375	1375	1527	1527

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34

Ø 7-7/8  
[200 mm]




### U.THB23W1 (Shared) Holborn™ 1/2" Therm & Pressure Balance Trim With 3 Functions



Handle	APC	PN	STN	EG	ULB
U.THB23W1LS-	1018	1375	1375	1527	1527

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 2 dedicated functions and 1 shared function
- Rough-in valve sold separately:  
—Order R23 rough-in valve: \$258
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34

Ø 7-7/8  
[200 mm]




### U.THB47W1 (No Share) Holborn™ 1/2" Therm & Pressure Balance Trim With 3 Functions



Handle	APC	PN	STN	EG	ULB
U.THB47W1LS-	1018	1375	1375	1527	1527

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 5 GPM/19 LPM at 60 PSI
- 3 dedicated functions (CEC compliant)
- Rough-in valve sold separately:  
—Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34

Ø 7-7/8  
[200 mm]



### U.THB45W1 (Shared) Holborn™ 1/2" Therm & Pressure Balance Trim With 5 Functions



Handle	APC	PN	STN	EG	ULB
U.THB45W1LS-	1018	1375	1375	1527	1527

- Combines both thermostatic and pressure balance technologies
- "Set it and forget it" temperature control
- Temp. & volume control with diverter at 6.3 GPM/24 LPM at 60 PSI
- 3 dedicated functions and 2 shared functions
- Rough-in valve sold separately:  
—Order R45 rough-in valve: \$318
- Extension kits available, 1 1/4" EXT23KIT114 and 3/4" EXT23KIT34



APC



PN



STN



EG




ULB



Home




Index

**U.5885LS OR U.5886X****Holborn™ 3/4" Thermostatic Trim Without Volume Control**


Handle	APC	PN	STN	EG	ULB
U.5885LS-_/TO	1378	1861	1861	2067	2067
U.5886X-_/TO	1378	1861	1861	2067	2067

- Temperature control only
- Rough-in valve sold separately:
  - Order 1005N rough-in valve: \$428
- Volume control(s) required

**U.3064LS OR U.3065X****Holborn™ Trim For Volume Control And Diverter**


Handle	APC	PN	STN	EG	ULB
U.3064LS-_/TO	368	497	497	552	552
U.3065X-_/TO	368	497	497	552	552

- Volume control or diverter only
- Rough-in valve sold separately. Select one:
  - Order R1040R 3/4" volume control rough-in valve: \$178
  - Order R1062BO 4-port, 3-way dedicated diverter rough-in valve: \$361

**U.6447 Holborn™ Toilet Paper Holder**


	APC	PN	STN	EG	ULB
U.6447	258	349	349	387	387

- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls

**U.6448 Holborn™ Toilet Paper Holder**

	APC	PN	STN	EG	ULB
U.6448	418	565	565	627	627


- There's no need to compromise on design in this essential space
- Accommodates oversized toilet paper rolls

**U.6421 Holborn™ Robe Hook**

	APC	PN	STN	EG	ULB
U.6421	218	295	295	327	327

- Holds one robe or towel close to your shower or bathing space







### U.6422 Holborn™ Double Robe Hook

	APC	PN	STN	EG	ULB
U.6422	238	322	322	357	357

- Optimize space with this double hook for multiple robe/towel storage



### U.6434 Holborn™ Towel Ring

	APC	PN	STN	EG	ULB
U.6434	258	349	349	387	387


- Elegantly display bath towels in a coordinated fashion with other accessories



### U.6440 Holborn™ 18" Towel Bar

	APC	PN	STN	EG	ULB
U.6440	548	740	740	822	822


- Length can be cut down



### U.6441 Holborn™ 24" Towel Bar

	APC	PN	STN	EG	ULB
U.6441	568	767	767	852	852


- Length can be cut down



### U.6442 Holborn™ 30" Towel Bar

	APC	PN	STN	EG	ULB
U.6442	588	794	794	882	882

- Length can be cut down





APC



PN



STN



EG




ULB



Home



Index




## U.6482 Holborn™ 25" Oval Mirror



	APC	PN	STN	EG
U.6482	1248	1685	1685	1872

- Beveled edges for a refined look



## U.6437 Holborn™ Floor Standing Toilet Brush Holder



	APC	PN	STN	EG
U.6437	568	767	767	852

- Unique design combining solid brass canister and white porcelain brush holder

HOLBORN

DRAWER PULLS

LAVATORY DRAINS

ROUGH-IN  
VALVES

SHOWER

CARE &  
MAINTENANCE

TERMS



## HOLBORN ¾" TUB FILLER OPTION 1



## Suggested Retail Price

Model	Description	Polished Chrome
U.5885T0	Trim	1378
U.3330	Tub Spout	868
U.3064T0	Volume Control Trim (QTY: 2)	736
U.5195	Handshower With Hose	988
U.5544	Handshower Holder	568
U.5846	Outlet	268
1005N	Rough	428
R1040R	Volume Control Rough (QTY: 2)	356
Total Package List Price With Roughs		5590

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## HOLBORN PRESSURE BALANCE SHOWER OPTION 1



## Suggested Retail Price

Model	Description	Polished Chrome
U.THB51W1	Trim	738
U.5815	Handshower	368
U.5840	Handshower Bar	1318
U.5846	Outlet	268
9.28385	Hose	178
R51	Rough	178
Total Package List Price With Roughs		3048

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.



APC



PN



STN



EG



ULB



HOLBORN

DRAWER PULLS

LAVATORY DRAINS

ROUGH-IN VALVES

SHOWER

CARE &amp; MAINTENANCE

TERMS

## HOLBORN ½" THERM/PRESSURE BALANCE SHOWER OPTION 1



Suggested Retail Price

Model	Description	Polished Chrome
U.THB23W1	Trim	1018
U.5235	Showerhead	818
U.5884	Shower Arm	648
U.5815	Handshower	368
U.5840	Handshower Bar	1318
U.5846	Outlet	268
9.28385	Hose	178
R23	Rough	258
Total Package List Price With Roughs		4874
U.THB44W1	Trim (No Share)	1018
Total Package List Price With Roughs		4874

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.

## HOLBORN ½" THERM/PRESSURE BALANCE SHOWER OPTION 2



Suggested Retail Price

Model	Description	Polished Chrome
U.THB45W1	Trim	1018
U.5800	Showerhead	628
U.5882	Shower Arm	588
U.5237	Ceiling Rain Showerhead	1158
U.5888	Ceiling Shower Arm	238
U.5815	Handshower	368
U.5840	Handshower Bar	1318
U.5846	Outlet	268
9.28385	Hose	178
R45	Rough	318
Total Package List Price With Roughs		6080
U.THB47W1LS	Trim (No Share)	1018
Total Package List Price With Roughs		6080

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.


## HOLBORN 3/4" THERMOSTATIC SHOWER OPTION 1

Suggested Retail Price

Model	Description	Polished Chrome
U.5885T0	Trim	1378
U.5800	Showerhead	628
U.5882	Shower Arm	588
U.5237	Ceiling Rain Showerhead	1158
U.5888	Ceiling Shower Arm	238
U.5815	Handshower	368
U.5350	Handshower Bar	1658
9.28385	Hose	178
U.5870	Body Sprays (QTY: 3)	1764
U.3064T0	Volume Control Trim (QTY: 3)	1104
R1040R	Volume Control Rough (QTY: 3)	534
1005N	Rough	428
Total Package List Price With Roughs		10024

**Note:** Sample configuration priced in Polished Chrome. Other configurations and finishes available. Complete your shower experience by including one of our decorative drain options.






## BATH COLLECTION

# DRAWER PULLS

Match your drawer pulls to your kitchen and bath faucets for a unified and upscale look. From cup-style pulls to finely accented knobs in a variety of finishes, there is something for every design style. These fine accoutrements feel at home both in contemporary and traditional spaces.






### U.6580 Large Button Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6580	308	416	416	462	462	462	462



- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs




### U.6581 Small Button Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6581	268	362	362	402	402	402	402



- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs




### U.6590 Large Concave Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6590	308	416	416	462	462	462	462



- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs




### U.6591 Small Concave Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6591	268	362	362	402	402	402	402



- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs



### U.6570 Large Contour Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6570	308	416	416	462	462	462	462



- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs



APC



PN



STN



SEG



EG



ULB




EB



Home




Index



### U.6571 Small Contour Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6571	268	362	362	402	402	402	402


- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs



### U.6560 Large Rounded Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6560	308	416	416	462	462	462	462


- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs



### U.6561 Small Rounded Drawer Pull Knobs - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6561	268	362	362	402	402	402	402

- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 knobs



### U.6055 Shell Drawer Pull Handles - Set of 5

	APC	PN	STN	SEG	EG	ULB	EB
U.6055	348	470	470	522	522	522	522

- All mounting hardware included
- Brass construction
- Pricing shown is for a set of 5 handles










## BATH COLLECTION

# LAVATORY DRAINS

Perrin & Rowe® lavatory sink drains come in many shapes and finishes. Select the one that meets both your technical and visual needs the best, depending on the type of sink configuration you have chosen.






## U.0127DOF Lavatory Push Drain With Overflow



	APC	PN	STN	SEG	EG	ULB	EB
U.0127DOF	288	389	389	432	432	432	432

- 5" tailpiece




## 5447 Lavatory Push Drain With Overflow

ROHL



	APC	PN	STN	ULB	EG	EB
5447	400	540	540	600	600	600

- 6" tailpiece
- Fits 1 3/4" standard drain




## 5445 Lavatory Push Drain Without Overflow

ROHL



	APC	PN	STN	ULB	EG	EB
5445	400	540	540	600	600	600

- 6" tailpiece
- Fits 1 3/4" standard drain




## 8446 Lavatory Lift And Turn Drain Without Overflow

ROHL



	APC	PN	STN	EG	EB
8446	396	535	535	594	594

- 10" tailpiece
- Fits 1 3/4" standard drain




## 7444 Lavatory Grid Drain With Overflow

ROHL



	APC	PN	STN	EG	EB
7444	318	430	430	477	477

- 10" tailpiece
- Fits 1 3/4" standard drain



## 6442 Lavatory Grid Drain Without Overflow

ROHL



	APC	PN	STN	ULB	EG	EB
6442	318	430	430	477	477	477

- 10" tailpiece
- Fits 1 3/4" standard drain











## BATH COLLECTION

# ROUGH-IN VALVES

Shower design has evolved dramatically in the last 25 years. Originally created for purely functional reasons, modern showers have become much more than that. The rough-in valve is at the heart of any shower system to support the configuration that your customer desires. Whether it be a basic shower, a simple spa or a dream spa package, Perrin & Rowe has a valve to support it. Made with the best materials and supporting flow rates from 5 GPM to 16 GPM, these valves are offered with trims that match the faucet collection of your choice.





## R51 1/2" Pressure Balance Rough-in Valve With 1 Function



Connection	\$
R51	178
R51-EX	178
R51-SPEX	178

- Bottom outlet compatible with diverter tub spout
- Temperature and volume control with 5.8 GPM/22 LPM at 60 PSI
- Inlet connections: 1/2" NPT, PEX (SPEX), Expansion Pex (EX)
- Must order TXX51 trim
- 1 1/4" R51 extension kit available, order EXT51KIT114: \$68
- 3/4" R51 extension kit available, order EXT51KIT34: \$49



## R23 1/2" Therm & Pressure Balance Rough-in Valve With up to 3 Functions



Connection	\$
R23	258
R23-EX	258
R23-SPEX	258

- Combines both thermostatic and pressure balance technologies
- Temperature and volume control with diverter
- Up to 3 functions
- 6.3 GPM/24.9 LPM at 60 PSI
- Inlet connections: 1/2" NPT, PEX (SPEX), Expansion Pex (EX)
- Must order TXX23 (shared) or TXX44 (no share) trim
- 1 1/4" R23 extension kit available, order EXT23KIT114: \$68
- 3/4" R23 extension kit available, order EXT23KIT34: \$48



## R45 1/2" Therm & Pressure Balance Rough-in Valve With up to 5 Functions



Connection	\$
R45	318
R45-EX	318
R45-SPEX	318

- Combines both thermostatic and pressure balance technologies
- Temperature and volume control with diverter
- Up to 5 functions
- 6.3 GPM/24.9 LPM at 60 PSI
- Inlet connections: 1/2" NPT, PEX (SPEX), Expansion Pex (EX)
- Must order TXX45 (shared) or TXX47 (no share) trim
- 1 1/4" R23 extension kit available, order EXT23KIT114: \$68
- 3/4" R23 extension kit available, order EXT23KIT34: \$48


## 1005N 3/4" Thermostatic Rough-In Valve



Connection	\$
1005N	428

- Temperature control only
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Must order trim to complete
- Must add volume control R1040R: \$178


## R104 3/4" Volume Control Rough-In Valve



Connection	\$
R1040R	178
R1041R	178

- Order R1040R for counterclockwise functionality and R1041R for clockwise functionality
- 1 function
- 14 GPM/53 LPM at 60 PSI
- 3/4" female NPT inlet
- Must order trim to complete
- Includes 2 5/8" extension kit. Extension may be cut to length required.



## R1062BO 4-Port, 3-Way Dedicated Diverter Rough-In Valve



R1062BO \$ 361

- Diverter only
- 3 functions
- 6.5 GPM/24.6 LPM at 60 PSI
- 1/2" male NPT inlet
- Must order trim to complete
- Shared function diverter cartridge available, order 11417


## RH26BS01 Wall Mount Body Spray Rough-in Valve



RH26BS01 \$ 88

- 1/2" female NPT inlet
- For U.0226BS1 body spray



## RH08W Wall Mount Two Handle Widespread Rough-in Valve



RH08W \$ 318

- Summer 2025 orders for RH08W will transition to RH08WM
- 10 GPM/38 LPM at 60 PSI
- 1/2" female NPT inlet
- For wall mount two handle faucet trim

## RH360 Wall Mount 360° Rough-in Valve



RH360 \$ 228

- 3-point handle installation (right, top, left)
- 1.2 GPM/4.5 LPM at 60 PSI (WaterSense and CEC compliant)
- 1/2" male NPT inlet
- For wall mount TXX360 single handle lavatory faucet trim
- 3/4" Extension kit available: EXT360KIT34

## U.3440R Floor Mount Tub Filler Rough-in Valve



U.3440R \$ 770

- Single Piece Rough Valve
- 1/2" male NPT inlets/outlets
- Rough must be recessed under the finished floor
- Must order trim to complete

## U.3260R 1/2" Valve Roughs For Wall Mount Lever Set

U.3260R-2

\$  
409

- 1/2" female inlet



## U.3261R 1/2" Valve Roughs For Wall Mount Cross Set

U.3261R-2

\$  
409

- 1/2" female inlet




## U.3230R 3/4" Valve Roughs For Wall Mount Lever Handle Set

U.3230R

\$  
499

- 3/4" Female NPT inlets/outlets
- Plumber to provide 3/4" male nipple T-fitting for spout installation
- Must order trim to complete




## U.3231R 3/4" Valve Roughs For Wall Mount Cross Handle Set

U.3231R

\$  
499

- 3/4" Female NPT inlets/outlets
- Plumber to provide 3/4" male nipple T-fitting for spout installation
- Must order trim to complete



# SHOWER CONFIGURATION GUIDE

At the heart of every shower system is the valve and the inspiration behind each of our valves is our quest to provide an unparalleled experience through ease of installation and optimal functionality. All valves are made from solid brass, include features to simplify installation by the plumber and are supported by a limited lifetime warranty.

## BASIC SHOWER


½" Pressure Balance Valve



- Provides both volume and temperature control in one handle
- Supports trims across Perrin & Rowe®, ROHL® and Riobel® collections

## SIMPLE SPA

½" Thermostatic and Pressure Balance Valve



- No additional diverters or volume control/shut off valves needed
- Runs any 2 functions simultaneously or up to 3 functions independently
- Separate handle for a "set it and forget it" shower temperature system
- Supports trims across Perrin & Rowe, ROHL and Riobel collections

## DREAM SPA

¾" Thermostatic Valve




- Delivers volumes from 10-16 GPM enabling you to transform any bathroom into a luxurious spa
- Supports any shower design, ranging from a streamlined 2-person shower system to more decadent configurations
- Supports complete experience customization with specific volume controls for all functions
- Separate handle for a "set it and forget it" shower temperature system



# ROUGH-IN VALVE COMPARISON

## VALVE — TYPE P

(PRESSURE BALANCE)



### R51

- Rough only
- ½" inlet male NPT or sweat
- ½" outlet male NPT or sweat
- Service valves
- Test cap
- TXX51XX trim required


### R51-SPEX

- Rough only
- ½" inlet PEX
- ½" shower outlet PEX
- ¾" bath outlet PEX or ½" sweat
- Service valves
- Test cap
- TXX51XX trim required to complete

### R51-EX

- Rough only
- ½" inlet EXPANSION PEX
- ½" shower outlet EXPANSION PEX
- ¾" bath outlet EXPANSION PEX
- or ½" sweat
- Service valves
- Test cap
- TXX51XX trim required

## CONNECTION EXAMPLES




NPT

-SPEX

-EX

## 2-WAY — TYPE T/P

(THERMOSTATIC/PRESSURE BALANCE)  
COAXIAL PATENTED VALVE



### R23

- Rough only
- ½" inlet male NPT or sweat
- ½" outlet male NPT or sweat
- Service valves
- Test cap
- TXX23XX or TXX44XX trim required

### R23-SPEX

- Rough only
- ½" inlet PEX
- Two ½" shower outlets PEX
- Service valves
- Test cap
- TXX23XX or TXX44XX trim required

### R23-EX

- Rough only
- ½" inlet EXPANSION PEX
- Two ½" shower outlets EXPANSION PEX
- Service valves
- Test cap
- TXX23XX or TXX44XX trim required

## CONNECTION EXAMPLES




NPT

-SPEX

-EX

## 3-WAY — TYPE T/P

(THERMOSTATIC/PRESSURE BALANCE)  
COAXIAL PATENTED VALVE



### R45

- Rough only
- ½" inlet male NPT or sweat
- Three ½" outlets male NPT or sweat
- Service valves
- Test cap
- TXX45XX or TXX47XX trim required

### R45-SPEX

- Rough only
- ½" inlet PEX
- Three ½" outlets PEX
- Service valves
- Test cap
- TXX45XX or TXX47XX trim required

### R45-EX

- Rough only
- ½" inlet EXPANSION PEX
- Three ½" outlets EXPANSION PEX
- Service valves
- Test cap
- TXX45XX or TXX47XX trim required

## CONNECTION EXAMPLES




NPT

-SPEX

-EX

## 4-WAY — TYPE T

(THERMOSTATIC) ¾"



### 1005N

- Rough only
- ¾" inlet male NPT
- Temperature Control Only. Must order volume control rough valves separately.
- Stop Valves
- Two ¾" NPT outlets female
- TXX13 trim required



# SHOWER CONFIGURATION GUIDE

## ½" PRESSURE BALANCE

R51 | Basic Shower — 1 Function

High Efficiency


- 5.8 GPM
- Temperature and volume control
- Extension kit available and sold separately
- Available inlet connections: ½" NPT, PEX (SPEX), Expansion PEX (EX)
- Bottom outlet compatible with diverter tub spout; not suitable for handshower
- Must purchase trim TXX51 separately



## ½" THERMOSTATIC AND PRESSURE BALANCE

R23 | Simple Spa — 3 Functions

- 6.3 GPM
- 2 dedicated functions and 1 shared function
- Temperature and volume control with diverter
- Separate handle allows for "set it and forget it" temperature control
- Combines both thermostatic and pressure balance technologies
- Extension kit available and sold separately
- Available inlet connections: ½" NPT, PEX (SPEX), Expansion Pex (EX)
- Must purchase trim TXX23 separately




## ½" THERMOSTATIC AND PRESSURE BALANCE

R23 | Simple Spa — 2 Dedicated Functions

High Efficiency

- 6.3 GPM
- 2 dedicated functions
- Temperature and volume control with diverter
- Separate handle allows for "set it and forget it" temperature control
- Combines both thermostatic and pressure balance technologies
- Extension kit available and sold separately
- Available inlet connections: ½" NPT, PEX (SPEX), Expansion Pex (EX)
- Must purchase trim TXX44 separately






# SHOWER CONFIGURATION GUIDE

## 1/2" THERMOSTATIC AND PRESSURE BALANCE

R45 | Simple Spa — 5 Functions

- 6.3 GPM
- 3 dedicated functions and 2 shared functions
- Temperature and volume control with diverter
- Separate handle allows for "set it and forget it" temperature control
- Combines both thermostatic and pressure balance technologies
- Extension kit available and sold separately
- Available inlet connections: 1/2" NPT, PEX (SPEX), Expansion PEX (EX)
- Must purchase trim TXX45 separately




## 1/2" THERMOSTATIC AND PRESSURE BALANCE

R45 | Simple Spa — 3 Dedicated Functions

High Efficiency


- 6.3 GPM
- 3 dedicated functions
- Temperature and volume control with diverter
- Separate handle allows for "set it and forget it" temperature control
- Combines both thermostatic and pressure balance technologies
- Extension kit available and sold separately
- Available inlet connections: 1/2" NPT, PEX (SPEX), Expansion PEX (EX)
- Must purchase trim TXX47 separately



## 3/4" THERMOSTATIC ROUGH VALVE

1005N | Dream Spa — Multi-Function

- 12.0 GPM
- "Set it and forget it" temperature control only
- Extension kit included with valve
- Must add R1040R volume controls, sold separately
- As configured in diagram, every component may be utilized independently or shared
- For increased functionality, add additional volume controls
- Available inlet connection: 3/4" NPT
- Must purchase trim separately




## 3/4" THERMOSTATIC ROUGH VALVE

1005N | Dream Spa — Dedicated Multi-Functions

High Efficiency

- 12.0 GPM
- "Set it and forget it" temperature control only
- Extension kit included with valve
- Must add R1040R volume controls, sold separately
- Must add R1062BO diverter, sold separately
- Available inlet connection: 3/4" NPT
- Must purchase trim separately












## BATH COLLECTION

# SHOWER

Perrin and Rowe® offers a variety of recommended shower components, including body sprays, rain showers, ADA compliant grab bars, coordinating shower arms, valve trims and valve options to transform your shower into a spa and deliver the luxurious showering experience you dream of.

[HOLBORN](#)[DRAWER PULLS](#)[LAVATORY DRAINS](#)[ROUGH-IN VALVES](#)[SHOWER](#)[CARE & MAINTENANCE](#)[TERMS](#)






## WI0123 4" Multi-Function Showerhead

ROHL



	APC	PN	STN	EB
WI0123	448	605	605	672

- Adjustable dial allows for infinite number of spray settings
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- 3/4"F to 1/2"M adaptor available see part # U.5399
- Metal Construction




## BI00059 4" Multi-Function Showerhead

ROHL



	APC	PN	STN	ULB	EB
BI00059	448	605	605	672	672

- Adjustable dial allows for infinite number of spray settings
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- 3/4"F to 1/2"M adaptor available see part # U.5399
- Metal Construction




## 1085/8 4" 3-Function Showerhead

ROHL



	APC	PN	STN	ULB
1085/8	498	673	673	747

- 3 functions
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Metal Construction




## 1080/8 4" 5-Function Showerhead

ROHL



	APC	PN	STN	ULB
1080/8	498	673	673	747

- 5 functions
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Metal Construction




## U.5800 4" 6-Function Showerhead



	APC	PN	STN	SEG	EG	EB
U.5800	628	848	848	942	942	942

- 6 functions
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- The showerhead comes with a 3/4" adaptor installed. Remove 3/4" adaptor for 1/2" installation
- Metal Construction


## U.5205 8" Rain Showerhead



	APC	PN	STN	SEG	EG	ULB	EB
U.5205	868	1172	1172	1302	1302	1302	1302

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- 3/4" NPSM connection
- To install on 1/2" outlet shower arms, use adaptor U.5379
- Metal Construction



## U.5260 8" Rain Showerhead



	APC	PN	STN	EG
U.5260	1038	1402	1402	1557

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction


## U.5135 8" Rain Showerhead



	APC	PN	EG
U.5135	988	1334	1482

- Complements Deco™ collection and other transitional designs
- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction



## U.5235 8" Rain Showerhead



	APC	PN	STN	EG	ULB	EB
U.5235	818	1105	1105	1227	1227	1227

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction


## U.80126RS1 8" Rain Showerhead



	APC	PN	STN	SEG	EG	ULB
U.80126RS1	868	1172	1172	1302	1302	1302

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Metal Construction


## 1070/8 8" Rain Showerhead



	APC	PN	STN
1070/8	1048	1415	1415

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction


## 1037/8 9" Rain Showerhead



	APC	PN	STN	ULB
1037/8	668	902	902	1002

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction


## I00410 10" Rain Showerhead



	APC	PN	STN
I00410	718	970	970

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction


## U.5204 12" Rain Showerhead



	APC	PN	STN	SEG	EG	ULB	EB
U.5204	1208	1631	1631	1812	1812	1812	1812

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- 3/4" NPSM connection
- To install on 1/2" outlet shower arms, use adaptor U.5379
- Metal Construction


## U.5237 12" Rain Showerhead



	APC	PN	STN	SEG	EG	ULB	EB
U.5237	1158	1564	1564	1737	1737	1737	1737

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction


U.7AR27SA 7" Wall Mount Shower Arm



	APC	PN	STN	SEG	EG	ULB
U.7AR27SA	478	646	646	717	717	717

- Escutcheon included
- 1/2" male outlet; 1/2" male NPT inlet


U.5362 7" Wall Mount Shower Arm



	APC	PN	STN	SEG	EG	ULB	EB
U.5362	588	794	794	882	882	882	882

- Escutcheon included
- Complements traditional designs
- 3/4" male NPSM outlet; 1/2" male NPT inlet


U.5882 7" Wall Mount Shower Arm



	APC	PN	STN	EG	ULB	EB
U.5882	588	794	794	882	882	882

- Escutcheon included
- Complements Holborn™ collection and other transitional designs
- 1/2" male outlet; 1/2" male NPT inlet

U.5182 7" Wall Mount Shower Arm




	APC	PN	EG
U.5182	648	875	972

- Escutcheon included
- Complements Deco™ collection and other transitional designs
- 1/2" male outlet; 1/2" female NPT inlet

1440/8 9" Wall Mount Shower Arm

ROHL




	APC	PN	STN	ULB
1440/8	198	268	268	297

- Comes with three escutcheon flanges
- Choose the one that best fits your design, recycle the others
- 1/2" male outlet; 1/2" male NPT inlet



### 1475/12 12" Wall Mount Shower Arm


ROHL



	APC	PN	STN	ULB
1475/12	328	443	443	492

- Escutcheon included
- 1/2" male outlet; 1/2" male NPT inlet
- Modern style round escutcheon available, order ROGSCO14


### U.5384 15" Wall Mount Shower Arm



	APC	PN	STN	SEG	EG	ULB	EB
U.5384	648	875	875	972	972	972	972

- Escutcheon included
- 3/4" male NPSM outlet; 1/2" male NPT inlet
- To install 1/2" inlet showerheads, use adaptor U.5399


### U.5884 15" Wall Mount Shower Arm



	APC	PN	STN	EG	ULB	EB
U.5884	648	875	875	972	972	972

- Escutcheon included
- Complements Holborn™ collection and other transitional designs
- 1/2" male outlet; 1/2" male NPT inlet


### U.5184 15" Wall Mount Shower Arm



	APC	PN	EG
U.5184	698	943	1047

- Escutcheon included
- Complements Deco™ collection and other transitional designs
- 1/2" male outlet; 1/2" male NPT inlet

### U.20AR27SA 20" Wall Mount Shower Arm



	APC	PN	STN	SEG	EG	ULB
U.20AR27SA	528	713	713	792	792	792

- Escutcheon included
- 1/2" male outlet; 1/2" male NPT inlet

200127SA 20" Wall Mount Shower Arm

ROHL

	APC	PN	STN	ULB
200127SA	388	524	524	582

- Comes with three escutcheon flanges
- Choose the one that best fits your design, recycle the others
- 1/2" male outlet; 1/2" male NPT inlet

U.5388 4" Ceiling Mount Shower Arm

	APC	PN	STN	SEG	EG	ULB	EB
U.5388	248	335	335	372	372	372	372

- Escutcheon included
- 3/4" male outlet; 1/2" male NPT inlet
- To install 1/2" inlet showerheads, use adaptor U.5399

U.5888 4" Ceiling Mount Shower Arm

	APC	PN	STN	SEG	EG	ULB	EB
U.5888	238	322	322	357	357	357	357

- Escutcheon included
- Complements Holborn™ collection and other transitional designs
- 1/2" male outlet; 1/2" male NPT inlet
- Use U.5379 3/4" M x 1/2" F adaptor to use 3/4" showerhead assembly

1505/6 7" Ceiling Mount Shower Arm

ROHL

	APC	PN	STN	ULB
1505/6	198	268	268	297

- Comes with three escutcheon flanges
- Choose the one that best fits your design, recycle the others
- 1/2" male outlet; 1/2" male NPT inlet

1505/12 13" Ceiling Mount Shower Arm

ROHL

	APC	PN	STN	ULB
1505/12	278	376	376	417

- Comes with three escutcheon flanges
- Choose the one that best fits your design, recycle the others
- 1/2" male outlet; 1/2" male NPT inlet




## 1505/24 24" Ceiling Mount Shower Arm

ROHL




	APC	PN	STN	ULB
1505/24	328	443	443	492

- Comes with three escutcheon flanges
- Choose the one that best fits your design, recycle the others
- 1/2" male outlet; 1/2" male NPT inlet




## U.5393 31" X 15" Rigid Riser Shower Outlet



	APC	PN	STN	SEG	EG	ULB	EB
U.5393	928	1253	1253	1392	1392	1392	1392

- Length can be cut down
- For use with U.5783N riser diverters and outlet connector U.5394
- 3/4" female NPSM inlet




## U.5391 40" X 15" Rigid Riser Shower Outlet




	APC	PN	STN	SEG	EG	ULB	EB
U.5391	1038	1402	1402	1557	1557	1557	1557

- Length can be cut down
- 3/4" female NPSM inlet




## U.5381 63" X 15" Rigid Riser Shower Outlet



	APC	PN	STN	EG	ULB	EB
U.5381	1337	1805	1805	2006	2006	2006

- Length can be cut down
- Includes U.5390 connector to top outlet on U.3530L or U.3531X, U.3018LSP and U.3019X exposed tub fillers
- 3/4" female NPSM inlet




## U.5394 8" Thermostatic Outlet Connector



	APC	PN	STN	SEG	EG	ULB	EB
U.5394	178	241	241	267	267	267	267

- For use with U.5783N riser diverters and U.5393 riser


## U.5825 1" Single Function Handshower



	APC	PN	STN	EG	ULB	EB
U.5825	368	497	497	552	552	552

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Metal Construction


## U.5810 3" 6-Function Handshower



	APC	PN	STN	EG
U.5810	628	848	848	942

- 6 functions
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Complements Holborn™ collection and other transitional designs
- Metal Construction


## 40126HS1 4" Single Function Handshower



	APC	PN	STN
40126HS1	288	389	389


- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)

## U.5815 4" Single Function Handshower



	APC	PN	STN	EG
U.5815	368	497	497	552

- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction




## U.40226HS1 4" Single Function Handshower



	APC	PN	STN	SEG	EG	ULB
U.40226HS1	758	1024	1024	1137	1137	1137

- Finished sprayface gives a truly luxurious experience
- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Metal Construction






## 1150/8 4" 3-Function Handshower



	APC	PN	STN
1150/8	548	740	740

- White accent handshower handle
- 3 functions
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction




## 1151/8 4" 3-Function Handshower



	APC	PN	STN	ULB
1151/8	548	740	740	822

- Metal handshower handle
- 3 functions
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Metal Construction




## 402HS5 4" 5-Function Handshower



	APC	PN	STN
402HS5	548	740	740

- 5 functions
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Metal Construction




## 50226HS3 5" 3-Function Handshower



	APC	PN	STN
50226HS3	298	403	403

- 3 functions
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)



## U.5783N Riser Diverter With Handshower, Hose, And Parking Bracket



	APC	PN	STN	EG	ULB	EB
U.5783N	2168	2927	2927	3252	3252	3252

- For use with exposed thermostatic valve, outlet and riser
- Complements Georgian Era™ collection and other traditional designs
- Single-function handshower
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)

### U.5373N

Riser Diverter, Handshower, Handshower Holder, Hose and 8" Thermostatic Outlet

Handle	APC	PN	STN	SEG	EG	ULB	EB
U.5373N	2218	2995	2995	3327	3327	3327	3327
U.5373NLS-	2218	2995	2995	3327	3327	3327	3327

- For use with exposed thermostatic valve
- Important: Position the lever on the right with the outlet pointing down on the left
- Single-function handshower
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Order U.5373NLS for metal handle and handshower. Priced the same.
- Metal Construction

### U.3183

Deco™ Wall Mount Tub Spout

	APC	PN	EG
U.3183	818	1105	1227

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction

### U.3805

Edwardian™ Wall Mount Tub Spout With C-Spout

	APC	PN	STN	EG	EB
U.3805	988	1334	1334	1482	1482

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction

### U.3785

Edwardian™ Wall Mount Tub Spout

	APC	PN	STN	EG	ULB	EB
U.3785	988	1334	1334	1482	1482	1482

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction


### U.3585

Edwardian™ Wall Mount Tub Spout With U-Spout

	APC	PN	STN	SEG	EG	ULB	EB
U.3585	698	943	943	1047	1047	1047	1047

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction


U.3330 Transitional Wall Mount Tub Spout



	APC	PN	STN	SEG	EG	ULB
U.3330	868	1172	1172	1302	1302	1302

- Extended lead time item (12-16 weeks)
- 12 GPM/45.4 LPM at 60 PSI
- 3/4" female NPT inlet
- Metal Construction

9.28385 58" Flexible Shower Hose




	APC	PN	STN	SEG	EG	ULB	EB
9.28385	178	241	241	267	267	267	267

- For use with handshower (sold separately)

5927SH 59" Metal Shower Hose

ROHL




	APC	PN	STN
5927SH	148	200	200

- For use with handshower (sold separately)

16295 59" Metal Shower Hose

ROHL




	APC	PN	STN	ULB
16295	148	200	200	222

- For use with handshower (sold separately)


16295/79 79" Metal Shower Hose

ROHL



	APC	PN	STN
16295/79	188	254	254

- For use with handshower (sold separately)




### U.5387 Handshower And Hose

Handle	APC	PN	STN	SEG	EG	ULB	EB
U.5387	928	1253	1253	1392	1392	1392	1392
U.5387LS	928	1253	1253	—	1392	1392	1392



- U.5387 comes with a porcelain handle. Order U.5387LS for metal handle, price is the same.
- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- 58" (147.32 cm) hose
- Metal Construction




### U.5195 Handshower And Hose

	APC	PN	EG	EB
U.5195	988	1334	1482	1482



- Complements Deco™ collection and other transitional designs
- 1 function
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- 60" (152.4 cm) hose
- Metal Construction




### AKIT8073 Handshower Set With 21" Slide Bar and Single Function Handshower

ROHL

Handle	APC	PN	STN
AKIT8073XM	1408	1901	1901



- C7135 single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Ø 45/64" (17.8mm) slide bar
- Complements San Giovanni™ collection and other transitional designs




### 1300E Handshower Set With 22" Slide Bar and Single Function Handshower

ROHL

	APC	PN	STN	ULB
1300E	1018	1375	1375	1527



- White accent insert on 1300E cross handle and handshowers
- 1100/8E single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 3/4" (19mm) slide bar



### 1301E Handshower Set With 22" Slide Bar and Single Function Handshower


ROHL

	APC	PN	STN	ULB
1301E	1018	1375	1375	1527



- Metal insert on 1301E cross handle and handshowers
- 1101/8E single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 3/4" (19mm) slide bar






### 1310 Handshower Set With 22" Slide Bar and 3-Function Handshower

ROHL



	APC	PN	STN
1310	1178	1591	1591

- 1150/8 3-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Ø 3/4" (19mm) slide bar




### 1311 Handshower Set With 22" Slide Bar and 3-Function Handshower

ROHL



	APC	PN	STN	ULB
1311	1178	1591	1591	1767

- 1151/8 3-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (CEC compliant)
- Ø 3/4" (19mm) slide bar




### 1330 Handshower Set With 24" Slide Bar and Single Function Handshower

ROHL



	APC	PN	STN	ULB
1330	1448	1955	1955	2172

- 1105/8 single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 23/32" (18mm) slide bar
- Complements Palladian® collection and other transitional designs




### 1600 Handshower Set With 30" Slide Bar and Single Function Handshower

ROHL



	APC	PN	STN
1600	738	997	997

- 1670/8 single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 3/4" (19mm) slide bar




### U.5540 24" Slide Bar



	APC	PN	STN	SEG	EG	ULB	EB
U.5540	1318	1780	1780	1872	1977	1977	1977

- Use with Perrin & Rowe® hoses only
- Includes both porcelain and metal lever inserts
- Ø 3/4" (19mm) slide bar




### U.5140 24" Slide Bar



	APC	PN	EG
U.5140	1378	1861	2067

- Length can be cut down
- Use with Perrin & Rowe hoses only
- Ø 3/4" (19mm) slide bar
- Complements Deco™ collection and other transitional designs




### U.5350 24" Slide Bar With Integrated Volume Control And Outlet



	APC	PN	STN	EG	ULB
U.5350	1658	2239	2239	2487	2487

- Length can be cut down
- Use with Perrin & Rowe 9.28385 hoses only
- Volume control
- Ø 3/4" (19mm) slide bar
- Complements Holborn™ collection and other transitional designs
- Metal Construction




### U.5535 25" Slide Bar With Integrated Volume Control And Outlet



	APC	PN	STN	SEG	EG	ULB	EB
U.5535	1608	2171	2171	2412	2412	2412	2412

- Length can be cut down
- Use with Perrin & Rowe hoses only
- Volume control
- Ø 3/4" (19mm) slide bar
- Complements Edwardian™ collection and other traditional designs




### U.AR260127SB 26" Slide Bar



	APC	PN	STN	SEG	EG	ULB
U.AR260127SB	1098	1483	1483	1647	1647	1647

- Length can be cut down
- Ø 3/4" (19mm) slide bar
- Complements Armstrong™ collection and other transitional designs




### U.5840 26" Slide Bar



	APC	PN	STN	EG	ULB
U.5840	1318	1780	1780	1977	1977

- Length can be cut down
- Ø 3/4" (19mm) slide bar
- Complements Holborn™ collection and other transitional designs




## 0126SBHS1 Handshower Set With 31" Slide Bar and Single Function Handshower



	APC	PN	STN
0126SBHS1	738	997	997

- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 25/32" (19.8mm) slide bar
- Length cannot be cut down




## 1252 18" Grab Bar



	APC	PN	STN	ULB
1252	738	997	997	1107

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 25/32" (19.8mm) slide bar




## 1265 18" Grab Bar



	APC	PN	STN	ULB
1265	798	1078	1078	1197

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 13/8" (35mm) slide bar



## U.6907 22" Grab Bar



	APC	PN	STN	EG	ULB	EB
U.6907	868	1172	1172	1302	1302	1302

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 11/4" (32mm) slide bar



## 1266 24" Grab Bar



	APC	PN	STN	ULB
1266	848	1145	1145	1272

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 13/8" (35mm) slide bar



## U.6911 28" Grab Bar

	APC	PN	STN	EG	EB
U.6911	928	1253	1253	1392	1392

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 1 1/4" (32mm) slide bar

## 1267 36" Grab Bar

	APC	PN	STN
1267	898	1213	1213

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 1 3/8" (35mm) slide bar

## 1279 36" Grab Bar

	APC	PN	STN
1279	1318	1780	1780

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 1 3/8" (35mm) slide bar
- Complements Palladian® collection and other transitional designs

## 1271 24" Grab Bar With Sliding Handshower Holder

	APC	PN	STN
1271	1118	1510	1510


- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 1 3/8" (35mm) slide bar

## 1270 36" Grab Bar With Sliding Handshower Holder

	APC	PN	STN
1270	1118	1510	1510

- Length cannot be cut down
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Ø 1 3/8" (35mm) slide bar






## 1282 Handshower Set With 24" Grab Bar and Single Function Handshower



	APC	PN	STN
1282	1898	2563	2563



- 1105/8 single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 1 3/8" (35mm) slide bar
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)
- Complements Palladian® collection and other transitional designs




## 1272E Handshower Set With 39" Grab Bar and Single Function Handshower



	APC	PN	STN
1272E	1568	2117	2117



- 1101/8E single-function handshower
- 59" (150 cm) shower hose
- 1.8 GPM/6.7 LPM at 60 PSI (WaterSense and CEC compliant)
- Ø 1 3/8" (35mm) slide bar
- Grab Bar compliant with Americans with Disabilities Act of 1990 (ADA)




## U.5546 Handshower Outlet

	APC	PN	STN	SEG	EG	ULB	EB
U.5546	268	362	362	402	402	402	402



- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction




## U.5846 Handshower Outlet

	APC	PN	STN	EG	ULB
U.5846	268	362	362	402	402



- Complements Holborn™ collection and other transitional designs
- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction




## U.5146 Handshower Outlet

	APC	PN	EG
U.5146	318	430	477




- Complements Deco™ collection and other transitional designs
- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction



### U.0227WO Handshower Outlet

	APC	PN	STN	SEG	EG	ULB
U.0227WO	248	335	335	372	372	372

- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction





### 0327WO Handshower Outlet With Integrated Volume Control

ROHL

	APC	PN	STN	ULB
0327WO	258	349	349	387

- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction





### 0427WO Handshower Outlet With Integrated Volume Control

ROHL

	APC	PN	STN	ULB
0427WO	258	349	349	387


- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction



### U.5302 Handshower Outlet With Holder

	APC	PN	STN	EG
U.5302	568	767	767	852

- Complements Holborn™ collection and other transitional designs
- 1/2" male outlet; 1/2" female NPT inlet
- Metal Construction




### U.AR0127HH Wall Mount Handshower Holder

HEP

	APC	PN	STN	SEG	EG	ULB	EB
U.AR0127HH	568	767	767	852	852	852	852

- Complements Armstrong™ collection and other transitional designs
- Metal Construction






## U.5544 Wall Mount Handshower Holder

	APC	PN	STN	SEG	EG	ULB	EB
U.5544	568	767	767	852	852	852	852

- Adjustable
- Metal Construction




## 1660 Wall Mount Handshower Holder

ROHL

	APC	PN	STN	ULB
1660	208	281	281	312


- Adjustable
- Metal Construction



## U.5300 Wall Mount Handshower Holder

	APC	PN	STN	EG
U.5300	448	605	605	672


- Complements Holborn™ collection and other transitional designs
- Metal Construction



## U.5100 Wall Mount Handshower Holder

	APC	PN	EG
U.5100	588	794	882

- Complements Deco™ collection and other transitional designs
- Metal Construction




## U.5870 Single Function Body Spray

	APC	PN	STN	EG	ULB	EB
U.5870	588	794	794	882	882	882

- 1 function
- 1.3 GPM/4.9 LPM at 45 PSI (CEC compliant)
- Complements Holborn™ collection and other transitional designs




U.5570 Single Function Body Spray



	APC	PN	STN	SEG	EG	ULB	EB
U.5570	588	794	794	882	882	882	882

- 1 function
- 1.0 GPM/3.8 LPM at 45 PSI (CEC compliant)

U.0326BS1 Single Function Body Spray




	APC	PN	STN	SEG	EG	ULB
U.0326BS1	448	605	605	672	672	672

- 1 function
- 1.8 GPM/6.7 LPM at 45 PSI (CEC compliant)

0126BS1 2-Function Body Spray


ROHL



	APC	PN	STN
0126BS1	438	592	592

- 2 functions
- 1.0 GPM/3.8 LPM at 45 PSI (CEC compliant)
- Complements Tenerife™ collection and other transitional designs



U.0226BS1 Single Function Body Spray



	APC	PN	STN	SEG	EG	ULB
U.0226BS1	1078	1456	1456	1617	1617	1617

- 1 function
- 2.0 GPM/7.6 LPM at 45 PSI
- Rough-in valve sold separately:  
—Order RH26BS01 rough-in valve: \$88
- Must be installed at framing stage. Do not set finish wall until rough assembly is installed.


U.5379 3/4" M X 1/2" F Adaptor



	APC	PN	STN	EG	ULB	EB
U.5379	98	133	133	147	147	147

- Allows 3/4" inlet showerheads to be installed on existing 1/2" shower arms






## U.5399 3/4" F X 1/2" M Adaptor



	APC	PN	STN	EG	ULB	EB
U.5399	118	160	160	177	177	177

- To connect hose to outlet of exposed tub filler or exposed thermostatic valve
- To reduce 3/4" outlet shower arm to 1/2"




## V00275 Finished Vacuum Breaker

ROHL



	APC	PN	STN
V00275	78	106	106

- 1/2" male x 1/2" female connectors




## SDPVC2/3-3142 PVC 2" X 3" Drain Kit With 3142 Weave Decorative Cover

ROHL



	APC	PN	STN	EB
SDPVC2/3-3142	548	740	740	822

- Accommodates 41 GPM flow rate




## SDPVC2/3-3143 PVC 2" X 3" Drain Kit With 3143 Matrix Decorative Cover

ROHL



	APC	PN	STN	EB
SDPVC2/3-3143	548	740	740	822

- Accommodates 41 GPM flow rate




## SDPVC2/3-3144 PVC 2" X 3" Drain Kit With 3144 Mosaic Decorative Cover

ROHL



	APC	PN	STN	EB
SDPVC2/3-3144	548	740	740	822

- Accommodates 41 GPM flow rate




### SDPVC2/3-3146 PVC 2" X 3" Drain Kit With 3146 Petal Decorative Cover

ROHL

	APC	PN	STN	EB
SDPVC2/3-3146	548	740	740	822

- Accommodates 41 GPM flow rate




### SDCI2-3142 Cast Iron 2" No Hub Drain Kit With 3142 Weave Decorative Cover

ROHL

	APC	PN	STN
SDCI2-3142	718	970	970

- Accommodates 41 GPM flow rate




### SDCI2-3143 Cast Iron 2" No Hub Drain Kit With 3143 Matrix Decorative Cover

ROHL

	APC	PN	STN
SDCI2-3143	718	970	970

- Accommodates 41 GPM flow rate




### SDCI2-3144 Cast Iron 2" No Hub Drain Kit With 3144 Mosaic Decorative Cover

ROHL

	APC	PN	STN
SDCI2-3144	718	970	970

- Accommodates 41 GPM flow rate




### SDCI2-3146 Cast Iron 2" No Hub Drain Kit With 3146 Petal Decorative Cover

ROHL

	APC	PN	STN
SDCI2-3146	718	970	970

- Accommodates 41 GPM flow rate







### DC3142 Weave Decorative Drain Cover

ROHL

	APC	PN	STN	EB
DC3142	298	403	403	447




- To complete set, select from one of the below:
  - ROHL Drain Body Kits, including throat assembly: SDCI2, SDABS2/3, SDPVC2/3
  - Customer supplied drain body\* and ROHL Drain Throat Assembly: DT105CI3, DT123ABS3, DT122ABS2
- \* Refer to third party drain body specification sheet for appropriate size




### DC3143 Matrix Decorative Drain Cover

ROHL

	APC	PN	STN	ULB	EB
DC3143	298	403	403	447	447



- To complete set, select from one of the below:
  - ROHL Drain Body Kits, including throat assembly: SDCI2, SDABS2/3, SDPVC2/3
  - Customer supplied drain body\* and ROHL Drain Throat Assembly: DT105CI3, DT123ABS3, DT122ABS2
- \* Refer to third party drain body specification sheet for appropriate size




### DC3144 Mosaic Decorative Drain Cover

ROHL

	APC	PN	STN	ULB	EB
DC3144	298	403	403	447	447




- To complete set, select from one of the below:
  - ROHL Drain Body Kits, including throat assembly: SDCI2, SDABS2/3, SDPVC2/3
  - Customer supplied drain body\* and ROHL Drain Throat Assembly: DT105CI3, DT123ABS3, DT122ABS2
- \* Refer to third party drain body specification sheet for appropriate size




### DC3146 Petal Decorative Drain Cover

ROHL

	APC	PN	STN	EB
DC3146	298	403	403	447



- To complete set, select from one of the below:
  - ROHL Drain Body Kits, including throat assembly: SDCI2, SDABS2/3, SDPVC2/3
  - Customer supplied drain body\* and ROHL Drain Throat Assembly: DT105CI3, DT123ABS3, DT122ABS2
- \* Refer to third party drain body specification sheet for appropriate size




### SDPVC2/3 PVC 2" X 3" Drain Body Kit

ROHL

	\$
SDPVC2/3	164




- Accommodates 41 GPM flow rate
- ROHL Decorative Drain Cover required to complete set: DC3142, DC3143, DC3144, DC3146




### SDABS2/3 ABS 2" X 3" Drain Body Kit

ROHL

		\$
SDABS2/3		185



- Accommodates 41 GPM flow rate
- ROHL Decorative Drain Cover required to complete set: DC3142, DC3143, DC3144, DC3146




### SDCI2 Cast Iron 2" No Hub Drain Body Kit

ROHL

		\$
SDCI2		330



- Accommodates 41 GPM flow rate
- ROHL Decorative Drain Cover required to complete set: DC3142, DC3143, DC3144, DC3146




### U.6913 24" Shower Door Pull Handle

	APC	PN	STN	SEG	EG	ULB	EB
U.6913	678	916	916	1017	1017	1017	1017




- All mounting hardware included
- Brass construction
- For use with glass doors
- Can be cut to desired length




### U.6952 10" Bottle Basket

	APC	PN	STN	EG	ULB	EB
U.6952	318	430	430	477	477	477




- An elegant addition to the shower space that provides a dedicated holder for your bar soap and bottles
- 4 1/2" (11.43 cm) projection



### U.6951 20" Bottle Basket


	APC	PN	STN	EG	ULB	EB
U.6951	338	457	457	507	507	507



- An elegant addition to the shower space that provides a dedicated holder for your bar soap and bottles
- 4 1/2" (11.43 cm) projection





U.6962 20" Bottle Basket With Soap Tray



	APC	PN	STN	EG	ULB	EB
U.6962	428	578	578	642	642	642

- An elegant addition to the shower space that provides a dedicated holder for your bar soap and bottles
- 5 1/2" (13.97 cm) projection


U.6967 Wall Mounted Soap Basket



	APC	PN	STN	SEG	EG	ULB	EB
U.6967	268	362	362	402	402	402	402

- An elegant addition to the shower space that provides a dedicated holder for your bar soap
- 5 1/8" (13.01 cm) projection


U.6968 Basket for Slide Bar, Ø Of 19mm (3/4")



	APC	PN	STN	EG	ULB	EB
U.6968	268	362	362	402	402	402

- An elegant addition to the shower space that provides a dedicated holder on your slide rail for your bar soap
- 4 3/4" (12.06 cm) projection


U.6916 Edwardian™ Wall Mount Corner Basket



	APC	PN	STN	SEG	EG	ULB	EB
U.6916	318	430	430	477	477	477	477

- An elegant addition to the shower space that provides a dedicated holder for your bar soap
- 7 3/4" (19.68 cm) projection

U.6959 Two Tier Corner Basket



	APC	PN	STN	EG	ULB	EB
U.6959	628	848	848	942	942	942

- All mounting hardware included
- Brass construction

# PRODUCT TERMS



**ADA COMPLIANT**

Meets Americans with Disability Act (ADA) requirements for the physically challenged. Applicable for Lever Handle only.

**BOOMERANG™**

**BOOMERANG™ PULLDOWN TECHNOLOGY**

A comprehensive system of features, with a flexible hose and retractable spray head, and design elements that improve the way your faucet functions. These features are engineered to work in unison to enhance overall functionality and usability. Naturally responds to the way you work, and the way you want your faucet to work.



**CEC COMPLIANT**

Item meets the California Energy Commission (CEC) guidelines for water consumption and energy usage. The purpose of this regulation is to improve the efficiency of power products, save energy, reduce gas emissions and the greenhouse effect.



**DÉCOR XPRESS**

Décor Xpress offers exclusive access to our top-selling world renowned collections. These select collections now have unprecedented availability with an expected ship date of two business days\*. This improved service level comes at no additional cost to you. Exclusions apply.

*\*After order finalization, unless ship date is specified by the customer.*



**TOUCHLESS FAUCETS**

Single sensor touchless faucets allow you to easily turn water on and off with the wave of a hand, keeping messes and germs at bay.



**WATERSENSE®**

A voluntary program regulated but the Department of Energy (DOE) that is designed to save energy and conserve water by limiting the water usage on products that include, but not limited to, shower heads, hand showers and toilets. The House of Rohl® offers a variety of faucets and showering products that meets EPA WaterSense certification criteria.

**EASY-GLIDE ADJUSTABLE SLIDER**

Experience the epitome of luxury with our state-of-the-art mechanism, designed for effortless slider adjustment at the mere touch of a button. This cutting-edge innovation guarantees seamless and fluid movement, elevating your experience to new heights of sophistication.

**QUICK CONNECT**

Quick Connect System assures quick, secure and hassle-free installation for select House of Rohl kitchen and bath faucets. This solution helps save valuable time for plumbers and installers alike.

# CARE AND MAINTENANCE

Do not use harsh chemicals or household cleaners with harsh chemicals or abrasives. The finishing touch of every faucet is its exquisite surface. Each finish conveys luxury through a distinctively soft, warm and genuine feel in comparison to other products made with synthetic coatings.




APC

## POLISHED CHROME (APC) LIMITED LIFETIME WARRANTY

**Cleaning:** Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

**Maintaining:** Polish by applying Flitz Metal polish and then buff out with a soft, clean cloth. Protect by applying Flitz Polish.



PN

STN

## POLISHED NICKEL (PN) AND SATIN NICKEL (STN) LIMITED LIFETIME WARRANTY

**Cleaning:** Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

**Maintaining Polished Nickel:** Polish by applying Flitz Metal Polish.

**Maintaining Satin Nickel:** Remove black or white spots, mineral deposits and tarnish marks by lightly brushing the finish using a green Scotch Brite™ pad and water. Test an area, then lightly brush. Protect using Flitz Wax. Do not use metal polish.

*Both finishes have some silver as part of the composition. You may see tarnishing or spots in black or white in the finish.*



EB

## ENGLISH BRONZE (EB) LIMITED LIFETIME WARRANTY

**Cleaning:** Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Do not deep clean or use abrasives.

**Maintaining:** Protect using Flitz Wax. Apply by patting on and patting off. Do not rub or buff.

*This is an applied finish similar to Powder Coating.*



EG

## ENGLISH GOLD (EG) 5-YEAR LIMITED WARRANTY

**Cleaning:** Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Do not rub or buff. For hard to clean areas, apply baking soda and lemon juice with a toothbrush.

**Maintaining:** Protect using Flitz Wax. Apply by patting on and patting off. Do not rub or buff.

*There is 22K gold in the composition.*

### MAINTAINING YOUR FINISH

No matter which finish you select, here are a few simple steps to keep your kitchen and bath fixtures looking beautiful for years:



For the complete list of care and maintenance, please visit: [houseofrohl.com/riobel/support/care-and-cleaning](https://houseofrohl.com/riobel/support/care-and-cleaning)



SEG

### SATIN ENGLISH GOLD (SEG) LIMITED LIFETIME WARRANTY

**Cleaning:** Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Do not rub or buff. For hard to clean areas, apply baking soda and lemon juice with a toothbrush.

**Maintaining:** Protect by using Flitz Wax. Apply by patting on and patting off. Do not rub or buff.



ULB

LIVING  
FINISH

### UNLACQUERED BRASS (ULB) NO WARRANTY — It is a living finish which will take on a beautiful patina over time.

**Cleaning:** Pat dry after use to avoid hard-water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

**Maintaining:** Protect by using a specialized wax. Apply by patting on and patting off. Do not rub or buff

*This is a living finish; Unlacquered brass is a natural polished brass with no coating. Natural aging of unlacquered brass may produce black, white or even green patina appearance, which is to be expected.*

### OUTDOOR USE

Our products may be used outdoor. However, this voids our warranty. Use these tips for a successful installation. Polished Chrome is the most durable and is the best finish for outdoor installations. Pat dry after use to avoid hard-water spots. If minerals or salt are accumulating on the fixture, clean by applying a 50/50 solution of water and white vinegar, then pat dry. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Spray weekly with fresh water, wipe dry and apply a polishing product or wax to avoid hard-water spotting. In freezing temperatures, winterize fixtures by removing cartridges and draining all water or store fixtures indoors.



# LIVING FINISH



## WHAT TO EXPECT WHEN SELECTING THE **UNLACQUERED BRASS (ULB)**

### UPON RECEIPT



The finishing touch of every House of Rohl® product is its exquisite surface. Each finish conveys unique character and unparalleled quality through a distinctively soft, warm and genuine feel in comparison to other products made with synthetic coatings.

Unlacquered Brass is a natural polished brass with no protective coating. As a result, the brass will change with time and with exposure to its environment.

This change starts immediately. By its very nature, the Unlacquered Brass finish may not appear flawless upon initial receipt. It is important to note that the product is likely to show uneven coloring and/or blemishes straight out of the box. The type of brass used varies from component to component so there could be color variations within a given product. This is part of the charm of this finish and is to be expected.

Furthermore, solder used to assemble the parts is grey in color and can sometimes be seen in the joints. This is also to be expected due to the handcrafted nature of the product.

### OVER TIME



The Unlacquered Brass finish is considered a "living finish." This means the character of the finish will develop and change over time, depending on how the homeowner uses and maintains the faucet, along with exposure to the environment. Therefore, no express warranty is offered on this living finish.

Unlacquered Brass is raw brass that is polished and left unlacquered for natural aging over time. It will take on a patina that will vary with exposure to sun, touch, oxygen and other airborne particles. Natural aging may produce uneven coloring; blemishes; and/or black, white or even green patina appearance—all of which are natural characteristics of unlacquered brass.

This finish should be selected for its raw and everchanging beauty—that of aging.

### MAINTAINING YOUR FINISH

**Cleaning tips:** We suggest using a soft soap and water for everyday cleaning. Do not use abrasives, alcohol, ammonia, or other harsh chemicals.

**Polishing tips:** Use a brass cleaner or polishing cream to brighten the finish. This can inconsistently remove the patina/aging. After polishing, apply a liquid or spray wax. The use of wax can slow down the patina/aging process.

# CONTACT US

Please know that our limited lifetime warranty covers only parts and does not cover installation, removal of our products or freight changes. However, to ensure the best possible service to our customers, we have established a procedure to request a service call.

The consumer must first contact the distributor where the merchandise was purchased. A call will not be processed if the distributor has the consumer contact us directly. In such a case we will redirect the call to the distributor. This procedure aims to improve the efficiency of service calls, since communication is sometimes more complex with customers (ex: unable to identify the item number, etc.) As a result, the wrong product or parts have been sent in the past.

The distributor must send us, by fax or email, the service-call form properly filled out with a proof of purchase. It is important to include the product code, date of purchase and as much detail as possible about the problem, as well as the malfunction diagnosis.

In the case of a more technical call, we may contact the consumer directly to give him/her the necessary information. If a part must be replaced, it will be sent along with its installation guide to the distributor, with the consumer's name shown on the box. It may also be sent directly to the customer at their own expense.

This procedure was created to improve efficiency and speed of service for our customers. Thank you for understanding.

For more information, please contact our Customer Service Department:

## CALL CENTER MENU OPTIONS

- Option 2:** Victoria + Albert® Technical Support
- Option 3:** Kitchen and Bath Technical Support
- Option 4:** Sink and Shower Valve Technical Support
- Option 5:** Customer Care
- Option 6:** Order Entry
- Option 7:** Discrepancies

## TECHNICAL

- Phone:** 800-777-9762, Option 2/3/4
- Email:** Technical@houseofrohl.com
- Warranty claims/missing parts
- Troubleshooting
- Installation Support

## CUSTOMER CARE

- Phone:** 800-777-9762, Option 5
- Email:** Customercare@houseofrohl.com
- Product inventory inquiries
- Order ETA inquiries
- Spec sheets and general product questions

## ORDER ENTRY

- Phone:** 800-777-9762, Option 6
- Email:** Orders@houseofrohl.com
- New purchase orders
- Order cancellations

## DISCREPANCIES

- Phone:** 800-777-9762, Option 7
- Email:** Discrepancies@houseofrohl.com
- Shipping discrepancies (ex: picking/packing errors)
- Keying errors (ex: incorrect qty., product keyed wrong, billed/shipped incorrect amount)
- Carrier error (ex: damaged, missing or lost in transit)
- S/H credits

## RETURNS

- Email:** RGA@houseofrohl.com
- All RGA Requests
- Contents different than product box label
- Releasing an order
- Copy of invoices

# TERMS AND CONDITIONS

## PRICES

Prices and terms are subject to change without notice. Customer is responsible for payment of all applicable taxes.

FREIGHT	FLAT FREIGHT FEES	
	\$1 UP TO \$3,499	\$3,500 OR GREATER
TYPES OF ORDERS		
Brass or Lavatory Sink(s) only	\$25	Free Freight Allowed (FFA)
Kitchen Sink(s) only, or combination order with other product	Free Freight Allowed (FFA)	Free Freight Allowed (FFA)
Bathtub only, or combination order with other product	Free Freight Allowed (FFA)	Free Freight Allowed (FFA)
Spare Parts only (No complete faucets or fixtures)	Free Freight Allowed (FFA)	Free Freight Allowed (FFA)
SHIPPER RESERVES THE RIGHT TO SHIP MERCHANDISE BY THE METHOD OF OUR CHOOSING		

## NON-INDUSTRY RELATED SHIP TO ADDRESSES, INCLUDES RESIDENTIAL DROP SHIP ORDERS:

Any order that is drop shipped to a consumer's home will be assessed a \$25 charge above all standard shipping and handling fees. \$100 additional for each bathtub. Drop Ship Fee Buy Line must be on the Original Purchase Order for the order to be processed, phone number for delivery set up required.

## PAYMENT TERMS

All payments are due in 30 days from date of invoice unless agreed upon in writing by an officer of ROHL® LLC.

## PRODUCT CHANGES

Delivery to the carrier constitutes delivery to customer. Any claim for loss or damage in transit should be made promptly by the customer to the carrier. Our responsibility ceases when the goods are delivered in good condition for the carrier.

## CUSTOMER INCENTIVE PROGRAM (CIP) POLICIES AND PROCEDURES

- This program is for fiscal year 2025 and expires at the of 2025
- If customer requires a wholesaler during the year, the revenue generated by that acquisition will result in a restatement of the incentive program
- Rebate is calculated on invoiced/shipped purchases as of December 31, 2025
- House of Rohl® 2025 fiscal year is January 1, 2025 through December 31, 2025
- Incentives will be paid by check or credit memo in March 2026
- House of Rohl reserves the unilateral right to make amendments to these Policies and Procedures at any point

## VENDOR MANAGED FUNDS PROGRAM

- Customers must have had 2024 program net sales of \$250,000 or greater to have earned 2025 Vendor Managed Funds
- Display program offers a discount off of wholesalers net price. See full merchandising program for additional details.
- A portion of the Vendor Managed Funds earned, determined by 2025 strategic priorities, are to be used for new product updates and the House of Rohl current merchandising program fixtures

## DEFECTIVE RETURN POLICY

- Price credited is based on current price at time of the return
- House of Rohl pays freight to designated customer
- Defective cartridges are no longer accepted through the returns authorization process

## LABOR

No labor charges of any kind will be allowed

## CLAIMS

All claims of lost, damaged or incorrectly shipped materials must be made to ROHL LLC within 5 days after receipt of goods. Any claims outside this time may be rejected by ROHL LLC. Service and replacement parts may be subject to a \$25 processing fee.

CONTINUED ON NEXT PAGE

### ACCOMMODATIONS AND RETURNS PROGRAM

Products may not be returned for credit or replacement without prior inspection and written authorization from House of Rohl. Customer dissatisfaction is not a reason for return. Time since the ship date from House of Rohl cannot exceed 365 days.

English Bronze, Tuscan Brass, Italian Brass, English Gold, Satin English Gold, Antique Gold, Unlacquered Brass, and Pergame have acceptable variations that are normal and enhance the custom nature of each finish. Variation is not a reason for return.

Unlacquered Brass and Tuscan Brass will be final sale and non-returnable.

**Non-Defective Project Return Guidelines**—Above average return rates will be reviewed by the Regional Business Leader with the customer to partner on how returns can be mitigated.

- Product must be New In Box condition.
- Product must be listed as an active SKU in the current price book at the time of the request for return excluding any annual year-end deletions.
- Customer pays freight to designated House of Rohl facility.
- Price credited is based on original purchase order price.
- A 25% restocking fee applies and will be deducted from the refunded purchase price.

**Stock Rotation Return Guidelines**—Upon stock rotation, an offsetting restocking order must follow as defined in customer programming for restocking fee to be waived. Only one stock rotation per year is permitted not to exceed 2% of prior year program net sales.

- Product must be New In Box condition.
- Product must be listed as an active SKU in the current price book at the time of the request for return excluding any annual year-end deletions.
- Customer pays freight to designated House of Rohl facility.
- Price credited is based on original purchase order price.

**Defective Return Guidelines**—Defective Product refers to product that upon customer receipt or initial install had either a functional or cosmetic defect that did not meet House of Rohl's standards product specification. Defective does not refer to product that has failed during normal operation or defects which result from customer neglect or abuse. For product wear out failures please contact 1-800-777-9762.

### GENERAL

The receipt or possession of this price list by anyone will not be accepted by ROHL LLC as an obligation or offer to sell any goods listed herein. All prices herein quoted supersede all prior price lists and bulletins. Existing trade terms continue in effect.

No order, contract or agreement will become an obligation until accepted in writing by ROHL LLC.

ROHL LLC does not have field service technicians. We are a sales and marketing company only. Sales Representatives do not perform in-home service. Product that is handmade and is within tolerance of published dimensions will not be considered for return.

Shaws sinks continue to be handmade since the 1897 original design. Each sink is designed with a slight pitch to the drain, so standing water is normal. Standing water is not a reason for return.

*These Terms and Conditions shall be deemed to be a part of all such acceptance by ROHL LLC and shall supersede any conflicting provisions of customer's purchase order, and any conflicting terms and conditions included in a customer's purchase order are rejected and invalid. These Terms and Conditions, any sales hereunder, and any claim, dispute, or controversy between the parties arising from or relating to these Terms and Conditions, their interpretation, or the breach, termination, or validity thereof, will be governed by and construed in accordance within the laws of the State of Ohio, without regard to conflict-of-laws rule. The parties hereby agree that the United Nations Convention on Contracts for the International Sale of Goods will not apply to these Terms and Conditions and to the purchase and sale of products hereunder and any statute which would otherwise apply which implements such convention is expressly excluded.*

*Other than any express limited warranty granted by ROHL LLC with respect to a product, ROHL LLC disclaims all warranties and conditions, expressed or implied, statutory or otherwise, with respect to the products, including, without limitation, any implied warranty of quality, merchantability or fitness for a particular purpose, as well as warranties arising from course of dealing and usage of trade, and ROHL LLC does not represent or warrant that any product will meet the customer's requirements. Customer may not use the ROHL LLC name or any ROHL LLC trademark, trade name, service mark, logo, or copyrighted work for any purpose. The sale of products by ROHL LLC does not constitute a license, implied or otherwise, for the use of any patents or know-how of others, nor does it constitute a license, implied or otherwise, on patents or know-how of ROHL LLC.*

ROHL LLC WILL NOT BE LIABLE FOR ANY LOSS, DAMAGE OR INJURY RESULTING FROM DELAY IN DELIVERY OF THE PRODUCTS OR FOR ANY FAILURE TO PERFORM DUE TO CIRCUMSTANCES BEYOND OUR CONTROL OR THE CONTROL OF OUR SUPPLIERS, INCLUDING WITHOUT LIMITATION FAILURE OR DELAY IN TRANSPORTATION, ACTS OF ANY GOVERNMENT OR ANY AGENCY OR SUBDIVISION THEREOF, JUDICIAL ACTION, LABOUR DISPUTES, FIRE, ACCIDENT, ACTS OF NATURE, SHORTAGE OF LABOUR, FUEL OR RAW MATERIAL, OR MACHINERY OR TECHNICAL FAILURE. ROHL LLC'S MAXIMUM LIABILITY, IF ANY, FOR ALL DAMAGES, INCLUDING WITHOUT LIMITATION CONTRACT DAMAGES AND DAMAGES FOR INJURIES TO PERSONS OR PROPERTY, WHETHER ARISING FROM OUR BREACH OF THESE TERMS, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY OR OTHER TORT WITH RESPECT TO THE PRODUCTS, IS LIMITED TO AN AMOUNT NOT TO EXCEED THE THEN-CURRENT WHOLESALE PRICE OF THE PRODUCTS. IN NO EVENT WILL ROHL LLC BE LIABLE TO CUSTOMER FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST REVENUES AND PROFITS, EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. INCLUDING WITHOUT LIMITATION LOST REVENUES AND PROFITS, EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

EFFECTIVE: 2/2025



[illegible]

[illegible]

---

**MOST PRODUCTS OR PARTS CARRY “LIMITED WARRANTIES” AGAINST  
MANUFACTURING DEFECTS AS DEFINED BELOW.**

---

**Kitchen and Bath** — Limited Lifetime Warranty

**Soap Dispensers** — Limited Lifetime Warranty

**Air Gaps, Coverplates, Sink Hole Covers, Air Switches** — 2-year Limited Warranty

**Hot Water Faucets** — 5-year Limited Warranty on faucet, 3-year Limited Warranty on tank

**Sanitary Ware/Bath Fixture Accessories** — 1-year Limited Warranty

**Shower** — 2-year Limited Warranty

**Decorative Shower Drains** — 1-year Limited Warranty, No warranty on finish

---

**WE OFFER A FIVE-YEAR LIMITED WARRANTY ON THE FOLLOWING FINISHES ONLY: ENGLISH GOLD AND SATIN ENGLISH GOLD.  
WE DO NOT OFFER AN EXPRESS WARRANTY ON THE FOLLOWING FINISHES FOR ANY OF ITS PRODUCTS: UNLACQUERED BRASS**

---

**ROHL's Promise** — A “Limited Warranty” means ROHL LLC will provide free of charge, at its option, replacement part(s) or product (or a comparable alternative product) to replace those which have proven defective in materials or workmanship within the warranty period on that product or part as stated above.

ROHL LLC will not assume liability for labor expended, freight cost or damages accruing from the use of the material purchased from us. If material is defective, the limit of damage is the price of the defective material. Proof of purchase (original sales receipt) from the original consumer purchaser must be made available to ROHL LLC for all warranty claims. The warranty is not transferable and is extended solely to the original purchaser of the product, so long as the product remains in its original installation.

**Warranty Exclusions and Disclaimers** — This warranty is for normal domestic use only and excludes defect or injury caused by or resulting from misuse, abuse, neglect, accidental damage or improper installation.

WARRANTY, BREACH OF CONTRACT, NEGLIGENCE, STRICT TORT, OR ANY OTHER LEGAL THEORY. DAMAGES THAT ROHL WILL NOT BE RESPONSIBLE FOR INCLUDE, BUT ARE NOT LIMITED TO: LOSS OF PROFITS; LOSS OF SAVINGS OR REVENUE; LOSS OF USE OF THE PRODUCT OR ANY ASSOCIATED EQUIPMENT; COST OF CAPITAL; COST OF ANY SUBSTITUTE EQUIPMENT, FACILITIES, OR SERVICES; DOWNTIME; THE CLAIMS OF THIRD PARTIES, INCLUDING CUSTOMERS; AND DAMAGES OR INJURY TO PROPERTY.

This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

In addition, the Limited Lifetime Warranty and term Limited Warranties do not apply to the replacement of components where damage is caused by normal wear and tear, including without limitation excess mineral deposits from water. As a special note, avoid all cleaning products that contain abrasives, ammonia, bleach and alcohol. They may damage the finish. Also, use only non-silicone caulking adhesive or plumbers putty for installation. Do not use lead based acidic curing adhesive or mastic when installing product. Silicone caulking may also degrade brass material. The use of Blue RTV silicone during installation will void the product warranty. Due to the harsh environment of sun, wind, rain and snow, installing ROHL products for outdoor use voids the warranty.

**General Disclaimer** — All warranties other than the express Limited Warranty herein contained, including but not limited to any implied warranty of merchantability or fitness for a particular purpose, are limited in duration to the applicable warranty period set forth above, or the applicable limitations period set by your state, whichever is shorter. Some states do not allow limitations on how long an implied warranty lasts and some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

**No Other Warranties** — Unless modified in a writing signed by both parties, this agreement is understood to be the complete and exclusive agreement between the parties, superseding all oral or written prior agreements and all other communications between the parties relating to the subject matter of this agreement, including statements made by salespersons. No employee of ROHL or any other party is authorized to make any warranty in addition to those made in this agreement. The buyer is warned, therefore, to check this agreement carefully to see that it correctly reflects those terms that are important to the buyer.

**Foreign Outlets Online** — One of the benefits of the Internet is that it has granted consumers the opportunity to learn about and purchase products from previously unknown foreign companies. Unfortunately, some foreign distributors who sell the foreign versions of ROHL's products have promoted these products for shipment to the United States. Though prices may look appealing, these products are not designed to be installed in American homes and significant problems may result. ROHL uses domestic distributors to ensure that its products meet American plumbing installation standards and have American plumbing code approvals. ROHL will no service, warrant, nor provide customer support for product purchased from foreign distributors.

**Commercial Limited Warranty** — ROHL warrants its products installed in a commercial application to be free from manufacturing defects for a period of one (1) year from the date of acquisition by original owner. IN COMMERCIAL INSTALLATIONS, THE ONE-YEAR LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

---

**MOST PRODUCTS OR PARTS CARRY "LIMITED WARRANTIES" AGAINST MANUFACTURING DEFECTS AS DEFINED BELOW.**

**Allia Fireclay Kitchen Sinks** — Limited Lifetime Warranty

**Stainless Steel/Stainless Copper Sinks** — Limited Lifetime Warranty

**Bath Sinks** — Limited Lifetime Warranty

**Kitchen and Bath Faucets** — Limited Lifetime Warranty

**Soap Dispensers** — Limited Lifetime Warranty

**Hot Water Dispensers** — 5-year Limited Warranty on faucet, 3-year Limited Warranty on tank

**Air Gaps, Coverplates, Sink Hole Covers, Air Switches** — 2-year Limited Warranty

**Kitchen Drains, Basket Strainers** — 2-year Limited Warranty

**Shower** — 2-year Limited Warranty

**Kitchen Wire Sink Grids** — 1-year Limited Warranty

**Sanitary Ware/Bath Fixture Accessories** — 1-year Limited Warranty

**Decorative Shower Drains** — 1-year Limited Warranty, No warranty on finish

**ROHL OFFERS A FIVE-YEAR LIMITED WARRANTY ON THE FOLLOWING FINISHES ONLY: ITALIAN BRASS, SATIN GOLD AND MATTE BLACK. ROHL DOES NOT OFFER AN EXPRESS WARRANTY ON THE FOLLOWING FINISHES FOR ANY OF ITS PRODUCTS: TUSCAN BRASS, UNLACQUERED BRASS, SATIN UNLACQUERED BRASS, FRENCH BRASS OR SPECIAL ORDER FINISHES.**

**ROHL's Promise** — A "Limited Warranty" means ROHL LLC will provide free of charge, at its option, replacement part(s) or product (or a comparable alternative product) to replace those which have proven defective in materials or workmanship within the warranty period on that product or part as stated above.

ROHL LLC will not assume liability for labor expended, freight cost or damages accruing from the use of the material purchased from us. If material is defective, the limit of damage is the price of the defective material. Proof of purchase (original sales receipt) from the original consumer purchaser must be made available to ROHL LLC for all warranty claims. The warranty is not transferable and is extended solely to the original purchaser of the product, so long as the product remains in its original installation.

**Warranty Exclusions and Disclaimers** — This warranty is for normal domestic use only and excludes defect or injury caused by or resulting from misuse, abuse, neglect, accidental damage or improper installation.

WARRANTY, BREACH OF CONTRACT, NEGLIGENCE, STRICT TORT, OR ANY OTHER LEGAL THEORY. DAMAGES THAT ROHL WILL NOT BE RESPONSIBLE FOR INCLUDE, BUT ARE NOT LIMITED TO: LOSS OF PROFITS; LOSS OF SAVINGS OR REVENUE; LOSS OF USE OF THE PRODUCT OR ANY ASSOCIATED EQUIPMENT; COST OF CAPITAL; COST OF ANY SUBSTITUTE EQUIPMENT, FACILITIES, OR SERVICES; DOWNTIME; THE CLAIMS OF THIRD PARTIES, INCLUDING CUSTOMERS; AND DAMAGES OR INJURY TO PROPERTY.

This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

In addition, the Limited Lifetime Warranty and term Limited Warranties do not apply to the replacement of components where damage is caused by normal wear and tear, including without limitation excess mineral deposits from water. As a special note, avoid all cleaning products that contain abrasives, ammonia, bleach and alcohol. They may damage the finish. Also, use only non-silicone caulking adhesive or plumbers putty for installation. Do not use lead based acidic curing adhesive or mastic when installing product. Silicone caulking may also degrade brass material. The use of Blue RTV silicone during installation will void the product warranty. Due to the harsh environment of sun, wind, rain and snow, installing ROHL products for outdoor use voids the warranty.

**General Disclaimer** — All warranties other than the express Limited Warranty herein contained, including but not limited to any implied warranty of merchantability or fitness for a particular purpose, are limited in duration to the applicable warranty period set forth above, or the applicable limitations period set by your state, whichever is shorter. Some states do not allow limitations on how long an implied warranty lasts and some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

**No Other Warranties** — Unless modified in a writing signed by both parties, this agreement is understood to be the complete and exclusive agreement between the parties, superseding all oral or written prior agreements and all other communications between the parties relating to the subject matter of this agreement, including statements made by salespersons. No employee of ROHL or any other party is authorized to make any warranty in addition to those made in this agreement. The buyer is warned, therefore, to check this agreement carefully to see that it correctly reflects those terms that are important to the buyer.

**Foreign Outlets Online** — One of the benefits of the Internet is that it has granted consumers the opportunity to learn about and purchase products from previously unknown foreign companies. Unfortunately, some foreign distributors who sell the foreign versions of ROHL's products have promoted these products for shipment to the United States. Though prices may look appealing, these products are not designed to be installed in American homes and significant problems may result. ROHL uses domestic distributors to ensure that its products meet American plumbing installation standards and have American plumbing code approvals. ROHL will no service, warrant, nor provide customer support for product purchased from foreign distributors.

**Commercial Limited Warranty** — ROHL warrants its products installed in a commercial application to be free from manufacturing defects for a period of one (1) year from the date of acquisition by original owner. IN COMMERCIAL INSTALLATIONS, THE ONE-YEAR LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.





# THE STORY OF A LIFE WELL CRAFTED™

HOUSEOFROHL.COM

EMTEK.COM

SCHAUBANDCOMPANY.COM

Riobel

PERRIN & ROWE®  
LONDON



victoria ⊕ albert®

ROHL

Schaub

EMTEK.

@HOUSEOFROHL  
@EMTEK\_PRODUCTS  
@SCHAUBHARDWARE



House of Rohl | 800.777.9762  
EMTEK & Schaub | 800.777.9762

LIT-0003