



VRUT11M



11mm Ultra-Thin Magnetic Track



1000mm/2000mm

VRUT11M

Surface Mounted

CODE	VRUT11M
Dimension(mm)	19.5x12.05x(1000/2000)mm
Input Voltage(V)	DC 48V
Lenght	1000mm, 2000mm
Track Color	White ,Silver, Black
IP Rating	IP20

1000mm Surface Mounted Code	COLOR
VRUT11M1WH	White
VRUT11M1BL	Black
VRUT11M1SI	Silver

2000mm Surface Mounted Code	COLOR
VRUT11M2WH	White
VRUT11M2BL	Black
VRUT11M2SI	Silver


Accessories



VRUT11MHL
L type connector for
surface magnetic track



VRUT11MVL
L type connector for
surface magnetic track



VRUT11MRHL
L type connector for
Recessed magnetic track



VRUT11MRVL
L type connector for
Recessed magnetic track



VRUT11MPC
Power
connector



VRUT11MPCI
Power
connector-I





VRUT11MPCV
Power
connector-L



VRUT11MPCV
Power
connector-INL



VRUT11MPS
Constant voltage 48V
indoor power supply




VRUT11MR Trimless

CODE	VRUT11M
Dimension(mm)	49.5x12.05x(1000/2000)mm
Input Voltage(V)	DC 48V
Lenght	1000mm, 2000mm
Track Color	White ,Silver, Black
IP Rating	IP20

1000mm Trimless Mounted Code	COLOR
VRUT11MR1WH	White
VRUT11MR1BL	Black
VRUT11MR1SI	Silver

2000mm Trimless Mounted Code	COLOR
VRUT11MR2WH	White
VRUT11MR2BL	Black
VRUT11MR2SI	Silver

Accessories



VRUT11MRHL
L type connector for
Recessed magnetic track



VRUT11MRVL
L type connector for
Recessed magnetic track



VRUT11MPC
Power
connector



VRUT11MPCI
Power
connector-I



VRUT11MPCV
Power
connector-L



VRUT11MPCV
Power
connector-INL



VRUT11MPS
Constant voltage 48V
indoor power supply