

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Anti Foam

Product code(s) 90359

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses industrial use

professional use De-foaming agent

Uses advised against Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Tristar Cleaning Products UK Ltd. Unit 3 Ripley Close WF6 1TB Normanton, Wakefield United Kingdom

Tel: +44 1924856390

E-mail: info@tristargroup.uk

1.4 Emergency telephone number

Emergency information service for emergency responders

This number is only for medical emergencies.

Poison centre		
Country	Name	e-Mail
United Kingdom	National Poisons Information Service (NPIS)	director.birmingham.unit@npis.org

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.45	skin sensitisation	1	Skin Sens. 1	H317

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling

- Signal word warning

- Pictograms

GHS07



United Kingdom: en Page: 1 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling 2-methyl-1,2-thiazol-3-on

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
2-methyl-2H- isothiazol-3- one	CAS No 2682-20-4 EC No 220-239-6 Index No 613-326-00- 9	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC	Skin Sens. 1A; H317: C ≥ 0.0015 %	M-factor (acute) = 10 M-factor (chronic) = 1

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
2-methyl-1,2-thiazol-3-on	Skin Sens. 1A; H317: C ≥ 0.0015 %	M-factor (acute) = 10 M-factor (chronic) = 1	120 ^{mg} / _{kg} 242 ^{mg} / _{kg} 0.11 ^{mg} / /4h	oral dermal inhalation: dust/mist

For full text of H-phrases: see SECTION 16.

United Kingdom: en Page: 2 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

United Kingdom: en Page: 3 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect from sunlight.

Protect against external exposure, such as

frost

- Packaging compatibilities

Keep only in original container.

United Kingdom: en Page: 4 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

7.3 Specific end use(s)

Industrial use. Professional use. De-foaming agent.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
2-methyl-2H-iso- thiazol-3-one	2682-20-4	DNEL	0.021 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
2-methyl-2H-iso- thiazol-3-one	2682-20-4	DNEL	0.043 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshold Organism Environmental Exposure time** stance point level compartment 3.39 µg/ı 2-methyl-2H-iso-2682-20-4 **PNFC** aquatic organfreshwater short-term (single thiazol-3-one isms instance) 2-methyl-2H-iso-2682-20-4 **PNEC** 3.39 µg/ aquatic organmarine water short-term (single thiazol-3-one instance) isms 0.23 mg/ 2-methyl-2H-iso-2682-20-4 **PNEC** aquatic organsewage treatment short-term (single thiazól-3-one plant (STP) instance) isms 2-methyl-2H-iso-0.047 mg/ 2682-20-4 **PNEC** terrestrial organsoil short-term (single thiazol-3-one isms instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

United Kingdom: en Page: 5 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

- Material thickness
- > 0.35 mm
- Breakthrough times of the glove material
- >480 minutes (permeation: level 6)
- Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	white
Odour	characteristic
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not determined
pH (value)	8
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

United Kingdom: en Page: 6 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

Vapour pressure	2.339 kPa at 20 °C (calculated value, referring to a component of the mixture)
-----------------	--

Density and/or relative density

Density	1 ^g / _{cm³}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	

VOC content	0.001485 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

United Kingdom: en Page: 7 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-methyl-2H-isothiazol-3-one	l-3-one 2682-20-4 oral		120 ^{mg} / _{kg}
2-methyl-2H-isothiazol-3-one	2682-20-4	dermal	242 ^{mg} / _{kg}
2-methyl-2H-isothiazol-3-one	2682-20-4	inhalation: dust/mist	0.11 ^{mg} / /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-methyl-2H-isothiazol-3-one	2682-20-4	oral	LD50	120 ^{mg} / _{kg}	rat
2-methyl-2H-isothiazol-3-one	2682-20-4	inhalation: dust/mist	LC50	0.11 ^{mg} / _i /4h	rat
2-methyl-2H-isothiazol-3-one	2682-20-4	dermal	LD50	242 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

United Kingdom: en Page: 8 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-methyl-2H-iso- thiazol-3-one	2682-20-4	LC50	4.77 ^{mg} / _l	fish	96 h
2-methyl-2H-iso- thiazol-3-one	2682-20-4	EC50	1.7 ^{mg} / _i	aquatic invertebrates	24 h
2-methyl-2H-iso- thiazol-3-one	2682-20-4	ErC50	>0.072 ^{mg} / ₁	algae	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
2-methyl-2H-iso- thiazol-3-one	2682-20-4	EC50	1.4 ^{mg} / _l	aquatic invertebrates	21 d	
2-methyl-2H-iso- thiazol-3-one	2682-20-4	ErC50	0.22 ^{mg} / _l	algae	120 h	

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
2-methyl-2H- isothiazol-3- one	2682-20-4	carbon dioxide generation	54.1 %	29 d		ECHA
2-methyl-2H- isothiazol-3- one	2682-20-4	oxygen deple- tion	0 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
2-methyl-2H-isothiazol-3-one	2682-20-4	5.75	-0.486 (pH value: 7, 25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom: en Page: 9 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance it-self.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional informationNot subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

None of the ingredients are listed.

Deco-Paint Directive

VOC content	0.00302 %
-------------	-----------

United Kingdom: en Page: 10 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

Industrial Emissions Directive (IED)

VOC content	0.001485 %
-------------	------------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)					
	Name of substance	CAS No	Listed in	Remarks	
	2-methyl-1,2-thiazol-3-on		a)		

Legend

A) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value) Sa	afety- relev- ant
8.1	Occupational exposure limit values (Workplace Exposure Limits): This information is not available.	Occupational exposure limit values (Workplace Exposure Limits): Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes

Abbreviations and acronyms

United Kingdom: en Page: 11 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03 Replaces version of: 2022-10-11 (GHS 9)

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

United Kingdom: en Page: 12 / 13

acc. to Regulation (EC) No. 1907/2006 (REACH)

Anti Foam

Version number: GHS 10.0 Revision: 2023-01-03

Replaces version of: 2022-10-11 (GHS 9)

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SCBA	Self-contained breathing apparatus
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

United Kingdom: en Page: 13 / 13