

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name TR UB-300
Product code(s) 95356

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses cleaning agent

industrial uses professional uses

Uses advised against Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Tristar Cleaning Products UK Ltd. Unit 3 Ripley Close WF6 1TB Normanton, Wakefield United Kingdom

Tel: +44 1924856390

E-mail: info@tristargroup.uk

1.4 Emergency telephone number

Emergency information service for emergency responders

This number is only for medical emergencies.

Poison centre		
Country	Name	e-Mail
United Kingdom	National Poisons Information Service (NPIS)	director.birmingham.unit@npis.org

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS05



United Kingdom: en Page: 1 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

- Hazard statements

H318 Causes serious eye damage.

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- Hazardous ingredients for labelling Alcohols, C9-11 ethoxylated, < 2.5 EO, Isotri-

decanol, ethoxylated (>=2.5 EO)

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Alcohols, C9-11 eth- oxylated, < 2.5 EO	CAS No 68439-46-3	1-<5	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Aquatic Acute 1 / H400		
Isotridecanol, eth- oxylated (>=2.5 EO)	CAS No 69011-36-5 EC No 931-138-8	1-<5	Acute Tox. 4 / H302 Eye Dam. 1 / H318		
Benzenesulfonic acid, C10-16-alkyl derivs.	CAS No 68584-22-5 EC No 271-528-9	1-<5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	()	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Alcohols, C9-11 ethoxylated, < 2.5 EO	-	-	500 ^{mg} / _{kg}	oral
Isotridecanol, ethoxylated (>=2.5 EO)	Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	-	555.6 ^{mg} / _{kg}	oral
Benzenesulfonic acid, C10- 16-alkyl derivs.	-	-	500 ^{mg} / _{kg}	oral

For full text of H-phrases: see SECTION 16.

United Kingdom: en Page: 2 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

United Kingdom: en Page: 3 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect from sunlight.

Protect against external exposure, such as

frost

- Packaging compatibilities

Keep only in original container.

United Kingdom: en Page: 4 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

7.3 Specific end use(s)

Cleaning agent. Industrial uses. Professional uses.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	DNEL	294 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	DNEL	2,080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	DNEL	294 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	DNEL	2,080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	DNEL	0.66 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	0.104 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	0.104 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	1.4 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	13.7 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	13.7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	1 ^{mg} /kg	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom: en Page: 5 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	PNEC	0.074 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.007 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	PNEC	0.015 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	PNEC	1.4 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	PNEC	0.604 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	PNEC	0.06 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Isotridecanol, eth- oxylated (>=2.5 EO)	69011-36-5	PNEC	0.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	1 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	1 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	10 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	100 ^{mg} / _i	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	723,500,00 0 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	723,500,00 0 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	PNEC	868,700,00 0 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection.

United Kingdom: en Page: 6 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness
- > 0.35 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	Perfume
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	250 °C
pH (value)	9 (20 °C)
Kinematic viscosity	not determined

United Kingdom: en Page: 7 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

_				· ·
\sim		nı	1111	(ies)
20	ıuı	IJΙ	IILV	いてひり

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
randon commence in octamon mater (rog rando)	

Vapour pressure	2.339 kPa at 20 °C (calculated value, referring to a com-
	ponent of the mixture)

Density and/or relative density

Density	1.03 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)

9.2 Other information

Information with regard to physical hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics

Miscibility	Completely miscible with water.
VOC content	2.827 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United Kingdom: en Page: 8 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	oral	500 ^{mg} / _{kg}
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	oral	555.6 ^{mg} / _{kg}
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	oral	500 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	oral	LD50	4,600 ^{mg} / _{kg}	rat
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	oral	LD50	>2,000 ^{mg} / _{kg}	rat
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	inhalation: dust/mist	LC50	>1.9 ^{mg} / _l /4h	rat
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom: en Page: 9 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of	components of the mixture
-----------------------------	---------------------------

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	LC50	7 ^{mg} / _l	fish	96 h
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	EC50	2.5 ^{mg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	EC50	140 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	DOC removal	82 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	12.7		
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	232.5		

12.4 Mobility in soil

Data are not available.

United Kingdom: en Page: 10 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United Kingdom: en Page: 11 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

None of the ingredients are listed.

Deco-Paint Directive

VOC content 0.1294 %	VOC content	0.1294 %
----------------------	-------------	----------

Industrial Emissions Directive (IED)

VOC content	2.827 %
-------------	---------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/ 2008/EC		3

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

United Kingdom: en Page: 12 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value) Sa	fety- relev- ant
2.2	- Hazardous ingredients for labelling: Alcohols, C9-11 ethoxylated, < 2.5 EO	- Hazardous ingredients for labelling: Alcohols, C9-11 ethoxylated, < 2.5 EO, Isotri- decanol, ethoxylated (>=2.5 EO)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
5.2	Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO2)	Hazardous combustion products: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)	yes
8.1	Occupational exposure limit values (Workplace Exposure Limits)	Occupational exposure limit values (Workplace Exposure Limits): Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
9.2	VOC content: 2.935 %	VOC content: 2.827 %	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0.2351 %	VOC content: 0.1294 %	yes
15.1	VOC content: 2.935 %	VOC content: 2.827 %	yes
15.1	Water Framework Directive (WFD): none of the ingredients are listed		yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

United Kingdom: en Page: 13 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

Section	Former entry (text/value)	Actual entry (text/value) Sa	fety- relev- ant
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
Acute Tox.	Acute toxicity	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	

United Kingdom: en Page: 14 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

TR UB-300

Version number: GHS 10.0 Revision: 2023-12-01 Replaces version of: 2023-01-03 (GHS 9)

Abbr.	Descriptions of used abbreviations
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SCBA	Self-contained breathing apparatus
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

United Kingdom: en Page: 15 / 15