

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Stainless Steel Shine**
Product code(s) 12091

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
solvent
cleaning agent
industrial uses
professional uses

Uses advised against
Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Tristar Cleaning Products UK Ltd.
Unit 3 Ripley Close
WF6 1TB Normanton, Wakefield
United Kingdom
Tel: +44 1924856390
E-mail: info@tristargroup.uk

1.4 Emergency telephone number

Emergency information service
for emergency responders
This number is only for medical emergencies.

Poison centre		
Country	Name	e-Mail
United Kingdom	National Poisons Information Service (NPIS)	director.birmingham.unit@npis.org

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	aspiration hazard	1	Asp. Tox. 1	H304
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling
- Signal word danger

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

- Pictograms

GHS08



- Hazard statements

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P273 Avoid release to the environment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container to industrial combustion plant.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.
EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

- Hazardous ingredients for labelling

Koolwaterstoffen, C11-C13, iso-alkanen, < 2% aromaten, Koolwaterstoffen, C11-C12, iso-alkanen, < 2% aromaten

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	EC No 920-901-0	10 – < 25	Asp. Tox. 1 / H304				
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	EC No 918-167-1	10 – < 25	Flam. Liq. 3 / H226 Asp. Tox. 1 / H304	 			





Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
(R)-p-mentha-1,8-diene	CAS No 5989-27-5 EC No 227-813-5 Index No 601-029-00-7	< 1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	   			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
(R)-p-mentha-1,8-diene	-	-	1,000 mg/kg	oral

For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect from sunlight.

- Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

Solvent. Cleaning agent. Industrial uses. Professional uses.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

Relevant DNELs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Relevant PNECs of components of the mixture						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness

> 0.35 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Boiling point or initial boiling point and boiling range	179 °C at 1 atm
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0.6 vol% - 7 vol%
Flash point	68 °C
Auto-ignition temperature	>200 °C (auto-ignition temperature (liquids and gases))
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	0.07 kPa at 20 °C (calculated value, referring to a component of the mixture)
-----------------	---

Density and/or relative density

Density	0.805 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

Other safety characteristics

VOC content	100 %
-------------	-------

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed, in contact with skin or if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
(R)-p-mentha-1,8-diene	5989-27-5	oral	1,000 mg/kg

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		oral	LD50	>15,000 mg/kg	rat
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		inhalation: vapour	LC50	>4,951 mg/m ³ /4h	rat
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		inhalation: dust/mist	LC50	>9,300 mg/m ³ /4h	rat
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		dermal	LD50	>5,000 mg/kg	rabbit
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		oral	LD50	>15,000 mg/kg	rat

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		inhalation: vapour	LC50	>4,951 mg/m ³ /4h	rat
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		inhalation: dust/mist	LC50	>9,300 mg/m ³ /4h	rat
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		dermal	LD50	>5,000 mg/kg	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		LL50	>1,000 mg/l	fish	24 h

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		EL50	>1,000 mg/l	aquatic invertebrates	24 h
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		LL50	>1,000 mg/l	fish	24 h
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		EL50	>1,000 mg/l	aquatic invertebrates	24 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		LL50	>1,000 mg/l	fish	24 h
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		EL50	>1,000 mg/l	aquatic invertebrates	24 h
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		LL50	>1,000 mg/l	fish	24 h
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		EL50	>1 mg/l	aquatic invertebrates	21 d
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 mg/l	fish	8 d

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		oxygen depletion	7.3 %	4 d		ECHA

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		carbon dioxide generation	0 %	3 d		ECHA
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		oxygen deple- tion	7.3 %	4 d		ECHA
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		carbon dioxide generation	0 %	3 d		ECHA
(R)-p-mentha- 1,8-diene	5989-27-5	carbon dioxide generation	58.8 %	14 d		ECHA
(R)-p-mentha- 1,8-diene	5989-27-5	oxygen deple- tion	80 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
(R)-p-mentha-1,8-diene	5989-27-5		4.38 (pH value: 7.2, 37 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance it-
self.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be
handled separately by the local or national waste management facilities.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

SECTION 14: Transport information

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

None of the ingredients are listed.

Deco-Paint Directive

VOC content	100 %
-------------	-------

Industrial Emissions Directive (IED)

VOC content	100 %
-------------	-------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Stainless Steel Shine	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
(R)-p-mentha-1,8-diene	flammable / pyrophoric		40
Koolwaterstoffen, C11-C12, iso-alkanen, < 2% aromaten	flammable / pyrophoric		40

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	- Hazardous ingredients for labelling: Koolwaterstoffen, C11-C13, iso-alkanen, < 2% aromaten, Koolwaterstoffen, C11-C12, iso-alkanen, < 2% aromaten, (R)-p-mentha-1,8-diene	- Hazardous ingredients for labelling: Koolwaterstoffen, C11-C13, iso-alkanen, < 2% aromaten, Koolwaterstoffen, C11-C12, iso-alkanen, < 2% aromaten	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1	Occupational exposure limit values (Workplace Exposure Limits): This information is not available.	Occupational exposure limit values (Workplace Exposure Limits): Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1		Acute toxicity of components of the mixture: change in the listing (table)	yes

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
14.1	UN number or ID number: not assigned	UN number or ID number: not subject to transport regulations	yes
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es): none	yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SCBA	Self-contained breathing apparatus
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
VOC	Volatile Organic Compounds

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Stainless Steel Shine

Version number: GHS 11.1
Replaces version of: 2022-10-11 (GHS 10)

Revision: 2023-03-21

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.