MRX Speed No. 81 Car Bed

3043-SB

L2180 x W1090 x H580 mm
M3: 0.25 G.W.: 58 KGS
Slat to top side rail - 374.5mm
Colour - Blue or Black





Night Racer Car Bed

3002-SB

L2315 x W1110 x H685 mm
M3: 0.26 G.W.: 60 KGS
Back display shelf
Slat to top side rail - 338mm
Colour - Red or Blue





No. 5 Special Racing Car Bed

3004-SB

L2035 x W996 x H520 mm
M3: 0.13 G.W.: 44 KGS
Slat to top side rail - 285mm
Colour - Red or Blue





$849

Brisbane Night Speeder Car Bed

3059-KSB **KING SINGLE**

L 2375 x W 1260 x H 602 mm

M3 : 0.26 G.W. : 61.52 KGS






88 VPOWER
2 Sizes Adjustable Racing Car Bed

2P0004-25SBR


M3: 0.22 G.W.: 53 KGS

The single sized bed can be adjusted to turn to long single bed. Distance from top of upper slat base to top of the bed - 376 mm

Single Bed Dimension - 2188L x 1140W x 579H mm
Internal Dimension - 1910L x 930W mm



Long Single Bed Dimension - 2318L x 1140W x 579H mm
Internal Dimension - 2040L x 930W mm






Daytona 2 Sizes Adjustable Racing Car Bed


2P0003-24SBB

M3: 0.13 G.W.: 47 KGS

The single-sized bed can be adjusted to convert into a long single bed. The distance from the top of the upper slat base to the top of the bed is 317 mm. The front shelving can be used to display any items you like.



Long Single Bed - 2318L x 990W x 482Hmm
Internal Dimension - 2040L x 930Wmm



Single Bed - 2188L x 990W x 482Hmm
Internal Dimension - 1910L x 930Wmm



$949


Victoria Princess Carriage Bed

3107-SB

L2020 x W1175 x H1427 mm

M3: 0.23 G.W.: 59 KGS

Stair can be installed on either side of the bed.






Havana Princess Bed


3087-SB

L2110 x W960 x H870 mm
M3: 0.15 G.W.: 47 KGS





$1369





Surfboard style ladder



Turnable steering wheel



Fun campervan design with details and give perfect fun for your child's bedroom

Surf Bunk Bed

3097-BB

L2085 x W1085 x H1360 mm

M3: 0.41 G.W.: 109 KGS Int. Dim. 930 x 1910mm

Distance from top of upper slat base to top of the bed is 368mm(Mattress used should be maximum of 200mm)

From lower slat to top slat(Bottom) is 820mm

Material: MDF and Metal Support Rails

furntech




Dreamline Express 2 Sizes Adjustable Train Bed

2P0008-25SB


M3: 0.17 G.W.: 43 KGS

The single sized bed can be adjusted to turn to long single bed. Distance from top of upper slat base to top of the bed - 238 mm

Single Bed Dimension - 2030L x 1038W x 796H mm
Internal Dimension - 1910L x 930W mm



Long Single Bed Dimension - 2160L x 1038W x 796H mm
Internal Dimension - 2040L x 930W mm






Werribee 2 Sizes Adjustable Fire Truck Bed

2P0005-24SB


M3: 0.20 G.W.: 53 KGS

The single sized bed can be adjusted to turn to long single bed. Distance from top of upper slat base to top of the bed - 428 mm

Single Bed Dimension - 1961L x 990W x 1025H mm
Internal Dimension - 1910L x 930W mm



Long Single Bed Dimension - 2091L x 990W x 1025H mm
Internal Dimension - 2040L x 930W mm



Car Beds' Accessories

RACER BOOKCASE



MODEL: 1105-20 (BLUE/RED)
L860 x W295 x H1100 mm
M3: 0.06 G.W.: 22.67KGS

$279

CUBE BOOKCASE



MODEL:7002-RBC(RED/BLUE)
L760 x W420 x H1330 mm
M3: 0.12 G.W.: 42.67KGS

$499

RACING CAR DESK



MODEL: 1988-09(BLUE/RED)
L1200 x W600 x H745 mm
M3: 0.12 G.W.: 51.81KGS

$499

RACER TOY BOX



MODEL: 1105-06 (BLUE/RED)
L800 x W380 x H400 mm
M3: 0.04 G.W.: 14.16KGS

$229

Car Beds' Accessories

BST - $229
TALLBOY - $499

RACER SIDE TABLE & CHEST OF DRAWER



MODEL: 1105-08R (RED)
W430 x D400 x H426 mm
M3: 0.04 G.W.: 14 KGS
Extension runner & KD



MODEL: 1105-264R (RED)
W840 x D470 x H960 mm
M3: 0.14 G.W.: 50 KGS
Extension runner & KD
Anti-tipping kit included

RACER SIDE TABLE & CHEST OF DRAWER



MODEL: 1105-08B (BLUE)
W430 x D400 x H426 mm
M3: 0.04 G.W.: 14 KGS
Extension runner & KD



MODEL: 1105-264B (BLUE)
W840 x D470 x H960 mm
M3: 0.14 G.W.: 50 KGS
Extension runner & KD
Anti-tipping kit included

GAS TANK CABINET



(door opened view)

MODEL: 7300-GTC (RED/BLUE)
W538 x D400 x H1410 mm
M3: 0.08 G.W.: 30 KGS
Anti-tipping kit included & KD TYPE

RACER SIDE TABLE



MODEL: 7102-ST(BLACK)
W430 x D400 x H426 mm
M3: 0.04 G.W.: 14 KGS
Extension runner & KD

LIGHT GREY WASH SIDE TABLE & CHEST OF DRAWER




MODEL: 7117-STGWW
W550 x D430 x H593 mm
M3: 0.06 G.W.: 23 KGS
Metal runner & KD



6516-CDGWW M3: 0.17 G.W.:58KGS
W860 x D460 x H1033 mm
Colour - L. Grey Wash & White
Open Shelf Int.-744x400x189mm
Extension runner and KD Type
Anti-tipping kit included



$799





Internal Drawer Dimension:
W898 x D484 x H119 mm



Both side panels use Rubbery ABS Edging with smooth finish




1.5mm thick edging used on side rail with smooth edging


Cozy Day Bed With Shelves & 2 Drawers

507-SB

L1946 x W1170 x H800 mm M3: 0.30 G.W.: 79 KGS
Internal Dimension: 930 x 1910mm
2 Drawers come with wheels
Shelves to display anything you like
Material: MDF and Metal Support Rails










Option:
Purchase matching trundle
5103-KSUB
to put underneath of Salford.
2 in 1 King single trundle storage
can fit 180mm thickness mattress
M3: 0.13 G. W.: 36 KGS
Trundle Dim.- L2061 x W1090 x H225

Salford King Single Day Bed With Bookcase

556-KSBGWW(Day Bed) + 5103-KSUB (Trundle)

L2116 x W1345 x H1169mm
M3: 0.27 G.W.: 87 KGS Int. Dim. 1080 x 2080mm
Shelves to display anything you like
Distance from ground to the top of the slat base - 308mm
Material: MDF and Metal Support Rails







Drawers & cabinet could be fixed on either side





Cabinet Dimension:
511-SB: L 630 x W 290 x H 880 mm
517-KSB: L 630 x W 290 x H 880 mm

1.5mm thick edging used on side rail with smooth edging



Drawer Internal Dimension:
511-SB : L 898 x W384 x H119 mm
517-KSB: L 968 x W384 x H119 mm

Airlie Series with cabinet & 2 Drawers

511-SB Single Bed
L 2224 x W 1000 x H 1205 mm
M3 : 0.36 G.W. : 106 KGS
Internal Dim.: 930 x 1910 mm

517-KSB King Single
L 2364 x W 1150 x H 1205 mm
M3 : 0.38 G.W. : 125 KGS
Internal Dim.: 1080 x 2050 mm

Drawers & Cabinet come with wheels
2 Drawers & 1 Cabinet included - can be fixed on either side

Light Oak Furniture Accessories

SIDNEY DESK WITH HUTCH



MODEL: 5802-DSK
L930 x W600 x H1550 mm
M3: 0.11 G.W.: 43.47KGS

$499

SIDNEY BOOKCASE



MODEL:7003-BC
L930 x W400 x H1550 mm
M3: 0.11 G.W.: 43.47KGS

$559

SIDNEY CHEST & DRAWER



MODEL: 6511-CD
L840 x W450 x H960 mm
M3: 0.12 G.W.: 51.81KGS

$529

SIDNEY SIDE TABLE




MODEL: 7110-ST
L470 x W400 x H495 mm
M3: 0.03 G.W.: 12.25KGS

$259



$1139






Movable Desk with castors
850Wx590DX695H mm



2 metal bars to support stair



2 Doors cabinet with 2 drawers. Drawers come with metal runners
615WX400DX720H mm



Solid wood slat base to support mattress


Appleton Single Midi Sleeper Bed with Desk, Cabinet and Bookshelves

IQ7409 L1966 X W1136W X H1156 mm

M3: 0.39 G.W.: 113 KGS Int. Dim. 940 x 1930mm
Distance from top of upper slat base to top of the bed is 342mm(Mattress used should be maximum of 180mm)
Material: Metal Support Rails and particle board

furntech







Ladder can be interchangeable between the right and left side of the bed

Cape Single Midi Sleeper Bed with Desk, Cabinet and Shelves

547-SBGWW

L1946 X W1155W X H1363 mm

M3: 0.47 G.W.: 155KGS Int. Dim. 930 x 1910mm


Distance from top of slat base to top of the bed is 370.5mm(Mattress used should be maximum of 210mm)


Stand-alone desk with castors & shelves - 1100Wx600Dx730H mm

Cabinet - 898Wx368Dx870H mm Material: MDF

furntech









Solid wood slat base to support mattress



2 metal bars to support stair

Z1 Low Line Single Bunk Bed

IQ7410SO L1966 X W1145W X H1126 mm

M3: 0.32 G.W.: 77 KGS Int. Dim. 940 x 1930mm


Distance from top of upper slat base to top of the bed is 330mm(Mattress used should be maximum of 170mm)

Distance from ground to top of lower slat base - 51mm

Material: Metal and particle board

furntech







Sturdy strong bed wtih 50mm 4 poles



2 metal bars to support stair



Top bed with centre support rail to support slat base



Solid wood slat base to support mattress

Gisborne KING Single Bunk Bed

IQ7581 L2160 X W1228W X H1453 mm


M3: 0.34 G.W.: 98 KGS Int. Dim. 1080 x 2060mm

Distance from top of upper slat base to top of the bed is 345mm(Mattress used should be maximum of 180mm)

Material: Metal Support Rails and particle board

furntech







Handrail to assist access



Upper shelves to display anything you like.



LVL slat base to suuport mattress



Lower shelves to display anything you like.

Castel Single Bunk Bed with Shelves & Drawers

IQ7717-BB

L1966 x W1370 x H1708 mm

M3: 0.43 G.W.: 131 KGS Int. Dim. 940 x 1930mm


Distance from top of upper slat base to top of the bed is 354mm(Mattress used should be maximum of 190mm)


Drawer Internal Dimension - 860W x 585D x 80Hmm

Material: Metal Support Rails and particle board

furntech







Left side cabinet comes with 3 adjustable shelves.
Desk Top Dimension: 1173W x 595D mm
Rounded edging on desk top. From floor to bottom of desk top is 712mm.



Handrail to assist access. Metal bar to support stairs



Plenty of shelves for storage and display


Horizon King Single Loft Bed

545-KSBGWW

L2090 x W1297 x H1600 mm
M3: 0.47 G.W.: 161 KGS Int. Dim. 1080 x 2050mm
Distance from top of upper slat base to top of the bed is 343mm(Mattress used should be maximum of 180mm)
Material: MDF and Metal Support Rails

furntech





Left side with Shelves

Right side with Desk and Shelf



Ladder can be interchangeable between the right and left side of the bed with seat configuation near desk with 3 locking position



Seat configuation near stair

Beyond King Single Gaming Bunk with Desk and Shelves

571-KSBBDGR

L2390 X W1314W X H1831 mm

M3: 0.63 G.W.: 198KGS Int. Dim. 1080 x 2050mm


Distance from top of slat base to top of the bed is 362(Mattress used should be maximum of 200mm)

3 diffierent configuration for bottom - Bed, seat configuration near desk or seat configuration near stair

Material: MDF and Metal Support Rail

furntech







1 side of lower bed comes with guard rail



Contemporary and layer design



Handrail to assist access. Side rail & trundle PAINTED in White. Metal bars to support stair.

Skyler Trio Single Bunk Bed

568-BBOAKW L2108 x W1280 x H1600 mm

M3: 0.44 G.W.: 155 KGS Int. Dim. 930 x 1930mm


Distance from top of upper slat base to top of the bed is 361mm(Mattress used should be maximum of 200mm)

Storage / Trundle can fit 200mm thickness mattress

Material: MDF and Metal Support Rails

furntech







2 Shelves to display anything you like



Metal bars to support stair



Handrail to assist access.



Option:
Purchase matching trundle
5106-UBOAK
to put underneath of Kingsley.
2 in 1 single trundle storage can fit 200mm thickness mattress
M3: 0.09 G. W.: 32 KGS
Trundle Dim- L1912 x W950 x H245


Kingsley Single Bunk Bed With Bookshelves

554-BBOGRY(Bed)+5106UBOAK(Trundle)

L2224 x W1246 x H1680mm Material: MDF & Metal Support Rails
M3: 0.42 G.W.: 137 KGS Int. Dim. 930 x 1930mm
Distance from top of upper slat base to top of the bed is 360mm(Mattress used should be maximum of 200mm)
Storage / Trundle can fit 200mm thickness mattress

furntech







Staircases with 5 built in cabinets, providing ample storage space.



Metal support bar on the back of stair



Solid wood slat base to support mattress



Single size Trundle bed can be used as trundle or Storage

Ashton Trio Single Bunk with Stairs & Cabinets

IQ7522

L2354 x W995 x H1629 mm

M3: 0.72 G.W.: 160 KGS Int. Dim 940 x 1930mm


Distance from top of upper slat base to top of the bed is 385mm(Mattress used should be maximum of 220mm)

Storage / Trundle can fit 200mm thickness mattress

Material: Metal and particle board

furntech









Staircases with 5 built in cabinets, providing ample storage space.



Double size Trundle bed can be used as trundle or Storage



Solid wood slat base to support mattress


Levin Single Over Double Bunk Bed & Double Trundle


IQ7582

L2354 x W1435 x H1627 mm

M3:0.76 G.W.:182 KGS Int. Dim 940/1380 x 1930mm
Distance from top of upper slat base to top of the bed is 385mm(Mattress used should be maximum of 220mm)
Storage / Trundle can fit 200mm thickness mattress
Material: Metal and particle board

furntech







Metal ladder can be fitted either side



Back View



Solid wood slat base to support mattress

Z5 Single Over Double Trio Bunk Bed with Trundle

IQ7443SOW

Int. Dim 940/1390 x 1930mm

M3:0.54 G.W.:140 KGS L1960 x W1430 x H1598 mm


Distance from top of upper slat base to top of the bed is 355mm(Mattress used should be maximum of 190mm)

Storage / Trundle can fit 180mm thickness mattress

Material: Metal and particle board

furntech







IQ5399-25SODMOW
Ladder can be reversible



Option:
IQ5399-25SODMOW+
5399SHELFW



Option:
IQ5399-25SODMOW+
5399STAIRMOW



Option: WS1903DW
Double Storage /Trundle
Can fit 165mm mattress.
L1920xW1435xH235mm



Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
L1926xW970xH290mm



Option: IQ3982-20BD
Drawers come w/wheels
W910xD830xH254.6mm





Convertible to 1 Double Bed and 1 loft single bed


Bergen Single Over Double Bunk with Tray, Stair and Display Shelf

IQ5399-25SODMOW+5399SHELFW+5399STAIRMOW

M3:0.50 G.W.:143KGS Int. Dim. 940/1390x1930mm Material: Rubber Wood & MDF
Dim:L2424 X W1685 X H1660mm(W/Stair) L2085 X W1685 X H1660mm(W/O Stair)
The distance from the top of the upper slat base to the top of the bed is 360mm.
The recommended maximum mattress height is 200 mm. The distance from the top of the bottom bunk's slat base to the underside of the top bunk's slats is 900 mm.
Flat wooden slatted base with one centre rail on a double bed to support the slats.
Pass AS/NZS 4220:1994 & CONSUMER PROTECTION NOTICE No, 1 2003 - PM223701-6A rev1









IQ3199-25BBMOW
Ladder can be reversible
Picture is for colour reference



Option:
IQ3199-25BBMOW
5399SHELFW



Option:
IQ3199-25BBMOW
5399STAIRMOW



Option: IQ3982-20BD
Drawers come w/wheels
W910xD830xH254.6mm





5399BOOKSH-DOORMOW



Convertible to 1 Single Bed and 1 Loft Bed

Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
L1926xW970xH290mm



5399BOOKSH-OPENMOW

Bergen Single Over Single Bunk with Tray, Stair and Display Shelf

IQ3199-25BBMOW+5399SHELFW+5399STAIRMOW

M3: 0.44 G.W.: 135KGS Int. Dim. 940 x 1930mm


Dim:L2424 X W1192 X H1660mm(W/Stair) L2085 X W1080 X H1660mm(W/O Stair)

Material: Rubber Wood & MDF

The distance from the top of the upper slat base to the top of the bed is 360mm. The recommended maximum mattress height is 200 mm. The distance from the top of the bottom bunk's slat base to the underside of the top bunk's slats is 900 mm.

Pass AS/NZS 4220:1994 & CONSUMER PROTECTION NOTICE No, 1 2003 Report PM223701-3A





Option:
IQ202-KSW 2-in-1 King Single Trundle with Storage – fits a mattress up to 210mm thick.
M3: 0.12 G.W.: 38 KGS
L2062 x W1123 x H235mm





Option: Includes four extra short legs to convert the bunk bed into a low-line bunk.



Option: Converts into a loft bed and a low bed



Option: Converts into a loft bed and a normal bed


Ferryland Multi-purpose King Single Bunk

IQ5168-25KSBWBR


M3: 0.36 G.W.: 82KGS Int. Dim.: 1090 x 2070mm
Material: Rubber Wood and MDF L2150 x W1244 x H1398 / 1658mm

The distance from the top of the upper slat base to the top of the bed is 360 mm.
The recommended maximum mattress height is 200 mm. The distance from the top of the bottom bunk's slat base to the underside of the top bunk's slats is 900 mm.
Flat wooden slatted base with a centre rail on both the top and bottom beds to support the slats. The ladder is as shown in the picture and cannot be repositioned.
Pass AS/NZS 4220:1994 & CONSUMER PROTECTION NOTICE No, 1 2003 - Report PM223701-1A









Option 5400CANOPY:
To purchase and transform bottom bed to canopy bed.
M3: 0.06 G.W.: 10 KGS



Random Gouges


Hamilton Single Bunk Bed


IQ5400-25BB

M3: 0.40 G.W.: 82KGS Int. Dim.: 940 x 1937mm
Material: Rubber Wood L1997 x W1384 x H1580mm

The distance from the top of the upper slat base to the top of the bed is 360 mm.
The recommended maximum mattress height is 200 mm. The distance from the top of the bottom bunk's slat base to the underside of the top bunk's slats is 960 mm.
Crafted with a distressed finish and natural-looking random gouges that add character and texture. The ladder is as shown in the picture and cannot be repositioned.
Pass AS/NZS 4220:1994 & CONSUMER PROTECTION NOTICE No, 1 2003 - Report PM223701-5A








Option: Purchase matching trundle to put underneath bunk bed & can fit 235mm thickness mattress

IQ3465-17TB
Single Trundle
M3:0.08 G.W:31KGS
L1914xW964xH326mm

IQ3466-KSTB
KING Single Trundle
M3:0.09 G.W:38KGS
L2060xW1120xH326mm



Colour: Natural mixed with White



Convertible to 2 beds

Irvine Bunk Bed

IQ3586-18BB Single Bunk


M3: 0.19 G.W.: 88 KGS
L2022 x W1095 x H1640 mm
Internal Dimension 940 x 1930mm
Distance from top of upper slat base to top of the bed is 371mm(Maximum thickness of mattress is 205mm)
Material: Rubber Wood and MDF frame construction
Colour: Natural mixed with White or Charcoal

IQ3587-18BB KING Single Bunk

M3: 0.22 G.W.: 101 KGS
L2162 x W1245 x H1640 mm
Internal Dimension 1090 x 2070mm
Distance from top of upper slat base to top of the bed is 361mm(Maximum thickness of mattress is 200mm)
Material: Rubber Wood and MDF frame construction
Centre rail support on King Single Bunk Bed only

furntech







Colour: Natural mixed with White



Option: Purchase matching trundle IQ3465-17TB to put underneath bunk bed & can fit 235mm thickness mattress
M3: 0.08 G.W: 28KGS
L1914 x W964 x H326mm


Irvine Single Over Double Bunk Bed

IQ3586-18BB + IQ3586-18EK&L

L2022 x W1552 x H1640 mm Int. Dim. 1400 x 1930mm
Convert bottom single bed to double bed through extension
Distance from top of upper slat base to top of the bed is 371mm(Mattress used should be maximum of 205mm)
Material: Rubber Wood and MDF

furntech









Option: WS1401W Evora 2 Drawers
Ext. Dim.: W935 x D815 x H265 mm
Int. Dim.: W850 x D785 x H165 mm
M3: 0.05 G.W.: 20 KGS

Option: WS328W Fremantle Single Trundle
Ext. Dimension: L1905 x W970 x H115 mm
Internal Dim.: 930X1905 mm M3: 0.03 G.W.: 13 KGS
Trundle bed which can fit up to 160mm thickness mattress on hard floor and carpet is 150mm

Colina House Bed With Guardrail

IQ190-BW(Bed) + WS328W(Trundle)

L1995 x W995 x H1675mm M3: 0.15 G.W.: 40KGS
Internal Dim.: 930 x 1930mm Material: Solid Wood & LVL wood
Guard rails it's safe and secure for little kids to sleep on. Guard rail can be removed to turn to normal bed.
To hang favourite toys on the bars.



Quincy Series

WS1301W

L2023 x W1015 x H1000/435 mm
M3: 0.17 G.W.: 30 KGS
Internal Dim.: 930 x 1930mm

WS1301KSW


L2183 x W1165 x H1000/435 mm
M3: 0.2 G.W.: 35 KGS
Internal Dim.: 1090 x 2070mm


Material: Rubber wood and MDF
Distance from ground to bottom of side rail is 245mm



Option: Purchase matching trundle WS328W (Single) or WS329KSW (King Single) to put underneath the bed & can fit upto 175mm thickness mattress on hard floor and carpet is 155mm









Nashville Single Wooden Sofa Day Bed with Trundle

WS1602BW

L2044 x W980 x H950 mm

M3: 0.32 G.W.: 79 KGS Internal Day Bed Dimension 930 x 1930mm

Trundle dimension - L1920 x W965 x H270 mm (Maximum thickness of mattress is 180mm for trundle)

Distance from ground to the top of the slat base - 316mm

Material: Rubber Wood and MDF





IQ207SW+WS2112W+207DRLG



IQ207SW+WS2112W+207DRDG



IQ207SW+WS2112W+207DRLP


Option to purchase matching WS2112W Guardrail:
Offers added safety for children transitioning from a cot to a larger bed by helping prevent them from rolling out during sleep. Material is MDF and solid wood
Guardrail Dimensions: 1200L x 55W x 380H mm (Height from side rail to top of guardrail: 320 mm) Designed to fit side rails with 18 mm thickness. Guardrail legs can be securely mounted anywhere along the side rail using self-tapping screws for flexible positioning.

Fontana Single Bed with storage and sliding doors

IQ207SW+IQ207DRLG/IQ207DRDG/IQ207DRLP

M3: 0.19 G.W.: 43 KGS Dim.: L1996 x W993 x H1063 mm Int. Dim.:930 x 1930mm
Material: Rubber Wood & MDF Sliding Doors construction track for both sides and sliding door can be installed either left or right side. Sliding door entrance height is 261mm and internal height from floor to bottom of side rail is 349mm. Large shelf at footend is providing ample storage space for toys, books, and essentials.
Shelf Dimension: 400L x 865W x 298H mm
Colour - White in Painted finish and Sliding Door in Light Grey/Dark Grey or Light Pink









Drawers can be fixed on either side.
Drawer Dimensions: L460 x W385 x H97mm




Option to purchase matching IQ202-KSW trundle to fit underneath the Anaheim
2-in-1 King Single Trundle with Storage – fits a mattress up to 210mm thick.
M3: 0.12 G.W.: 38 KGS
L2062 x W1123 x H235mm


Anaheim King Single Captain Bed With Drawers

IQ2106KSW (M3: 0.24 G.W.: 67KGS Bed) + IQ202KSW (Trundle)

L2295 x W1175 x H1195mm Int. Dim.: 1090 x 2070mm
Material: Rubber Wood and MDF
Distance from Ground to Top of Slat: 560 mm
Top Shelving (Left and Right Sides): L170 x W300.5 x H89 mm
Middle Shelving: L170 x W493 x H240 mm
Bottom Shelving (Left and Right Sides): L170 x W300.5 x H136 mm







The bedhead panel comes with both Light Grey and White options, allowing the flexibility to assemble it in their preferred colour.




Option to purchase matching IQ202-KSW trundle to fit underneath the Anaheim
2-in-1 King Single Trundle with Storage – fits a mattress up to 190mm thick.
M3: 0.12 G.W.: 38 KGS
L2062 x W1123 x H235mm

Armadale King Single Storage Bed

IQ3338-KSW (M3: 0.16 G.W.: 45KGS Bed) + IQ202KSW (Trundle)

L2330 x W1185 x H1195mm(Bedhead) / 595mm(Footend) Int. Dim.: 1090 x 2070mm
Material: Rubber Wood and MDF
Distance from Ground to bottom of Slat: 280mm and Top of Slat: 350mm
Top Shelving (Left and Right Sides): L228 x W300.5 x H255.5 mm
Middle Shelving: L228 x W507 x H530 mm
Bottom Shelving (Left and Right Sides): L228 x W300.5 x H259.5 mm





$1299



Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
L1926xW970xH290mm



Option: IQ3982-20BD
Drawers come w/wheels
W910xD830xH254.6mm

Orion Single Over Single Bunk (Commercial Grade)

IQ5075-22BBW


M3: 0.31 G.W.:94 KGS Int. Dim. 940 x 1930mm

Material: Rubber Wood & MDF Dimension: L2038 x W1095 x H1702 mm

The distance from the top of the upper slat base to the top of the bed is 371mm. The recommended maximum mattress height is 210 mm. This bed is approved for users up to 135 kg. Each sleeping position has passed static load testing up to 300 kg. It features sturdy 54 mm thick poles and a center rail for additional support, ensuring the slatted base can handle heavy weight reliably.

AFRDI RATED LOAD







Option: WS1903DW
Double Storage /Trundle
Can fit 165mm mattress.
L1920xW1435xH235mm



Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
L1926xW970xH290mm



Option: IQ3982-20BD
Drawers come w/wheels
W910xD830xH254.6mm





Orion Single Over Double Bunk (Commercial Grade)

IQ5085-22BBW

M3: 0.36 G.W.:102 KGS Int. Dim. 940/1390 x 1930mm

Material: Rubber Wood & MDF Dimension: L2038 x W1500 x H1702 mm

The distance from the top of the upper slat base to the top of the bed is 371mm. The recommended maximum mattress height is 210 mm. This bed is approved for users up to 135 kg. Each sleeping position has passed static load testing up to 300 kg. It features sturdy 54 mm thick poles and a center rail for additional support, ensuring the slatted base can handle heavy weight reliably.

AFRDI RATED LOAD

AFRDI RATED LOAD Blue Tick Product Certification

Approved by Furntech-AFRDI

based on AFRDI 152 – *Bunk beds for people up to 135kg*

*Check website www.furntech.org.au for current certification status

Certificate No. **17286/2**

Nominal Expiry* **20 January 2028**

Supplier: **IQ Kids & Furniture Pty Ltd**

Description: **Single over double bunk**

Product name: **IQ5085-22BB Orion Single Over Double [1]**

Approved for use for people up to 135 kg. Static load tested to 300 kg for each sleeping position.

The above bunk bed has been assessed by Furntech-AFRDI and also found to comply with the requirements of the following standards:

- AS/NZS 4220:2010 *Bunk beds and other elevated beds*.
- Commonwealth of Australia Consumer Protection Notice Number 1 of 2003 *Consumer Product Safety Standard: Bunk Beds*

The supplier having agreed to maintain the compliance of the product and to submit to retesting and auditing as appropriate, the Australasian Furnishing Research and Development Institute hereby certifies the product under the AFRDI Blue Tick Product Certification Program.

This certification is valid for three years but may be suspended, revoked or renewed.



FURNTECH · AFRDI · CERTIFIED


[1] certification covers bunk with and without trundle or drawers underneath and with different colour variations.

17286-2_241218_ct.docx

furntech Australasian Furnishing Research & Development Institute

Australasian Furnishing Research & Development Institute Limited
ABN 44 009 579 908, trading as Furntech
School Road (University Campus) Newnham Drive PO Box 2042 Launceston Tasmania 7250 Australia
Tel (03) 6326 6155 Fax (03) 6326 3090
www.furntech.org.au Email: info@furntech.org.au







Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
Ext.: L1926xW970xH290mm
Int: L1880xW940xH160mm



Option: IQ3982-20BD
Drawers come with wheels
Ext.: W910xD830xH254.6mm
Int.: W870xD800xH150.5mm



Convertible to 2 single beds




Springfield Single Bunk Bed with Display Shelves

IQ3892-19BBW+IQ3892SHELFW

L2010 x W1096 x H1697 mm
M3: 0.30 G.W.: 96 KGS Int. Dim. 940 x 1930mm
Distance from top of upper slat base to top of the bed is 369mm(Mattress used should be maximum of 205mm)
Material: Rubber Wood & MDF

furntech







Option: WS1903DW
Double Storage /Trundle
Can fit 165mm mattress.
L1920xW1435xH235mm



Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
L1926xW970xH290mm



Option: IQ3982-20BD
Drawers come w/wheels
W910xD830xH254.6mm






Springfield Single Over Double Bunk With Display Shelves

IQ3893-19BBW+IQ3892SHELFW

L2010 x W1545 x H1697 mm
M3: 0.36 G.W.:103 KGS Int. Dim. 940/1390 x 1930mm
Distance from top of upper slat base to top of the bed is 369mm(Mattress used should be maximum of 205mm)
Material: Rubber Wood & MDF

furntech







Option: WS328W
Trundle bed which can fit up to 150mm thickness mattress on hard floor and carpet is 140mm



Option: WS1903DW L1920 x W1435 x H235 mm
Double size trundle bed can fit 140mm thickness mattress on hard floor. This trundle is not suitable on carpet. Carpet will interfere with clearance between bunk and trundle - making the trundle unable to close completely.


Seattle Single Over Double Bunk Bed

WS1901SDBLBUNKW Int. Dim 930/1400 x 1930mm

M3:0.22 G.W.:72 KGS L2013 x W1451 x H1595 mm
Distance from top of upper slat base to top of the bed is 350mm(Mattress used should be maximum of 190mm)
Material: Rubber Wood and MDF
Convertible to 1 single bed and 1 double bed

furntech







Option: WS1903DW
Double Storage /Trundle
Can fit 165mm mattress.
L1920xW1435xH235mm



Option: IQ3919-18TBW
Single Storage /Trundle
Can fit 210mm mattress.
L1926xW970xH290mm



Option: IQ3982-20BD
Drawers come w/wheels
W910xD830xH254.6mm



Convertible to 2 Double Beds



Springfield Double Bunk Bed

IQ5418-25DDBW

M3: 0.37 G.W.:101 KGS Int. Dim. 1390 x 1930mm

Material: Rubber Wood & MDF Dimension: L2010 X W1550 X H1697mm

The distance from the top of the upper slat base to the top of the bed is 365mm. The recommended maximum mattress height is 200 mm. The distance from the top of the bottom bunk's slat base to the underside of the top bunk's slats is 920 mm

Flat wooden slatted base with one centre rail on the top and bottom double bed to support the slats. The ladder is as shown in the picture and cannot be repositioned.