



Overview of Advantages

- Complete set with Planet US drop-down seal and Planet US pivot module for rebated pivot doors
- Suitable for top and bottom installation
- Long service life thanks to force-decoupled housing
- Silent release
- Enables narrow pivot door leaves
- Little installation work required
- Seals against noise, smoke, fire and energy loss
- Improved accessibility thanks to reduced activation force
- 7-year warranty

Scope of delivery

- Planet US with trigger module incl. inner profile extension and mounting material


Tender specification

Automatic door drop-down seal Planet US, RD with pivot module "rebated" | 48 dB, for sound and smoke-shielding doors, one-sided, silent release for pivot doors with rotating activator and decoupled housing for force absorption, minimal operating forces, automatic compensation for sloping floors, parallel lowering, seal height up to 20 mm, flush or deeper for grooving with lip protection. Lateral mounting on one side of the module and with US standard fixing bracket, lip made of silicone. Profile made of aluminium 8 x 30 mm.

Automatic door drop-down seal Planet US, FH+RD with pivot module "rebated" | 48 dB, for sound, smoke-shielding and fire-retardant doors, one-sided, silent release for pivot doors with rotating activator and decoupled housing for force absorption, minimal operating forces, automatic compensation for sloping floors, parallel lowering, seal height up to 20 mm, flush or deeper for grooving with lip protection. Lateral mounting on one side of the module and with US standard fixing bracket, lip made of self-extinguishing silicone. Profile made of aluminium 8 x 30 mm.

Technical data

Surface Stainless steel or black



Features / versions (depending on options)



Floor surfaces



Possible door types (depending on options)



Variants that can be ordered

Order number	Version	Surface	Length	Order placement information
22086	smoke-shielding	Stainless steel	727 - 852 mm	Please specify fixed dimensions!
22098	smoke-shielding	Stainless steel	852 - 977 mm	Please specify fixed dimensions!
22111	smoke-shielding	Stainless steel	977 - 1102 mm	Please specify fixed dimensions!
22123	smoke-shielding	Stainless steel	1102 - 1227 mm	Please specify fixed dimensions!
22136	smoke-shielding	Stainless steel	1227 - 1352 mm	Please specify fixed dimensions!
22148	smoke-shielding	Stainless steel	1352 - 1477 mm	Please specify fixed dimensions!
22161	smoke-shielding	Stainless steel	1477 - 1602 mm	Please specify fixed dimensions!
22200	smoke-shielding	Stainless steel	1602 - 2000 mm	Please specify fixed dimensions!
22250	smoke-shielding	Stainless steel	2000 - 2500 mm	Please specify fixed dimensions!
22300	smoke-shielding	Stainless steel	2500 - 3000 mm	Please specify fixed dimensions!

22086B	smoke-shielding	black	727 - 852 mm	Please specify fixed dimensions!
22098B	smoke-shielding	black	852 - 977 mm	Please specify fixed dimensions!
22111B	smoke-shielding	black	977 - 1102 mm	Please specify fixed dimensions!
22123B	smoke-shielding	black	1102 - 1227 mm	Please specify fixed dimensions!
22136B	smoke-shielding	black	1227 - 1352 mm	Please specify fixed dimensions!
22148B	smoke-shielding	black	1352 - 1477 mm	Please specify fixed dimensions!
22161B	smoke-shielding	black	1477 - 1602 mm	Please specify fixed dimensions!
22200B	smoke-shielding	black	1602 - 2000 mm	Please specify fixed dimensions!
22250B	smoke-shielding	black	2000 - 2500 mm	Please specify fixed dimensions!
22300B	smoke-shielding	black	2500 - 3000 mm	Please specify fixed dimensions!
25086	fire-retardant+s moke-shielding	Stainless steel	727 - 852 mm	Please specify fixed dimensions!
25098	fire-retardant+s moke-shielding	Stainless steel	852 - 977 mm	Please specify fixed dimensions!
25111	fire-retardant+s moke-shielding	Stainless steel	977 - 1102 mm	Please specify fixed dimensions!
25123	fire-retardant+s moke-shielding	Stainless steel	1102 - 1227 mm	Please specify fixed dimensions!
25136	fire-retardant+s moke-shielding	Stainless steel	1227 - 1352 mm	Please specify fixed dimensions!
25148	fire-retardant+s moke-shielding	Stainless steel	1352 - 1477 mm	Please specify fixed dimensions!
25161	fire-retardant+s moke-shielding	Stainless steel	1477 - 1602 mm	Please specify fixed dimensions!
25200	fire-retardant+s moke-shielding	Stainless steel	1602 - 2000 mm	Please specify fixed dimensions!
25250	fire-retardant+s moke-shielding	Stainless steel	2000 - 2500 mm	Please specify fixed dimensions!
25300	fire-retardant+s moke-shielding	Stainless steel	2500 - 3000 mm	Please specify fixed dimensions!
25086B	fire-retardant+s moke-shielding	black	727 - 852 mm	Please specify fixed dimensions!
25098B	fire-retardant+s moke-shielding	black	852 - 977 mm	Please specify fixed dimensions!
25111B	fire-retardant+s moke-shielding	black	977 - 1102 mm	Please specify fixed dimensions!
25123B	fire-retardant+s moke-shielding	black	1102 - 1227 mm	Please specify fixed dimensions!

25136B	fire-retardant+s moke-shielding	black	1227 - 1352 mm	Please specify fixed dimensions!
25148B	fire-retardant+s moke-shielding	black	1352 - 1477 mm	Please specify fixed dimensions!
25161B	fire-retardant+s moke-shielding	black	1477 - 1602 mm	Please specify fixed dimensions!
25200B	fire-retardant+s moke-shielding	black	1602 - 2000 mm	Please specify fixed dimensions!
25250B	fire-retardant+s moke-shielding	black	2000 - 2500 mm	Please specify fixed dimensions!
25300B	fire-retardant+s moke-shielding	black	2500 - 3000 mm	Please specify fixed dimensions!