commodiTile
value+quality+design



CARROLLTON

CARROLLTON offers everyday neutrals, go-to sizes and fun shapes, making this collection a must in any home or commercial space. Use them together to create a uniform design from top to bottom, or individually to keep things simple and clean.

THE DETAILS:

- Ceramic wall tiles in 3″ x 6″, 2″ x 8″, 4″ x 12″ and 4″ x 16″ size formats
- Porcelain floor tiles in 9″ x 10″ hexagons
- Porcelain mosaics in 1″ or 2″ hexagons and 2″ x 2″ squares

STYLE IT:

- Combine a single color wall, floor and mosaic to create a modern and crisp bathroom vibe
- Style the 9″ x 10″ hexagon in powder baths, laundry rooms and entryways




Photo features Gloss Charcoal 4″ x 12″

CARROLLTON

Ceramic Wall Tile

commodiTile
value+quality+design

COLOR AVAILABILITY - WALL



Gloss White
CTWL01



Matte White
CTWL03



Gloss Biscuit
CTWL02




Gloss Gray
CTWL05



Gloss Sand
CTWL06



Gloss Khaki
CTWL07



Gloss Charcoal
CTWL08

PART NUMBERS

GROUP 1 COLORS

Color Name	Size	Sku
Gloss White	2" x 8"	CTWL0128
Gloss White	3" x 6"	CTWL0136
Gloss White	4" x 12"	CTWL01412
Gloss White	4" x 16"	CTWL01416
Matte White	3" x 6"	CTWL0336
Matte White	4" x 12"	CTWL03412
Matte White	4" x 16"	CTWL03416
Gloss Biscuit	2" x 8"	CTWL0228
Gloss Biscuit	3" x 6"	CTWL0236
Gloss Biscuit	4" x 12"	CTWL02412
Gloss Biscuit	4" x 16"	CTWL02416
Gloss Gray	2" x 8"	CTWL0528
Gloss Gray	3" x 6"	CTWL0536
Gloss Gray	4" x 12"	CTWL05412
Gloss Gray	4" x 16"	CTWL05416

GROUP 2 COLORS

Color Name	Size	Sku
Gloss Sand	4" x 12"	CTWL06412
Gloss Khaki	4" x 12"	CTWL07412
Gloss Charcoal	4" x 12"	CTWL08412

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 8"*	1.94" x 7.75"	5/16"	100	11.10
	3" x 6"	2.95" x 5.88"	5/16"	132	16.50
	4" x 12"	3.98" x 11.81"	5/16"	40	13.33
	4" x 16"	3.98" x 15.75"	5/16"	25	11.11

Bullnose available on both long and short edge for 3" x 6" , 4" x 12" and 4" x 16" formats only

*2" x 8" Available in Gloss White, Gloss Biscuit and Gloss Gray only

© StyleAccess 2024

www.style-access.com · ph. 877.928.0132 · fx. 866.300.0630

CARROLLTON

Ceramic Wall Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS	WALL
Material Type	Ceramic
Finish	Glossy / Matte
Edge	Pressed
Color Variation	V1
Printing	N/A
Installation	Wall
Usage	Residential / Commercial
Grout Joint Recomm.	1/16”
Thickness	5/16”
Shower Pan	No
Pool Lining*	No
Fireplace Surround*	Yes
Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL
Water Absorption (C373)	> 7% and < 20%
Breaking Strength (C648)	N/A
Surface Abrasion (MOHS)	4.0
Chem. Resistance (C650)	Resistant
D.C.O.F. (A137.1)	N/A
Scratch Hardness (P.E.I)	N/A

© StyleAccess 2024

www.style-access.com · ph. 877.928.0132 · fx. 866.300.0630



Photo features Gloss White 3″ x 6″

CARROLLTON

Porcelain Floor Tile

commodiTile
value+quality+design


COLOR AVAILABILITY

White
CTFL01910HEX1P


Biscuit
CTFL02910HEX1P



Gray
CTFL05910HEX1P



Sand
CTFL06910HEX1P



Khaki
CTFL07910HEX1P



Charcoal
CTFL08910HEX1P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	9″ x 10″	9.13″ x 10.51″	5/16″	16	8.06

© StyleAccess 2024

CARROLLTON

Porcelain Floor Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS	9” x 10” HEXAGON
Material Type	Porcelain
Finish	Matte
Edge	Pressed
Color Variation	V1
Printing	Digital
Installation	Floor / Wall
Usage	Residential / Commercial
Grout Joint Recomm.	3/16”
Thickness	5/16”
Shower Pan	Yes
Pool Lining*	Yes
Fireplace Surround*	Yes
Frost Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	9” x 10” HEXAGON
Water Absorption (C373)	< 0.5%
Breaking Strength (C648)	≥ 250 lbs
Surface Abrasion (MOHS)	6.0
Chem. Resistance (C650)	Resistant
D.C.O.F. (A137.1)	> 0.42
Scratch Hardness (P.E.I)	3

© StyleAccess 2024

CARROLLTON

Porcelain Mosaics

commodiTile
value+quality+design


COLOR AVAILABILITY - MOSAICS


1″ Hexagon Glossy


White
CTMS011HEXG

Biscuit
CTMS021HEXG

Gray
CTMS051HEXG


Sand
CTMS061HEXG


Khaki
CTMS071HEXG



Charcoal
CTMS081HEXG

2″ Hexagon Matte

White
CTMS012HEXM

Biscuit
CTMS022HEXM

Gray
CTMS052HEXM


Sand
CTMS062HEXM


Khaki
CTMS072HEXM


Charcoal
CTMS082HEXM


2″ x 2″ Matte

White
CTMS0122M

Biscuit
CTMS0222M

Gray
CTMS0522M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	10.04″ x 11.54″	1/4″	11	8.84
	N/A	10.91″ x 12.68″	1/4″	11	10.56
	N/A	11.93″ x 11.93″	1/4″	11	10.87

© StyleAccess 2024

www.style-access.com · ph. 877.928.0132 · fx. 866.300.0630

CARROLLTON

Porcelain Mosaics

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS	1" HEXAGON	2" HEXAGON	2" x 2"
Material Type	Porcelain	Porcelain	Porcelain
Finish	Glossy	Matte	Matte
Edge	Pressed	Pressed	Pressed
Color Variation	V1	V1	V1
Printing	N/A	N/A	N/A
Installation	Wall	Floor / Wall	Floor / Wall
Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/16"	1/16"	1/16"
Thickness	1/4"	1/4"	1/4"
Shower Pan	No	Yes	Yes
Pool Lining*	Yes	Yes	Yes
Fireplace Surround*	Yes	Yes	Yes
Frost Resistant	Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	1" HEXAGON	2" HEXAGON	2" x 2"
Water Absorption (C373)	< 0.5%	< 0.5%	< 0.5%
Breaking Strength (C648)	N/A	N/A	N/A
Surface Abrasion (MOHS)	6.0	6.0	6.0
Chem. Resistance (C650)	Resistant	Resistant	Resistant
D.C.O.F. (A137.1)	N/A	≥ 0.42	≥ 0.42
Scratch Hardness (P.E.I)	3	3	3

© StyleAccess 2024



Photo features Khaki 2″ Hexagon