

Kits Multi Split Etherea Day & Night 3 Rooms • R32

Etherea stylish and outstanding features.

Using a Multi Split Inverter+ system you reduce consumption and thus save more! Up to 34%! Furthermore, using a Multi Split system, you save space on the outdoor unit, making it easier to install in small spaces.
Day & Night. Ideal for 2 day and night areas. Simultaneous use possible.



Etherea with nanoe⁺ X and built-in WLAN

[FIND OUT MORE](#)



New Voice Control

Control without boundaries and get hands-free help to fully access the features of your air conditioners.

[FIND OUT MORE](#)

Panasonic Comfort Cloud App. Take control of your comfort

[FIND OUT MORE](#)



Why install a Panasonic Air Conditioning unit?



nanoe™ X, technology with the benefits of hydroxyl radicals

[FIND OUT MORE](#)

Kits Multi Split Etherea Day & Night 3 Rooms • R32

SINGLE PHASE

		5.2 kW	5.2 kW	5.2 kW	5.2 kW
Indoor power source	V	230	230	230	230
SEER (2)		—	—	—	—
Outdoor net weight	kg	71	71	71	71
Outdoor sound pressure (Cool -Hi) (4)	dB(A)	47	47	47	47
Indoor net weight	kg	10	10 (9 CS-Z20TKEW)	10	10 (9 CS-XZ20TKEW)
Indoor dimension (Height)	mm	295 x 919 x 194	295 x 919 x 194	295 x 919 x 194	295 x 919 x 194
SCOP (2)		—	—	—	—
Refrigerant (R32) / CO2 Eq.	kg / T	2,10 / 1,418	2,10 / 1,418	2,10 / 1,418	2,10 / 1,418
EER (Nominal) (1)	W/W	4,48 A	4,48 A	4,48 A	4,48 A
COP (Nominal) (1)	W/W	4,79 A	4,79 A	4,79 A	4,79 A
Heating capacity (Nominal)	kW	6,80 (1,60 - 8,30)	6,80 (1,60 - 8,30)	6,80 (1,60 - 8,30)	6,80 (1,60 - 8,30)
Cooling capacity (Nominal)	kW	5,20 (1,90 - 7,230)	5,20 (1,90 - 7,30)	5,20 (1,90 - 7,30)	5,20 (1,90 - 7,30)
Operating range (Cool - Min)	°C	-10 ~ +46	-10 ~ +46	-10 ~ +46	-10 ~ +46

Complementary products



CZ-CAPRA1 RAC interface adapter for integration into P Link



Wired Remote Control CZ-RD514C