AIRGO FUSION USER GUIDE

SIDE-FOLDING ROLLATOR AND TRANSPORT CHAIR

This guide covers set-up, everyday use, switching between rollator and transport chair, and care of the AIRGO FUSION side-folding rollator and transport chair (700-935). Read it before first use and keep it with the product.

IMPORTANT

- This is a QMS quick-reference guide based on the Drive Medical owner's manual for the Fusion 2 in 1 Rollator and Transport Chair (models MD700935). The manufacturer's manual supplied with the product takes precedence.
- Check with a doctor or therapist that this product suits the user's needs.



ROLLATOR MODE



TRANSPORT CHAIR MODE

1. INTENDED USE

- A rollator (walker) with a seat, which converts into a transport chair pushed by another person.
- For one person at a time. Maximum user weight 136 kg in both modes.
- Use only on even, solid surfaces.

2. SAFETY WARNINGS

WARNING

- Do not exceed the maximum user weight of 136 kg. This can cause serious injury.
- Before each use, check the frame is fully open and locked, all parts are secure and both hand grips are at the same height.
- Test the brakes before use. Do not use the product if the wheels turn while the brakes are locked.
- Lock the brakes before sitting down or standing up.
- Do not sit on the seat while the unit is on a slope.
- Do not lean or reach out while seated. Ask someone for help.
- In rollator mode, do not move the rollator while someone is sitting on it.
- Do not use the seat without the backrest fitted.
- Do not use it while folded. It is less stable.
- When pushing someone, avoid small bumps and uneven ground that could tip the unit forward. For kerbs, rough ground or steep slopes, the seated person must get out first.
- Do not load the basket with more than 5 kg.
- Do not leave the product in temperatures above 40°C for long periods. Parts can overheat and burn the user.
- Replace tyres that are badly worn or damaged.

3. PARTS

- Hand grips (2)
- Brake handles (2)
- Folding strap
- Reversible backrest
- Armrests (2)
- Seat
- Removable soft basket
- Footrests (2)
- Wheels (4)
- Folding clip
- Curb climbers (2)

4. UNPACKING AND ASSEMBLY

1. Take everything out of the carton and check it against the parts list.
2. Unfold the frame by pushing down on the seat supports until the safety lock clicks.
3. Fit the handlebars. Make sure the brake cables run on the outside of the frame and through the cable guide.
4. Set the hand grips at wrist height and hand-tighten the triangular screws.
5. Fit the footrests: match the L and R letters on the frame and footrests, press the push-buttons and slide them in.
6. Fit the backrest with the logo facing the front wheels. Secure it with the screws from the inside, on both sides.
7. Fit the basket by sliding it onto the mounts from the back, then pulling it forward.

5. UNFOLDING AND FOLDING

To unfold

1. Push down on the seat supports until the safety lock clicks into place.
2. Check the seat is fully down and the folding bar under the seat is locked down.

To fold

1. Empty the basket.
2. Pull the folding strap on the seat to release the safety lock and fold the frame sideways.
3. Use the folding clip to hold the frame closed.

6. ADJUSTING THE HANDLE HEIGHT

1. Stand upright between the handles with your arms relaxed.
2. Loosen the triangular screws and set the hand grips level with your wrists.
3. Make sure both hand grips are at the same height.
4. Hand-tighten the triangular screws.

7. BRAKES

Using the brakes

1. To slow down: squeeze the brake handles up.
2. To lock (park): push the brake handles down until they click.
3. To release: pull the brake handles back up.

Adjusting the brakes

1. Push down the brake adjustment knob and turn it by hand.
2. Turn anticlockwise to tighten the brakes, or clockwise to loosen them.
3. Check both brakes lock evenly. Check the brakes regularly and before each use.

4 If the wheels still turn with the brakes locked, stop using the unit and contact QMS.

8. SWITCHING MODES

Rollator mode

1 Flip the backrest away from the handlebars so it sits towards the front wheels.
2 Swing the footrests to the side of the frame (see section 9).
3 Lock the brakes before sitting down or standing up.

Transport chair mode

1 Lock the brakes.
2 Flip the backrest towards the handlebars so it sits at the back of the unit.
3 Press the footrest push-buttons and rotate each footrest forward until it locks.
4 Fold the footrest plates up, help the user sit, then lower the footrest plates.
5 Release the brakes before pushing.

9. FOOTRESTS (SWING N' LOCK)

- The footrests lock in two positions: forward for transport chair mode and to the side for rollator mode.
- To rotate a footrest, press its push-button and turn it.
- To store a footrest, press the button and swing it to the side of the frame, where another button holds it in place.
- Adjust the height with the push-buttons on the footrest tubes.
- Always fold the footrest plates up before the user gets in or out of the chair.
- The footrests can be removed. Use the black cap to cover the open slot in the footrest tube.

10. SITTING AND STANDING

1 Make sure the unit is fully open, the seat is down and the folding bar under the seat is locked.
2 Lock both brakes.
3 In transport chair mode, fold the footrest plates up first.
4 Sit down or stand up carefully. In transport chair mode, lower the footrest plates once the user is seated.

11. BASKET

- Slide the basket onto the mounts from the back, then pull it forward.
- Maximum load 5 kg.
- The reflective soft basket can be removed and machine washed.

12. CARE AND CHECKS

- Check regularly for loose parts, worn or rusted parts, and anything caught in the wheels.
- Retighten screws and fasteners regularly.
- Clean by hand with a damp cloth and mild detergent. Do not use chlorine, bleach or abrasive cleaners.
- Do not use the product if any part looks unsafe or damaged. Contact QMS.

13. WARRANTY

- Frame: lifetime limited warranty.
- Brake handles: 5 years.
- All other parts and components: 90 days.
- The warranty does not cover misuse, neglect or normal wear and tear.
- Your rights under Australian Consumer Law are not affected.

14. SPECIFICATIONS

Product code	700-935 (Pacific Blue)
Maximum user weight	136 kg in both modes
Weight (without accessories)	7.76 kg
Seat height	51 cm
Handle height	76–93 cm
Recommended user height	153–188 cm
Width between handles	50 cm
Overall width	69 cm
Overall length	72 cm
Wheels	8" (20 cm) Comfort-Grip
Basket load	5 kg
Maximum temperature	40°C (prolonged exposure)

NEED HELP?

• Contact Queensland Mobility Solutions for servicing, parts and warranty claims.