

For over 300 years, we've been committed to innovation and quality, with the ultimate goal of bringing the very best products and solutions to our customers. Today, our high-quality residential mowers and snow blowers can help you create the yard of your dreams and master the outdoors. Experience Husqvarna quality for yourself today.

CONTENTS

Design and Technology	Page 4-5
Husqvarna Xcite™ Zero-Turn Mowers	Page 6-7
Husqvarna Z200 Series Zero-Turn Mowers	Page 8-9
Husqvarna MZ Series Zero-Turn Mowers	Page 10-11
Husqvarna TS Series Tractors	Page 12-13
Husqvarna Snow Blowers	Page 14-15

















Power. Experience power without compromising performance, for products that are truly built to last.

products have been tested to perform season after season.





ALL Xcite™ ZERO-TURN MOWERS FEATURE:

Best-in-Class Suspension*

SmoothRide™ system features adjustable springs with 10 comfort settings and a 4-bar link system.



Rugged all-terrain tires



Premium Kohler engines



ALSO FEATURING

High-back 18" seats

- Cutting height selector knob for simple adjustment
- Removable foot plate for easy deck access
- LED headlights

^{*}When compared to other consumer zero-turn mowers. Only mower in its class to feature a 4-bar link suspension system and 10 adjustment settings.

ZERO-TURN MOWER Xcite™ Z345 NEW



- Classic, dash-mounted controls
- Kohler 7000-series engine; up to 7 mph
- Tuff Torq® TZ-350 transmission
- 54" Fabricated cutting deck

ZERO-TURN MOWER Xcite™ Z375 NEW



Part No. 970743901 (54") / 970650302 (60")


- Classic, dash-mounted controls
- Kohler 7000 Pro series engine; 9 mph
- Parker HTE 10 transmission
- Fabricated deck 54" and 60" options available

Model	Xcite™ Z345 54"	Xcite™ Z375 54"	Xcite™ Z375 60" 3 Year		
Warranty	3 Year	3 Year			
Engine manufacturer	Kohler	Kohler	Kohler		
Engine name	7000 Series	7000 Series Pro	7000 Series Pro		
Gross power, hp	24	26	26		
Fuel tank volume, gallons	4	4	4		
Transmission manufacturer	Tuff Torq®	Parker	Parker		
Transmission type	TZ-350	HTE10	HTE10		
Speed forward, mph	Up to 7	Up to 9	Up to 9		
Speed reverse, mph	Up to 3.5	Up to 4.5	Up to 4.5		
Cutting width, in	54	54	60		
Cutting height, min-max, in	1.5-4.5	1.5-4.5	1.5-4.5		
Cutting deck type	10 gauge fabricated	10 gauge fabricated	10 gauge fabricated		
Blade spindle type	Cast iron	Cast iron	Aluminum		
Seat height, in	18	18" with arm rests	18" with arm rests		
Tire size front, in	13 x 6.5-6	13 x 6.5-6	13 x 6.5-6		
Tire size rear, in	20 x 10-10	22 x 11-10	22 x 11-10		



- Heavy-duty Kawasaki engines
- Spring-assisted deck lift
- Removable foot plate for easy maintenance
- · Automatic parking brake
- Cutting height selector knob for simple adjustment
- · Ultra-durable frame and wheels









VALUE

Z246 Z254 **DURABILITY**

Z242F Z248F Z254F

VERSATILITY

Z242F Z248F Z254F

SPECIAL EDITION

PREMIUM COMFORT

Z248FX Z254FX





ADDITIONAL FEATURES

- Stamped reinforced deck
- 15" vinyl seat



ADDITIONAL FEATURES

- ClearCut[™] fabricated deck
- 15" Premium, high-back seat
- LED headlights



ADDITIONAL FEATURES

- ClearCut[™] fabricated deck
- 15" Premium, high-back seat
- All-terrain tires



ADDITIONAL FEATURES

- ClearCut[™] fabricated deck
- 18" premium seat with dial-adjustable seat suspension
- LED headlights
- All-terrain tires

Model	Z246	Z254	Z242F	Z248F	Z254F	Z242F Special Edition	Z248F Special Edition	Z254F Special Edition	Z248FX	Z254FX
Product number	970797301	970797401	970458801	970458901	970459001	970729905	967953905	967954006	970797801	970797901
Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year
Engine manufacturer	Briggs & Stratton	Briggs & Stratton	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine name	EXi	PXi	FR651V	FR691V	FR730V	FR651V	FR 651V	FR 691V	FR730V	FR 730V
Gross power, hp	22	24	21.5	23.1	23	21.5	21.5	23	24	24
Fuel tank volume, gallons	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
MAX speed forward, mph	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
MAX speed reverse, mph	3.2	3.5	3.2	3.2	3.2	3.2	3.5	3.2	3.5	3.5
Cutting width, in	46	54	42	48	54	42	48	54	48	54
Cutting deck type	Stamped reinforced steel	Stamped reinforced steel	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated
Blade spindle type	Cast aluminum	Cast aluminum	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron
Seat height, in	15	15	15	15	15	15	15	15	18" with arm rests	18" with arm rests
Tire size front, in	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5
Tire size rear, in	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	20 x 10-10	20 x 10-10
Accessories										
Mulch kit	531309580	531309643	587412301	582560001	591102101	587412301	582560001	591102101	582560001	591102101
Bagger	587960401	592620801	587412402	582559701	591111401	587412402	582559701	591111401	582559701	591111401
Tow behind striper kit	598702901	598702901	598702901	598702901	598702901	598702901	598702901	598702901	598702901	598702901
Armrest kit	582384601	582384601	-	-	-	-	-	-	-	-
Battery charger	585445101	585445101	585445101	585445101	585445101	585445101	585445101	585445101	585445101	585445101
Hitch kit	587481201	587481201	587481201	587481201	587481201	587481201	587481201	587481201	587481201	587481201



- Fabricated decks
- Durable, premium tires
- · Pedal-assisted cutting deck lift system
- Premium, 18" high-back seat
- Easy-access service points
- Removable foot pans
- Rollover Protection System*



Heavy-Duty Kawasaki Engine

Smooth, quiet and reliable power with heavy-duty components for a long life.



Roll Over Protection System (ROPS)*

ROPS bars help protect you in the event of a roll over and can be folded for low-hanging branches.



Comfortable, Supportive Seat

Deep cushions and generous bolsters offer superior comfort and reduced vibrations.



Model	MZ48	MZ54 / MZ54 ROPS	MZ61 / MZ61 ROPS		
Product number	970455602	970455802 / 967953703	967277504 / 967277505		
Warranty	4 Year	4 Year	4 Year		
Engine manufacturer	Kawasaki	Kawasaki	Kawasaki		
Engine name	FR691V	FR730V	FR730V		
Gross power, hp	23	24	24		
Fuel tank volume, gallons	5	5	5		
Transmission manufacturer	Hydro-Gear	Hydro-Gear	Hydro-Gear		
Transmission type	ZT-3100	ZT-3100	ZT-3100		
MAX speed forward, mph	8.5	8.5	8.5		
MAX speed reverse, mph	3.5	4.5	5		
Cutting width, in	48	54	61		
Cutting deck type	ClearCut [™] fabricated	ClearCut [™] fabricated	Fabricated steel		
Blade spindle type	Aluminum	Cast iron	Aluminum		
Seat height, in	18	18	18		
Tire size front, in	13 x 6.5-6	13 x 6.5-6	13 x 6.5-6		
Tire size rear, in	22 x 10-10	22 x 10-10	22 x 10-10		
ROPS	No	No / Yes	No / Yes		
Accessories					
Mulch kit	582560001	591102101	965894002		
Bagger	582559801	591111501	966793101		
Tow behind striper kit	598703001	598703001	598703001		
Battery charger	585445101	585445101	585445101		
Light kit	539132388	539132388	539132388		
ROPS	575274801	575274801	575274801		
Hitch kit	ch kit 588971201		588971201		

^{*}Only available on select models.



- Heavy-duty Kawasaki engines*
- Spring-assisted deck lift*
- · Solid steel hoods
- · LED headlights*
- Cruise control
- · Anti-scalp wheels





TS100 Additional Features

- Stamped, reinforced deck
- High back, 15" seat
- Tubular bumper





TS200 Additional Features

- ClearCut[™] fabricated deck
- High back, 15" seat
- Brush guard





TS300 Additional Features

- ClearCut[™] fabricated deck
- Deluxe, high-back 18" seat with armrests
- Brush guard



Model	TS 142	TS 146	TS 148X	TS 154X	TS 242XD	TS 248XD	TS 348XD	TS 354XD
Product number	960430345	960430346	960430347	960430348	960430338	960430339	960430344	960430340
Warranty	3 Year	3 Year	3 Year	3 Year				
Engine manufacturer	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine name	EXi	EXi	PXi	PXi	FR651V	FR691	FR730V	FR730V
Gross power, hp	22	22	24	24	21.5	23	24	24
Fuel tank volume, gallons	1.51	3	3	3	4	4	4	4
Transmission manufacturer	Tuff Torq®	Tuff Torq®	Tuff Torq®	Tuff Torq®				
Transmission type	K46	K46	K46	K46	K46LD	K46LD	K66ELD	K66ELD
MAX speed forward, mph	5.2	5.2	5.2	5.2	5.2	5.5	5.5	5.5
MAX speed reverse, mph	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
Cutting width, in	42	46	48	54	42	48	48	54
Cutting deck type	Stamped reinforced	Stamped reinforced	Stamped reinforced	Stamped reinforced	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated
Blade spindle type	Cast iron	Cast iron	Cast iron	Cast iron				
Seat height, in	15	15	15	15	15	15	18	18
Includes armrests	No	No	No	No	No	No	Yes	Yes
Tire size front, in	15 x 6-6	16 x 6.5-8	16 x 6.5-8	16 x 6.5-8				
Tire size rear, in	20 x 8-8	20 x 10-8	20 x 10-8	20 x 10-8	20 x 10-8	20 x 10-8	23 x 10.5-12	23 x 10.5-12
Bumper type	Tubular	Tubular	Tubular	Tubular	Brush guard	Brush guard	Brush guard	Brush guard
Accessories								
2 bin bagger	960730004	960730024	-	-	587412701	-	-	-
3 bin bagger	960730038	960730037	960730025	960730026	-	582559601	582559601	591111301
Mulch kit	531309641	531309580	531309642	531309643	587412301	582559901	582559901	591102101



- Two-stage clearing system
- High speed impeller*
- Electric starter
- Remote chute deflector*
- LED headlight*





100 Series Additional Features

- Adjustable skid shoes
- All steel chute
- X-Trac heavy-tread tires

200 Series Additional Features

- Heavy-duty ribbon auger
- · Single-hand control
- Adjustable auger height
- Adjustable skid shoes
- All steel chute
- X-Trac heavy-tread tires



300 Series Additional Features

- Heavy-duty ribbon auger
- Cast-iron impeller
- · Single-hand control
- Adjustable auger height
- Adjustable skid shoes
- All steel chute
- X-Trac heavy-tread tires
- Heated handle grips



400 Series Additional Features

- Commercial-grade clearing with heavy duty augur and cast-iron impeller
- Electronic Fuel Injection
- All-steel operator console
- · All steel chute
- X-Trac heavy-tread tires or tracks for additional traction[†]
- Heated handle grips

Model	ST 124	ST 224	ST 227	ST 230	ST 324	ST 327	ST 330	ST 424 ST 424T	ST 427 ST 427T	ST 430 ST 430T
Product number	970710001	970528602	970528702	970528802	970528902	970529002	970529102	970529201 970529301	970529401 970529501	970529601 970529701
Warranty	3 Year	3 Year	3 Year							
Transmission type	Friction disc	Hydrostatic	Hydrostatic	Hydrostatic						
Cylinder displacement, cc	212	212	252	301	252	301	389	301	389	420
Gross torque, ft-lb	12.9	9.2	12	13.94	12	13.94	17.7	14.6	18.6	20.4
Fuel tank volume, gallons	0.58	0.69	0.69	1.45	0.69	1.45	1.45	0.62	1.32	1.32
Working width, in	24	24	27	30	24	27	30	24	27	30
Intake height, in	21	23	23	23	23	23	23	23	23	23
Auger diameter, in	12	12	12	12	14	14	14	14	14	14
Impeller veins	3	3	3	3	3	3	3	3	3	3
Tire size, single axle, in	13	15 x 5	15 x 5	16 x 4.8	15 x 5	15 x 5	16 x 4.8	15 x 5 / Tracks	15.5 / Tracks	16 x 4.8 / Tracks
Engine power (KwHp)	4.5 (6.0)	4.4 (5.9)	5.78 (7.75)	6.3 (8.4)	5.78 (7.75)	6.3 (8.4)	7.6 (10.2)	6.6 (8.8)	8.0 (10.7)	9.3 (12.5)
Features										
Electronic fuel injection	-	-	-	-	-	-	-	•	•	•
Electric starter	•	•	•	•	•	•	•	•	•	•
Power steering	-	•	•	•	•	•	•	•	•	•
Variable drive speed	•	•	•	•	•	•	•	•	•	•
Heavy duty auger	-	•	•	•	•	•	•	•	•	•
Remote chute deflector	-	•	•	•	•	•	•	•	•	•
Remote chute rotator	•	•	•	•	•	•	•	•	•	•
High speed impeller	-	•	•	•	•	•	•	•	•	•
Heated handles	-	-	_	_	•	•	•	•	•	•

