

Every yard. Every season. Every year.

For over 300 years, we've been committed to innovation and quality, with the ultimate goal of bringing the very best products and solutions to our customers. Today, our high-quality residential tools and equipment can help you create the yard of your dreams and master the outdoors. Experience Husqvarna quality for yourself today.

CONTENTS

Design and Technology	Page 4-5
Husqvarna 100 Series Chainsaws	Page 6
Husqvarna 400 Series Chainsaws	Page 7
Chainsaw Specifications	Page 8
Bar and Chain Fit-up Guide	Page 9
Husqvarna Handheld Blowers	Page 10
Husqvarna Backpack Blowers	Page 11
Husqvarna Trimmers	Page 12
Husqvarna Combi-Trimmers	Page 14
Husqvarna Hedge Trimmers	Page 16
Husqvarna Brushcutter	Page 18
Husqvarna Accessories	Page 19





Comfort. Our balanced, ergonomic designs keep you comfortable, no matter how long the job takes.





Quality. Our rugged and reliable products have been tested to perform season after season.





Innovation. We've been committed to innovation for over 300 years, creating multiple industry-first technologies.

Versatility. We offer a wide variety of tools and equipment – from leaves to lawns and everything in between.

The gold standard in chainsaws.

Every Husqvarna chainsaw is built with just one goal in mind: maximize your productivity without sacrificing maneuverability. It's our winning combination that's given us our legendary reputation



It's all about the output.

X-CUT® is the first chain ever to be developed, designed and manufactured by Husqvarna, side-by-side with our chainsaws in our manufacturing facilities in Sweden.







GAS CHAINSAW 100 Series

- Powerful and efficient X-TORQ® engine. Reduces emissions by up to 60% and increases fuel efficiency by up to 20%.
- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Air Injection[™] technology. Expels larger dust and debris
 particles before they reach the air filter for improved
 engine life.





400 Series

Best-In-Class Starting Performance*

- Powerful and efficient X-TORQ® engine. Reduces emissions by up to 60% and increases fuel efficiency by up to 20%.
- Featuring X-CUT® chain for exceptional sharpness and durability.
- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- Smart Start® technology. Easy, fast starting with minimum effort.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Air Injection™ technology. Expels larger dust and debris particles before they reach the air filter for improved engine life.

*Based on the series of Husqvarna features that support the starting performance when compared to competitive chainsaw models in the 35cc to 50cc range.



GAS CHAINSAW Rancher® Series


Powerful and Tough

Robust gas chainsaw that deliver superior performance

- **Powerful and efficient X-TORQ® engine.** Reduces emissions by up to 60% and increases fuel efficiency by up to 20%.
- Featuring X-CUT® chain for exceptional sharpness and durability.
- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Air Injection™ technology. Expels larger dust and debris particles before they reach the air filter for improved engine life.
- Three-piece crankshaft. Forged three-piece crankshaft delivers maximum durability for even the toughest of jobs.




Model	120*	130*	135 Mark II*	435*	440*	445	450 Rancher°	455 Rancher°	460 Rancher®
Part number	970515016	967108411	967861816	970612136	970612338	970613028	970613118 970613128	970613260	970613954
Cylinder displacement (cc)	38.2	38	38	40.9	40.9	50.2	50.2	55.5	60.3
Bar length as sold (in)	16	16	16	16	18	18	18 / 20	20	24
Recommended bar length, min, (in)	14	14	14	13	13	13	13	13	13
Recommended bar length, max (in)	18	16	16	18	18	18	20	24	24
Chain pitch (in)	3/8 mini	3/8 mini	3/8 mini	.325	.325	.325	.325	3/8	3/8, .325
Weight (excl. cutting equipment), (lbs)	10.7	10.36	10.36	9.7	9.7	11.2	11.2	13.2	13.2
Sound power level, guaranteed (LWA)	113 dB(A)	116 dB(A)	116 dB(A)	114 dB(A)	114 dB(A)	114 dB(A)	115 dB(A)	114 dB(A)	114 dB(A)
Features									
X-TORQ® engine	•	•	•	•	•	•	•	•	•
LowVib® technology	•	•	•	•	•	•	•	•	•
Air purge	•	•	•	•	•	•	•	•	•
Air Injection™ technology	•	•	•	•	•	•	•	•	•
Inertia-activated chain brake	•	•	•	•	•	•	•	•	•
Separate choke/stop	•	-	-	-	-	-	•	•	•
Combined choke/stop	-	•	•	•	•	•	-	-	-
X-CUT® chain standard	•	•	•	•	•	•	•	•	•
Smart Start® technology	-	-	-	•	•	•	•	•	•
Side chain tensioning	•	•	•	•	•	•	•	•	•
Quick-release air filter	-	-	-	•	•	•	•	•	•
Fuel indicator	-	-	-	•	•	•	•	•	•
Flip-up fuel cap	-	-	-	•	•	•	•	•	•
Snap-lock cylinder cover	-	-	-	•	•	•	•	-	-
Felling marks	-	-	-	•	•	•	•	•	•
Adjustable oil pump	-	-	-	-	-	-	-	•	•
Three-piece crankshaft	-	-	-	_	-	_	-	•	•
Decompression valve	-	-	-	-	-	-	-	•	•



Saw Model	Bar Length	Pitch	Gauge	Drive Links	File Size	Bar Type	Bar Part No.	Chain Type	Chain Part No.
120	14"	3/8 Mini	.050	52	5/32	Laminate	596009752	S93G X-Cut®	585422152
120	16"	3/8 Mini	.050	56	5/32	Laminate	596009756	S93G X-Cut®	585422156
120	14"	3/8 Mini	.050	52	5/32	Laminate	596009752	S93G X-Cut®	585422152
130	16"	3/8 Mini	.050	66	5/32	Laminate	596009756	S93G X-Cut®	585422156
135	14"	3/8 Mini	.050	52	5/32	Laminate	596009752	S93G X-Cut®	585422152
133	16"	3/8 Mini	.050	56	5/32	Laminate	596009756	S93G X-Cut®	585422156
	13"	.325 Pixel	.050	56	3/16	X-Force™	596199756	SP33G X-Cut®	581643656
435	16"	.325 Pixel	.050	66	3/16	X-Force™	596199766	SP33G X-Cut®	581643666
	18"	.325 Pixel	.050	72	3/16	X-Force™	596199772	SP33G X-Cut®	581643672
	13"	.325 Pixel	.050	56	3/16	X-Force™	596199756	SP33G X-Cut®	581643656
440	16"	.325 Pixel	.050	66	3/16	X-Force™	596199766	SP33G X-Cut®	581643666
	18"	.325 Pixel	.050	72	3/16	X-Force™	596199772	SP33G X-Cut®	581643672
	13"	.325 Pixel	.050	56	3/16	X-Force™	596199756	SP33G X-Cut®	581643656
445	16"	.325 Pixel	.050	66	3/16	X-Force™	596199766	SP33G X-Cut®	581643666
443	18"	.325 Pixel	.050	72	3/16	X-Force™	596199772	SP33G X-Cut®	581643672
	20"	.325 Pixel	.050	80	3/16	X-Force™	596199780	SP33G X-Cut®	581643680
	13"	.325 Pixel	.050	56	3/16	X-Force™	596199756	SP33G X-Cut®	581643656
450 Db®	16"	.325 Pixel	.050	66	3/16	X-Force™	596199766	SP33G X-Cut®	581643666
450 Rancher®	18"	.325 Pixel	.050	72	3/16	X-Force™	596199772	SP33G X-Cut®	581643672
	20"	.325 Pixel	.050	80	3/16	X-Force™	596199780	SP33G X-Cut®	581643680
4FE Danahar®	20"	3/8	.050	72	7/32	Rancher®	599999872	S83G X-Cut®	585639072
455 Rancher®	24"	3/8	.050	84	7/32	Rancher®	599807084	S83G X-Cut®	585639084
4C0 D	20"	3/8	.050	72	7/32	Rancher®	599999872	S83G X-Cut®	585639072
460 Rancher®	24"	3/8	.050	84	7/32	Rancher®	599807084	S83G X-Cut®	585639084

	Laminate	Standard laminated guide bar for med to light duty.
BARS	Rancher®	Laminated guide bar designed for Rancher® chainsaws.
	X-Force™	Laminated guide bar with enhanced durability.

	Mini • Low Profile • Low Kickback • LowVib®
CHAINS	PIXEL • Narrow kerf • Low Kickback • LowVib®
	Low Kickback • LowVib®



HANDHELD GAS BLOWER

125B

- Powerful, lightweight design. 470 CFM for maximum blowing performance at only 9.4 lbs.
- Ergonomic balanced design. For less strain on your arms, shoulders and back.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- **Adjustable tube length.** Easily adjust the blowing tube length for maximum performance.
- Multi-speed control. Variable speed throttle with cruise control option for easier handling.



Part No. 952711925

HANDHELD GAS BLOWER 125BVx

- Vacuum kit included. Turn the blower into a mulching lawn vacuum to easily break down and collect debris.
- Ergonomic balanced design. For less strain on your arms, shoulders and back.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- · Adjustable tube length. Easily adjust the blowing.
- **Simple starting.** Stop switch automatically resets to ON so blower is ready for next use.
- Multi-speed control. Variable speed throttle with cruise control option for easier handling.

Best-in-Class CFM²

470 CFM for maximum blowing performance



Part No. 952711902

GAS BACKPACK BLOWER 150BT



Husqvarna's Best-Selling Backpack Blower³

- Superior blowing force. 765 CFM / 270 MPH easily move heavy, wet leaves and debris.
- Powerful engine. 51cc engine delivers impressive clearing performance.
- Ergonomic harness system. Padded harness, hip belt and weight-leveling load management system provide all-day comfort.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Multi-speed control. Variable speed throttle with cruise control option for easier handling.

GAS BACKPACK BLOWER 350BT



Part No. 965877502

- Powerful blowing force. 692 CFM / 180 MPH easily move leaves and grass and hedge
- Powerful and efficient X-TORQ® engine. Reduces emissions by up to 60% and increases fuel efficiency by up to 20%.
- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- Ergonomic harness system. Padded harness, hip belt and weight-leveling load management system provide all-day comfort.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Adjustable, offset handle. Prevents your arm from being pulled downwards for increased comfort and control.
- Multi-speed control. Variable speed throttle with cruise control option for easier handling.

GAS BACKPACK BLOWER



Part No. 967144301

- Superior blowing force. 890 CFM / 232 MPH easily move leaves, debris, litter and grass and hedge clippings.
- Powerful and efficient X-TORQ® engine. Reduces emissions by up to 60% and increases fuel efficiency by up to 20%.
- · Load-reducing harness. Ventilated and loadreducing harness with wide shoulder straps provides all-day comfort.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Adjustable, offset handle. Prevents your arm from being pulled downwards for increased comfort and control.



Model	125B ⁴	125BVX ⁴	150BT ⁴	350BT ⁴	360BT ⁴
Part number	952711925	952711902	970466901	965877502	967144301
Cylinder displacement (cc)	27.9	27.9	51.6	50.8	65.5
Power output (hp)	1.1	1.1	2.16	2.1	3.81
Air flow (in housing), (cfm)	470	470	765	692.17	890
Air speed (round nozzle), (mph)	130	130	270	180	104
Blowing force (N)	12.5	12.5	22	21	30
Weight (lbs)	9.4	9.6	21.95	22.5	23.2

Adjustable handle	-	-	•	•	•
Cruise control	•	•	•	•	•
Ergonomic harness	-	-	•	•	•
Mulching function	-	•	-	-	-
Vacuum capable	-	•	-	-	-
X-TORQ® engine	-	-	•	•	•

¹ When compared to the engine displacement of other 2-cycle handheld gas models with up to 28cc engines and under 10 lbs. on the market as of July 2022.

² When compared to the CFM of other 2-cycle handheld gas models with up to 28cc engines and under 10 lbs. on the market as of July 2022.

³ Compared to all Husqvarna backpack blower models in North America.

⁴Not for sale in California



CURVED SHAFT TRIMMER 122C



Part No. 966712701

- **Ergonomic design.** Comfortable curved handle and shaft for easier use and increased maneuverability.
- Low-noise engine. Specially-designed engine reduces extra noise.
- **Simple starting.** Stop switch automatically resets to ON so trimmer is ready for next use.



Part No. 970796102

- Lightweight design. For more comfortable use.
- Straight shaft. Take advantage of extended reach.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- Quick start with air purge. Removes air from carburetor and fuel system.
- Easy to control. Simple to use and maneuver through yard.

CURVED SHAFT TRIMMER 130C



- **Intuitive controls.** Digital ignition for simple, reliable use no matter the weather.
- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- **Ergonomic design**. Comfortable curved handle and shaft for easier use and increased maneuverability.
- Simple starting. Stop switch automatically resets to ON so trimmer is ready for next use.

STRAIGHT SHAFT TRIMMER 130L



Part No. 970514405

- Intuitive controls. Digital ignition for simple, reliable use no matter the weather.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- Easy, quick line reload. High-capacity RapidReplace™ trimmer head reloads in three simple steps.
- Optimal cutting performance. Trimmer head designed for high torque to deliver optimal cutting performance when parallel to the ground.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- **Ergonomic design.** Comfortable curved handle for easier use and less fatigue.
- **Simple starting.** Stop switch automatically resets to ON so trimmer is ready for next use.


Curved Shaft Trimmers

Ergonomic design and handle are more comfortable to use – perfect for trimming around obstacles.

Straight Shaft Trimmers

Provide higher output and extended reach – power through thick or tough grass in hard-to-reach areas.

Model	122C	122L	130C	130L
Part number	966712701	970796102	970514305	970514405
Cutting path (in)	17	17	17	18
Cylinder displacement (cc)	21.3	21.7	28	28
Power output (hp)	0.8	0.8	1.0	1.0
Weight (lbs)	9.7	10.1	11.3	12.2
Features				
Curved shaft	•	_	•	-
Straight shaft	-	•	-	•
LowVib® technology	-	-	•	•



ATTACHMENT CAPABLE GAS TRIMMER 122LK



- 17" cutting path.
- **Ergonomic design.** Comfortable curved handle and shaft for easier use and increased maneuverability.
- High line capacity. Tap 'n' Go trimmer head is easy to use and refill.
- **Simple starting.** Stop switch automatically resets to ON so trimmer is ready for next use.
- Intuitive controls. Easy to use and maneuver.

330LK



- Effortless Starting.™ 30% easier pull¹ with our spring-assisted starting system.
- Adjustable, large cutting path. Cuts 30% more in the same time² with the up to 20 in. cutting path.
- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- Easy, quick line reload. High-capacity RapidReplace™ trimmer head reloads in three simple steps.
- Extra-large fuel tank. 20% more fuel capacity³ with see-through tank to power through any job.

Model	122LK	122LKE	122LKH	122LKP	330LK
Part number	967628201	970796202	970796101	970796201	970545002
Cylinder displacement (cc)	21.7	21.7	21.7	21.7	28.0
Power output (hp)	0.8	0.8	0.8	0.8	1.0
Weight (lbs)	10.58	12.6	14.96	12.6	12.85



- Clean, precise edging. 2.5" cutting depth.
- Large adjustable wheel. 6" adjustable wheel offers easy and smooth operation.
- **Ergonomic curved shaft**. Enhances balance and reduces fatigue.
- Smart Start* technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- Quick start with air purge. Removes air from carburetor and fuel system.

Part No. 970796202



- 21" double-sided, double reciprocating blades.
- **180-degree rotation**. With simple one-handed adjustability.
- Large cutting capacity. Trims branches up to 0.75" thick.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- Quick start with air purge. Removes air from carburetor and fuel system.

Part No. 970796101



- Up to 12' reach. Trim high branches with ease.
- X-CUT® chain for top-of-the line performance and sharpness that lasts.
- · Automatic oiling. Extends life of bar and chain.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- **Quick start with air purge**. Removes air from carburetor and fuel system.

Part No. 970796201

Accessories listed below are compatible with: 122LK gas trimmers, 330LK gas trimmers and 330iK Combi Switch battery platform.

MORE ATTACHMENTS AVAILABLE! SEE DEALER FOR DETAILS.









Model	HA322	ECA308	PA310	TA320
Attachment	21" Hedge Trimmer	8" Edger	10" Pole Saw	18" Trimmer
Part number	970657101	970700101	970700201	970715501
	180° rotation with simple one-handed adjustability	Clean and precise edging, with a 2.5" cutting depth	Trim high branches up to 12 ft reach ⁴	Spend less time trimming with large 18" cutting path ⁵
	Large 3/4" cutting capacity with precision, laser-cut blades	Maximum performance and efficiency, with 8" steel cutting blade	X-Cut® chain for sharpness that lasts	Fast trimmer line replacement, with a RapidReplace™ trimmer head
	Cut faster and cleaner with 21" dual-sided, double-reciprocating blades	Curved shaft, enhances balance and reduces fatigue	10" guide bar, cut up to 8" diameter limbs	Trimmer line lasts longer with .095" trimmer line
	Durable, full metal case construction	Durable , cast aluminum shield protects from debris	12 ft reach	Durable and reliable, with premium cast aluminum gear box
	Extended reach, up to 5 ft. beyond throttle handle	Optimal control, with a 6" diameter adjustable wheel	Automatic oiling, extends guide bar and chain life	Large 18" cutting path


¹ When compared to the pull force required on our previous 329L model versus this model with slow pull enhancements.

² Based on total surface area cut using a 20" diameter string with shield vs. total surface area cut with competitors' 17" diameter trimmer string with shield.

³ More fuel capacity than trimmers in its class. Class defined as consumer petrol trimmers with engine displacement in the 20cc to 28cc range

⁴While being used by a 6' tall person, the distance from the ground to the tip of the bar is up to 12'8".

⁵When compared to the leading competitor's 56V, 2.5 Amp Hour string trimmer with 15" cutting path.



GAS HEDGE TRIMMER 122HD60

- LowVib® technology. Significantly reduces vibrations so you can work more comfortably.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- Quick start with air purge. Removes air from carburetor and fuel system for easy starting.
- Adjustable rear handle. Multiple handle positions makes hedge cutting easy and comfortable.
- Long cutter bar. Extend your reach for more comfortable use
- **Simple starting.** Stop switch automatically resets to ON so trimmer is ready for next use.
- Low noise engine. Specially-designed engine reduces extra noise.






GAS HEDGE TRIMMER

322HD60

- Hardened steel blades. Optimized edge angle stays sharper longer, increases efficiency and ensures durability.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- **Adjustable rear handle.** Multiple handle positions makes hedge cutting easy and comfortable.
- **Durable, tested materials.** Internal gears have been specially designed for long life and tested under tough conditions.
- **Simple starting.** Stop switch automatically resets to ON so trimmer is ready for next use.
- Intuitive controls. Easy to use and maneuver.
- Low noise engine. Specially-designed engine reduces extra noise.







- Multi-purpose tool. Includes string trimmer head and grass blade.
- Smart Start® technology. Specially-designed engine and starter for easy and fast starting with minimum effort.
- Quick start with air purge. Removes air from carburetor and fuel system.
- Barrier bar with J-handle. Encourages safe working position.
- Includes adjustable harness. Creates more comfortable working position

Model	122RJ				
Part number	970732503				
Cylinder displacement (cc)	21.7				
Power output (hp)	0.8				
Weight (lbs)	10.14				

Everything you need to get the job done.

Explore our extensive lineup of top-quality parts and accessories.



FUNCTIONAL CHAINSAW PANTS

Durable material to stand the test of time. Water repellant on front and lower back. Cordura® reinforcement on lower front and back for extra wear resistance. High tenacity nylon on the upper outer shell. 2-way breathable stretch material. Lightweight for all-day comfort. Leg and pocket ventilation. Reflective logos and highlights for visibility. Gear pocket for additional versatility. 6 layers of protection meets CAN/BNQ 1923- 450-M91. 5 layers of protection meets WCB PPE 1–1997 TSS 4000 fpm.



CLASSIC CHAINSAW PANTS

Durable material to hold up in various conditions. Light weight design for all day comfort. Reflective Husqvarna logo for high visibility. Reinforced knees. Ventilation on back of legs for breathability. Phone pocket. True fit sizing. Certified chainsaw protective pant – these pants are tested in Accordance with ASTM F1897 (US) for leg protection for chainsaw users. 6 layers of protection meets CAN/BNQ 1923–450-M91.
5 layers of protection meets WCB PPE 1–1997 TSS 4000 fpm.



CLEAR CUT

Premium protective sunglasses with an adjustable rubber nose piece for added comfort. Dual mold rubber temple grips for better stability. Husqvarna grey frame color with orange temple grips. Silver mirror lens color.



CLASSIC

Featuring a dielectric design with extended curved lens protection. Dual mold rubber temples and adjustable rubber nose piece. Black frame color with indoor/outdoor lens color.



FLEX POLARIZED

Premium protective sunglasses with vented rubber nose piece for breathability and dual-mold rubber temple grips for better stability. Polarized lenses eliminate reflective glare for reduced eyestrain and enhanced view. Crystal black frame color and smoke lens color.



HEARING PROTECTION WITH HEADBAND

Hearing protection where you can adjust the pressure by 20%. With soft, airy padding in the headband. The hearing protectors are developed for optimal ergonomics.



J 25 +

2-Stroke Pre-mixed FUEL + OIL

- Conveniently pre-mixed 50:1
- Specially-formulated for Husqvarna tools
- ASO-FD certified
- OCTANE RATING: (R+M)/2 METHOD 95

US Products: 1 Qt, .859 Gal, 4.75 Gal, 48 Gal **Canadian Products:** 946 mL, 3.25 L, 18 L

ASSORTMENT OF GLOVES

We offer a full range of gloves designed to provide everything you need when it comes to protection and functionality. From work gloves to chainsaw protection gloves and winter gloves, you'll be equipped to get the job done safely.



Real confidence, fueled by Husqvarna.

Extend your warranty in 3 easy steps:

- 1. Buy any 2-stroke gas tool*
- 2. Buy 96+ fl. oz. of Husqvarna pre-mixed fuel & oil at the same time
- 3. Register product online

Visit Husqvarna.com/fuel-warranty to learn more.



*For non-income producing personal use or household purposes only. Extended warranty exclusions included but are not limited to commercial, agricultural, rental, industrial and rental usage types. Consumers are required to keep their proof of purchase for the length of warranty should verification be needed. Husqvarna reserves the right to ask for this receipt prior to warranty work being performed.

