

COSHH Assessment Phobi F&F+ One Shot (L24)

If you are unsure how to read a CoSHH assessment, please contact your local SHEQ Advisor.

Division: Pest Control Partnership & All Business Units

Site / Location: As Required

Supplier details: LODI UK, Pensnett Trading Estate 3rd Avenue, West Midlands, DY6 7FD Kingswinford United Kingdom

Manufacturer details LODI UK, Pensnett Trading Estate 3rd Avenue, West Midlands, DY6 7FD Kingswinford United Kingdom

Tel.. 01384 404242

Competent person responsible for the safety data sheet: matt@lodi-uk.com

Emergency telephone number: 0344 892 0111

NPIS (National Poison Centre) - Birmingham Unit

[To be called by medical staff or physicians]

City Hospital, Birmingham, B18 7QH, UK

Tel: 0344 892 0111

Name of substance and any supplier reference numbers:

Phobi F&F+ One Shot

Process description:

APPLICATION: ACTIVATE THE AEROSOL WITH A QUARTER TURN, TWISTING CLOCKWISE UNTIL IT LOCKS. ENSURE YOU LEAVE THE AREA IMMEDIATELY AND CLOSE ANY DOORS /WINDOWS.FOR BEST RESULTS, LEAVE THE TREATED AREA FOR AT LEAST 2 HOURS BEFORE REENTERING.

BEFORE ENTERING, THOROUGHLY VENTILATE THE TREATED ROOM (2 HOURS TO 12 HOURS, DEPENDING ON THE POSSIBLE VENTILATION RATE).

INSTRUCTIONS FOR USE: PHOBI F&F+ IS A ONESHOT AEROSOL. ONCE ACTIVATED, THE AEROSOL WILL EMPTY ENTIRELY.

ADHERE TO THE INSTRUCTIONS FOR USE AS FOLLOWS: EVACUATE PEOPLE, ANIMALS, PETS (INCLUDING TERRARIUMS AND AQUARIUMS), REMOVE ANY FOODSTUFFS AND TIGHTLY CLOSE DOORS AND WINDOWS.

ONCE THE AEROSOL IS ACTIVATED PLACE ON A NONSENSITIVE SURFACE. IMMEDIATELY LEAVE THE PREMISES AND ALLOW THE PRODUCT AT LEAST 2 HOURS TO ACT AND CONTROL THE PESTS.

VENTILATE THE TREATED ROOM THOROUGHLY BEFORE RE-ENTERING. INSECTS ARE KNOCKED DOWN INSTANTANEOUSLY.

The Pest Control Partnership Integrated Management System			
Pest Control PARTNERSHIP PEOPLE, ENVIRONMENT, SERVICE, TECHNOLOGY	Document No.:	L24	
	Date Issued:	01/03/2025 V1	
	Issuing Authority:	SHEQ	
FOR REFERENCE ONLY. All printed copies are uncontrolled			



Number of personnel exposed	Direct	Indirect	Client	Subcontractor	Public	Others
скрозец	1	0	0	0	0	0
Substances used / exposed to?	Quantity used	Frequency	SDS Yes/No	WEL	Hazards	Exposure route
Imiprothrin (CAS No 72963-72-5) 0.11% w/w Cyphenothrin (CAS No 39515-40-7) 0.33% w/w CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO2	As per product label following site survey.	As per product label following site survey.	Yes	N/A		Ingestion Skin Contact Eye contact Inhalation
(CAS N° 89997-63-7): 0.01% w/w						

Do any of the substances produce a significant risk to health?

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure (if inhaled).

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements - General:

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P273 Avoid release to the environment. Precautionary statements -

Response: P391 Collect spillage.

Precautionary statements - Storage:

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

Precautionary statements - Disposal:

P501 Dispose of contents/container according to the regulation.

The Pest Control Partnership Integrated Management System		
Pest Control PARTNERSHIP PEOPLE, ENVIRONMENT, SERVICE, TECHNOLOGY	Document No.:	L24
	Date Issued:	01/03/2025 V1
	Issuing Authority:	SHEQ
FOR REFERENCE ONLY. All printed copies are uncontrolled		



Can any of the substances be replaced with less hazardous substances?

No

What measures are provided to control the risk?

Ventilation

General

PPE – state the type.

Tick the PPE Required:

				1				
Face Visor	Goggles	Safety Glasses	Safety Shoes	Overall/ Uniform	Apron (cover alls)	Dust Mask	Fume/ Vapour Half face Mask	Protective Gloves
	. ✓		✓	✓			>	✓

Notes:

Hand protection: Disposable nitrile gloves (conforming to EN 374).

Skin Protection: Avoid contact with skin. Wear suitable gloves, overalls, company uniform and safety boots.

Eye protection: Wear safety goggles when using half face mask with suitable filters as advised by manufacturer

Eye protection: Wear full face respirator with suitable filters as advised by manufacturer.

Management Controls

Refer to the hierarchy of control in procedure PCP(P)006, page 3

- Use only in accordance with directions on the label.
- All containers are inspected for damage or leakage on delivery.
- Store in a cool, dry, well-ventilated area on dry racking. Product not to be stored outside of the original container unless a statutory warning label is attached. Not to be stored in any amounts and in any area other than PCP/BUs stores or service vehicles.
- Product only to be transported in PCP/BUs vehicles fitted with bulkhead separating product from passengers and driver. If no bulkhead is in the vehicle, then the product must be kept in a leak-resistant plastic container. The product must be secured to avoid spillage.
- Appropriate PPE must always be used when handling the product.
- Do not smoke, eat, or drink when handling this product. Wash hands and exposed skin after use.
- Product must be stored in the original labelled container, tightly closed in a safe place under lock and key.
- Dispose of unwanted product and empty packaging in accordance with local regulations and PCP waste procedure / approved contractor G4G. Telephone:

The Pest Control Partnership Integrated Management System		
Pest Control PARTNERSHIP PEOPLE, ENVIRONMENT, SERVICE, TECHNOLOGY	Document No.:	L24
	Date Issued:	01/03/2025 V1
	Issuing Authority:	SHEQ
FOR REFERENCE ONLY. All printed copies are uncontrolled		



	03300229045 email: bookings@go4greener.co.uk Do not re-use the container for any other purpose.			
	Shake well prior to use.			
Are the control measures adequate?	Yes			
Is health surveillance required?	No			
(Consult your local SHEQ Advisor)				
Are there any specific emergency procedures necessary related to the use or storage of any of the substances?	Flammable. Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires. Extinguishing media Keep packages near the fire cool, to prevent pressurised containers from bursting. Suitable methods of extinction In the event of a fire, use: - sprayed water or water mist - foam - carbon dioxide (CO2) - powder Prevent the effluent of fire-fighting measures from entering drains or waterways. Unsuitable methods of extinction In the event of a fire, do not use: - water jet.			
	Special hazards arising from the substance or mixture A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.			
	Do not breathe in smoke. In the event of a fire, the following may be formed: - carbon monoxide (CO) - carbon dioxide (CO2)			
	Advice for firefighters: Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.			
Are there any specific requirements related to the disposal of any of the substances in use?	Dispose of product in accordance with current regulations using PCP/BUs Preferred waste Contractor G4G. Telephone: 03300229045 email: bookings@go4greener.co.uk			
What information, instruction and training are required for operatives using the	 All operatives are required to complete a Health & Safety induction (including training on correct use of PPE, storage, and transport of pest control products), training, and receive instruction and assessment in the use of substance before being deemed competent to carry out the process. 			
substance or carrying out the process?	 Operatives instructed to follow CoSHH and Risk Assessment in the transport, storage, and application of substance. 			
	 Risk Assessment on insecticide use available on Smart Phone / SharePoint and in site folder (if applicable). 			
	 CoSHH Assessment for product available on Smart Phone / SharePoint and in site folder (if applicable). 			
	Manufacturer's Safety Data Sheet available from:			
	1. Log on to PCP/BUs SharePoint System/Smart Phones			
	Contact PCP/BUs by e-mail: pcpsheq@pestcp.com			

The Pest Control Partnership Integrated Management System			
Pest Control PARTNERSHIP PEOPLE, ENVIRONMENT, SERVICE, TECHNOLOGY	Document No.:	L24	
	Date Issued:	01/03/2025 V1	
	Issuing Authority:	SHEQ	
FOR REFERENCE ONLY. All printed copies are uncontrolled			



First aid measures in	As a general rule, in case of doubt or if symptoms persist, always call a doctor.		
the event of accidental exposure?	NEVER induce swallowing by an unconscious person.		
	Description of first aid measures. In the event of exposure by inhalation: If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary. If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor. Remove casualty to fresh air and keep warm and at rest. Seek medical attention if difficulties appear and persist. In the event of splashes or contact with eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In the event of splashes or contact with skin: Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. In case of skin exposure: clean skin with water then with soap. Seek medical attention if irritation or discomfort develops. In the event of swallowing: In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the person exposed at rest. Do not force vomiting. Seek medical attention, showing the label. If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label. Never give anything by mouth. Do not induce vomiting. Most important symptoms and effects: both acute and delayed Vapor inhalation may cause drowsiness and dizziness, cause serious eye irritation. Repeated exposure may cause skin dryness or cracking. Indication of any immediate medical attention and special treatment needed. Specific and immediate treatment: Treat symptomatically. Information for the doctor: Treat symptomatically.		
When was the information, instruction and training provided?	Enter who provided the training and date? Refer to technicians training record.		
CoSHH Assessor	Print Name: Paul Taylor – Group Director SHEQ	Signature:	
Date of assessment	01/03/2025	Date for review. 01/03/2026	

The Pest Control Partnership Integrated Management System		
Pest Control PARTNERSHIP PEOPLE, ENVIRONMENT, SERVICE, TECHNOLOGY	Document No.:	L24
	Date Issued:	01/03/2025 V1
	Issuing Authority:	SHEQ
FOR REFERENCE ONLY. All printed copies are uncontrolled		