



CYCLONE

LISTINO 2025

Febbraio 2025





RT1 125CC nero - grigio



3190 € f.c.

Preventivo indicativo

RT1	
MODEL	SR125T EURO 5+
Engine Name	TS125
Engine Type	Single cylinder, 2-valve, 4-stroke, Water-cooling, Horizontal type, CVT transmission
Displacement (ml)	125
Bore × Stroke (mm)	52.4×57.9
Compression Ratio	11:1
Max. Power (kW/rpm)	8.6/8750
Max. Torque (Nm/rpm)	11.7/6750
Max. Speed (km/h)	90
Fuel System	EFI
Ignition	ECU
Starting System	Electric
Brake	Front/Rear: Disc
Tire	Front: 100/80-14M/C; Rear: 120/70-14M/C
L×W×H (mm)	1926×766×1230
Wheelbase (mm)	1330
Seat Height (mm)	770
Min. Ground Clearance (mm)	135
Curb Weight (kg)	144
Fuel Tank Capacity (L)	9
Loading Quantity (40'HQ-CBU)	34



RT3S 300CC nero - grigio



4690 € f.c.

Preventivo indicativo

RT3S	
MODEL	SR300T EURO 5+
Engine Name	XQ300
Engine Type	Single Cylinder, 4-Stroke, 4-Valve, Water Cooling, DOHC
Displacement (ml)	289
Bore × Stroke (mm)	77x 62
Compression Ratio	10.7:1
Max. Power (kW/rpm)	17.6/7500
Max. Torque (Nm/rpm)	25/6000
Max. Speed (km/h)	114
Fuel System	EFI
Ignition	ECU
Starting System	Electric
Brake	Front/Rear: Disc, ABS
Tire	Front: 120/70-15; Rear: 140/60-14
LxWxH (mm)	2165x767x1395
Wheelbase (mm)	1545
Seat Height (mm)	780
Min. Ground Clearance (mm)	155
Curb Weight (kg)	202
Fuel Tank Capacity (L)	17
Loading Quantity (40'HQ-CBU)	32



RA2 125CC nero - verde



2690 € f.c.

Preventivo indicativo

RA125 Plus	
MODEL	SR125-2 EURO 5+
Engine Name	ZY125RR
Engine Type	Single cylinder, 4-stroke, water cooling, 15°tilted, DOHC, 4-valve, with balance shaft
Displacement (ml)	124
Bore × Stroke (mm)	58 x 47
Compression Ratio	12.4:1
Max. Power (kW/rpm)	11/9500
Max. Torque (Nm/rpm)	10.5/7500
Max. Speed (km/h)	100
Fuel System	EFI
Ignition	ECU
Starting System	Electric
Brake	Front/Rear: Disc, ABS
Tire	Front: 110/80-18 ^{cbs} ar: 140/90-15
L×W×H (mm)	2159×800×1123
Wheelbase (mm)	1445
Seat Height (mm)	745
Min. Ground Clearance (mm)	130
Curb Weight (kg)	163
Fuel Tank Capacity (L)	15
Loading Quantity (40'HQ-CBU)	50



BATTLO 125 nero lucido - azzurro



2990 € f.c.

Preventivo indicativo

BATTLO 125	
MODEL	ZS125-39A EURO 5+
Engine Name	ZY125RR
Engine Type	Single cylinder, 4-stroke, water cooling, 15°tilted, DOHC, 4-valve, with balance shaft
Displacement (ml)	124
Bore × Stroke (mm)	58 x 47
Compression Ratio	12.4:1
Max. Power (kW/rpm)	11/9500
Max. Torque (Nm/rpm)	10.5/7500
Max. Speed (km/h)	96
Fuel System	EFI
Ignition	ECU
Starting System	Electric
Brake	Front/Rear: Disc
Tire	Front: 100/80-17; Rear: 140/70-17
L×W×H (mm)	2030x800x1070
Wheelbase (mm)	1350
Seat Height (mm)	765
Min. Ground Clearance (mm)	137
Curb Weight (kg)	149
Fuel Tank Capacity (L)	13
Loading Quantity (40'HQ-CBU)	50



RX600 550CC

FULL POWER 59 cv

nero – bianco

*(senza tris valige)



5890 € f.c.

Preventivo indicativo

RX600	
MODEL	SR600GY
Engine Name	ZS550SR
Engine Type	2 cylinder in-line, 4-stroke, 8-valve, water-cooling, DOHC
Displacement (ml)	550.4
Bore x Stroke (mm)	72x67.6
Compression Ratio	11:1
Max. Power (kW/rpm)	43.5/8500; 34.2/9000(EURO 5+)
Max. Torque (Nm/rpm)	55/6500; 45.2/5500(EURO 5+)
Max. Speed (km/h)	165; 160(EURO 5+)
Fuel System	EFI
Ignition	ECU
Starting System	Electric
Brake	Front/Rear: Disc, ABS
Tire	Front: 110/80R19; Rear: 150/70R17
LxWxH (mm)	2180x870x1399 (WITHOUT 3 BOXES) 2230x990x1399 (WITH 3 BOXES)
Wheelbase (mm)	1425
Seat Height (mm)	820/790
Min. Ground Clearance (mm)	175
Curb Weight (kg)	219 (WITHOUT 3 BOXES) 230 (WITH 3 BOXES)
Fuel Tank Capacity (L)	18
Loading Quantity	32 (WITHOUT 3 BOXES) 29 (WITH 3 BOXES)



RX6 650CC rosso - azzurro



6990 € f.c.

Preventivo indicativo

RX650	
MODEL	SR650
Engine Name	ND650
Engine Type	Double Cylinder, 4-Stroke, Water-Cooling, DOHC, 8-Valve
Displacement (ml)	649.6
Bore × Stroke (mm)	82x61.5
Compression Ratio	11.5:1
Max. Power (kW/rpm)	52/8500
Max. Torque (Nm/rpm)	62/7000
Max. Speed (km/h)	180
Fuel System	EFI
Ignition	ECU
Starting System	Electric
Brake	Front/Rear: Disc, ABS
Tire	Front: 120/70-ZR17; Rear: 160/60ZR17
L×W×H (mm)	2195x 820 x 1395
Wheelbase (mm)	1450
Seat Height (mm)	820
Min. Ground Clearance (mm)	160
Curb Weight (kg)	240
Fuel Tank Capacity (L)	20
Loading Quantity (40'HQ-CBU)	34