


Other Products

BRaVi
PLATFORMS

Spin-Go





MEASUREMENTS


Specifications	Metric		Usa
Max. platform height	2168	A	7.11'
Max working height	4168	B	13.6'
Width	730	C	28.74'
Lenght	1155	D	45.47"
Entry height	363	E	14.29"
Height stowed	1480	F	58"
Operator bay capacity	130 Kg	G	286.6 lbs
Materials tray capacity	90 Kg	H	198.4 lbs
Transport hood tray capacity	90 Kg	I	198.4 lbs
Rated number of occupants	1 Person		
Unit total weight	280 Kg		617 lbs
Battery	N. 01 12V 85Ah@20h		

Spin-Go push-around vertical platform is the valid alternative to ladders and podiums normally used in shops, supermarkets, warehouses, malls, offices, libraries and archives.

Easy and extremely Compact **Spin-Go** provides a safer and more efficient method of reaching highly positioned goods and merchandise, during stock replenishment, fit out, cleaning operations and much more. This versatile machine makes it possible to take the most advantages of their space, granting an effective space organization and consequently an increased assortment of articles immediately at hand.



Adjustable CARGO SHELF!
- easily regulated while on board the machine – maximise operator's comfort!



Loading platform at maximum height corresponds to the mast. It is very easy to place even heavy packs, using the column as the setting base and letting it slide up to the material tray.



The unit will automatically brake when stationary, as the wheel brake is always on.

When the operator needs to move the unit, he simply press a trigger style switch positioned on the platform's rail to release the brake while pushing the unit into the new working place.



Once on board just press a button to reach in a few seconds the desired working height up to 4,17mt.



Very light overall weight of the unit ONLY 617 lbs 280 Kg makes it easy and comfortable to be pushed around and able to be used on every floor, even mezzanine floor.



Operator's platform with easy and safe access achieved by:

- Easy entrance with dual swing gates
- Step height only 36cm
- No obstacles at the entry point



SPRINT and SPIN-GO boast a long history.

These products were designed starting from our flagship model, the mobile platform LEONARDO, on the market since 1995.

... since
1995

It takes time to create a masterpiece...

In 1995 Bravi was an idea, but an idea started out of necessity. The first self-propelled unit to work up to 16 feet was started because the designer was also an end-user. A ceiling tile/acoustic tile/dry wall installer who had grown tired of scaffold, too big scissors and time wasting other options. He needed a unit that would be safe, support him and his product, be portable while elevated and performing his tasks. So the LUI MINI was born, a true self propelled aerial work platform.

Over the years through customer feedback and research and development, the LUI MINI has evolved into a premier unit known for its unique features, attention to detail as well as its time and field tested toughness: the LEONARDO.

This masterpiece is now an unbeatable solution to all your low level access requirements...

...The *FIRST* and still the *BEST*...



