


BRAVI

PLATFORMS

Sprint

**Maximum efficiency
and safety during picking.**

With a compact design and advanced functions, Sprint optimizes every picking and material handling operation, reducing effort and working time.



Bravi Platforms: innovation and safety for over 40 years.

Bravi Platforms is the leader in solutions for working at low heights, developing innovative mobile platforms able to ensure safety, efficiency and maximum productivity in every industry. The company was born from the intuition of Pierino Bravi, who has transformed an operational need into a pioneering innovation. For over 40 years, Bravi Platforms has been developing compact, maneuverable and durable products that guarantee high performance levels in every industrial environment, from logistics to maintenance.

With a production entirely made in Italy and an approach based on research and continuous improvement, Bravi Platforms is today a global point of reference, with a presence in 48 countries and serving more than 740 customers. Every platform is designed to reduce working time, increase operator safety and maximize operational efficiency. From design phase to production, the company combines craftsmanship and technology, ensuring high quality standards and quick and efficient after-sales support.

Sprint: the perfect range for picking.

The Sprint range includes three models, Sprint, Sprint LP and Sprint TL, designed for every logistics need. From small stores to large warehouses, each platform ensures efficiency, safety and reduced picking times.

Sprint

Perfect for fast picking and shelf restocking, Sprint provides efficiency and safety thanks to its ultra compact design and intuitive handling.



Sprint Large Parcels

Sprint Large Parcels incorporates an enhanced, adjustable load tray, designed for handling bulky parcels and heavy materials. The motorized shelf facilitates quick and safe loading and unloading.




Sprint Tire Lifter

Sprint Tire Lifter is the ultimate solution for tire handling. The motorized lift supports up to 150 kg (330 lbs), optimizing handling and transport in warehouses, workshops and distribution centers.



Sprint

Productivity and safety
without compromises.




Sprint is the picking platform that eliminates the use of ladders, improving safety and efficiency.

It simultaneously lifts operators and materials, optimizing work time. The ultra compact design allows operation in tight spaces, reducing the risk of injuries. Ideal for **supermarkets, retail stores, warehouses and distribution centers**, ensuring a faster and safer workflow.

- Working height up to 5.35 mt (17.6 ft)
- Motorized adjustable load tray with capacity up to 90 kg (198 lbs)
- Maximum maneuverability with 0° turning radius
- Premium 245 Ah batteries for a longer working cycle between charges, up to two shifts

Technical specifications



	METRIC	US
A Platform Height	3350 mm	10 ft 11 in
B Working Height	5350 mm	17 ft 6 in
C Height stowed	1440 mm	56.6 in
D Platform Length	1500 mm	59 in
E Platform Width	808 mm	31.8 in
F Entry Step	360 mm	14 in
G Platform Capacity	130 Kg	286 lbs
H Load Tray Capacity	90 Kg	198.4 lbs
I Load Deck Capacity	113 Kg	249 lbs
Unit Weight (CE)	690 Kg	1521 lbs
Rated number of occupants	1	1
Drive Speed (stowed)	5 Km/h	3.1 mph
Drive Speed (elevated)	1.2 Km/h	0.74 mph
Raise/lower speed	18/15 sec	18/15 sec
Inside turning radius	Zero	Zero
Outside turning radius	1600 mm	62 in
Gradeability (while elevated)	max. 2°	max. 2°
Power source	110/220 V ca 24 Vcc	110/220 V ca 24 Vcc
Batteries	n°4 - 6V 245Ah@20h	n°4 - 6V 245Ah@20h

Safe and fast handling

Sprint simultaneously lifts operator and materials, optimizing picking time. The motorized load tray with retractable edges enables efficient load handling of up to 90 kg (198 lbs), improving operational efficiency.

Advanced comfort and control

The LCD display on the control panel provides real-time information on the vehicle and battery status, enabling optimal management of operations. Dual hand sensors and foot switches ensure the operator's correct position while actively onboard or using the lifting functions.

Safety without compromises

Compliant with the EN280 (for MEWPs) and the EN ISO 3691 (for order pickers) certifications, Sprint is one of the safest pieces of equipment on the market. Its ultra-compact design makes it possible to work in tight spaces without compromises on safety.


Reliability and reduced costs

The lifting system, guaranteed for 10 years, eliminates the need for frequent interventions. The intuitive design and sturdy structure with high quality components ensure a long operating life with low maintenance costs and simplified maintenance experience.



Sprint Large Parcels

Maximum efficiency
in large volume picking.




Sprint Large Parcels optimizes the picking and handling of large parcels, ensuring safety and productivity.

Perfect for environments such as logistics warehouses, distribution centers, electronics and furniture stores, it is designed to minimize operator’s effort. Dual hand sensors and foot switches ensure proper operator positioning, while the series of rollers on the load tray facilitates the sliding of material on board, reducing the risk of injuries.

- Working height up to 5.35 m (17.6 ft)
- XL motorized load tray with capacity of up to 90 kg (198 lbs)
- Side rollers for a smoother loading
- Premium 245Ah batteries for a longer working cycle between charges, up to two shifts

Technical specifications



	METRIC	US
A Platform Height	3350 mm	10 ft 11 in
B Working Height	5350 mm	17 ft 6 in
C Height stowed	1440 mm	56.6 in
D Base Length	1500 mm	59 in
E Width	808 mm	31.8 in
F Entry point	360 mm	14 in
G Large Parcel Deck Width	401 mm	15 in
H Large Parcel Deck Height	334 mm	13 in
I Foldable Load Tray Length	600 mm	23 in
L Foldable Load Tray Width	700 mm	27 in
M Platform Capacity	130 Kg	286 lbs
N Overall Tray Capacity	90 Kg	198.4 lbs
Unit Weight (CE)	714 Kg	1574 lbs
Rated Number of Occupants (CE)	1	1
Drive Speed Stowed	5 Km/h	3.1 mph
Drive Speed Elevated	1.2 Km/h	0.74 mph
Raise/ Lower Speed	18/15 sec	18/15 sec
Inside Turning Radius	Zero	Zero
Outside Turning Radius	1600 mm	62 in
Max. Gradeability (when elevated)	max. 2°	max. 2°
Power source	110/220 V ca 24 Vcc	110/220 V ca 24 Vcc
Batteries	n°4 - 6V 245Ah@20h	n°4 - 6V 245Ah@20h

Safe and smart lifting

The motorized XL load tray features an integrated loading shelf that can be lifted to facilitate the handling of bulky packages, eliminating the risk of manual lifting injuries, or lowered to act as a standard load tray with retractable edges.

Seamless operations

Premium 245 Ah batteries ensure a longer working cycle between charges, improving operational efficiency.

Safety without compromises

Compliant with the EN280 (For MEWPs) and the EN ISO 3691 (for order pickers) certifications, Sprint is one of the safest pieces of equipment on the market. Its ultra-compact design makes it possible to work in tight spaces without compromises on safety.


Low costs of ownership

Sturdy structure and maintenance-free lifting system with a 10-year warranty ensure long-term reliability.



Sprint Tire Lifter

The perfect solution
for tire handling.




Sprint Tire Lifter is designed to safely lift the operator and tires, positioning them at the desired height, for quick and effortless handling.

Perfect for workshops, service centers, automotive warehouses and tire shops, Sprint TL optimizes workflow and reduces risk of injuries. The fully motorized front compartment with a capacity of up to 150 kg (330 lbs) allows even SUV tires with or without rims to be handled. Foldable forks lower all the way down to the floor to facilitate loading directly from the wheel dolly.

- Working height up to 5 mt (16 ft 4 in)
- Motorized lifting compartment with capacity of up to 150 kg (330 lbs)
- Compliant with SUV tires up to 800 mm (31.50 in) diameter
- Compact design, ideal for tight spaces

Technical specifications



	METRIC	US
A	Platform height	3000 mm
B	Working Height	5000 mm
C	Stowed unit height	1515 mm
D	Unit length	2275 mm (forche aperte) 1778 mm (forche chiuse)
E	Unit height – stowed tire holder	1665 mm
F	Unit height – with elevated tire holder	1914 mm
G	Total Unit width	808 mm
H	Entry step	394 mm
I	Lift compartment capacity	150 Kg
J	Lift compartment width	400mm
	Platform Capacity	130 Kg
	Weight (CE)	820 Kg
	Rated n° of occupants	1
	Drive speed stowed	5 Km /h
	Drive Speed elevated	1.2 Km /h
	Raise/Lower speed	18/14 sec
	Inside turning radius	Zero
	Outside turning radius	1600 mm
	Gradeability while elevated	T.L. 2° TLP 1.5°
	Power source	110/220 V 24 Vcc
	Batteries	n°4 - 6V 245Ah@20h

Safety without compromises

Compliant with the EN280 (For MEWPs) and the EN ISO 3691 (for order pickers) certifications, Sprint is one of the safest pieces of equipment on the market. Its ultra-compact design makes it possible to work in tight spaces without compromises on safety, while hand sensors and dual foot switches ensure that the operator is always in the correct position when operating the unit.

Increased load capacity

The motorized front compartment loads up to 150 kg (330 lbs), allowing even SUV tires with rim diameters up to 800 mm (31.50 in) to be handled.


Compactness and user-friendliness

The forks are foldable, allowing a small footprint to be maintained, and they lower to the floor to facilitate loading/unloading operations, making the operator self-sufficient.

Reduced operating costs

Sprint TL is designed to minimize maintenance, thanks to a sturdy structure, high quality components and a 10-year guaranteed lifting mast system.





Customize your Sprint with accessories designed to optimize picking and internal logistics.

SIDE GUIDE ROLLERS

Available in three size
(L89 cm – 2.9 ft, L95 cm)
(3.11 ft, L105 cm – 3.44 ft)

SUCTION GUN

Compatible with Sprint and Sprint LP models, the suction gun accessory greatly increases efficiency and safety during picking operations, especially of those bulky and hard-to-reach items located at the bottom of the shelves.

WHEEL LOCKING SYSTEM

Used in combination with side guide rollers to lock the pivoting front casters in a straight position.

LED LIGHTS

Better visibility in low-light environments

SCANNER HOLDER

Dedicated support for barcode scanners.

BOTTLE HOLDER

Dedicated support to hold canteens or bottles.

BOX SHAPED LOAD DECK

Perforated basket-shaped cargo shelf.
(L647 mm, W564,40 mm, H395 mm)
(L25.4 in, W22.2 in, H15.5 in)

MAGNETIC STORAGE BOX

Practical and robust box with magnetic attachment, compatible with all Bravi models.

GATE ALARM

Audible alarm that activates every time the gate doors open at height.

COMPLETE GATE INTERLOCK

Automatic gate locking system that activates as soon as the platform is lifted. If gate doors are open all functions are inhibited.

TRAILER

2-wheel steer trailer, to be used with the trailer hook with step.

TRAILER HOOK WITH STEP

Used in combination with the trailer attachment. Towing capacity up to 200 kg (440 lbs). Inhibits driving functions when the basket is raised.

SAFE-T LOCK KEYPAD KIT

Advanced security with electronic keypad.

IRON BUMPER PROTECTION KIT

Three metal bumpers to protect the sides of the hood.

PRESENCE SENSOR

It inhibits the platform from lowering if it detects the presence of people under it.

AGM OR LI-ION BATTERIES

More choice to meet the operational needs of every context.

CLOTHES HANGER

Ideal solution for clothing warehouses.

CUSTOMIZED LIFTING HEIGHT

Cylinder customizable as required.

FRONT WHEEL PROTECTION

Can be fitted on the front casters to protect them from impacts.

WHEEL DOLLY

Perfect in combination with Sprint TL for loading tires.

Our services:

Comprehensive support for every need

Bravi Platforms not only provides innovative platforms, but it guarantees a comprehensive 360° service to support customers at every stage: from product selection to maintenance and training. Every solution is designed to reduce downtime and maximize the value of the investment.

Rapid and specialized technical assistance

A premium after-sales service, with qualified technicians and immediate support. Bravi units require very little maintenance, but in case of need we guarantee prompt interventions and quick solutions to minimize downtime.

Original spare parts available in 48/72 hours

Through the Bravi Parts website, customers can order original spare parts independently, with guaranteed delivery within 48/72 hours. An efficient and intuitive system to always keep fleets running, with the certified quality of Bravi Parts.

Technical and sales trainings

Bravi offers technical training programs for the proper use and maintenance of the platforms, other than sales trainings to support partners with the sales and rental of the units. Training courses are available both in-person and online, ensuring effective and personalized learning.

Contact us for more information

To find out more about our services and find the right solution for your needs, visit our website or contact us directly.

BRAVIISOL D.M. SRL
S.S. Adriatica 16 Km 314.600
60022 Castelfidardo (AN) - IT

bravi-platforms.com

info@bravi-platforms.com

Our team is ready to provide you with customized support and advice.

+39 071 781 9090
US Toll Free: 855-704-7342

BRAVIISOL D.M. SRL
S.S. Adriatica 16 Km 314.600
60022 Castelfidardo (AN) - Italy

info@bravi-platforms.com

+39 071 781 9090
US Toll Free: 855-704-7342

