

| 0                | INITIAL RELEASE | 12/18/2018 | DD  |  |
|------------------|-----------------|------------|-----|--|
| REV              | DESCRIPTION     | DATE       | APP |  |
| revision history |                 |            |     |  |

| EI SENSOR TECHNOLOGIES             | NTC THERMISTOR        |                  |  |
|------------------------------------|-----------------------|------------------|--|
| www.ei-sensor.com<br>(C) COPYRIGHT | DRAWN BY: DAN DANKERT |                  |  |
|                                    | SCALE: NONE           | LAYER: 0 OF 2    |  |
| P/N EPT224T303                     | REV: 0                | DATE: 12/18/2018 |  |

This PROPRIETARY document is the property of El Sensor Technologies. It is confidential in nature, non-transferrable and issued with the understanding that it is not to be traced or copied without permission, and is returnable on demand.

RESISTANCE  $@+25^{\circ}C = 30,000 \ \Omega$  NOMINAL ACCURACY (0 TO +70°C) =  $\pm$  1.0°C RESISTANCE/TEMPERATURE CURVE = "24A" BETA " $\beta$ " (0 TO +50°C) = 3,811°K NOMINAL TEMPERATURE COEFFICIENT  $@+25^{\circ}C = -4.29\%$ /°C NOMINAL DISSIPATION CONSTANT = 1 mW/°C NOMINAL (AIR) THERMAL TIME CONSTANT = 10 SECONDS NOMINAL (AIR) MAXIMUM TEMPERATURE RATING =  $+135^{\circ}C$ 

MAXIMUM TEMPERATURE RATING - TISSC

MAXIMUM EXPOSURE TEMPERATURE FOR BEST LONG-TERM DRIFT = +120°C

ROHS COMPLIANT