



10/36 Ware Street Fairfield NSW 2165 Ph: 02 9724 6864 Fax: 02 9724 0256 www.deltami.com.au



Radiologists

Dr Jeff Chen Dr Kevin Sheng **NM Specialists**

Dr Diep Nguyen Dr Lin Chan



ш	CT (low dose)
	CTCA/Calcium Scoring
П	CT Angiography

_	
	CT Angiography
П	Lung Cancer Screening

Ultrasound	b

CT/US Biopsies
CT/US Injections

Interventional	Procedures

Bone	Density/BMI

Bone	SPECT/CT	

		Lung	SP	EC	T/	CT	
--	--	------	----	----	----	----	--

\neg	Others
	Olliels

[☐] Stress MIBI SPECT/CT

[☐] Thyroid SPECT/CT
☐ Hepatobiliary SPECT/CT

[☐] Renal SPECT/CT

[☐] Consultations

[☐] More Request Form Best Practice Form



Onsite patient parking (Access via Council Lane)

Mobility Access

Carparks nearby within 5 mins walking distance

2 mins walk from Fairfield Train station



10/36 Ware Street Fairfield NSW 2165 Ph: 02 9724 6864 Fax: 02 9724 0256 www.deltami.com.au

Please inform our staff if you are unwell, have a fever or are allergic to any medication/iodine (CT contrast)

X-Ray

CT without contrast (Spine/MSK/Sinus/Temporal Bone) Ultrasound (MSK/Thyroid/Neck)

No preparation is needed.

CTCA - CT Coronary Angiography

Please contact us for pre-medications before your appointment.

Fast 2hrs prior to appointment.

No smoking/caffeine/energy drink for 24hrs prior to appointment.

No Cialis, Viagra, Levitra or similar medications for 36hrs prior to appointment.

CT with contrast

(Brain/Neck/Chest/Abdomen/Pelvis/Angio/Venography)

Fast 2hrs prior to appointment (water is allowed).

Do not take Metformin on the morning and the day before your appointment.

Ultrasound (Abdomen)

Fast 6-8hrs prior to appointment (No food/drink/smoking).

Ultrasound (Kidney/Bladder/Pelvis/Obstetric)

Requires full bladder for this scan.

Empty your bladder 2hrs prior to your appointment; then drink 1 litre of water over 1hr and do not empty bladder.

Interventional Procedures (Injection/Biopsy/Aspiration/Drainage)

Please inform our staff in advance if you are taking any blood thinner, or having a history of blood disorders, chronic liver disease or ongoing infection.

Limit food intake to a light meal only, up to 2hrs prior to procedure.

Do not drive to the clinic (for spinal/hip injection). Arrange for someone to pick you up after the procedure.

All Nuclear Medicine Procedures

Please contact our staff for preparations.