

TOP 10

REASONS TO USE
ALUMINUM VACUUM CHAMBERS
AND BIMETAL COMPONENTS

Atlas
TECHNOLOGIES

1



LIGHTER WEIGHT

Lighter in weight and less expensive than stainless, aluminum is easier to manage, less costly to ship, and faster to machine. Although aluminum is not as strong as stainless steel, it can be manufactured with more material and still weigh less than a stainless-steel equivalent.

Atlas
TECHNOLOGIES

2

NON-MAGNETIC



Aluminum chambers are non-magnetic and offer no measurable disruption to electron and ion optics. Because magnetic disturbance can have detrimental effects, aluminum's low magnetic permeability is especially effective in delicate research, quantum computing, and sensitive test environments.

Atlas
TECHNOLOGIES



3

THERMAL CONTROL


Aluminum conducts heat ten times better than stainless steel. This means that the chamber can be heated and cooled down much more quickly – without the undesirable hot and cold spots that affect stainless steel. In addition, the process of baking out impurities is faster and more complete.



4

LESS CONTAMINATION

Aluminum contains about ten million times less hydrogen than stainless steel. It also has little carbon and absorbs far less gas from the atmosphere when a chamber is opened. The result is greatly reduced vessel contamination.




5

VIBRATION DAMPENING

With significant vibration dampening, aluminum supports precision applications where excess vibration can have disastrous consequences. Aluminum is also better at dampening vibrations than stainless steel – making delicate measurements possible.

6




REDUCED RESIDUAL RADIATION

With a short neutron activated half-life, aluminum offers huge disposal savings and a priceless reduction in potential exposure to personnel. In contrast, stainless steel harbors radiation much longer especially when the metal contains recycled material.

Atlas
TECHNOLOGIES

7



BETTER BAKEOUT

Aluminum bakeout can be done at 150 °C, whereas stainless steel must be heated to 250 °C. In addition, aluminum vacuum chambers retain most of the gain from previous bakeouts, making them ideal for industrial applications where process up-time is highly valued.

8



RELIABLE SOLID-STATE BIMETAL BONDS

The hermetic, molecular bond withstands extreme temperatures, corrosive environments and wrenching forces. The bonded metals can be machined and then welded to adjacent metals, creating a robust, long-lasting connection.

Atlas
TECHNOLOGIES

9



CONTRASTING PROPERTIES IN ONE MACHINED COMPONENT

Bonded metals exploit the positive traits and/or reduce the negative impacts of each metal. For example, conductive materials can be bonded to poor thermal conductors or lightweight metals bonded to stronger metals.

Atlas
TECHNOLOGIES

10



HEAT & CORROSION RESISTANT TRANSITIONS

Bonded metal transitions manage heat more effectively than standard welds and corrosion is reduced, ultimately making joints stronger than standard welds.

QUANTUM COMPUTING
CRYOGENICS
SPACE MISSIONS
CVD & PVD
SEMICONDUCTOR
R&D

ALUMINUM CHAMBERS: Better vacuum.

SPECIALTY BIMETAL: Optimized performance.

info@AtlasUHV.com

Atlas
TECHNOLOGIES