




45 x 48 Solid Floor Fixed Wall Bulk Containers



PRODUCT INFORMATION

Part #: DGB4548XX-FW

Product Category: Fixed Wall Bulk Containers

Related Products: DGL4548, 45x48 Dolly

Industries: Automotive, Industrial Manufacturing

DuraGreen 45" x 48" fixed-wall bulk containers are sturdy material-handling containers engineered for long life under the most demanding conditions and repeated use. Made from high-density polyethylene, these heavy-duty containers are built to provide years of service under the harshest conditions. These 45" x 48" footprint containers are stackable, 100% recyclable, and save on storage and transportation costs. They have pallet jack and 4-way forklift access for secure and efficient handling. These fixed-wall bulk containers are ideal for storing and handling various component parts, industrial materials, and commercial supplies.




CORNER DRAIN HOLES

Drain holes in the interior corners of this solid bottom container keep liquids from pooling.



4-WAY FORKLIFT ENTRY

Allows entry from all sides for secure and efficient handling with pallet jacks or forklifts.



FIXED SIDEWALLS

Fixed sidewalls make this container ideal for heavy loads and flowable powder storage.


FEATURES & BENEFITS

- ✓ High Strength fixed sidewalls make this container ideal for heavy loads and flowable powder storage.
- ✓ 2,300 lbs. capacity
- ✓ Available Heights: 12", 15", 16", and 19"
- ✓ Made from 100% recyclable high-density polyethylene.

- ✓ Base designed for high impact and product protection
- ✓ A solid floor bottom ensures small parts will not be lost and provides a smooth and even load surface.
- ✓ Four-way forklift entry improve ergonomics and handling.
- ✓ Positive stacking of one container on another to reduce floorspace



45 x 48 x 12 Solid Floor Fixed Wall Bulk Containers



PRODUCT INFORMATION

Part #: DGB454812-FW

Product Category: Fixed Wall Bulk Containers

Related Products: DGL4548 , 45x48 Dolly

Industries: Automotive, Industrial

DuraGreen 45" x 48" x 12" fixed-wall bulk containers are sturdy material-handling containers engineered for long life under the most demanding conditions and repeated use. Made from high-density polyethylene, these heavy-duty containers are built to provide years of service under the harshest conditions. The 45" x 48" x 12" fixed wall container is stackable, 100% recyclable, and save on storage and transportation costs. They have pallet jack and 4-way forklift access for secure and efficient handling. These fixed-wall bulk containers are ideal for storing and handling various component parts, industrial materials, and commercial supplies.

Exterior Height	12"	Static Loading	6
Exterior (L x W)	48"(L) x 45"(W)	Dynamic Load Stack	5
Interior (L x W)	44.5"(L) 41.6"(W)	Drop Doors	0
Interior Height	6"	Door (H x W)	N/A
Collapsed Height	N/A	Fork Opening (Long)	3.65" x 11"
Internal Volume*(cu.ft.)	8.8	Fork Opening (Short)	2.5" x 11.5"
Weight Capacity*(lbs.)	2,300*	Fork Lift Entry	4-way
Tare Weight (lbs.)	86	53' Trailer Load	234
Return Ratio	1:1	53' Trailer Collapsed	N/A

**Capacity depends on application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity. Specifications are subject to change without notice. All dimensions are approximate.*

FEATURES & BENEFITS




DRAIN HOLES

Drain holes strategically placed in the interior corners of this solid bottom container keep liquids from pooling.



4-WAY FORKLIFT ENTRY

Allows entry from all sides for secure and efficient handling with pallet jacks or forklifts.




SOLID FLOOR

A solid floor bottom ensures small parts will not be lost and provides a smooth and even load surface.





45 x 48 x 15 Solid Floor Fixed Wall Bulk Containers



PRODUCT INFORMATION

Part #: DGB454815-FW

Product Category: Fixed Wall Bulk Containers

Related Products: DGL4548 , 45x48 Dolly

Industries: Automotive, Industrial

DuraGreen 45" x 48" x 15" fixed-wall bulk containers are sturdy material-handling containers engineered for long life under the most demanding conditions and repeated use. Made from high-density polyethylene, these heavy-duty containers are built to provide years of service under the harshest conditions. The 45" x 48" x 15" fixed wall container is stackable, 100% recyclable, and save on storage and transportation costs. They have pallet jack and 4-way forklift access for secure and efficient handling. These fixed-wall bulk containers are ideal for storing and handling various component parts, industrial materials, and commercial supplies.

Exterior Height	15"	Static Loading	6
Exterior (L x W)	48"(L) x 45"(W)	Dynamic Load Stack	5
Interior (L x W)	44.5"(L) 41.6"(W)	Drop Doors	0
Interior Height	8.2"	Door (H x W)	N/A
Collapsed Height	N/A	Fork Opening (Long)	3.65" x 11"
Internal Volume*(cu.ft.)	8.78	Fork Opening (Short)	2.5" x 11.5"
Weight Capacity*(lbs.)	2,300*	Fork Lift Entry	4-way
Tare Weight (lbs.)	95	53' Trailer Load	234
Return Ratio	1:1	53' Trailer Collapsed	N/A

**Capacity depends on application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity. Specifications are subject to change without notice. All dimensions are approximate.*

FEATURES & BENEFITS




DRAIN HOLES

Drain holes strategically placed in the interior corners of this solid bottom container keep liquids from pooling.



4-WAY FORKLIFT ENTRY

Allows entry from all sides for secure and efficient handling with pallet jacks or forklifts.




SOLID FLOOR

A solid floor bottom ensures small parts will not be lost and provides a smooth and even load surface.





45 x 48 x 16 Solid Floor Fixed Wall Bulk Containers



PRODUCT INFORMATION

Part #: DGB454816-FW

Product Category: Fixed Wall Bulk Containers

Related Products: DGL4548 , 45x48 Dolly

Industries: Automotive, Industrial

DuraGreen 45" x 48" x 16" fixed-wall bulk containers are sturdy material-handling containers engineered for long life under the most demanding conditions and repeated use. Made from high-density polyethylene, these heavy-duty containers are built to provide years of service under the harshest conditions. The 45" x 48" x 16" fixed wall container is stackable, 100% recyclable, and save on storage and transportation costs. They have pallet jack and 4-way forklift access for secure and efficient handling. These fixed-wall bulk containers are ideal for storing and handling various component parts, industrial materials, and commercial supplies.

Exterior Height	16"	Static Loading	6
Exterior (L x W)	48"(L) x 45"(W)	Dynamic Load Stack	5
Interior (L x W)	44.5"(L) 41.6"(W)	Drop Doors	0
Interior Height	10"	Door (H x W)	N/A
Collapsed Height	N/A	Fork Opening (Long)	3.65" x 11"
Internal Volume*(cu.ft.)	10.71	Fork Opening (Short)	2.5" x 11.5"
Weight Capacity*(lbs.)	2,300	Fork Lift Entry	4-way
Tare Weight (lbs.)	105	53' Trailer Load	156
Return Ratio	1:1	53' Trailer Collapsed	N/A

**Capacity depends on application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity. Specifications are subject to change without notice. All dimensions are approximate.*

FEATURES & BENEFITS




DRAIN HOLES

Drain holes strategically placed in the interior corners of this solid bottom container keep liquids from pooling.



4-WAY FORKLIFT ENTRY

Allows entry from all sides for secure and efficient handling with pallet jacks or forklifts.




SOLID FLOOR

A solid floor bottom ensures small parts will not be lost and provides a smooth and even load surface.





45 x 48 x 19 Solid Floor Fixed Wall Bulk Containers



PRODUCT INFORMATION

Part #: DGB454819-FW

Product Category: Fixed Wall Bulk Containers

Related Products: DGL4548 , 45x48 Dolly

Industries: Automotive, Industrial

DuraGreen 45" x 48" x 19" fixed-wall bulk containers are sturdy material-handling containers engineered for long life under the most demanding conditions and repeated use. Made from high-density polyethylene, these heavy-duty containers are built to provide years of service under the harshest conditions. The 45" x 48" x 19" fixed wall container is stackable, 100% recyclable, and save on storage and transportation costs. They have pallet jack and 4-way forklift access for secure and efficient handling. These fixed-wall bulk containers are ideal for storing and handling various component parts, industrial materials, and commercial supplies.

Exterior Height	19"	Static Loading	6
Exterior (L x W)	48"(L) x 45"(W)	Dynamic Load Stack	5
Interior (L x W)	44.5"(L) 41.6"(W)	Drop Doors	0
Interior Height	12.5"	Door (H x W)	N/A
Collapsed Height	N/A	Fork Opening (Long)	3.65" x 11"
Internal Volume*(cu.ft.)	13.9	Fork Opening (Short)	2.5" x 11.5"
Weight Capacity*(lbs.)	2,300*	Fork Lift Entry	4-way
Tare Weight (lbs.)	116	53' Trailer Load	130
Return Ratio	1:1	53' Trailer Collapsed	N/A

**Capacity depends on application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity. Specifications are subject to change without notice. All dimensions are approximate.*

FEATURES & BENEFITS




DRAIN HOLES

Drain holes strategically placed in the interior corners of this solid bottom container keep liquids from pooling.



4-WAY FORKLIFT ENTRY

Allows entry from all sides for secure and efficient handling with pallet jacks or forklifts.




SOLID FLOOR

A solid floor bottom ensures small parts will not be lost and provides a smooth and even load surface.





45 x 48 x 24 Solid Floor Fixed Wall Bulk Containers



PRODUCT INFORMATION

Part #: DGB454824-FW

Product Category: Fixed Wall Bulk Containers

Related Products: DGL4548 , 45x48 Dolly

Industries: Automotive, Industrial

DuraGreen® 45" x 48" x 24" fixed-wall bulk containers are engineered for applications with heavy, dense parts, or parts that need easy-access. Made from high-density polyethylene, these heavy-duty containers are built to provide years of service under the harshest conditions. The containers are stackable, 100% recyclable, and save on storage and transportation costs. They have a pallet jack and a 4-way forklift access for secure and efficient handling.

Exterior Height	25.6"	Static Loading	6
Exterior (L x W)	48"(L) x 45"(W)	Dynamic Load Stack	4
Interior (L x W)	44.5"(L) 41.6"(W)	Drop Doors	0
Interior Height	18.8"	Door (H x W)	N/A
Collapsed Height	N/A	Fork Opening (Long)	3.3"(H) 11.6"(W)
Internal Volume*(cu.ft.)	20.14	Fork Opening (Short)	3.4"(H) 11.9"(W)
Weight Capacity*(lbs.)	2,300*	Fork Lift Entry	4-way
Tare Weight (lbs.)	142	53' Trailer Load	104
Floor Type	Solid	53' Trailer Collapsed	N/A

**Capacity depends on application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity. Specifications are subject to change without notice. All dimensions are approximate.*

FEATURES & BENEFITS



CORNER DRAIN HOLES

Drain holes in the interior corners of this solid bottom container keep liquids from pooling.



4-WAY FORKLIFT ENTRY

Allows entry from all sides for secure and efficient handling with pallet jacks or forklifts.



FIXED SIDEWALLS

Fixed sidewalls make this container ideal for heavy loads and flowable powder storage.



PRODUCT SPECIFICATIONS

Container Model	DGB454812-FW	DGB454815-FW	DGB454816-FW	DGB454819-FW	DGB454824-FW
Exterior Height	12"	15"	16"	19"	24"
Exterior (L x W)	48"(L) 45"(W)	48"(L) 45"(W)	48"(L) 45"(W)	48"(L) 45"(W)	48"(L) 45"(W)
Interior (L x W)	44.5"(L) 41.6"(W)	44.5"(L) 41.6"(W)	44.5"(L) 41.6"(W)	44.5"(L) 41.6"(W)	44.5"(L) 41.6"(W)
Interior Height	5.2"	8.2"	10"	12.5"	25.6"
Collapsed Height	N/A	N/A	N/A	N/A	N/A"
Internal Volume <small>(cu.ft.)</small>	5.7	8.78	10.71	13.9	20.14
Weight Capacity <small>(lbs.)</small>	2,300*	2,300*	2,300*	2,300*	2,300*
Weight <small>(lbs.)</small>	86	95	105	116	142
Static Loading	6	6	6	6	6
Dynamic Load Stack	4	4	4	4	4
Fork Opening (Long)	3.65"(H) 11"(W)	3.65"(H) 11"(W)	3.65"(H) 11"(W)	3.65"(H) 11"(W)	3.3"(H) 11.6"(W)
Fork Opening (Short)	3.5"(H) 11"(W)	3.5"(H) 11"(W)	3.5"(H) 11"(W)	3.5"(H) 11"(W)	3.3"(H) 11.6"(W)
Fork Lift Entry	4-Way	4-Way	4-Way	4-Way	4-Way
53' Trailer Open	234	234	156	130	104
53' Trailer Collapsed	N/A	N/A	N/A	N/A	N/A
Floor Type	Solid	Solid	Solid	Solid	Solid

**Capacity depends on application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity. Specifications are subject to change without notice. All dimensions are approximate.*

RPP Containers® warrants its containers for proper fit, form and function for a period of one year from date of shipment by RPP Containers. If within such period a container is proven to be defective in functionality from manufacturing defects, such product shall be repaired or replaced. This warranty does not include damage due to normal material handling methods (i.e., forklift damage etc.).