



**HUSTLER**<sup>®</sup>

HERE TO WORK<sup>™</sup>





## HUSTLER®

Since 1964, Hustler Turf has been manufacturing zero-turn mowers designed to work as hard as you do. We take the same pride in our product that you take in your work, and it shows. Our commercial mowers are engineered and tested to endure.

Hustler offers a comprehensive lineup including sit-downs, stand-ons, and walk-behinds with deck sizes ranging from 34 inches to 104 inches.

# THE HUSTLER® ADVANTAGE

## SMOOTHTRAK™ STEERING

Developed over decades of experience. Precision control designed to help trim and maneuver easily around obstacles.

## INTEGRATED PARK BRAKE

Hustler was the first to integrate the parking brake into the twin-lever design. This design was patented for years and continues to be a great safety feature for operators.

## FABRICATED DECKS

Our fabricated welded-steel decks are designed to handle harsh conditions. Heavy-gauge steel and reinforced impact areas help prolong the life of the deck.

## TOUGH FRAMES

Fabricated welded-steel frames, thick front axles and forks with heavy-duty caster yokes help your mower last for years. Our frames are tested for thousands of hours on concrete test tracks with inclines and embankments.

## SIMPLE DESIGN

Who wants something you can't work on yourself? More engineering doesn't always mean more parts or more complexity. Quite the opposite. We engineer our mowers for easy serviceability with flip-up seat pans, removable floor pans, and vented pulley covers.

## PRECISION CUT QUALITY

Our decks are not only tough, but engineered to provide a clean, crisp cut. This comes from decades of learning how the airflow inside the deck stands grass blades up during the cut. The result is an even cut and defined stripes.



# HUSTLER PRODUCT LINE-UP

## RESIDENTIAL MOWERS

DASH® XD

RAPTOR® X

RAPTOR® XL

RAPTOR® XD

RAPTOR® XDX

## COMMERCIAL MOWERS

RIDE-ON MOWERS

STAND-ON

WALKBEHIND

FASTRAK®

SURFER® PRO

TRIMSTAR®

FASTRAK® SDX

SURFER® X

X-ONE®

SUPER S®

X-RIDE™

SUPER SF™

SUPER Z®

HYPERDRIVE®

SUPER 104™

## OTHER PRODUCTS AVAILABLE (SOLD SEPARATELY)

Accessories



Hustler Fluid Products



# DASH XD

IDEAL FOR UP TO

1  
ACRE<sup>1</sup>

## DASH XD

The Dash® XD is Hustler Turf's most compact residential mower designed for smaller property owners. The smaller design makes it ideal for garage storage and fitting through tight spaces like fence gates. One piece fabricated frame and welded steel deck come standard along with a bolstered seat, Kawasaki® power & Lawnmonster rear drive tires.

DECK SIZES / ENGINE		
34 in.	15HP*	Kawasaki® FR541
48 in.	18HP*	Kawasaki® FR600

✓ 2YR Limited / 200HR Limit Warranty\*\*



### PRODUCT FEATURES

- 1 FABRICATED STEEL FRAME**  
1 in. x 2 in. fabricated steel frame making it tough and durable
- 2 FOOT OPERATED DECK LIFT**  
Easily adjust the deck height between 1.5 in. - 4.5 in.
- 3 WELDED FABRICATED STEEL DECK**  
11 GA welded fabricated steel deck adds durability compared to a stamped deck
- 4 BOLSTERED SEAT**  
Bolstered with built-in lumbar support
- 5 18 in. LAWNMONSTER REAR TIRES**  
We worked directly with the tire manufacturer on this design
- 6 COMPACT SIZE**  
Easily fits through most gates to tackle fenced-in back yards. The small footprint makes it ideal for storing in a garage
- 7 KAWASAKI® POWER**  
V-Twin Kawasaki engine
- 8 STANDARD ENGINE GUARD**



<sup>1</sup>Guidance and recommendations based on total property size and will vary depending on yard and terrain conditions. See your local dealer for expert advice.

\* As rated by the engine manufacturer

\*\* See owner's manual for warranty details and information. Certain restrictions apply.

# RAPTOR<sup>®</sup>

## SERIES

X

XL

XD

XDX

### SHARED FEATURES

- ① **FABRICATED FRAME**  
Continuous one-piece 1.5 in. x 3 in. welded tubular frame
- ② **FOOT-OPERATED DECK LIFT**  
Easily adjust the deck height between 1.5 in. - 4.5 in.
- ③ **RUBBER FLOOR MAT**  
Helps provide comfort by minimizing vibration on the operator's feet
- ④ **WELDED STEEL DECK**  
Welded, fabricated steel deck with a 1/4" steel impact bar helps provide additional durability
- ⑤ **EASY TO SERVICE**  
Flip-up seat pan, removable floor pan, vented pulley covers
- ⑥ **SMOOTHTRAK™ STEERING**  
Precision control designed to help trim and maneuver easily around obstacles
- ⑦ **BOLSTERED SEAT**  
Helps provide a comfortable ride
- ⑧ **WIDE STANCE**  
Designed to provide ample room adding to the comfort for the operator
- ⑨ **KAWASAKI® POWER**  
Powered by a V-Twin Kawasaki® Engine



IDEAL FOR UP TO  
**3**  
ACRES<sup>1</sup>


## RAPTOR® X

Pro-inspired, with commercial-grade features, the next generation of the Raptor Series brings powerhouse performance and a smooth, efficient ride straight to your yard. The Raptor X features include 1-1/2"x3" steel frame and 10 ga. fabricated steel deck, and oversized 3.5-gallon fuel tank. Homeowner's can mow in comfort with a 20" high-back bolstered seat, 20" VersaTrac\* Drive tires and a rubberized floormat to help reduce vibrations. All backed by a 3 yr/ 300 hour limited warranty.

DECK SIZES / ENGINE		
42 in.	18HP*	Kawasaki® FR600
48 in.	21.5HP*	Kawasaki® FR651
54 in.	21.5HP*	Kawasaki® FR651



✓ 3YR Limited / 300HR Limit Residential Warranty\*\*



**PREMIUM SEAT**  
High back bolstered seat helps provide a comfortable ride



**KAWASAKI® ENGINE**  
Powered by a V-Twin Kawasaki Engine



**20 IN. VERSA TRAC REAR DRIVE TIRES**

<sup>1</sup>Guidance and recommendations based on total property size and will vary depending on yard and terrain conditions. See your local dealer for expert advice.  
<sup>\*</sup>As rated by the engine manufacturer    <sup>\*\*</sup>See owner's manual for warranty details and information. Certain restrictions apply.

# RAPTOR® XL

IDEAL FOR UP TO

**3**  
ACRES<sup>1</sup>

## RAPTOR® XL

The next generation of the Raptor® XL features premium upgrades to the Raptor X. The XL provides some added comfort with added armrests on its 20" high-back bolstered seat and Flex Forks® for a smooth ride. Also, there is an option for additional horsepower with a 23hp\* Kawasaki® FR Engine. Comfort and power backed by a 3 year limited / 300 hour limit warranty\*\*.

DECK SIZES / ENGINE		
42 in.	21.5HP*	Kawasaki® FR651
48 in.	23HP*	Kawasaki® FR691
54 in.	23HP*	Kawasaki® FR691



✓ 3YR Limited / 300HR Limit Residential Warranty\*\*

## UPGRADES FOUND ON THE RAPTOR® XL



### PREMIUM SEAT WITH ARMRESTS

High back bolstered seat helps provide a comfortable ride with added armrests



### STANDARD FRONT FLEX FORKS®

These flexing front forks cushion the ride for a smoother mowing experience



### ADDITIONAL HORSEPOWER OPTION

Kawasaki® FR Engine 23HP\*

# RAPTOR<sup>®</sup> XD

IDEAL FOR UP TO

**5**  
ACRES<sup>1</sup>

## RAPTOR<sup>®</sup> XD

The next generation of Raptor<sup>®</sup> XD is the ideal zero-turn for homeowners with up to five acres of property. The 24hp\* Kawasaki<sup>®</sup> engine (available on 54" and 60" deck models only) and 60" deck option makes the XD a premium lawn mower in the residential zero-turn category. Like all Raptors, it features a 1-1/2"x3" steel frame, 10 ga. fabricated steel deck, and large 20" VersaTrac drive tires. Raptor XDs are backed by a 3 year limited / 300 hour limit warranty\*\*.

DECK SIZES / ENGINE		
48 in.	23HP*	Kawasaki <sup>®</sup> FR691
54 in.	24HP*	Kawasaki <sup>®</sup> FR730
60 in.	24HP*	Kawasaki <sup>®</sup> FR730



✓ 3YR Limited / 300HR Limit Residential Warranty\*\*

### UPGRADES FOUND ON THE RAPTOR<sup>®</sup> XD



**TUFF TORQ<sup>®</sup> TZ-350 TRANSMISSION**  
Upgraded Transmission & Increased ground speed compared to other Raptor units



**LARGER DECK SIZE OPTION**  
Up to 60 in. deck size available



**20 IN. VERSA TRAC DRIVE TIRES**

<sup>1</sup>Guidance and recommendations based on total property size and will vary depending on yard and terrain conditions. See your local dealer for expert advice.  
<sup>\*</sup>As rated by the engine manufacturer    <sup>\*\*</sup> See owner's manual for warranty details and information. Certain restrictions apply.

# RAPTOR® XDX

IDEAL FOR UP TO

**5**  
ACRES<sup>1</sup>

## RAPTOR® XDX

The Raptor® XDX is at the top of Hustler's residential zero-turn category. It has commercial-grade features like a 10-gauge fabricated deck, cast steel deck hangers, vented and tool-less removable pulley covers and reaches up to 8 mph with Hydro-Gear® ZT-3100® commercial transmissions. The 5-inch-deep deck is designed to allow for mowing through thick grass at top speeds. The heavy-duty XDX is backed by a 3 year limited / 300 hour limit residential warranty and 1 year limited / 300 hour limit commercial warranty\*\*.



DECK SIZES / ENGINE		
48 in.	21.5 HP*	Kawasaki® FR651
54 in.	23 HP*	Kawasaki® FR691
60 in.	24 HP*	Kawasaki® FR730

- ✓ 3YR Limited / 300HR Limit Residential Warranty\*\*  
1YR Limited / 300HR Limit Commercial Warranty\*\*

## UPGRADES FOUND ON THE RAPTOR® XDX



**INCREASED FRAME THICKNESS**  
35% Thicker than other Raptor models



**LARGER 22 IN. LAWNMONSTER DRIVE TIRES**



**COMMERCIAL-GRADE DECK**  
10 GA with front bull nose bumper

# HUSTLER TECHNOLOGY

AVAILABLE ON THE  
FOLLOWING MOWERS:

HyperDrive®  
Super 104™

## HYPERDRIVE SYSTEM

Reducing the temperature of the oil in your wheel motors is key to extending the life of your hydraulic system. Hustler's exclusive HyperDrive® system helps do just that with temperature regulation and tough components designed to keep your mower at peak performance. Featuring a 5YR Limited / 3,000HR Limit Warranty\*\* on the hydraulic system (**warranty available on the HyperDrive® mower only**).

**5** YEAR | **1200** HOURS  
SUPER 104 PUMPS  
AND MOTORS  
LIMITED WARRANTY\*\*

WARRANTY AVAILABLE ON  
HYPERDRIVE® MOWER ONLY



9 in. Fan & High-Capacity Oil Cooler  
with Hot Oil Shuttle



Large Oil Reservoir



Parker® TG280® Wheel Motors



Industrial-Grade Slipper  
Piston Pumps

**AVAILABLE ON THE  
FOLLOWING MOWERS:**

X-ONE®  
Super S®  
Super SF™

# VX™ DECK TECHNOLOGY

The Hustler VX™ Deck is engineered for extreme vacuum. The deck is designed to draw grass and leaves up into the mower blades, helping achieve a consistent cut.

**1. ANTI-SCALP WHEELS**

Located outside the deck to help keep the air channel unobstructed

**2. HIGH SAIL BLADES**

Helps generate lift

**3. BLADE BOLT PROTECTORS**

Helps protect the bolts from being sheared off from uneven ground or hard debris

**4. 7 GA DECKPLATE WITH 7 GA STAMPED SPINDLE MOUNTS**

Designed for durability and long life in sandy conditions

**5. FRONT OF THE DECK**

11 GA bull nose/ramp

**6. FULL WIDTH AIR CHANNEL**

Open across the entire front deck, designed to allow crossflow in front of the cutting chamber to aid vacuum across the width of the deck

**7. "SHARP" WRAPPER INTERSECTIONS**

Help minimize air flow across the back of the deck

**8. INTERNAL FRONT WALL HEIGHT**


Designed to help grass stand back up prior to being cut

**9. "CUT-OFF" BAFFLE**

Designed to help throughput and balance of airflow through the deck

**10. FRONT WALL TO BLADE DISTANCE**

Opened to allow for adequate grass throughput and aid in providing even clipping dispersal





- ① ANTI-SCALP WHEELS
- ② HIGH SAIL BLADES
- ③ BLADE BOLT PROTECTORS
- ④ 7 GA DECKPLATE WITH 7 GA STAMPED SPINDLE MOUNTS
- ⑤ FRONT OF THE DECK
- ⑥ FULL WIDTH AIR CHANNEL
- ⑦ "SHARP" WRAPPER INTERSECTIONS
- ⑧ INTERNAL FRONT WALL HEIGHT
- ⑨ "CUT-OFF" BAFFLE
- ⑩ FRONT WALL TO BLADE DISTANCE



**AVAILABLE ON THE  
FOLLOWING MOWERS:**

Super Z<sup>®</sup>  
HyperDrive<sup>®</sup>  
X-RIDE™

# VX4<sup>®</sup> DECK TECHNOLOGY

The VX4<sup>®</sup> Deck combines four performance features to help provide a quick, clean, and professional looking cut: Versatility, Velocity, Vacuum, and Volume. The combination allows professionals to move grass through the deck efficiently and consistently.

## DECK FEATURES

**1. FORMED DISCHARGE STIFFENER**

For rigidity to help movement at the discharge opening

**2. DECKPLATE REINFORCEMENT**

7 GA steel along the top of the deck is engineered to provide continuous support from front to back and to help prevent the deck from bending

**3. STAMPED DECK DOUBLERS**

Stamped 7 GA steel around the spindle mount areas creates a 3.8 in. total thickness designed to support the spindle and add strength to the deck

**4. FORMED BUMP BAR**


Angled contact surface formed and engineered to help protect the deck by deflecting impacts


**5. WEAR GUARD**

Poly replaceable wear plate helps protect deck trim edge and obstacles from damage

**6. DECK GUARDS**

3/8 in. thick guard helps protect the integrity of the deck from side impacts





## UNDERSIDE OF DECK FEATURES

- 1. ADJUSTABLE FRONT BAFFLE**  
Allows for adjusting the deck according to mowing season and grass type for a precise cut
- 2. DECK WRAPPERS**  
7 GA deck wrappers help fortify the deckplate
- 3. FRONT ANTI-SCALP WHEEL**  
Anti-scalp wheels with internal bushings
- 4. HEAVY GAUGE MOUNTS**  
Angled contact surface formed and engineered to help protect the deck by deflecting impacts

## SPINDLE IMPROVEMENTS

### DEBRIS SHIELD

Designed to protect the top bearing from water, dirt, and debris

### RELIEF FITTING

Designed to protect seals from overpressure when filling with grease

### DUCTILE CAST IRON HOUSING

Helps provide protection for the spindles

### GREASE ZERK

Easy access to grease the spindles

### BLADE BOLT PROTECTORS

Designed to protect the bolts from being sheared off from uneven ground or hard debris

# FASTTRAK<sup>®</sup>

## SERIES

### SHARED FEATURES

**1. MAGNETIC TOP PIN DECK LIFT SYSTEM**

Adjust the deck height between 1.5 in. –4.5 in. with your foot

**2. CAST DECK HANGERS**

Designed for durability

**3. EASY SERVICEABILITY**

Flip-up seat pan, removable floor pan, and toolless removable pulley covers to make maintenance easy and simple

**4. WELDED STEEL DECK**

10 GA welded fabricated steel

**5. FRONT AND REAR TIE DOWNS**

1.5 in. x 3 in. tubular steel fabricated frame with front and rear tie downs

**6. SMOOTHTRAK<sup>™</sup> STEERING**

Precision control designed to help trim and maneuver easily around obstacles

**7. MINIMIZED CLUTTER UNDER SEAT**


Provides airflow aiding in keeping transmissions cool

**8. TRANSMISSIONS**

Serviceable Hydro-Gear<sup>®</sup> transmissions



# FASTRAK® SERIES SHARED FEATURES



- ① MAGNETIC TOP PIN DECK LIFT SYSTEM
- ② CAST DECK HANGERS
- ③ EASY SERVICEABILITY
- ④ WELDED STEEL DECK
- ⑤ FRONT AND REAR TIE DOWNS
- ⑥ SMOOTHTRAK™ STEERING
- ⑦ MINIMIZED CLUTTER UNDER SEAT
- ⑧ HYDRO-GEAR® TRANSMISSIONS

## HYDRO-GEAR® TRANSMISSIONS



# FASTRAK®

DECK SIZE / ENGINE		
48 in.	22HP*	Kawasaki® FT691
48 in. RD	22HP*	Kawasaki® FT691
54 in.	22HP*	Kawasaki® FT691
54 in. RD	22HP*	Kawasaki® FT691
60 in.	24HP*	Kawasaki® FT730

✓ 4YR Limited / 750HR Limit Warranty\*\*



### HIGH-BACK SUSPENSION SEAT

High-back seat with suspension to help shield the operator from bumps and EVC cushion designed to help take pressure off the tailbone and lower back



### COMMERCIAL-GRADE KAWASAKI® FT ENGINE

With Vortical Air Filtration. Cleans debris to help extend engine life



### DUAL ROTO-MOLDED FUEL TANKS

8.5 gallon fuel capacity and dual fuel gauges

# FASTRAK<sup>®</sup> SDX

DECK SIZE / ENGINE		
48 in.	22 HP*	Kawasaki <sup>®</sup> FX691
54 in.	22 HP*	Kawasaki <sup>®</sup> FX691
60 in.	23.5 HP*	Kawasaki <sup>®</sup> FX730

## MORE WARRANTY COVERAGE

- ✔ 4YR Limited / 1000HR Limit Warranty\*\*

Compared to 4YR Limited / 750HR Limit Warranty



## UPGRADES FOUND ON THE FASTRAK<sup>®</sup> SDX



**EXTRA HIGH-BACK SUSPENSION SEAT**  
High backrest and bolstered back cushion



**KAWASAKI<sup>®</sup> FX ENGINE**  
With multi-stage canister air filter



**LARGE TRANSMISSIONS**  
Hydro-Gear<sup>®</sup> ZT-3400™

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# X-ONE®

DECK SIZE / ENGINE		
52 in.	27 HP*	Kawasaki® FX850
54 in. RD	27 HP*	Kawasaki® FX850
60 in.	27 HP*	Kawasaki® FX850
60 in. RD	27 HP*	Kawasaki® FX850
60 in.	34.5 HP*	Kawasaki® FX820 EVO EFI
72 in.	27 HP*	Kawasaki® FX850
72 in.	34.5 HP*	Kawasaki® FX820 EVO EFI

✓ 5YR Limited / 1200HR Limit Warranty\*\*



### VX™ DECK

Fabricated 7 GA steel engineered for extreme vacuum to deliver an excellent after cut appearance



### I3M™ SUSPENSION SEAT

High-back seat with adjustable armrests and 3-inch travel range



### COMMERCIAL-GRADE ENGINES

Kawasaki® FX Engine backed by 3-year limited warranties\*\*

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# X-ONE®

## PRODUCT FEATURES

- 1. FABRICATED FRAME**  
1.5 in. x 3.0 in. steel single piece fabricated frame
- 2. FOOT OPERATED DECK LIFT**  
Easily adjust the deck height between 1 in.-5.5 in. with your foot
- 3. VX™ DECK**  
Fabricated 7 GA steel engineered for extreme vacuum for performance and cut quality
- 4. SMOOTHTRAK™ STEERING**  
Precision control to help trim and maneuver easily around obstacles
- 5. COMMERCIAL-GRADE TORQUE**  
Hydro-Gear® ZT-4400™ transmissions
- 6. I3M™ SEAT**  
High-back seat with adjustable armrests and 3-inch suspension travel range



# X-RIDE™

CUSTOM RIDE TECHNOLOGY

DECK SIZE / ENGINE		
60 in.	34.5 HP*	Kawasaki® FX820 EVO EFI
60 in.	35 HP*	Kawasaki® FX1000

✓ 5YR Limited / 1200HR Limit Warranty\*\*




**FULL SUSPENSION PLATFORM**



**FAST TOOLLESS ONE-HAND ADJUSTABILITY**



**5 LEVELS OF ADJUSTABILITY**



**4 IN. OF TRAVEL**

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# X-RIDE™

## PRODUCT FEATURES

- 1. FABRICATED FRAME**  
1.5 in. x 3.0 in. steel single piece fabricated frame
- 2. FOOT OPERATED DECK LIFT**  
Easily adjust the deck height between 1 in.-5.5 in. with your foot
- 3. VX4™ DECK**  
Fabricated 7GA steel engineered for extreme vacuum for performance and cut quality
- 4. SMOOTHTRAK™ STEERING**  
Precision control to help trim and maneuver easily around obstacles
- 5. COMMERCIAL-GRADE SEAT**  
Bolstered high-back seat with padded armrests and adjustable back
- 6. CUSTOM RIDE TECHNOLOGY™**  
Custom Ride Technology separates the platform from the frame which pivots along the front footrest. Dial-in comfort with 5-adjustment positions, coil-over-shock suspension system, and 4 in. of total suspension travel



# SUPER Z<sup>®</sup>

DECK SIZE / ENGINE		
54 in.	27 HP*	Kawasaki <sup>®</sup> FX850
60 in.	27 HP*	Kawasaki <sup>®</sup> FX850
60 in.	35 HP*	Kawasaki <sup>®</sup> FX1000
60 in. RD	35 HP*	Kawasaki <sup>®</sup> FX1000
60 in.	38.5 HP*	Kawasaki <sup>®</sup> FX1000 EFI
72 in.	35 HP*	Kawasaki <sup>®</sup> FX1000
72 in. RD	35 HP*	Kawasaki <sup>®</sup> FX1000
72 in.	38.5 HP*	Kawasaki <sup>®</sup> FX1000 EFI

✔ 5YR Limited / 1200HR Limit Warranty\*\*



**COMMERCIAL-GRADE TORQUE**  
Hydro-Gear<sup>®</sup> 21 cc PY pumps  
and Parker<sup>®</sup> TG wheel motors



**HEAVY-DUTY HYDRAULICS**  
with 3 GAL oil reservoir, oil cooler  
w/ fan, & hot oil shuttle



**KAWASAKI<sup>®</sup> FX & FX EFI ENGINES**  
Kawasaki<sup>®</sup> FX1000 EFI also available

# SUPER Z<sup>®</sup>

## PRODUCT FEATURES

- 1. FOOT OPERATED DECK LIFT**  
Easily adjust the deck height between 1 in.–5.5 in. with your foot
- 2. EASY SERVICEABILITY**  
Flip-up seat pan, removable floor pan, and vented pulley covers for easy and simple maintenance
- 3. VX4<sup>®</sup> DECK**  
Fabricated 7 GA steel engineered for extreme vacuum for performance and cut quality
- 4. SMOOTHTRAK<sup>™</sup> STEERING**  
Precision control to help trim and maneuver easily around obstacles
- 5. LARGE FUEL CAPACITY**  
Dual fuel tank w/ 12 gallon fuel capacity
- 6. I3M<sup>™</sup> SUSPENSION SEAT**  
High-back seat with adjustable armrests and 3-inch suspension travel range



# HYPERDRIVE®

DECK SIZE / ENGINE		
60 in.	35 HP*	Kawasaki® FX1000
60 in.	38.5 HP*	Kawasaki® FX1000 EFI
60 in. RD	38.5 HP*	Kawasaki® FX1000 EFI
60 in.	40 HP*	Vanguard® BigBlock EFI w/ Oil Guard
72 in.	35 HP*	Kawasaki® FX1000
72 in.	38.5 HP*	Kawasaki® FX1000 EFI
72 in. RD	38.5 HP*	Kawasaki® FX1000 EFI
72 in.	40 HP*	Vanguard® BigBlock® EFI w/ Oil Guard

✓ 5YR Limited / 1200HR Limit Warranty\*\*

LIMITED WARRANTY  
**5 YEAR 3000 HOURS**  
 PUMPS & MOTORS



**HYPERDRIVE HYDRO SYSTEM**  
 Features industrial-grade pumps and motors to handle tough jobs and long days



**AVAILABLE VANGUARD BIG BLOCK ENGINE w / OIL GUARD (ONLY ON SELECT MODELS)**  
 500 hour oil change



**INDUSTRIAL-GRADE SLIPPER PISTON PUMPS**  
 These kinds of pumps are typically found on larger equipment like skid steers

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# HYPEDRIVE®

## PRODUCT FEATURES

- 1. FOOT OPERATED DECK LIFT**  
Easily adjust the deck height between 1 in.–5.5 in. with your foot
- 2. EASY SERVICEABILITY**  
Flip-up seat pan, removable floor pan, and vented pulley covers for easy and simple maintenance
- 3. VX4® DECK**  
Fabricated 7 GA steel engineered for extreme vacuum for performance and cut quality
- 4. SMOOTHTRAK™ STEERING**  
Precision control to help trim and maneuver easily around obstacles
- 5. AMPLE TORQUE**  
Danfoss® DDC-20 pumps and Parker® TG wheel motors
- 6. I3M™ SUSPENSION SEAT**  
High-back seat with adjustable armrests and 3-inch suspension travel range



# SUPER 104™

DECK SIZE / ENGINE		
104 in. RD	38.5HP*	Kawasaki® FX1000 EFI
104 in. RD	40HP*	Vanguard® BigBlock EFI w/ Oil Guard

✓ 5YR Limited / 1200HR Limit Warranty\*\*



## HYPERDRIVE HYDRO SYSTEM

Features industrial-grade pumps and motors to handle tough jobs and long days



## 104 IN. WIDTH OF CUT

Widest zero-turn available from Hustler Turf



## 80 IN. TRANSPORT WIDTH

Fits most trailers making it easy to transport from job-to-job


\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# SUPER 104™

## PRODUCT FEATURES

- 1. HYPERDRIVE® HYDRO SYSTEM**  
Features industrial-grade pumps and motors to handle tough jobs and long days
- 2. COMMERCIAL-GRADE ENGINES**  
Vanguard Big Block™ EFI with Oil Guard, Kawasaki FX1000 EFI engine options
- 3. SMOOTHTRAK™ STEERING**  
Precision control designed to help trim and maneuver easily around obstacles
- 4. HYDRAULIC WINGS**  
Easily Raise and lower wings for transporting
- 5. HYDRAULIC DECK HEIGHT ADJUSTMENT**  
Raising and lowering your cutting height is easy
- 6. I4M SUSPENSION SEAT**  
High-back seat with adjustable armrests and 4-inch travel range



# SURFER<sup>®</sup> PRO

DECK SIZE / ENGINE		
34 in.	15HP*	Kawasaki <sup>®</sup> FS541
48 in.	15HP*	Kawasaki <sup>®</sup> FS541

✓ 2YR Limited / 300HR Limit Commercial Warranty\*\*



**KAWASAKI<sup>®</sup> FS ENGINE**  
15 HP\* Commercial FS541  
V-Twin Engine



**FABRICATED DECKS**  
Fabricated 7 GA and 11 GA steel decks,  
engineered for extreme vacuum  
performance and cut quality



**SMOOTHTRAK<sup>™</sup> STEERING**  
Precision control designed to help trim  
and maneuver easily around obstacles

# SURFER<sup>®</sup>

## PRO

### PRODUCT FEATURES

- 1. SEMI PNEUMATIC FRONT TIRES**  
11 in. front tires
- 2. KAWASAKI<sup>®</sup> FS541 ENGINE**  
15 HP\*
- 3. 34 & 48 IN. DECKS**  
Fabricated steel decks for durability
- 4. SMALL FOOTPRINT**  
Just 59 in. in length for easy storage and trailering
- 5. CUT HEIGHT ADJUSTMENT**  
Hand operated lever and pin to easily adjust deck/cutting height
- 6. 2-GALLON FUEL CAPACITY**
- 7. HYDRO-GEAR<sup>®</sup> ZT-1800™ TRANSMISSIONS**
- 8. 18 IN. DRIVE TIRES**  
Helps provide stability and traction
- 9. PARK BRAKE**  
Hand operated lever to set the park brake



# SURFER<sup>®</sup>

## X

DECK SIZE / ENGINE		
34 in.	22 HP*	Kawasaki <sup>®</sup> FT691
48 in.	22 HP*	Kawasaki <sup>®</sup> FT691

✓ 4YR Limited/ 800HR Limit Warranty\*\*



**DURABLE CONSTRUCTION**  
1.5" x 3" tubular steel frame,  
10 GA fabricated steel deck,  
and non-flat front tires



**COMMERCIAL GRADE DRIVE TRAIN**  
Kawasaki<sup>®</sup> FT691 engine with  
integrated Hydro-Gear ZT 3100  
transmissions



**COMFORTABLE & EASY TO USE**  
Spring assist deck lift, adjustable  
platform suspension, and 3-position  
adjustable bolstered hip pad

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# SURFER<sup>®</sup>

## X

### PRODUCT FEATURES

**1. SEMI PNEUMATIC FRONT TIRES**

11 in. front tires

**2. KAWASAKI<sup>®</sup> FT691 ENGINE**

22HP\*

**3. 34 & 48 IN. DECKS**

Fabricated steel decks for durability

**4. CUT HEIGHT ADJUSTMENT**

Hand operated lever and pin to easily adjust deck/cutting height

**5. 5.4- GALLON FUEL CAPACITY**

**6. HYDRO-GEAR<sup>®</sup> ZT-3100<sup>™</sup> TRANSMISSIONS**

**7. 20 IN. REAR DRIVE TIRES**

Helps provide stability and traction

**8. PARK BRAKE**

Hand operated lever to set the park brake

**9. BOLSTERED HIP PAD**

3-position adjustable hip pad

**10. ADJUSTABLE PLATFORM SUSPENSION**



# SUPER S®

DECK SIZE / ENGINE		
36 in.	19HP*	Kawasaki® FX600
48 in.	22HP*	Kawasaki® FX691
52 in.	27HP*	Kawasaki® FX850
52 in.	29.5 HP*	Kawasaki® FX850 EFI
60 in.	27HP*	Kawasaki® FX850
60 in.	29.5HP*	Kawasaki® FX850 EFI

✓ 5YR Limited / 1200HR Limit Warranty\*\*



## COMPACT STANCE

Ideal for tight spaces and for trailering from job-to-job



## VX™ DECK

Fabricated 7 GA steel deck, engineered for extreme vacuum performance and cut quality



## SMOOTHTRAK™ STEERING

Precision control designed to help trim and maneuver easily around obstacles

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# SUPER S<sup>®</sup>

## PRODUCT FEATURES

**1. CUT HEIGHT ADJUSTMENT**

Hand operated lever and pin to adjust deck/cutting height

**2. PARK BRAKE**

Hand operated lever to set the park brake

**3. SERVICE-FRIENDLY DESIGN**

Designed to make maintenance and service fast and easy

**4. PULLEY COVER**

Toolless removable pulley covers for easy maintenance

**5. 24 IN. REAR DRIVE TIRES**

Helps provide stability and traction (48 in., 52 in., 60 in.)

**6. ADJUSTABLE SPEED CONTROLS**


Allows you to go at your own pace for control Also helps with training new operators

**7. ADJUSTABLE FOOT PLATFORM**

Spring loaded suspension platform designed for all-day comfort

**8. WIDE OPERATOR PLATFORM**

For mowing comfort and operator stability



# SUPER SF™

## DECK SIZE / ENGINE

60 in.	38.5HP*	Kawasaki® FX1000 EFI
72 in.	38.5HP*	Kawasaki® FX1000 EFI

✓ 5YR Limited / 1200HR Limit Warranty\*\*



### STRONG HYDRAULICS

Hydro-Gear® 21 cc pumps  
and Parker® TG wheel motors



### VX™ DECK

Fabricated 7 GA steel deck, engineered  
for extreme vacuum performance and  
cut quality



### DUAL FUEL TANKS

13.9 in. gal fuel capacity

\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# SUPER SF™

## PRODUCT FEATURES

- 1. SEMI PNEUMATIC FRONT TIRES**  
13 in. front tires
- 2. ELECTRIC ACTUATOR DECK LIFT**  
Easily adjust your cutting height from 2.0 in. to 5.5 in.
- 3. 60 IN. AND 72 IN. VX™ DECKS**  
7 GA deckplate with 7 GA stamped spindle mounts and 11 GA bull nose leading edge
- 4. HYDRO OIL COOLER**  
8 in. fan and 6-quart reservoir capacity
- 5. KAWASAKI® FX EFI ENGINES**  
38.5 HP\*
- 6. SERVICE-FRIENDLY DESIGN**  
Designed to make maintenance and service fast and easy
- 7. LARGE REAR TIRES**  
26 in. x 12 in. rear tires help with stability and traction
- 8. SPEED CONTROL BAR ADJUSTMENT**  
Up to 15 MPH with reduced speed up to 10 MPH



# TRIMSTAR®

DECK SIZE / ENGINE		
36 in.	15 HP*	Kawasaki® FS541
48 in.	18.5 HP*	Kawasaki® FS600
54 in.	22 HP*	Kawasaki® FS651
60 in.	23 HP*	Kawasaki® FS691

✓ 5YR Limited / 1200HR Limit Warranty\*\*



### WELDED STEEL DECK

10 GA plus 11 GA reinforced steel with 11 GA formed channel rolled edge (36 in. deck is 7 GA plus 11 GA reinforced steel)



### DUAL HYDRO SYSTEM

Hydro-Gear® ZT-2800® transmissions aid in traction and performance



### COMPACT STANCE

Ideal for tight spaces and for trailering from job-to-job


\*As rated by the engine manufacturer.

\*\*See owner's manual for warranty details and information. Certain restrictions apply.

# TRIMSTAR®

## PRODUCT FEATURES

- 1. SMOOTHTRAK™ STEERING**  
Precision control designed to help trim and maneuver easily around obstacles
- 2. PATENTED H-BAR® STEERING**  
Easy-to-use, designed to minimize operator fatigue, and aid in training new operators
- 3. 3.4 US GALLON FUEL CAPACITY**
- 4. DECK LIFT**  
Easy-to-operate deck lift makes deck height adjustment a breeze
- 5. SERVICE FRIENDLY DESIGN**  
Designed to make maintenance and service simple and easy
- 6. 20 IN. REAR DRIVE TIRES**



# RESIDENTIAL MOWERS

## DASH<sup>®</sup> XD



 IDEAL FOR YARDS UP TO ONE ACRE<sup>1</sup>

## RAPTOR<sup>®</sup> X



 IDEAL FOR YARDS UP TO THREE ACRES<sup>1</sup>

<b>DECK SIZE &amp; ENGINE</b>	34 in. 48 in.	15 HP* 18 HP*	Kawasaki <sup>®</sup> FR541 Kawasaki <sup>®</sup> FR600	42 in. 48 in. 54 in.	18 HP* 21.5 HP* 21.5 HP*	Kawasaki <sup>®</sup> FR600 Kawasaki <sup>®</sup> FR651 Kawasaki <sup>®</sup> FR651
<b>DECK HEIGHT</b>	Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).			Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).		
<b>DRIVE SYSTEM</b>	Hydro-Gear <sup>®</sup> ZT-1800™.			Hydro-Gear <sup>®</sup> ZT-2200™.		
<b>SPEED (FWD)</b>	Up to 6 MPH.			Up to 7 MPH.		
<b>FUEL CAPACITY</b>	2 US gallons.			3.5 US gallons.		
<b>ACCESSORIES</b> (EACH SOLD SEPARATELY)	<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Grass bagger (non-powered 2.0 bushels)</li> <li>▪ Steering lever extension kit</li> <li>▪ LED lights</li> <li>▪ Armrest kit</li> <li>▪ Stripe kit</li> </ul>			<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Grass bagger (non-powered 5.4 bushels)</li> <li>▪ Hitch kit</li> <li>▪ Stripe Kit</li> </ul>		
<p>*As rated by the engine manufacturer</p> <p>Specifications are subject to change without notice.</p>						

# RAPTOR<sup>®</sup> XL



IDEAL FOR YARDS UP TO THREE ACRES<sup>1</sup>

# RAPTOR<sup>®</sup> XD



IDEAL FOR YARDS UP TO FIVE ACRES<sup>1</sup>

# RAPTOR<sup>®</sup> XDX



IDEAL FOR YARDS UP TO FIVE ACRES<sup>1</sup>

42 in. 21.5 HP* Kawasaki <sup>®</sup> FR651 48 in. 23 HP* Kawasaki <sup>®</sup> FR691 54 in. 23 HP* Kawasaki <sup>®</sup> FR691	48 in. 23 HP* Kawasaki <sup>®</sup> FR691 54 in. 24 HP* Kawasaki <sup>®</sup> FR730 60 in. 24 HP* Kawasaki <sup>®</sup> FR730	48 in. 21.5 HP* Kawasaki <sup>®</sup> FR651 54 in. 23 HP* Kawasaki <sup>®</sup> FR691 60 in. 24 HP* Kawasaki <sup>®</sup> FR730
Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).	Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).	Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).
Hydro-Gear <sup>®</sup> ZT-2200™.	Tuff Torq TZ-350.	Hydro-Gear <sup>®</sup> ZT-3100 <sup>®</sup> . Serviceable w/ spin-on filters.
Up to 7 MPH.	Up to 7.5 MPH.	Up to 8 MPH.
3.5 US gallons.	3.5 US gallons.	3 US gallons.
<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Grass bagger (non-powered 5.4 bushels)</li> <li>▪ Hitch kit</li> <li>▪ Stripe Kit</li> </ul>	<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Grass bagger (non-powered 5.4 bushels)</li> <li>▪ Hitch kit</li> <li>▪ Stripe Kit</li> </ul>	<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Grass bagger (2-bag powered 7.2 bushels)</li> <li>▪ Mesh side bagger (3.0 bushels)</li> <li>▪ Steel side bagger (3.5 bushels)</li> <li>▪ Steering lever extension kit</li> <li>▪ Flex Forks<sup>®</sup></li> <li>▪ LED lights</li> <li>▪ Stripe kit</li> <li>▪ Hitch kit</li> <li>▪ Deck lift assist kit</li> <li>▪ High vacuum deck kit</li> </ul>

Visit [hustlerturf.com](http://hustlerturf.com) for more specs.

# COMPARISON

## FASTRAK<sup>®</sup>



## FASTRAK<sup>®</sup> SDX



## X-ONE<sup>®</sup>



<b>DECK SIZE &amp; ENGINE</b>	48 in.	22 HP*	Kawasaki <sup>®</sup> FT691	48 in.	22 HP*	Kawasaki <sup>®</sup> FX691	52 in.	27 HP*	Kawasaki <sup>®</sup> FX850
	48 in. RD	22 HP*	Kawasaki <sup>®</sup> FT691	54 in.	22 HP*	Kawasaki <sup>®</sup> FX691	54 in. RD	27 HP*	Kawasaki <sup>®</sup> FX850
	54 in.	22 HP*	Kawasaki <sup>®</sup> FT691	60 in.	23.5 HP*	Kawasaki <sup>®</sup> FX730	60 in.	27 HP*	Kawasaki <sup>®</sup> FX850
	54 in. RD	22 HP*	Kawasaki <sup>®</sup> FT691				60 in. RD	27 HP*	Kawasaki <sup>®</sup> FX850
	60 in.	24 HP*	Kawasaki <sup>®</sup> FT730				60 in.	34.5 HP*	Kawasaki <sup>®</sup> FX820 EVO EFI
							72 in.	27 HP*	Kawasaki <sup>®</sup> FX850
							72 in.	34.5 HP*	Kawasaki <sup>®</sup> FX820 EVO EFI
<b>DECK HEIGHT</b>	Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).			Foot-operated. 1.5 in. to 4.5 in. (1/4 in. increments).			Foot-operated. 1.5 in. to 5.5 in. (1/4 in. increments).		
<b>DRIVE SYSTEM</b>	Commercial-duty Hydro-Gear <sup>®</sup> ZT-3200™. Serviceable w / spin-on filters.			Commercial-duty Hydro-Gear <sup>®</sup> ZT-3400™. Serviceable w / spin-on filters.			Hydro-Gear <sup>®</sup> ZT-4400™.		
<b>SPEED (FWD)</b>	Up to 10 MPH.			Up to 10 MPH.			Up to 12 MPH.		
<b>FUEL CAPACITY</b>	8.5 US gallons.			8.5 US gallons.			Dual fuel tank with 12 US gallon total capacity.		
<b>ACCESSORIES</b> (EACH SOLD SEPARATELY)	<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Dump From Seat bagger (8 bushels)</li> <li>▪ Grass bagger (2-bag powered 7.2 bushels)</li> <li>▪ Mesh side bagger (3 bushels)</li> <li>▪ Steel side bagger (3.5 bushels)</li> <li>▪ Steering lever extension kit</li> <li>▪ Flex Forks<sup>®</sup></li> <li>▪ Light kit</li> <li>▪ Stripe kit</li> <li>▪ High vacuum kit</li> </ul>			<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Dump From Seat bagger (8 bushels)</li> <li>▪ Grass bagger (2-bag powered 7.2 bushels)</li> <li>▪ Mesh side bagger (3 bushels)</li> <li>▪ Steel side bagger (3.5 bushels)</li> <li>▪ Steering lever extension kit</li> <li>▪ Flex Forks<sup>®</sup></li> <li>▪ Light kit</li> <li>▪ Stripe kit</li> <li>▪ High vacuum kit</li> </ul>			<ul style="list-style-type: none"> <li>▪ Semi pneumatic front tires</li> <li>▪ Steering lever extension kit</li> <li>▪ Deck rear anti-scalp wheels</li> <li>▪ 3-bag powered bagger (12 bushels)</li> <li>▪ BacVac bagger (10 bushels)</li> <li>▪ Mesh side bagger (3 bushels)</li> <li>▪ Steel side bagger (3.5 bushels)</li> <li>▪ Flex Forks<sup>®</sup></li> <li>▪ Mulch kit</li> <li>▪ Light kit</li> <li>▪ Stripe kit</li> <li>▪ Hitch kit</li> <li>▪ Michelin<sup>®</sup> X<sup>®</sup> Tweel<sup>®</sup> Turf</li> </ul>		
	<p>*As rated by the engine manufacturer</p> <p>Specifications are subject to change without notice.</p>								

# COMPARISON

## X-RIDE™



## SUPER Z®



## HYPERDRIVE®



## SUPER 104™



60 in. 60 in.	35 HP* 34.5HP*	Kawasaki® FX1000 Kawasaki® FX820 EVO EFI	54 in. 60 in. 60 in. 60 in.RD 60 in. 72 in. 72 in. RD 72 in.	27 HP* 27 HP* 35 HP* 35 HP* 38.5 HP* 35 HP* 35 HP* 38.5 HP*	Kawasaki® FX850 Kawasaki® FX850 Kawasaki® FX1000 Kawasaki® FX1000 Kawasaki® FX1000 EFI Kawasaki® FX1000 Kawasaki® FX1000 Kawasaki® FX1000	60 in. 60 in.RD 60 in. 72 in. 72 in. 72 in.RD 72 in.	35 HP* 38.5 HP* 40 HP* 35 HP* 38.5 HP* 38.5 HP* 40 HP*	Kawasaki® FX1000 Kawasaki® FX1000 EFI Vanguard® BigBlock EFI Kawasaki® FX1000 Kawasaki® FX1000 EFI Kawasaki® FX1000 EFI Vanguard® BigBlock w / Oil Guard	104 in. RD 104 in. RD	38.5 HP* 40 HP*	Kawasaki® FX1000 EFI Vanguard® BigBlock EFI w / Oil Guard
Foot-operated. 1 in. to 5.5 in. (1/4 in. increments).			Foot-operated. 1 in. to 5.5 in. (1/4 in. increments).			Foot-operated. 1 in. to 5.5 in. (1/4 in. increments).			Hydraulic. 1" to 5.5" (1/4" increments)		
Hydro-Gear® ZT-5400™.			Hydro-Gear® 21cc pumps, Parker® TG high torque wheel motors, 3 gal. reservoir, oil cooler w / fan & hot oil shuttle.			HyperDrive® industrial Danfoss® slipper piston pumps, Parker® TG high torque wheel motors, 3 gal. reservoir, oil cooler w / 9 in. fan & hot oil shuttle.			HyperDrive® industrial Danfoss® slipper piston pumps, Parker® TG high torque wheel motors, 3 gal. reservoir, oil cooler w / 9 in. fan & hot oil shuttle.		
UP TO 13 MPH.			UP TO 14 MPH.			UP TO 16 MPH.			UP TO 11 MPH.		
Dual fuel tank with 12 US gallon total capacity.			Dual fuel tank with 12 US gallon total capacity.			Dual fuel tank with 12 US gallon total capacity.			Dual fuel tank with 15 US gallon total capacity.		
<ul style="list-style-type: none"> <li>▪ Mulch kit</li> <li>▪ Dump From Seat bagger (8 bushels)</li> <li>▪ Grass bagger (2-bag powered 7.2 bushels)</li> <li>▪ Mesh side bagger (3 bushels)</li> <li>▪ Steel side bagger (3.5 bushels)</li> <li>▪ Steering lever extension kit</li> <li>▪ Flex Forks®</li> <li>▪ Light kit</li> <li>▪ Stripe kit</li> <li>▪ Sand kit</li> <li>▪ Stripe kit</li> <li>▪ Beacon kit</li> <li>▪ Flasher kit</li> <li>▪ Hitch kit</li> </ul>			<ul style="list-style-type: none"> <li>▪ Semi pneumatic front tires</li> <li>▪ Steering lever extension kit</li> <li>▪ Deck rear anti-scalp wheels</li> <li>▪ 3-bag powered bagger (12 bushels)</li> <li>▪ BacVac bagger (10 bushels)</li> <li>▪ Flex Forks®</li> <li>▪ Mulch kit</li> <li>▪ Light kit</li> <li>▪ Sand kit</li> <li>▪ Stripe kit</li> <li>▪ Beacon kit</li> <li>▪ Flasher kit</li> <li>▪ Hitch kit</li> <li>▪ Michelin® X® Tweel® Turf</li> </ul>			<ul style="list-style-type: none"> <li>▪ Semi pneumatic front tires</li> <li>▪ Steering lever extension kit</li> <li>▪ Deck rear anti-scalp wheels</li> <li>▪ 3-bag powered bagger (12 bushels)</li> <li>▪ BacVac bagger (10 bushels)</li> <li>▪ Flex Forks®</li> <li>▪ Mulch kit</li> <li>▪ Light kit</li> <li>▪ Sand kit</li> <li>▪ Stripe kit</li> <li>▪ Beacon kit</li> <li>▪ Flasher kit</li> <li>▪ Hitch kit</li> <li>▪ Michelin® X® Tweel® Turf</li> </ul>			<ul style="list-style-type: none"> <li>▪ Semi pneumatic front tires</li> <li>▪ Steering lever extension kit</li> <li>▪ Flex Forks®</li> <li>▪ Mulch kit</li> <li>▪ Light kit</li> <li>▪ Beacon kit</li> <li>▪ Flasher kit</li> <li>▪ Hitch kit</li> <li>▪ Anti-scalp kit</li> </ul>		

Visit [hustlerturf.com](http://hustlerturf.com) for more specs.

# COMPARISON

## SURFER<sup>®</sup> PRO



## SURFER<sup>®</sup> X



## SUPER S<sup>®</sup>



## SUPER SF<sup>™</sup>



<b>DECK SIZE &amp; ENGINE</b>	34 in.	15 HP*	Kawasaki <sup>®</sup> F5541	34 in.	22 HP*	Kawasaki <sup>®</sup> FT691	36 in.	19HP*	Kawasaki <sup>®</sup> FX600	60 in.	38.5 HP*	Kawasaki <sup>®</sup> FX1000 EFI
	48 in.	15 HP*	Kawasaki <sup>®</sup> F5541	48 in.	22 HP*	Kawasaki <sup>®</sup> FT691	48 in.	22 HP*	Kawasaki <sup>®</sup> FX691	72 in.	38.5 HP*	Kawasaki <sup>®</sup> FX1000 EFI
<b>DECK HEIGHT</b>	Hand-operated. 2 in. to 4.75 in. (1/4 in. increments).			Hand-operated. 1.5 in. to 4.5 in. (1/4 in. increments).			Hand-operated. 1.5 in. to 5.5 in. (1/4 in. increments).			Hand-operated. 2 in. to 5.5 in. (1/4 in. increments).		
	Hydro-Gear <sup>®</sup> ZT-1800™			Hydro-Gear <sup>®</sup> ZT-3100™			36 in.: Hydro-Gear <sup>®</sup> 10 cc pump and Parker <sup>®</sup> TL wheel motor.			Hydro-Gear <sup>®</sup> 21 cc pumps and Parker <sup>®</sup> TG wheel motors.		
	Up to 6 MPH.			Up to 7MPH.			36 in.: Up to 8 MPH. 48/52/60 in.: Up to 9 MPH.			Up to 15 MPH.		
	2 US gallons.			5.4 US gallons.			36 in.: Up to 6.5 MPH. 48/52/60 in.: Up to 7.3 MPH.			13.9 US gallons.		
	<ul style="list-style-type: none"> <li>Mulch kit</li> <li>Mesh side bagger (3 bushels)</li> <li>Light kit</li> <li>Stripe kit</li> </ul>			<ul style="list-style-type: none"> <li>Mulch kit</li> <li>Mesh side bagger (3 bushels)</li> <li>Light kit</li> <li>Stripe kit</li> </ul>			<ul style="list-style-type: none"> <li>Mesh side bagger (3 bushels)</li> <li>Steel side bagger (3.5 bushels)</li> <li>Mulch kit</li> <li>Light kit</li> <li>Stripe kit</li> <li>Trash basket</li> <li>Cup holder</li> </ul>			<ul style="list-style-type: none"> <li>Mulch kit</li> <li>Mesh side bagger (3 bushels)</li> <li>Light kit</li> <li>Stripe kit</li> <li>Mud Flap kit</li> </ul>		
<p>*As rated by the engine manufacturer</p> <p>Specifications are subject to change without notice.</p>												

## TRIMSTAR®



36 in.	15 HP*	Kawasaki® FS541
48 in.	18.5 HP*	Kawasaki® FS600
54 in.	22 HP*	Kawasaki® FS651
60 in.	23 HP*	Kawasaki® FS691

Foot-operated.  
1.5 in. to 4.5 in. (1/4 in. increments).

Hydro-Gear® ZT-2800®  
w / spin-on filters.

Up to 6.3 MPH.

3.4 US gallons.

- Mulch kit
- Mesh side bagger (3 bushels)
- Steel side bagger (3.5 bushels)
- Stripe kit
- High vacuum kit



### NON-POWERED BAGGER

Bagger has a 2-bushel capacity. Available on Dash® XD.



### STEEL SIDE BAGGER

Bagger has a 3.5-bushel capacity. Available on Raptor® XDX.



### HITCH KIT

Add a hitch receiver to your mower. Available on Raptor® X, Raptor® XL, Raptor® XD, & Raptor® XDX.



### HUSTLER FLUID PRODUCTS

Hustler Turf's motor oil, fuel stabilizer, and hydrostatic transmission oil products will help keep your machine running smoothly.

# RESIDENTIAL



## NON-POWERED BAGGER

Bagger has a 5.4-bushel capacity. Available on Raptor® X, Raptor® XL, & Raptor® XD.



## 2-BAG POWERED BAGGER

Bagger has a 7.2-bushel capacity. Available on Raptor® XDX.



## MESH SIDE BAGGER

Bagger has a 3-bushel capacity. Available on Raptor® XDX.



## STEERING EXTENSION KIT

Allows for height adjustment of steering levers to help make your mowing experience comfortable.



## STRIPE KIT

Helps provide a professional, manicured finish to your lawn. Depending on the mower, rubber flap or steel cylinder options are available.



## ARMREST KIT

Provides comfort while you mow. Available on Dash® XD.



## FLEX FORKS®

Designed to provide operator comfort and an even cut, especially over uneven terrain or at high speeds.



## MULCH KIT

Recycles clippings back into the soil to reclaim nutrients for your lawn.

# ACCESSORIES & OTHER PRODUCTS (EACH SOLD SEPARATELY)



## 2-BAG POWERED BAGGER

Bagger has a 7.2-bushel capacity. Available on FasTrak® and FasTrak® SDX.



## 3-BAG POWERED BAGGER

Bagger has a 12-bushel capacity. Available on X-ONE®, Super Z®, and HyperDrive®.



## STEEL SIDE BAGGER

Bagger has a 3.5-bushel capacity. Available on FasTrak®, FasTrak® SDX, X-ONE®, Super S®, and TrimStar®.



## MESH SIDE BAGGER

Bagger has a 3-bushel capacity. Available on the Super S.



## BACVAC

Electric actuated DFS bagger system. The BACVAC has a 10-bushel capacity. Available on X-ONE®, Super Z®, and HyperDrive®.



## MICHELIN® X® TWEEL® TURF

Airless radial tires designed to help minimize downtime caused by flat tires and unseated beads. Available on X-ONE®, Super Z®, HyperDrive®.

# COMMERCIAL



## FLEX FORKS®

Designed to provide operator comfort and an even cut, especially over uneven terrain or at high speeds.



## MULCH KIT

Recycles clippings back into the soil to reclaim nutrients for your lawn.



## STEERING EXTENSION KIT

Allows for height adjustment of steering levers to help make your mowing experience comfortable.



## LIGHT KIT

Help extend productivity into late hours. Kit contains two high-quality 12-volt lights with a switch that mounts in the instrument panel.



## STRIPE KIT

Helps provide a professional, manicured finish to your lawn. Depending on the mower, rubber flap or steel cylinder options are available.



## SEMI-PNEUMATIC TIRES

Designed to help protect against flat tires.

# FLEET PROGRAM

## A FLEET PROGRAM THAT WORKS AS HARD AS YOU DO

The Hustler fleet program is designed to deliver standout value in the industry. Built to recognize and reward the loyalty of our customers. To qualify, you only need to purchase 2 eligible units on the same invoice.

Once you're enrolled in the program, your fleet discount is good for a rolling 12 months. Add a qualifying unit to your fleet in that time and your 12 months starts over.



# OF UNITS PURCHASED (INITIAL INVOICE)	FLEET DISCOUNT
Fleet: 2+ Eligible Units	25% off MSRP
Super Fleet: 4+ Eligible Units	27% off MSRP

### DETAILS & GUIDELINES:

- If you purchase an additional eligible unit within 12 months of the original invoice date, the same discount you received with your initial qualifying purchase will be applied.
- You can continue to extend your fleet discount with purchase of at least one eligible unit during each subsequent 12-month period.
- This additional sale does not increase the original number of units sold. You retain your original bracket discount, subject to current published MSRP at the time of additional sale.
- Retail financing may be used unless otherwise stated in program.
- Program discount cannot be used in conjunction with other rebates or promotions unless specifically stated.

Program effective as of 10/1/25 - Hustler Turf Equipment, LLC reserves the right to withdraw or modify this program at any time without notice. Visit [www.hustlerturf.com/promotions/fleet-program](http://www.hustlerturf.com/promotions/fleet-program) for more info.

### ELIGIBILITY:

Customers who purchase 2 or more eligible products on the same invoice.

### ELIGIBLE UNITS:

- FasTrak (2021 model and newer)
- FasTrak SDX
- X-ONE
- X-RIDE
- Super Z
- Super Z HyperDrive
- Super 104\*
- TrimStar
- Super S
- Super SF
- Surfer Pro\*\*
- Surfer X

\*Counts as 2 units as part of Super Fleet  
 \*\*Will count toward fleet program minimum but not eligible for discount pricing

# STATE, LOCAL, EDUCATION, AND NON-PROFIT AGENCIES.



Take advantage of Hustler Turf's contract purchasing process. These contracts make the buying process easier and faster because much of the required paperwork has already been completed, they satisfy competitive bid requirements, the vendor is already approved and fair and reasonable pricing has already been set. Visit [HustlerTurf.com/government-sales](http://HustlerTurf.com/government-sales) or contact your local Hustler Dealer for more information.







# IT'S A MENTALITY



[HUSTLERTURF.COM](http://HUSTLERTURF.COM)



KAWASAKI IS A REGISTERED TRADEMARK OF KAWASAKI HEAVY INDUSTRIES, LTD  
VANGUARD IS A REGISTERED TRADEMARK OF BRIGGS & STRATTON CORPORATION  
MICHELIN IS THE REGISTERED TRADEMARK OF MICHELIN & CIE  
HYDRO-GEAR IS A REGISTERED TRADEMARK OF HYDRO-GEAR LTD  
PARKER IS A REGISTERED TRADEMARK OF PARKER-HANNIFIN CORPORATION

©HUSTLER TURF EQUIPMENT, LLC

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
VISIT [WWW.HUSTLERTURF.COM](http://WWW.HUSTLERTURF.COM) FOR THE MOST  
CURRENT SPECIFICATIONS. 773-10444 | 11-25

**ELITE PARTNER**

**Official Mowing  
Equipment Partner**

