


- ☐ MOTOR IEC size 100 2.2kW
- ☐ MOTOR IEC size 100 3kW
- ☐ MOTOR IEC size 112 4kW
- ☐ MOTOR NEMA size 213TC Up to 5HP



- Motor power depends on specific gravity of pumped liquid.
 - IEC motor power has been calculated considering 440V,
 for different voltage consult the factory.

**WARRENDER, LTD.**Seal-less Mag Drive Pumps
From Stock or Built-to-Spec™

Pump Performance data

Model:

SR 8.0

Item:

Project:




Curve N°: CSD4AA3A

Power: 60Hz

Speed: 1750 RPM

Duty point

Capacity:	0,0 US g.p.m	Differential head:	0,0 ft	Absorbed power:	Max. abs. power:	0,6 hp	
Motor power:	5,4 hp	Speed:	1750 rpm 60 Hz	Magnetic losses:	Selected impeller:	5 inch	
Fluid:	Water, heating water	Specific gravity:	62,32 lb/ft³				
Temperature:	68,0 °F	Viscosity:	0,00 ft²/s	Suction nozzle:	DN 50 PN 10	Discharge nozzle:	DN 40 PN 10






WARRENDER, LTD.

Seal-less Mag Drive Pumps
From Stock or Built-to-Spec™

Model:
Item:

SR 7.5

Power: 60Hz





WARRENDER, LTD.

Seal-less Mag Drive Pumps
From Stock or Built-to-Spec™

Pump Performance data

Model:

SR7.0


Item:

Project:

Curve N°:

Power: 60Hz

Speed: 1750RPM





WARRENDER, LTD.

Seal-less Mag Drive Pumps
From Stock or Built-to-Spec™

Pump Performance data

Model:

SR 6.0

Item:

Project:

Curve N°: APM14A.5

Power: 60Hz

Speed: 1750 RPM

