Garage Door Manufacture Year				1993 - 1996	1997 - 2005	2006 - 2014	2011 - 2021	2022+	2025+	
	Learn Button Color					•			6 11 170	POWERED BY MY Q.
		Frequency Model Nun	y Code nbers	Billion Code 390MHz 1245/1255, 1270/1280	Security+ 390MHz 1245R/1255R, 1265R, 2220, 2245R/2255, 2265, 2260, 2500, 2575, 2585, 2595	Security+ 315MHz 1345/1355, 1356, 3220, 3255, 3240, 3265, 3270, 3280, 3800, 3500, 3850,	Security+ 2.0 310, 315, 390MHz 8750-267, 37802, 84602, 84501, 85503-267, 8550WLB, 8600WLB, 8160WB, 8500W, WLED, 8550W,	Security+ 2.0 315MHz 8500, 85000, 6500W, 8587W, 87504-267, 87802, 94602, 84501, 8365W-267, 8160WB, 8160W,	Security+ 3.0  BLE LR 2.4 GHz 2100L, 2220L, 2300L, 2420L, 6690L, 6590L, 4690L	Accessories Compatibility Chart
Control P	anels	Pack-In				3585, 3595	8587W, 8557W, 8360W, 8355W, 8365W-267, 8365-267, 8160, 8165, 8155, 8065, 8010, 8550, 8587, 8557, 8360, 8355	8165W, 8155W, 8164W, 98022, 85870, 83650-267, 81600, 81602, 81650, 81550, 81640, 84504R, 84505R, 98032		Features
889LM	myQ® Control Panel	Premium Series Models 8500			<b>O</b>	•				Provides the upgrade needed to utilize Security+ 2.0 and myQ Technology. Timer-to-Close automatically closes the garage door after a pre-programmed number of minutes. Motion detector activates the Garage Door Opener lights as soon as movement is detected. Lock button blocks the garage door from being opened by remote controls.  Not compatible with model 2500. Works with most openers manufactured 1998 or later and can upgrade opener with myQ smartphone control when paired with the Internet Gateway 828LM.
880LMW	Smart Control Panel <sup>®</sup>	Premium Series Models 98022, 98032, 87504-267, 87802					•	Excludes 8500, 8500C		- Compatible with LiftMaster Security+ 2.0 Garage Door Openers Timer-to-Close allows you to automatically close your door after a pre-programmed number of minutes LCD screen displays temperature, time and maintenance alerts Motion detector activates the Garage Door Opener lights as soon as movement is detected Lock button blocks the garage door from being opened by remote controls.
881LMW	Motion Detecting Control Panel	No					•	•		- Compatible with LiftMaster Security+ 2.0 Garage Door Openers.  - Motion detector activates the Garage Door Opener lights as soon as movement is detected.  - Timer-to-Close automatically closes the garage door after a pre-programmed number of minutes.  - Maintenance Alert System sends alerts when opener is due for service.
885LM	Wireless Control Panel	No					•	•		- Compatible with LiftMaster Security+ 2.0 Garage Door Openers Controls one Garage Door Opener and opener lights No wiring required – powered by CR2032 battery (included).
886LMW	Motion Detecting Control Panel	Plus Series Models 84602					•	<b>Ø</b>		- Compatible with LiftMaster Security+ 2.0 Garage Door Openers Automatically turns on the light when motion is detected Includes Garage Door Opener light control, lockout remote controls and Maintenance Alert System.
882LMW	Multi-Function Control Panel	Premium Series Models 83650-267, 84505R, 84504 Basic Series Models 81602, 81600, 81650, 81550	4R				0	<b>Ø</b>		- Compatible with LiftMaster Security+ 2.0 Garage Door Openers Program remote controls and keypads from the control panel Includes display lights, Garage Door Opener light control, and lockout remote controls.
883LMW	Push Button Door Control						<b>Ø</b>	<b>Ø</b>		- Compatible with LiftMaster Security+ 2.0 Garage Door Openers Easily program remote controls and keypads from the control panel Controls one Garage Door Opener and opener lights.
78LM	Multi-Function Control Panel	No		<b>Ø</b>	<b>Ø</b>	0				- Compatible with all Garage Door Openers manufactured by LiftMaster from 1993-2014 Controls one Garage Door Opener and opener lights Includes adjustable light timer, illuminated push button, and lockout button.
378LM	Wireless Secondary Control Panel	No	man s			•				- Compatible with LiftMaster Security+ 315 MHz Garage Door Openers Program up to two Garage Door Openers wirelessly and can be installed anywhere in the garage Controls one Garage Door Opener and opener lights.
L958W	Smart Control Panel	Premium Series 6690L, 4690L							<b>O</b>	- Compatible with LiftMaster Security+ 3.0 Garage Door Openers Timer-to-Close allows you to automatically close your door after a pre-programmed number of minutes LCD screen displays temperature, time and maintenance alerts Motion detector activates the Garage Door Opener lights as soon as movement is detected Lock function blocks the garage door from being opened by remote controls Built-in learn function enables fast & easy programming of remotes, keypads, myQ® accessories and Wi-Fi Garage Door Openers.
L957W	Motion-Detecting Control Panel	Plus Series 6580L							<b>Ø</b>	- Compatible with LiftMaster Security+ 3.0 Garage Door Openers.  - Motion detector activates the Garage Door Opener lights as soon as movement is detected.  - Includes a push bar for Garage Door Opener operation and a light control button.  - Built-in learn button enables fast & easy programming of remotes, keypads, myQ® accessories and Wi-Fi Garage Door Openers.
L955W	Multi-Function Control Panel	Basic Series 2100, 2220, 2300, 2420							•	- Works with LiftMaster Security+ 3.0 Garage Door Openers Includes a push bar for Garage Door Opener operation and a light control button Built-in learn button enables fast & easy programming of remotes, keypads, myQ® accessories and Wi-Fi Garage Door Openers.
L956W	Wireless Control Panel	No							•	- Compatible with LiftMaster Security+ 3.0 Garage Door Openers No wiring required – powered by CR2032 battery (included) Includes a push bar for Garage Door Opener operation and a light control button Built-in learn button enables fast & easy programming of remotes, keypads, myQ® accessories and Wi-Fi Garage Door Openers.

	Garage	Door Manufactu	re Year	1993 - 1996	1997 - 2005	2006 - 2014	2011 - 2021	2022+	2025+	POWERED BY MY Q.
	Learn Button Color Frequency Code Model Numbers			Billion Code 390MHz 1245/1255.	Security+ 390MHz 1245R1/255R, 1265R, 2220,	Security+ 315MHz 1345/1355, 1356, 3220.	Security+ 2.0 310, 315, 390MHz 87504-267, 87802, 84602, 84501,	Security+ 2.0 315MHz 8500, 85000, 8500W, 8587W,	Security+ 3.0  BLE LR 2.4 GHz 21001, 22201, 23001.	Accessories Compatibility Chart
Keypads			1270/1290	2245/2255, 2265, 2260, 2500, 2575, 2585, 2595	3255, 3240, 3265, 3270, 3280, 3800, 3500, 3850, 3585, 3596	85503-267, 8550WLB, 8360WLB, 8160WB, 8500W, WLED, 8550W, 8587W, 8557W, 8556W, 8555W, 8365W-267, 8365-267, 8160, 8165, 8155, 8065, 8010, 8550, 8587, 8557, 8360, 8355	87504-287, 87802, 84802, 84501, 8365W-267, 8160WB, 8160W, 8165W, 8155W, 8164W, 98022, 85870, 83650-267, 81600, 81602, 81650, 81550, 81640, 84504R, 84505R, 89032	2420L, 6690L, 6580L, 4690L	Features	
VKP1-LM MKP1- MYQ, MYQ- K40TXXW	Smart Garage Video Keypad	No		<b>Ø</b>	<b>⊘</b>	<b>⊘</b>	<b>⊘</b>	<b>⊘</b>	8	- Compatible with all Garage Door Openers manufactured by LiftMaster since January 1993 Create up to 16 unique PIN codes and schedule access for family, guests and service providers Users receive real-time notifications and can live stream HD video Open or close the garage door without using a remote control or key Closes the garage door instantly with one press activation Works with myQ connected Garage Door Openers to open or close the garage door from the myQ mobile app (requires a myQ compatible Garage Door Opener or myQ (Smart Garage® Control)
387LM	Universal Wireless Keyless Entry	No		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	•		- Compatible with most major brands of Garage Door Openers manufactured after 1993 Open or close the garage door without using a remote control or key.
878MAX	Wireless Keyless Entry	No		•	•	•	•	•		- Compatible with all Garage Door Openers manufactured by LiftMaster after 1993 Open or close the garage door without using a remote control or key Users can also program a temporary PIN code for friends and service people Closes the garage door instantly with one press activation.
877LM	Wireless Keyless Entry	Premium & Plus Series Model 83650-267, 87504-267					0	•		- Compatible only with LiftMaster Security+ 2.0 Garage Door Openers Open or close the garage door without using a remote control or key Users can also program a temporary PIN code for friends and service people Closes the garage door instantly with one press activation.
L979U	Universal Wireless Keypad	No		<b>Ø</b>	<b>&gt;</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	•	- Compatible with most major brands of Garage Door Openers manufactured after 1993.  - Open or close the garage door without using a remote control or key.  - Easier programming with automatic frequency detection.  - Program in myQ app and manage keypad (PIN codes, set schedules, notifications, access history and battery status) with Security+ 3.0 Garage Door Openers.  - Users can program temporary PIN codes for friends and service people with LiftMaster Garage Door Openers manufactured after January 1997.  - Closes the garage door instantly with one press activation with LiftMaster Garage Door Openers manufactured after January 1997.
L979M	Wireless Keypad	Premium Series 6690L			•	•	<b>Ø</b>	•	0	- Compatible with most major brands of Garage Door Openers manufactured after January 1997.  - Open or close the garage door without using a remote control or key.  - Easier programming with automatic frequency detection.  - Program in myQ app and access features (PIN codes, set schedules, notifications, access history and battery status) with Security+ 3.0 Garage Door Openers.  - Users can program temporary PIN codes for friends and service people.  - Closes the garage door instantly with one press activation.
L979S	Wireless Keypad	No	000						•	- Compatible with LiftMaster Security+ 3.0 Garage Door Openers Open or close the garage door without using a remote control or key Program in myQ app and access features (PIN codes, set schedules, notifications, access history and battery status) Users can program temporary PIN codes for friends and service people Closes the garage door instantly with one press activation.

	Gar	age Door Manuf	acture Year	1993 - 1996	1997 - 2005	2006 - 2014	2011 - 2021	2022+	2025+	POWERED BY MY Q.
	Learn Button Color				Security+	Security+	Security+ 2.0	Security+ 2.0	Security+ 3.0	POWERED BY MY Q
	Frequency Code Model Numbers			Billion Code 390MHz 1245/1255, 1270/1280	390MHz 1245F/1255F, 1265F, 2220, 2245/2255, 2265, 2290, 2500, 2575, 2585, 2595	315MHz 1345/1355, 1356, 3220, 3255, 3240, 3265, 3270, 3280, 3800, 3500, 3850,	310, 315, 390MHz 87504-267, 87802, 84602, 84501, 85503-267, 8550WLB, 8360WLB, 8160WB, 8500W, WLED, 8550W,	315MHz 8500, 8500C, 8500W, 8587W, 87504-267, 87802, 84602, 84501, 8365W-267, 8160WB, 8160W,	BLE LR 2.4 GHz 2100L, 2220L, 2300L, 2420L, 6690L, 6690L, 4690L	Accessories Compatibility Chart
myQ Ac	cessories	Pack-In				3585, 3595	8587W, 8557W, 8360W, 8355W, 8365W-267, 8365-267, 8160, 8165, 8155, 8065, 8010, 8550, 8587, 8557, 8360, 8355	8165W, 8155W, 8164W, 98022, 85870, 83650-267, 81600, 81602, 81650, 81550, 81640, 84504R, 84505R, 98032		Features
821LMC	-S Smart Garage® Control	No	A	•	•	•	<b>\oldot</b>	0		<ul> <li>Adds smartphone control to most brands of garage door openers manufactured after 1993 that use photoelectric sensors.</li> <li>myQ app allows users to control, secure and monitor their garage door opener, receive real-time alerts and securely share access to their garage.</li> <li>Add control of a second garage door opener with an additional Smart Garage Control door sensor (SKU: 821LMC-SENSOR, sold separately).</li> </ul>
MYQ- C23AXX	Smart Garage <b>W</b> Camera ™	No	6	•	•	•	•	0	•	<ul> <li>Garage-optimized camera monitors what is happening through a live feed or optional recorded motion events (myQ Video Monitoring Plan sold separately).</li> <li>Built-In Wi-Fi allows for smartphone control with the myQ app.</li> <li>Garage climate performance of -4 to 122°F for extreme climate range.</li> <li>Easy setup with Bluetooth and magnetic mounting base.</li> </ul>
828LM	Internet Gateway	No					•	0		<ul> <li>Add smartphone control to myQ enabled products that don't have built in Wi-Fi.</li> <li>Check the status and control your garage doors or myQ lights from anywhere.</li> <li>Receive real-time alerts and create schedules.</li> <li>Easily connects via Ethernet cable to a router.</li> </ul>
837LM	myQ® Smart LED Garage Light	Premium Series: 98022, 98032					•	0	<b>O</b>	- 1,000 Lumens of LED illumination provide a bright, maintenance-free glow Easy to Install. Conveniently plugs into a standard outlet and mounts on the wall or ceiling Control and schedule your LED light from anywhere with the myQ app. Requires a myQ garage door opener, Smart Garage Control or Internet Gateway.  Warning: The 837LM Smart LED Garage light is not intended for use with garage door opener models: LiftMaster 8500 / 8500C or Chamberlain RJO20 / RJO20C.
MYQ- C43AXX W	Smart Outdoor Camera	No		•	•	•	8	•	<b>©</b>	<ul> <li>Outdoor-optimized camera monitors what is happening through a live feed or optional recorded motion events with AI detection (Video Monitoring Plan required).</li> <li>Built-In Wi-Fi allows for smartphone control with the myQ app.</li> <li>Climate performance of -4 to 122°F for extreme climate range.</li> <li>Simple setup with integrated Bluetooth.</li> </ul>
MYQ- D49TXX B	Video Doorbell	No		•	•	•	•	0	0	- Real-time smart notifications for easy home monitoring and security activation for unexpected persons detected within your customer activity zones (myQ Video Monitoring Plan sold separately) Simple setup with integrated Bluetooth and flexibility to install wired or wireless Built-in Wi-Fi allows for smartphone control with the myQ app for whole home monitoring Color Night Vision with 2K 150° Field of View.
MYQ- C39VXX W	Outdoor Battery Camera	No	•	•	•	•	•	0	<b>O</b>	- Real-time smart notifications for easy home monitoring and security activation for unexpected persons detected within your customer activity zones (myQ Video Monitoring Plan sold separately).  - Built-In Wi-Fi allows for smartphone control with the myQ app.  - Color Night Vision with 2K 130° Field of View.  - Flexible install with integrated battery.
MYQ- C23AXX W	Smart Indoor Camera	No	7	•	•	•	•	•	0	- Camera monitors what is happening through a live feed or optional recorded motion events with Al detection (myQ Video Monitoring Plan sold separately) Built-in Wi-Fi allows for smartphone control with the myQ app for whole home monitoring.

	Garage	Door Manufactur	1993 - 1996	1997 - 2005	2006 - 2014	2011 - 2021	2022+	2025+		
	Learn Button Color			Dillian Cada		•	<u> </u>		6	POWERED BY MY Q.
		Frequency Model Nun	Code obers	<b>Billion Code</b> 390MHz 1245/1255, 1270/1280	Security+ 390MHz 1245R/125SR,1265R, 2220, 2245/2255, 2265, 2260, 2500, 2575, 2585, 2595	Security+  315MHz 1345/1355, 1356, 3220, 3285, 3240, 3265, 3270, 3280, 3800, 3500, 3850,	Security+ 2.0 310, 315, 390MHz 87504-267, 97802, 84602, 84501, 85503-287, 8550WLB, 8360WLB, 8160WB, 8500W, WLED, 8550W,	Security+ 2.0  315MHz  8500, 8500C, 8500W, 8587W, 87504-987, 87802, 94802, 94901, 8365W-267, 8160WB, 8160W,	Security+ 3.0  BLE LR 2.4 GHz 21001, 22201, 23001, 24201, 66901, 66801, 46901	Accessories Compatibility Chart
Remote (	Controls	Pack-In				3585, 3595	8587W, 8557W, 8360W, 8355W, 8365W-267, 8365-267, 8160, 8165, 8155, 8065, 8010, 8550, 8587, 8557, 8360, 8355	8165W, 8155W, 8164W, 98022, 85870, 83650-267, 81600, 81602, 81650, 81550, 81640, 84504R, 84505R, 98032		Features
380UT	2-Button Universal Remote Control	No		<b>②</b>	<b>Ø</b>	<b>Ø</b>	•	<b>Ø</b>		- Compatible with most major brands of Garage Door Openers, Gate Operators and Commercial Door Operators manufactured after 1993 Program and control up to two different brands of Garage Door Openers.
374UT	2-Button Mini Universal Remote Control	No		<b>Ø</b>	0	0	0	•		- Compatible with most major brands of Garage Door Openers manufactured after 1993 Easier programming with automatic frequency detection Durable for on-the-go activities, key rings and purses.
893MAX	3-Button Remote Control	Premium Series Models 98022, 98032, 87504-267, 87802, 85870	ala	•	<b>Ø</b>	<b>Ø</b>	<b>&gt;</b>	•		- Compatible with up to three Garage Door Openers, Gate Operators, or Commercial Door Operators by LiftMaster® manufactured after 1993.
890MAX	3-Button Mini Remote Control	No		•	<b>Ø</b>	<b>Ø</b>	0	0		- Compatible with up to three Garage Door Openers, Gate Operators, or Commercial Door Operators manufactured by LiftMaster after 1993 Fits on a keychain, or in a purse or pocket.
893LM	3-Button Remote Control	Premium Series 84602, 83650-267, 84504R, 84505R Basic Series 81602, 81600, 81650, 81550					0	<b>Ø</b>		- Compatible with up to three LiftMaster Security+ 2.0 Garage Door Openers, Gate Operators, and Commercial Door Operators With Security+ 2.0 Rolling Code Technology, users are assured of a new code with every use.
891LM	1-Button Remote Control	No					0	•		- Compatible with a single LiftMaster Security+ 2.0 Garage Door Opener, Gate Operator and Commercial Door Operator.  - With Security+ 2.0 Rolling Code Technology, users are assured of a new code with every use.  - Large single button for quick and easy activation.
373LM	3-Button Remote Control	No				<b>&gt;</b>				- Compatible with up to three LiftMaster Security+ 315 MHz Garage Door Openers, Gate Operators, and Commercial Door Operators With Security+ Rolling Code Technology, users are assured of a new code with every use.
371LM	1-Button Remote Control	No	_			<b>Ø</b>				- Compatible with a single LiftMaster Security+ 315 MHz Garage Door Opener, Gate Operator and Commercial Door Operator.  - With Security+ Rolling Code Technology, users are assured of a new code with every use.  - Large single button for quick and easy activation.
L992U	2-Button Universal Remote Control	No		•	0	<b>Ø</b>	•	•	•	- Compatible with most major brands of Garage Door Openers, Gate Operators and Commercial Door Operators manufactured after 1993.  - Program and control up to two different brands of Garage Door Openers with easier setup using automatic frequency detection.  - Program in myQ app and access features (naming, notifications and access history) with Security+ 3.0 and Security+ 2.0 Garage Door Openers.  - Visor clip included or keychain option for flexible use.
L993M	3-Button Remote Control	Premium Series 6690L, 4690L Plus Series 6580L	Ob 8		0	0	0	•	0	- Compatible with up to three Garage Door Openers, Gate Operators, or Commercial Door Operators manufactured by LiftMaster® after 1997.  - Extra-long range for extended reach and reliable operation.  - Easier programming with automatic frequency detection.  - Program in myQ app and access features (naming, notifications and access history) with Security+ 3.0 and Security+ 2.0 Garage Door Openers.
L932M	2-Button Keychain Remote Control	No			•	•	•	<b>Ø</b>	•	- Compatible with up to three Garage Door Openers, Gate Operators, or Commercial Door Operators manufactured by LiftMaster® after 1997.  - Extra-long range for extended reach and reliable operation.  - Easier programming with automatic frequency detection.  - Program in myQ app and access features (naming, notifications and access history) with Security+ 3.0 and Security+ 2.0 Garage Door Openers.  - Fits on a keychain, backpack or in a purse or pocket.
L993S	3-Button Remote Control	Basic Series 2100L, 2220L, 2300L, 2420L	( je						<b>Ø</b>	- Compatible with up to three LiftMaster Security+ 3.0 Garage Door Openers Extra-long range for extended reach and reliable operation Program in myQ app and access features (naming, notifications, access history and battery status).
L991S	1-Button Remote Control	No	~a						<b>Ø</b>	- Compatible with a single LiftMaster Security+ 3.0 Garage Door Opener Extra-long range for extended reach and reliable operation Large single button for quick and easy activation Program in myQ app and access features (naming, notifications and access history).