





Catch Baby Extension

24" High




Concrete 4000 PSI 28 days
Steel Reinforcement: ASTM-A-615-68, Grade 40, 1" Minimum Cover
Reinforcing 6" x 6" Gauge Wire Mesh and 1/2" Rebar



M&M Precast Corporation

39 Padanaram Rd.; Danbury, CT 06811

Phone: (203) 742-5550; (800) 247-5550; Fax: (203) 700-7044



Super Baby Basin



Concrete 4000 PSI 28 days
Steel Reinforcement ASTM-A 615-63 Grade 40 1" Minimum Cover
Reinforcing 6" x 6" Gauge Wire Mesh and 1 2" Rebar

M&M Precast Corporation


39 Padanaram Rd.; Danbury, CT 06811
(203) 743-5559; (800) 247-5559; Fax: (203) 790-7011

M

M

Precast
Corp.


Heavy Duty Grates for 45" x 56" Catch Basin Tops



M&M Precast Corporation

39 Padanaram Rd; Danbury, CT 06811



(203) 743-5559; (800) 247-5559



Heavy Duty Frames, Grates and Solid Covers


12 x 12" Reversible type

Fits
Drain
Box



M&M Precast Corporation

39 PADANARAM ROAD, DANBURY, CONNECTICUT 06811
PHONE: (203) 743-5559; (800) 247-5559; FAX: 790-7011




YARD DRAIN

24" X 24" X 18"

WITH CAST IRON FRAME & GRATE

18" X 18"




NOTES:

1. Concrete Minimum Strength: 4,000 P.S.I. @28 days
2. Steel Reinforcement: ASTM-A-615-68, Grade 40, 1" minimum cover



M&M Precast Corporation

39 Padanaram Rd; Danbury, CT 06811
Phone: (203) 743-5559; (800) 247-5559; Fax: (203) 790-7011



DRAIN BOX

7" Knockouts



All M&M septic tanks meet and/or exceed Conn. And New York state basic standards and specifications

NOTE: Concrete Minimum Strength: 4,000 P.S.I. @ 28 days

M&M Precast Corporation

39 PADANARAM ROAD; DANBURY, CT 06811


PHONE: (203) 743-5559; (800) 247-5559; FAX: (203) 790-7011



CB-Top-CL

(Catch Basin Top-Type CL)

Length	Width	Height	Weight
56"	45"	8"	1200#



Concrete 4000 PSI 28 days
Reinforced With No. 4 Rod

39 PADANARAM ROAD
DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
FAX: 203-790-7011


CB-Top-CL



CB-Top-C

(Catch Basin Top-Type C-Asphalt Curb)

Length	Width	Height	Weight
56"	45"	16"	1640#



Concrete 4000 PSI 28 days
Reinforced With No. 4 Rod

39 PADANARAM ROAD
DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
FAX: 203-790-7011


CB-Top-C



CB5264-24

(Catch Basin Sump)

Length	Width	Height	Weight
64"	52"	24"	5000#



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 Reinforcing 6" x 6" 10 Gauge Wire Mesh and 1/2" Rebar

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011


CB5264-24



CB4556-24

(Catch Basin Sump)

Length	Width	Height	Weight
56"	45"	24"	2942#



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 Reinforcing 6" x 6" 10 Gauge Wire Mesh and ½" Rebar

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559


PHONE: 203-743-5559
 FAX: 203-790-7011

CB4556-24



CB4260

(Catch Basins)



Concrete 4000 PSI 28 days
Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
Reinforcing 6" x 6" 10 Gauge Wire Mesh and 1/2" Rebar

39 PADANARAM ROAD
DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
FAX: 203-790-7011


CB4260



CB4260-24

(Catch Basin Sump)

Length	Width	Height	Weight
60"	42"	24"	2942#



Concrete 4000 PSI 28 days
Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
Reinforcing 6" x 6" 10 Gauge Wire Mesh and 1/2" Rebar

39 PADANARAM ROAD
DANBURY, CT 06811

1-800-247-5559


PHONE: 203-743-5559
FAX: 203-790-7011

CB4260-24



CB5264

(Catch Basins)



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 Reinforcing 6" x 6" 10 Gauge Wire Mesh and 1/2" Rebar

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559


PHONE: 203-743-5559
 FAX: 203-790-7011

CB5264



CB4556

(Catch Basins)



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 Reinforcing 6" x 6" Gauge Wire Mesh and ½" Rebar
 H-20 loading

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011

CB4556