





PH Box







M&M Precast Corporation

39 Padanaram Rd.; Danbury, CT 06811
(203) 743-5559; (800) 247-5559; Fax: (203) 790-7011



Little 6-Hole Box



Concrete 4000 PSI 28 days
Reinforcement complies with ACI-318/ASTM A-185-ASTM A-615
Meets State Health Code ASTM C-1227
Piping Supplied by Others

Length	Width	Height	Weight
15 1/2	11"	12 1/4	100#

M&M Precast Corporation


39 Padanaram Rd; Danbury, CT 06811
Phone: (203) 743-5559; (800) 247-5559; FAX: (203) 790-7011



Special Box

(Special Box)

Length	Width	Height	Weight
51.5"	40.5"	32"	2807#



Concrete 4000 PSI 28 days
Reinforced With No. 3 Rod And Wire
4" Poly Seals In Each Of The 17 Knock-outs

39 PADANARAM ROAD
DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
FAX: 203-790-7011


Special Box



Large NY Box

(Large NY Box)

Length	Width	Height	Weight
40"	28"	26.5"	910#



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 4" Poly Seal In Each Of The 11 Knock-outs

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011


Large NY Box



Junction Box

(Junction Box)

Length	Width	Height	Weight
15.5"	15.5"	19"	179#



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 4" Poly Seal In Each Of The 4 Knock-outs

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011


Junction Box



Distribution Box

(Distribution Box)

Length	Width	Height	Weight
15.5"	15.5"	19"	179#



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 4" Poly Seal In Each Of The 4 Knock-outs

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011


Distribution Box



Baffle Box

(Baffle Box)

Length	Width	Height	Weight
31"	15.75"	20.75"	426#




Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40. 1" Minimum Cover
 4" Poly Seal In Each Of The 8 Knock-outs

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011


Baffle Box



Distribution Box-H-20

(Distribution Box)

Length	Width	Height	Weight
15.5"	15.5"	20½"	194#




Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68, Grade 40.
 4" Poly Seal In Each Of The 4 Knock-outs
 ⅜" rebar

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011


Distribution Box



Junction Box - H-20

(Junction Box)

Length	Width	Height	Weight
15.5"	15.5"	20½"	194#



Concrete 4000 PSI 28 days
 Steel Reinforcement: ASTM-A-615-68. Grade 40.
 4" Poly Seal In Each Of The 4 Knock-outs
 ¾" rebar

39 PADANARAM ROAD
 DANBURY, CT 06811

1-800-247-5559

PHONE: 203-743-5559
 FAX: 203-790-7011

Junction Box