















HIRE BROCHURE

01845 523574 | 07494 901256

www.jacksonplantltd.co.uk

The Grange, Carlton Miniott, Thirsk, YO7 4NJ

CONTENTS



Serving private & commercial customers throughout North Yorkshire & surrounding counties. Jackson Plant Ltd have a wide selection of equipment available:

Excavators 0.8 - 22t, Dumpers, Rollers, Telehandlers, Wackers, Trailers, Woodchippers, Tools & a full range of attachments.

1 Excavator	S
-------------	---

- 4 Dumpers
- **6** Trailers
- 7 Compaction plates
- 7 Rollers
- 8 Telehandlers
- 9 Tractors
- **9** Nifty Lift

10 Attachments

- 14 Pumps
- **14** Generators
- 15 Tools
- 17 Woodchippers
- **18** Fuel bowsers
- **18** Road plates
- **19** Aggregates

Micro Digger 0.8T

Manual quick hitch

*Width: 700mm tracks retracted

840mm tracks extended

*Max digging depth: 1620mm *Max dumping height: 1950mm *Max outreach: 2750mm





Micro Digger 1T

Manual quick hitch

*Width: 750mm tracks retracted

980mm tracks extended

*Max digging depth: 1680mm *Max dumping height: 2145mm *Max outreach: 2880mm

Mini Digger 1.8T

Manual quick hitch

Fully glazed cabs & canopy cabs available

*Height: 2400mm

*Width: 1280mm tracks extended

980mm tracks retracted

*Max digging depth: 2565mm *Max dumping height: 2582mm *Max outreach: 4046mm





Mini Digger 3T

Hydraulic quick hitch

*Height: 2510mm

*Width: 1550mm

*Max digging depth: 3100mm

*Max dumping height: 3343mm

*Max outreach: 4553mm

Midi Digger 5.5T

Hydraulic quick hitch

*Height: 2530mm *Width: 1960mm

*Max digging depth: 3810mm *Max dumping height: 3824mm *Max outreach: 6181mm





Midi Digger 8.5T

Hydraulic quick hitch

*Height: 2550mm *Width: 2300mm

*Max digging depth: 4170mm *Max dumping height: 4860mm *Max outreach: 6860mm

Excavator 14T

Hydraulic quick hitch

*Height: 2870mm *Width: 2590mm

*Max digging depth: 5530mm *Max dumping height: 6010mm *Max outreach: 8820mm





Excavator 22T

Hydraulic quick hitch

*Height: 3060mm *Width: 3180mm

*Max digging depth: 7.26m *Max dumping height: 6.97m *Max outreach: 10.34m

TRACKED DUMPERS



Skip Tip Tracked Barrow 0.5T

*Width: 690mm

*Machine weight: 475kg *Tipping height: 2720mm

C12R Tracked Dumper 1.25T

*Width: 960mm *Weight: 1100kg

*3 Way tip

*Dumping angle: 56 degrees





C30R Tracked Dumper 3T

*Width: 1390mm *Weight: 2865kg

*Frame turns 90 degrees (left & right)

*Dumping angle: 85 degrees

C50R Tracked Dumper 5T

*Width: 2200mm *Weight: 5940kg

*Dumping angle: 65 degrees

360 degree spin turn in just 7 seconds



Skip Tip Dumper 1T

*Width: 1200mm *Height: 2832mm

*Tipping Height: 1620mm



6T Dumpers

Also available as a swivel skip

*Width: 2300mm (6T)

*Tipping height: 1672mm (6T)





Swivel Tip Dumper 3T

*Width: 1846mm *Height: 2920mm

*Tipping height: 1467mm Also available in forward tip



9T Dumper

Also available as a swivel skip

*Width: 2500mm

*Tipping height: 1722mm

Ifor Williams Tipping Trailer 3.5T gw



Ramps available 10ft x 5ft 6

Ifor Williams Plant Trailer 3.5T gw

Various sizes available:

8ft x 4ft 9ft x 4ft 10ft x 5ft 4 10ft x 6ft



COMPACTION PLATES & RAMMERS



Various sizes available (6" - 18") Petrol / Diesel FWD/REV available



ROLLERS

Roller 120

*Width: 1310mm *Height: 2390mm *Drum width: 1200mm





Roller 80

*Width: 856mm *Height: 2210mm *Drum width: 800mm

TELEHANDLERS

6m Telehandler 525-60

*6 meter reach

forks / bucket / sweeping brush / tipping skip / jib / man basket available

*Lifting capacity: 2500kg *Width: 1.84m *Height: 1.89m





9.5m Telehandler 535-95

*9.5 meter reach

forks / bucket / sweeping brush / tipping skip /

jib / man basket available *Lifting capacity: 3500kg

*Width: 2.29m *Height: 2.49m

12.5m Telehandler 535-125

*12.5 meter reach

forks / bucket / sweeping brush / tipping skip / jib / man basket available

*Lifting capacity: 3500kg

*Width: 2.35m *Height: 2.59m





14m Telehandler 540-140

*14 meter reach

forks / bucket / sweeping brush / tipping skip /

jib / man basket available

*Width: 2.35m *Height: 2.59m



TRACTORS

John Deere 6630 Tractor

130 Hp

Engine power: 99kw Travel speed: 40km/h *Weight: 5166kg

Own road insurance required

NIFTY LIFT

Nifty lift 120

*Working height: 12.2m *Working outreach: 6.1m *Machine height: 1.9m

Nifty lift 150

*Working height: 14.7m *Working outreach: 7.55m *Machine height: 2m



JCB JCB

SCISSOR LIFT

JCB Scissor lift

*Max Working height: 7.71m *Performing height: 5.71m *Load capacity: 230kg

ATTACHMENTS



Tilting Bucket
To fit machine:
45mm pins 3cx pick up





Riddle Bucket 5 - 8T Excavator 45mm pins 14T Excavator 65mm pins







Rotary Grab

65mm pins / 80mm pins For 14T & 22T Excavator

3T Vegetation Thumb Grab

To fit our Volvo EC27D





Fixed Grab
For 14T excavator 65mm pins

ATTACHMENTS

Flail

For 3T Excavator 35mm pins or 5T Excavators 45 mm pins





Pallet Forks

To fit 8T Excavator 45mm pins or 14T Excavator 65mm pins

Telehandler Sweeping Brush

Fits all telehandlers (With Q fit)





Augers

To fit excavator 1.5 - 3T

Auger sizes available: *300mm / 225mm / 150mm

ATTACHMENTS



Tipping Skip

*Capacity: 1250l *Width: 1320 *Height: 1100

Telescopic Lifting Jib

Extension jibs allow for an increased lifting reach on a range of telehandlers & excavators (6-14T)





Breakers

To suit 1 - 14T Excavators

0.8T - 1T

1.5T - 3T

5.5T - 8.5T & backhoe

14T

PUMPS

3 Inch Centrifugal Pumps

*Operating weight: 38kg

*Output: 717 I/min *Head: 23 m





2 Inch Submersible Pumps

*Operating weight: 23.4kg

*Output: 238 I/min

*Head: 10 m

GENERATORS

3.5kva Generators

*Weight: 42kg

*Run time: 3.1 hours *Width: 420mm *Height: 415mm





Laser Level
Rechargeable
Tripod/Staff

Floor / Road Saw

14 - 18" Blades available *Operating weight: 99kg

*Maximum cutting depth: 162mm



TS410 Stihl saw

*Operating weight: 9kg

*Maximum cutting depth: 100mm

Available with optional purchase of diamond blade



Available with a selection of chisels





Easi Screed
Available with:
*3m beam / 3.75m beam

Cement Mixer

110V Electric & Petrol engine available





Power float

Pro tilt 900 power float 36" Complete with folding handle

Float Pan for 900 Trowel



BGA45 Poker, 6m Shaft



WOOD CHIPPERS

Jensen A530T Tracked Woodchipper

*Chip capacity: 8" Top speed: 3km/h

*Working slope angle: 30 degrees





Greenmech Aborist 150 Woodchipper

*Chip capacity: 6" Road towable

TRANSCUBE FUEL BOWSER

*Capacity: 1000L *Width: 1152mm *Height: 1318mm

*Weight: (Unladen) 509kg *Weight: (laden) 1377kg



ROAD PLATES



Steel road crossing plates Complete with lifting holes *Size: 8 x 4

CULTIVATOR

*Engine Size: 208cc *Working Width: 48mm *Working Depth: 15mm

*Weight: 73kg

Transmission Mechanical Tiller Type: Rear Tine *Tine Diameter: 305mm



AGGREGATES




VARIOUS AGGREGATES AVAILABLE FOR COLLECTION FROM OUR YARD

loose | dumpy bags | self-fill 25kg bags

10mm washed gravel 20mm washed gravel Sharp sand Yellow sand Cement Ballast Type 1/40mm Crusher run 14mm Leyburn Top Soil Yellow / Sharp mix

LARGER QUANTITIES UPWARDS OF 10T AVAILABLE TO ORDER & DELIVERED LOOSE UPON REQUEST

PLEASE CALL FOR COMPETITIVE RATES



The Grange, Carlton Miniott, Thirsk, YO7 4NJ what 3 words - skills.blush.sponsors

Opening Times:

Monday - Friday : 07:30 - 17:00 Saturday : By appointment only Sunday : Closed

Find us on:



info@jacksonplantltd.co.uk

www.jacksonplantltd.co.uk

01845 523574 | 07494 901256