

MOUNTAIN BIKE



2021

PRODUCT GALLERY

02

L026

Frame

6061 aluminum alloy frame

Endurance

Power-assisted endurance 60-70KM, pure electric 30-35KM

Battery

48V10AH lithium ion power battery

Wheel

Magnesium alloy 3-knife one-wheel

Motor

48V350W high speed gear motor

Meter

LCD smart Meter

Speed

Electronic 5-speed transmission + mechanical 3*7 speed

Fork

Linear spring suspension lockout fork



Frame

High carbon steel

Endurance

Power-assisted endurance 60-70KM, pure electric 30-35KM

Battery

48V8AH lithium ion power battery

Wheel

Aluminum double-layer Wheel

Motor

48V350W high speed gear motor

Meter

LCD smart Meter

Speed

Electronic 5-speed transmission + mechanical 1*7 speed

Fork

linear spring suspension fork

LL26



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 3*7 speed
- Fork**
Linear spring suspension lockout fork

- Endurance**
PAS 70-80KM, pure electric 35-40KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
LCD smart Meter

LO26

- Frame**
6061 aluminum alloy frame
- Battery**
48V8AH lithium ion power battery
- Motor**
48V250W/350W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 3*7 speed
- Fork**
suspension lockout fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Magnesium alloy one-wheel Wheel
- Meter**
Central LCD smart Meter

LS26

- Frame**
6061 aluminum alloy frame
- Battery**
48V8AH lithium ion power battery
- Motor**
48V250W/350W/500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 3*7 speed
- Fork**
Suspension lockout fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

MY275**MY-SM26**

- Frame**
6061 aluminum alloy frame
- Battery**
48V8AH lithium ion power battery
- Motor**
48V350W high speed gear motor

- Speed**
Electronic 5-speed transmission + mechanical 3*7 speed
- Fork**
linear spring suspension fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
LCD smart Meter

- Frame**
6061 aluminum alloy frame
- Battery**
48V15AH lithium ion power battery
- Motor**
48V750W/500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork

- Endurance**
PAS endurance 80-90KM, pure electric 60-70KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

QS26**SM-CI27.5**

- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V350W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 1*7 speed
- Fork**
Linear spring suspension lockout fork
- Endurance**
PAS 70-80KM, pure electric 35-40KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
LCD smart Meter



- Frame**
20"inch high carbon steel folding frame
- Battery**
36V8AH lithium ion battery
- Motor**
250W High speed brushless gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
suspension fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Magnesium alloy one-Wheel
- Meter**
LED Meter

SH26

- Frame**
6061 aluminum alloy frame
- Battery**
48V8AH lithium ion power battery
- Motor**
48V350W/500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 3*7 speed
- Fork**
Air locks the fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

SM-MY26

- Frame**
6061 aluminum alloy frame
- Battery**
48V8AH lithium ion power battery
- Motor**
48V350W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

SM-MY26-I

- Frame**
20"inch high carbon steel folding frame
- Battery**
36V8AH lithium ion battery
- Motor**
250W High speed brushless gear motor
- Speed**
SHIMANO 7Speed
- Fork**
suspension lockout fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

X526**XD26**

- Frame**
20"Aluminum alloy suspension folding frame
- Battery**
48V/8AH lithium-ion battery
- Motor**
250W High speed brushless motor
- Speed**
SHIMANO 7Speed
- Fork**
Linear spring suspension lockout fork
- Endurance**
PAS 70-80KM, pure electric 35-40KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
LCD smart Meter

XW-26SH

- Frame**
6061 aluminum alloy frame
- Battery**
48V8AH lithium ion power battery
- Motor**
48V350W/500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 3*7 speed
- Fork**
Suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

Frame
20" Aluminum alloy
folding frame

Battery
48V/8.8AH lithium-ion
battery

Motor
350W High speed
brushless motor

Speed
SHIMANO 7Speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM,
pure electric 30-35KM

Wheel
Aluminum double-
layer Wheel

Meter
Central LCD smart Meter

XW-26SH-II



Frame
6061 aluminum
alloy frame

Battery
48V10AH lithium ion
power battery

Motor
48V350W high speed
gear motor

Speed
Electronic 5-speed transmission
+ mechanical 3*7 speed

Fork
Linear spring suspension
lockout fork

Endurance
PAS 70-80KM,
pure electric 35-40KM

Wheel
Magnesium alloy 3
-knife one-wheel

Meter
LCD smart Meter

Z5-26



FAT TIRE BIKE



- Frame**
6061 aluminum alloy frame
- Battery**
48V15AH lithium ion power battery
- Motor**
48V750W/500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork

- Endurance**
PAS endurance 80-90KM, pure electric 60-70KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
Central LCD smart Meter

20YUFT40



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy one-wheel
- Meter**
LCD smart Meter

LOTDM200



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
LCD smart Meter

LOTDM200-II



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy wheel
- Meter**
LCD smart Meter

SH26FAT



Frame
6061 aluminum alloy frame

Battery
48V15AH lithium ion power battery

Motor
48V750W/500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
PAS endurance 80-90KM, pure electric 60-70KM

Wheel
Aluminum double-layer Wheel

Meter
Central LCD smart Meter

SM-BL08B



Frame
6061 aluminum alloy frame

Battery
48V15AH lithium ion power battery

Motor
48V750W/500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
PAS endurance 80-90KM, pure electric 60-70KM

Wheel
Aluminum double-layer Wheel

Meter
Central LCD Smart Meter

SM-FT2040



Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion battery

Motor
48V500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy one-wheel

Meter
LCD smart Meter

SM-FT2640



SM-JG718-2



Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion power battery

Motor
48V500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy wheel

Meter
Central LCD smart Meter

- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy Wheel
- Meter**
LCD smart Meter

SM-XDS01



SY26

- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy wheel
- Meter**
LCD smart Meter



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy Wheel
- Meter**
LCD Smart Meter

SM-XDSH26



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V500W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension lockout fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy wheel
- Meter**
LCD smart Meter

X5XD26



Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion power battery

Motor
48V500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy Wheel

Meter
LCD smart Meter



XW-26BZ40

YY2620AH

Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion battery

Motor
48V500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy wheel

Meter
LCD smart Meter



Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion power battery

Motor
48V500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy one-wheel Wheel

Meter
Central LCD smart Meter



XWLX09

YY-I 26

Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion power battery

Motor
48V500W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy wheel

Meter
LCD smart Meter



Frame
20" Aluminum alloy
suspension folding frame

Endurance
Power-assisted endurance 60-70KM,
pure electric 30-35KM

YYXD20-II

Battery
48V/8AH lithium-ion
battery

Wheel
Aluminum alloy Wheel

Motor
250W High speed
brushless motor

Meter
LCD smart Meter

Speed
SHIMANO 7Speed

Fork
Suspension lockout fork



Frame
6061 aluminum
alloy frame

Endurance
Power-assisted endurance 60-70KM,
pure electric 30-35KM

YYXD20

Battery
48V10AH lithium ion
power battery

Wheel
Aluminum alloy Wheel

Motor
48V500W high speed
gear motor

Meter
LCD smart Meter

Speed
Electronic 5-speed transmission
+ mechanical 7-speed

Fork
Suspension lockout fork



FOLDING BIKE



SAMEBIKE

Frame
6061 aluminum alloy frame

Battery
48V10.4AH lithium ion power battery

Motor
48V350W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Linear spring suspension fork

Endurance
PAS 70-80KM, pure electric 35-40KM

Wheel
Magnesium alloy one-wheel

Meter
LCD smart Meter



20LVXD30-II

Frame
6061 aluminum alloy frame

Battery
48V10AH lithium ion power battery

Motor
48V350W high speed gear motor

Speed
Mechanical 7 speed

Fork
Linear spring suspension fork

Endurance
PAS 70-80KM, pure electric 35-40KM

Wheel
Magnesium alloy one-wheel

Meter
Left Handle bar LCD Meter



20LVXD30

20ZANCHE

Frame
6061 aluminum alloy frame

Battery
48V10.4AH lithium ion battery

Motor
48V250W high speed gear motor

Speed
Mechanical 7 speed

Fork
Linear spring suspension fork

Endurance
PAS 70-80KM, pure electric 35-40KM

Wheel
Aluminum alloy double-layer wheel

Meter
Left Handle bar LCD Meter



JG-16-20

Frame
6061 aluminum alloy frame

Battery
48V10.4AH lithium ion power battery

Motor
48V350W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 7-speed

Fork
Linear spring suspension fork

Endurance
PAS 70-80KM, pure electric 35-40KM

Wheel
Magnesium alloy one-wheel

Meter
LCD smart Meter



- Frame**
6061 aluminum alloy frame
- Battery**
48V10AH lithium ion power battery
- Motor**
48V250W high speed gear motor
- Speed**
Mechanical 7 speed
- Fork**
Linear spring suspension fork

- Endurance**
PAS 70-80KM, pure electric 35-40KM
- Wheel**
Aluminum alloy double-layer wheel
- Meter**
Left Handle bar LCD Meter

JG20

- Frame**
Magnesium alloy without welding frame
- Battery**
36V7.5AH power lithium ion battery
- Motor**
36V250W high speed brushless toothed motor
- Speed**
Electronic 5th gear
- Fork**
Magnesium alloy front fork

- Endurance**
Power-assisted endurance 50-60Km, electric 25-30KM
- Wheel**
Aluminum alloy wheel
- Meter**
LCD smart Meter

JG7186**XMZ1214**

- Frame**
High carbon steel frame
- Battery**
48V20AH power lithium ion battery
- Motor**
48V250W high-speed brushless toothed motor
- Speed**
Single speed
- Fork**
Suspension fork
- Endurance**
Power-assisted endurance 150-160km, electric 80-100km
- Wheel**
Aluminum alloy wheel
- Meter**
LED Meter

YINYU14

- Frame**
6061 aluminum alloy frame
- Battery**
36V10AH lithium ion power battery
- Motor**
36V250W high speed gear motor
- Speed**
Electronic 5th gear
- Fork**
Straight leg front fork
- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy wheel
- Meter**
Smart LCD Meter

Frame
High carbon steel frame

Endurance
Power-assisted endurance 60-70KM,
pure electric 30-35KM

YSDX20

Battery
36V8AH lithium ion
power battery

Wheel
Aluminum alloy double
-layer wheel

Motor
36V250W high speed
gear motor

Meter
Left Handle bar LCD Meter

Speed
Mechanical 7 speed

Fork
High carbon steel frame



Frame
High carbon steel frame

Endurance
Power-assisted endurance 60-70KM,
pure electric 30-35KM

YSDX20-II

Battery
36V8AH lithium ion
power battery

Wheel
Aluminum alloy double
-layer wheel

Motor
36V250W high speed
gear motor

Meter
Left Handle bar LCD Meter

Speed
Mechanical 7 speed

Fork
High carbon steel frame



TOURING BIKE



Frame

6061 aluminum alloy frame

Battery

48V15AH lithium ion power battery

Motor

48V750W/500W high speed gear motor

Speed

Electronic 5-speed transmission + mechanical 7-speed

Fork

Suspension lockout fork

Endurance

PAS endurance 80-90KM, pure electric 60-70KM

Wheel

Aluminum alloy double-layer wheel

Meter

Central LCD Smart Meter

SM-YU2675**Frame**

6061 aluminum alloy frame

Battery

48V10AH lithium ion power battery

Motor

48V350W high speed gear motor

Speed

Electronic 5-speed transmission + mechanical 1*7 speed

Fork

Linear spring suspension lockout fork

Endurance

Boost battery life 70-80KM, pure electric 35-40KM

Wheel

Aluminum alloy double-layer wheel

Meter

LCD smart Meter

LVHL26A**Frame**

6061 aluminum alloy frame

Battery

48V8AH lithium ion power battery

Motor

48V250W/350W high speed gear motor

Speed

Electronic 5-speed transmission + mechanical 3*7 speed

Fork

Suspension can lock the fork

Endurance

Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel

Aluminum double-layer Wheel

Meter

Central LCD smart Meter

LVHL26B**Frame**

High carbon steel frame

Battery

36V10AH lithium ion power battery

Motor

36V250W high speed gear motor

Speed

Electronic 5-speed transmission + mechanical 7-speed

Fork

Suspension fork

Endurance

Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel

Aluminum alloy double-layer wheel

Meter

LCD smart Meter

SM27ZK

Frame
6061 aluminum alloy frame

Battery
48V8AH lithium ion power battery

Motor
48V250W/350W high speed gear motor

Speed
Electronic 5-speed transmission + mechanical 3*7 speed

Fork
Suspension can lock the fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy double-layer wheel

Meter
Central LCD Smart Meter



SM27ZW

Frame
6061 aluminum alloy frame

Battery
36V10AH lithium ion power battery

Motor
36V250W high-speed gear front motor

Speed
Electronic 5-speed transmission + internal 7-speed

Fork
Hydraulic suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum double-layer Wheel

Meter
Central LCD smart Meter



SM-BL08B

Frame
6061 aluminum alloy frame

Battery
36V10AH lithium ion power battery

Motor
36V250W high-speed gear front drive motor

Speed
Electronic 5-speed transmission + internal 7-speed

Fork
Hydraulic suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy double-layer wheel

Meter
Central LCD smart Meter



SM-BL08A

SM-ZL260

Frame
20"inch high carbon steel folding frame

Battery
36V8AH lithium-ion battery

Motor
250W High speed brushless gear motor

Speed
SHIMANO 7Speed

Fork
Hydraulic suspension lockout fork

Endurance
Power-assisted endurance 60-70KM, pure electric 30-35KM

Wheel
Aluminum alloy double-layer wheel

Meter
Central LCD smart Meter



- Frame**
20" Aluminum alloy folding frame
- Battery**
48V/8.8AH lithium-ion battery
- Motor**
350W High speed brushless motor
- Speed**
SHIMANO 7Speed
- Fork**
Suspension can lock the fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy double-layer wheel
- Meter**
Central LCD Smart Meter

TDE10L

- Frame**
6061 aluminum alloy frame
- Battery**
36V10AH lithium ion power battery
- Motor**
36V250W high-speed gear front drive motor
- Speed**
Electronic 5-speed transmission + 7-speed
- Fork**
Hydraulic suspension lockout fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy double-layer wheel
- Meter**
LCD smart Meter

TDE10Z

- Frame**
High carbon steel frame
- Battery**
36V10AH lithium ion power battery
- Motor**
36V250W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Aluminum alloy fork

- Endurance**
PAS endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum double-layer Wheel
- Meter**
LCD smart Meter

TDE26E

- Frame**
High carbon steel frame
- Battery**
36V10AH lithium ion power battery
- Motor**
36V250W high speed gear motor
- Speed**
Electronic 5-speed transmission + mechanical 7-speed
- Fork**
Suspension fork

- Endurance**
Power-assisted endurance 60-70KM, pure electric 30-35KM
- Wheel**
Aluminum alloy double-layer wheel
- Meter**
LCD Meter

TDZ26V

SCOOTER



2021

PRODUCT GALLERY

34



XW-S1

- N.W**
11kg/14.5kg
- Climbing Angle**
15 degree
- Battery**
Chinese lithium battery
36V 6AH
- Material**
Al alloy+iron
- Motor Power**
350W brushless motor
- Running Distance**
15-20km
- Max Speed**
24km/h
- Max Load**
120kg



XW-M8

- N.W**
12.3kg/15kg
- Climbing Angle**
15 degree
- Battery**
Chinese lithium battery
36V 6AH
- Material**
Al alloy+iron
- Motor Power**
350W brushless motor
- Running Distance**
15-20km
- Max Speed**
24km/h
- Max Load**
120kg

- N.W**
12.3kg/15kg
- Climbing Angle**
15 degree
- Battery**
Chinese lithium battery
36V 5.2AH
- Material**
Al alloy+iron
- Motor Power**
350W brushless motor
- Running Distance**
15-20km
- Max Speed**
24km/h
- Max Load**
120kg

**XW-M9****XW-H10+**

- N.W**
10.5kg/11.5kg
- Max Speed**
30km/h
- Battery**
Chinese lithium battery
36V 6AH
- Max Load**
120kg
- Motor Power**
350W
- Size**
8.5-Inch
- Material**
Al alloy
- Running Distance**
20-25km

- N.W**
8.5kg/9.5kg
- Climbing Angle**
15 degree
- Battery**
Chinese lithium battery
24V 6AH
- Material**
Al alloy+iron
- Motor Power**
250W brushless motor
- Running Distance**
15-20km
- Max Speed**
24km/h
- Max Load**
120kg

**XW-H9+**



9 ADVANTAGES THE NEWLY FULL UPGRADE



18650 Battery cell



200KG Load



750W Motor
500W Motor



3 Riding modes



4.0 All-terrain tires



Hydraulic disc brake



Hydraulic shock absorber



7-Speed Transmission



LCD colorful screen



PRODUCTS PARAMETERS CONTRAST:

COLOUR	 OEM≥100
Max distance	50km/80km/100km/120km(20km/h)
Top Speed	45km/h
Display Information	LCD display:Speed, Headlight,Fault code,.
Vehicle Weight	About 40kg
Max load	150KG(Safe load≤120KG)
Size	176X68X116cm
Tyre	20X4.0 inches pneumatic tyre
Motor Parameters	500W-750W brushless motor
Battery	48V/15Ah.20Ah.25Ah.30Ah
Charging Time	About 7- 12h
Braking Parameters	Double hydraulic disc brake(Front and Back), 4 meters braking distance (Speed < 20km/h)







TWO CHARGING METHODS WATERPROOF

The battery is disposed under the seat, two methods of charging with removable battery: direct charging and remove to charge convenient to remove the battery and charge or inserting the power supply into the frame to charge directly



LED ANGEL EYE

headlights Retro beautiful and practical

The wide-angle design of LED high-flow headlights illuminates a wider range. The luminous intensity of the light illuminates the surrounding area to ensure the safety of riding at night.







HB-26Pro(LG battery)



COLOR:  

Battery Capacity:	48V 17.5AH
Motor Power:	1000 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	LG Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic brake
Tire:	26x4.0 Fat tire
Max Speed:	45 km/h
Packing Dimensions:	156X34X80cm
N.W.:	28KG
G.W.:	35KG
Torque:	95NM



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$1699 **\$1599** **\$1559**

HB-26Plus Finger-print unlock GPS anti-thief tracking

COLOR: 

Motor Power:	1000W hub motor drive
Battery:	LG Lithium battery
Battery Capacity:	48V 21Ah LG 21700 cell
Transmission:	SHIMANO 7 Speed
Frame:	Aluminum Alloy 6061
Speed:	45km/h
Charging time:	4-6hours
Suspension:	F/R full suspension
Brake:	Hydraulic Disc Brakes
Tire:	KENDA 26*4.0
Range:	80-100KM
Packing Dimensions:	158*29*83cm
G.W.:	32KG
Torque:	160NM



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$2099 **\$1999** **\$1899**



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$2399 **\$2299** **\$2199**

HM-27Pro Middle Drive

COLOR:  

Motor Power:	500W Bafang M600 Mid drive
Battery:	LG Lithium battery
Battery Capacity:	48V17.5Ah
Transmission:	SHIMANO 9 Speed
Frame:	Aluminum Alloy 6061
Speed:	45km/h
Charging time:	4-6hours
Instrument:	LCD meter
Brake:	Hydraulic Disc Brake
Tire:	KENDA 27.5*3.0
Range:	60-90KM
Packing Dimensions:	158*29*83cm
Torque:	120NM



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$2299 **\$2199** **\$1999**

HM-S27 Middle Drive

COLOR:   

Battery Capacity:	48V 17.5AH
Motor Power:	500W Bafang M600 Mid drive
Frame:	Aluminum alloy
Transmission:	Shimano 9 Speed
Battery type:	LG Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic Disc Brake
Tire:	MAXXIS 27.5"x2.25
Max Speed:	30-50Km/h
Packing Dimensions:	158X29X83cm
Range:	80-100KM
Instrument:	DPC-18
Torque:	120NM



CARON FIBER

HM-26Pro Middle Drive

COLOR: ● ○ ●

Battery Capacity:	48V 17.5AH LG
Motor Power:	BAFANG M620 1000W Mid drive
Frame:	Carbon Fiber frame
Transmission:	Shimano 9 Speed
Suspension :	Front Fork:GTMRK 830E 160MM TRAVEL Rear :DNM Suspension
Battery Charging Time:	5-7 H
Brakes system:	GEMMA Hydraulic oil brakes with power cut
Display :	BAFANG DCP-18 TFT Color
Range:	70~90 km
Packing Dimensions:	163*30*88cm
Speed:	45 km/h
G.W.:	28KG
Torque:	160NM
Tire:	26*4.8 inches Kenda
Branded Seat :	Velo sport model

2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$4399 **\$3999** **\$3899**

HM-27PLUS Middle Drive DUAL BATTERIES

COLOR: ●



Motor Power:	52V 1000W Bafang Mid drive
Battery Capacity1+1:	52V 38.4Ah SAMSUNG
Range:	120-160KM Per Charge
Transmission:	SHIMANO 9 Speed
Frame:	Aluminium Alloy
Speed:	50km/h
Charging time:	4-6hours
Instrument:	Bafang dpc18 LCD
Brake:	Hydraulic Disc Brake
Tire:	KENDA 27.5 * 3.0
G.W.:	50kg
Packing Dimensions:	166.5*30*87

1-49 Pieces	50-99 Pieces	>=100 Pieces
FOB Price:		
<u>\$2999</u>	<u>\$2959</u>	<u>\$2899</u>



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$999 **\$959** **\$899**

HM-S26

COLOR: ●

Motor Power:	ANANDA MID DRIVE 36V 250W
Front Fork:	Suntor suspension fork
Max torque:	65N/M
Battery Capacity:	36V 15A LG
Max speed:	25km
Range:	60-80km
Gears:	Shimano 7 speed
Frame:	Al-alloy 6061
Brake:	Shimano MT200 brake set
Tire:	Kenda 26x2.1 white wall
Charge time:	5h
Packing Dimensions:	150x32x77cm



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$999 **\$959** **\$899**

HB-27Pro(LG battery)

COLOR: ● ●

Battery Capacity:	48V 15AH
Motor Power:	500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	LG Lithium Battery
Battery Charging Time:	3-8 H
Brake system:	disc brake
Tire:	27.5 inch
Max Speed:	40 km/h
Packing Dimensions:	142X20X70cm
N.W.:	25KG
G.W.:	28KG
Torque:	56NM



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$1099 **\$999** **\$959**

HB-20Pro(LG battery)

COLOR: ● ●

Battery Capacity:	48V 13AH
Motor Power:	500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	LG Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	disc brake
Tire:	20x4.0 Fat tire
Max Speed:	45 km/h
Packing Dimensions:	94X46X78cm
N.W.:	20KG
G.W.:	24KG
Torque:	56NM



2-19 Pcs **20-199 Pcs** **>=200-4999 Pcs**
Free shipping (US UK EU) :
\$1799 **\$1699** **\$1599**

HM-27D

COLOR: ●

Battery Capacity:	48V 15AH LG
Motor Power:	48V 500W MID DRIVE
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	lithium battery
Battery Charging Time:	5-6 H
Brake system:	F/R Hydraulic Disc Brakes
Tire:	CST /KENDA 27*2.8
Range:	60~90 km
Speed:	45 km/h
Packing Dimensions:	156*34*80cm
Max Loading:	150KG
Torque:	130NM

Off-Road Electric Dirt Bike

Sur ron light Bee X 2023

COLOR: 

Motor Power:	6000W Middle drive
Battery:	SAMSUNG LITHIUM BATTERY
Battery Capacity:	60V/38.5Ah
Wheel Base:	1255mm
Ground clearance:	270mm
Speed:	25km/h(limited) 75km/h(release)
Charging time:	3-4hours
Max torque:	250N · M
Brake:	Front and rear oil brake
Tire:	F R 70/100-19
Range:	60-80KM
Packing Dimensions:	165*32*88cm



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
Free shipping (US UK EU):
\$3899 **\$3799** **\$3699**

DB50

COLOR: 

Battery Capacity:	60V 30AH
Motor Power:	5000W Middle drive
Seat Height:	830 mm
Wheel Base:	1425mm
Battery type:	Lithium Battery
Battery Charging Time:	4-8 H
Brake system:	Front and rear oil brake
Tire:	F 70/100-17 R 90/100-14
Max Speed:	80km/h
Dimensions:	180*73*113cm
Range:	50-60KM
Packing Dimensions:	162*38*78.5CM



1-9 Pcs **10-99 Pcs** **>=100 Pcs**
Free shipping (US UK EU):
\$3199 **\$2899** **\$2599**



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB:
\$2199 **\$2099** **\$1899**

DB20

COLOR:    

Motor Power:	5000W
Battery:	SAMSUNG Lithium battery
Battery Capacity:	72V42Ah
Wheel Base:	1450mm
Frame:	Aviation grade aluminum 6061
Speed:	85-90km/h
Charging time:	5-8hours
Instrument:	SW900 LCD display
Brake:	Hydraulic Disc Brake
Tire:	19" or 21" motorcycle tire
Range:	90-100KM
Packing Dimensions:	164*30*87cm

DB30

COLOR:    

Battery Capacity:	72V42Ah
Motor Power:	5000 W
Frame:	Aviation grade aluminum 6061
Wheel Base:	1640mm
Battery type:	SAMSUNG Lithium battery
Battery Charging Time:	5-8 H
Brake system:	Hydraulic Disc Brake
Tire:	19" or 21" motorcycle tire
Max Speed:	85-90 km/h
Instrument:	SW900 LCD display
Range:	90-100KM
Packing Dimensions:	164*30*87cm



1-99 Pcs **100-999 Pcs** **>=1000 Pcs**
FOB :
\$2299 **\$2199** **\$1999**
Free shipping (US UK EU):
\$2899 **\$2799** **\$2599**

Off-Road Electric Dirt Bike

ULTRA BEE X off-road version



Free shipping (US UK EU) :

1-19 Pieces 20-49 Pieces ≥ 50 Pieces

\$5999

\$5899

\$5799

Parameter Details

Vehicle type	ULTRA BEE off-road version
Size	2060mm*880mm*1178mm
Net Weight	89KG
Max Load	150KG
Minimum Ground Clearance	318mm
The Wheelbase	1380mm
Seat Height	910mm
Travel of Front Fork	240mm
Back Reduction/ Wheel Travel	85/240mm
Power System	Permanent Magnet Synchronous Brushless Moter
Maximum Output Power	12.5KW
Max Troque	440N.M
Max Speed	> 130KM/h
Range Per Charge	140KM@40KM/h
The battery type	74V55AH SAMSUNG lithium battery
Charging time	4-5h
Frame type	Aluminum alloy forging
App Connection	APP connection function
Tire size	FRONT 80/100-19
	REAR 90/90-19
Power assist function	SRTC--Off-road ASR traction control system
	Adjustable BERS

* range and speed parameters will be affected by vehicle load, temperature, speed, terrain, etc. The above performance parameters is the rider weight 70 kg, 27 °C, environment temperature 40 km/h at a constant speed in a dry flat road test data environment.

Off-Road Electric Dirt Bike

STING(MX)

COLOR: ●



Motor Power:	60V 6000W
Battery Capacity1+1:	60V 38.4Ah LG
Range:	70KM
Torque:	284N.M
Frame:	Aluminium Alloy
Speed:	75km/h
Damping:	Full Shock Absorption
Headlight:	LED
Brake:	Hydraulic Disc Brake
Tire:	FR:70/100-19;PR:80/100-19
N.W.:	63KG
Vehicle Dimention:	1880mm*770mm*1088mm

1-49 Pieces	50-99 Pieces	>=100 Pieces
FOB Price:		
<u>\$3599</u>	<u>\$3399</u>	<u>\$3299</u>

Off-Road Electric Dirt Bike

STING R (MX)



COLOR: ●

1-49 Pieces	50-99 Pieces	>=100 Pieces
FOB Price:		
<u>\$3999</u>	<u>\$3899</u>	<u>\$3799</u>

Motor Power:	60V 8000W
Battery Capacity1+1:	60V 45Ah LG
Range:	85KM
Torque:	376N.M
Frame:	Aluminium Alloy
Speed:	85km/h
Damping:	Full Shock Absorption
Headlight:	LED
Brake:	Hydraulic Disc Brake
Tire:	FR:70/100-19;PR:80/100-19
N.W.:	66KG
Vehicle Dimention:	1880mm*770mm*1088mm



EU/US
Warehouse

MX-02S



COLOR: ● ●

Battery Capacity:	48V 17AH
Motor Power:	1000 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic brake
Tire:	26x4.0 Fat tire
Max Speed:	35 km/h
Packing Dimensions:	156X34X80cm
N.W.:	28KG
G.W.:	35KG

1-19 Pieces 20-49 Pieces >=50 Pieces

FOB Price:

\$799 \$759 \$699

EU/US warehouse:

\$1299 \$1259 \$1199



EU
Warehouse

MX-03



COLOR: ●

Battery Capacity:	48V 15AH
Motor Power:	BAFANG 500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic brake
Tire:	26x3.0"
Max Speed:	35 km/h
Packing Dimensions:	156X34X80cm
N.W.:	28KG
G.W.:	32KG

1-19 Pieces 20-49 Pieces >=50 Pieces

FOB Price:

\$859 \$799 \$759

EU warehouse:

\$1399 \$1359 \$1299



EU
Warehouse

M90



COLOR: ●

Battery Capacity:	48V 17AH
Motor Power:	500W
Frame:	29-inch aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	6-8 H
Brake system:	Double hydraulic brake
Tire:	29*2.25 inch
Range:	30-60km
Packing Dimensions:	150*27*74cm
Max speed:	40km/h
Max Loading:	110KG

1-19 Pieces 20-49 Pieces >=50 Pieces

EU warehouse:

\$1199 \$1159 \$1099



EU
Warehouse

MX-04



COLOR: ●

Battery Capacity:	48V 15AH
Motor Power:	BAFANG 500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic brake
Tire:	26x3.0"
Max Speed:	40 km/h
Packing Dimensions:	156X34X80cm
N.W.:	22KG
G.W.:	26KG

1-19 Pieces 20-49 Pieces >=50 Pieces

FOB Price:

\$799 \$759 \$699

EU warehouse:

\$1299 \$1259 \$1199



MX-05



COLOR:



Battery Capacity:	48V 15AH
Motor Power:	BAFANG 500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic brake
Tire:	26x3.0MM
Max Speed:	35 km/h
Packing Dimensions:	156X34X80cm
N.W.:	28KG
G.W.:	32KG

1-19 Pieces 20-49 Pieces >=50 Pieces

FOB Price:
\$859

\$799

\$759

EU warehouse:

\$1399

\$1359

\$1299

Cargo Ebike & Trike

SF-600

COLOR: ● ○

Battery Capacity:	48V 30AH(15*2)
Motor Power:	750 W
Frame:	Carbon Steel
Transmission:	6 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	DISC BRAKES
Tire:	20*2.4"
Range:	120-150KM
Packing Dimensions:	145*25*77.5cm
Torque:	75NM
Max Loading:	200KG



1-19 Pieces **20-49 Pieces** **>=50 Pieces**
Free shipping (US UK EU) :
\$1199 **\$1099** **\$999**

SF-G003

COLOR: ●

Battery Capacity:	48V 21AH
Motor Power:	500 W
Frame:	Aluminum Alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	DISC BRAKES
Tire:	Kenda 24*4*0/20*4.0
Range:	50-80KM
Packing Dimensions:	/
Speed:	35km/h
Display:	LCD



1-19 Pieces **20-49 Pieces** **>=50 Pieces**
Free shipping (US UK EU) :
\$1899 **\$1859** **\$1799**



1-19 Pieces **20-49 Pieces** **>=50 Pieces**
Free shipping (US UK EU) :
\$1899 **\$1859** **\$1799**

SF-G002

COLOR: ● ●

Motor Power:	750W
Torque:	85N.M
Battery Capacity:	48V17.5AH
Transmission:	SHIMANO 7 Speed
Frame:	Aluminum alloy 6061 Frame
Speed:	35km/h
Charging time:	4-6hours
Instrument:	LCD Display
Brake:	Disc Brake
Tire:	KENDA/CST 20*4.0"
Range:	50-60 km
Packing Dimensions:	158*78*80cm

SF-G004

COLOR: ● ●

Motor Power:	500W
Torque:	65N/M
Battery Capacity:	36V21AH
Transmission:	SHIMANO 7 Speed
Frame:	Aluminum Alloy
Speed:	25km/h
Charging time:	4-6hours
Instrument:	LCD Display
Brake:	Disc Brake
Tire:	KENDA 20*2.1/26*2.1
Range:	50-80 km
Packing Dimensions:	/



1-19 Pieces **20-49 Pieces** **>=50 Pieces**
Free shipping (US UK EU) :
\$1899 **\$1859** **\$1799**



SF-G005

COLOR: ●

1-19 Pieces 20-49 Pieces >=50 Pieces
Free shipping (US UK EU) :
\$2299 \$2199 \$2099

Motor Power:	48V 750W
Torque:	85N.M
Battery Capacity:	48V 36AH (Dual 18Ah)
Transmission:	SHIMANO 7 Speed
Frame:	Aluminum Alloy 6061
Speed:	45km/h
Charging time:	4-6hours
Max Load:	200kgs
Brake:	Disc Brake
Tire:	KENDA 20*4.0"
Range:	120-150 km
Packing Dimensions:	145*32*83cm and 114*65*53cm

City Ebike



SF-01



COLOR: ● ●



1-19 Pieces	20-49 Pieces	>=50 Pieces
FOB Price: \$828	\$788	\$758
EU/US warehouse: \$1359	\$1299	\$1199

Battery Capacity:	48V 12.8AH
Motor Power:	1000 W
Frame:	Aluminum alloy
Transmission:	Shimano 21 Speed
Battery type:	Lithium Battery
Battery Charging Time:	5-6 H
Brake system:	Hydraulic brake
Tire:	26x4.0 Fat tire
Max Speed:	35 km/h
Packing Dimensions:	156X34X80CM
N.W.:	29KG
G.W.:	36KG

SF-N06

COLOR: ● ○ ●



1-19 Pieces	20-49 Pieces	>=50 Pieces
FOB Price: \$518	\$498	\$478

Battery Capacity:	36V 10AH
Motor Power:	250 W
Frame:	Steel
Transmission:	Shimano 6 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	FRONT V BRAKE, REAR EXPANSION BRAKE
Tire:	26 inch spoke wheel
Range:	35~45 km
Packing Dimensions:	145*25*77.5cm
N.W.:	27KG
Max Loading:	110KG

SF-N02

COLOR: ●



1-19 Pieces	20-49 Pieces	>=50 Pieces
FOB Price: \$549	\$509	\$449

Battery Capacity:	36V 10AH
Motor Power:	250 W
Frame:	Steel
Transmission:	Shimano 6 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	FRONT V BRAKE, REAR EXPANSION BRAKE
Tire:	28 inch spoke wheel
Range:	35-45 km
Packing Dimensions:	158.5*24*80cm
N.W.:	28KG
Max Loading:	110KG

SF-N01

COLOR: ● ○



1-19 Pieces	20-49 Pieces	>=50 Pieces
FOB Price: \$549	\$509	\$449

Battery Capacity:	36V 10AH
Motor Power:	250 W
Frame:	Steel
Transmission:	Shimano 6 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	FRONT V BRAKE, REAR EXPANSION BRAKE
Tire:	26 inch spoke wheel
Range:	35~45 km
Packing Dimensions:	145*25*77.5cm
N.W.:	27KG
Max Loading:	110KG

City Ebike

SF-S01

COLOR: ● ○

Battery Capacity:	36V 10.4AH
Motor Power:	250 W
Frame:	Aluminum alloy
Transmission:	Shimano 6 Speed
Battery type:	Lithium Battery
Battery Charging Time:	7-8 H
Range:	50 km
Body size:	172*69*10.6cm
Max Speed:	30~45 km/h
Packing Dimensions:	152*25*75cm
N.W.:	26KG
G.W.:	35KG



1-19 Pieces **20-49 Pieces** **>=50 Pieces**
FOB Price:
\$659 **\$639** **\$599**

SF-GP1 Middle Drive

COLOR: ● ○ ● ●

Battery Capacity:	48V 10AH
Motor Power:	500 W Middle drive
Frame:	27.5inch Aluminum alloy 6061
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	Logan Hydraulic brake lever
Tire:	27.5"*2.1. CHAOYANG
Max Speed:	35 km/h
Packing Dimensions:	155*28*80cm
Max Load:	150 kg
G.W.:	33KG



1-19 Pieces **20-49 Pieces** **>=50 Pieces**
FOB Price:
\$1078 **\$1058** **\$1038**

SF-X06

COLOR: ● ○

Motor Power:	350W
Battery:	Lithium battery
Battery Capacity:	48V8AH
Transmission:	SHIMANO 21 Speed
Frame:	26" Aluminum alloy mountain
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	LCD Meter
Brake:	Disc Brake
Tire:	26"
G.W.:	28kg
Packing Dimensions:	145*25*71



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$499 **\$459** **\$399**

SF-X07

COLOR: ● ○

Motor Power:	500W
Battery:	Lithium battery
Battery Capacity:	48V8AH
Transmission:	SHIMANO 21 Speed
Frame:	Aluminium Alloy
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	LCD Display
Brake:	Disc Brake
Tire:	26"*1.95" CHAOYANG tires
G.W.:	27.5kg
Packing Dimensions:	145*25*71



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$499 **\$469** **\$439**

Fat tire & Retro Ebike



SF-S001

COLOR: ●

Motor Power:	48V 500W
Front Fork:	Suspension Fork
Max torque:	80N/M
Battery Capacity:	LG 48V 15A
Max speed:	40km
Range:	70-80km
Gears:	Shimano 8speed
Frame:	Al-alloy 6061
Brake:	Hydraulic Disc Brake
Tire:	27.5*2.4
Charge time:	5-6h
Packing Dimensions:	172.5x27.5x92cm

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$1229 **\$1209** **\$1189**



SF-S002

COLOR: ●

Motor Power:	BAFANG M600 48V 500W
Front Fork:	Rockshox air suspension
Max torque:	120N/M
Battery Capacity:	48V 17.5A LG cell
Max speed:	40km
Range:	100-120km
Gears:	Shimano SLX M7100 12speed
Frame:	Carbon fiber
Brake:	Magura MT-4
Tire:	CTS 29x2.6
Charge time:	5-6h
Packing Dimensions:	165x27x80cm

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$3588 **\$3568** **\$3548**



SF-S003

COLOR: ● ○

Motor Power:	Bafang M620 central motor kit
Front Fork:	Partner air suspension
Max torque:	160N/M
Battery Capacity:	48V 14A LG cell
Max speed:	40km
Range:	80-100km
Gears:	Shimano Acera 8speed
Frame:	Aluminun alloy
Brake:	Shimano MT200
Tire:	Kenda 27.5x2.8
Charge time:	5-6h
Packing Dimensions:	150x27x85cm

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$2159 **\$2129** **\$2099**



SF-S004

COLOR: ●

Motor Power:	48V 750W
Front Fork:	Alloy rigid fork
Max torque:	80N/M
Battery Capacity:	48V 13A
Max speed:	45km
Range:	50-60km
Gears:	Shimano Magrange 7speed
Frame:	Al-alloy 6061
Brake:	mechnical disc brake
Tire:	Kenda 26x4.0
Charge time:	5-6h
Packing Dimensions:	165x35x80cm

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$978 **\$948** **\$918**

Fat tire & Retro Ebike

SF-S005

COLOR: ●

Motor Power:	48V 750W
Front Fork:	Partner suspension fork
Max torque:	65N/M
Battery Capacity:	48V 12.8A LG
Max speed:	45km
Range:	40-50km
Gears:	Shimano Magrange 7speed
Frame:	Al-alloy 6061
Brake:	mechanical disc brake
Tire:	Kenda 26x4.0
Charge time:	5h
Packing Dimensions:	165x35x77cm



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$1168 **\$1138** **\$1108**

SF-S007

COLOR: ● ○

Motor Power:	48V 250W
Front Fork:	Suntor suspension fork
Max torque:	120N/M
Battery Capacity:	48V 15A LG
Max speed:	40km
Range:	80-100km
Gears:	Shimano 8speed
Frame:	Al-alloy 6061
Brake:	Shimano MT200 brake set
Tire:	24x3.0
Charge time:	5h
Packing Dimensions:	165x35x85cm



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$1418 **\$1388** **\$1358**

SF-S008



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$1038 **\$1008** **\$978**

Motor Power:	48V 750W
Front Fork:	suspension fork
Max torque:	80N/M
Battery Capacity:	48V 13A
Max speed:	45km
Range:	50-60km
Gears:	Shimano Magrange 7speed
Frame:	Al-alloy 6061
Brake:	mechanical disc brake
Tire:	Kenda 20x4.0
Charge time:	5-6h
Packing Dimensions:	143x35x82cm

Folding Ebike



HB-16Pro

COLOR: ● ● ○ ●

Battery Capacity:	36V 13AH
Motor Power:	250 W
Frame:	6061 ALUMINUM
Transmission:	Single speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	FRONT DRUM BRAKE, REAR DISC BRAKE
Tire:	16" alloy integrated wheel
Range:	30~35 km
Packing Dimensions:	105*22*56cm
N.W.:	27KG
Max Loading:	110KG

1-19 Pieces **20-49 Pieces** **>=50 Pieces**
FOB Price: **\$439** **\$399** **\$359**



SF-20

COLOR: ● ○

Battery Capacity:	48V 15AH
Motor Power:	500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	Hydraulic brake
Tire:	20x4.0 Fat tire
Max Speed:	35 km/h
Packing Dimensions:	94X46X78cm
N.W.:	20KG
G.W.:	24KG

1-19 Pieces **20-49 Pieces** **>=50 Pieces**
FOB Price: **\$599** **\$559** **\$499**
EU warehouse: **\$1099** **\$1059** **\$999**



SF-M80

COLOR: ○ ●

Battery Capacity:	48V 12.8AH
Motor Power:	350 W
Frame:	Aluminum alloy
Transmission:	Shimano 21 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	disc brake
Tire:	26 inch Magnesium alloy
Max Speed:	40 km/h
Packing Dimensions:	142X20X70cm
N.W.:	25KG
G.W.:	28KG

1-19 Pieces **20-49 Pieces** **>=50 Pieces**
FOB Price: **\$688** **\$648** **\$608**



SF-M03

COLOR: ● ○

Battery Capacity:	36V 12.5AH
Motor Power:	250 W
Frame:	20" al alloy folding frame
Accelerator:	PAS&Twist throttle
Battery type:	Lithium Battery
Pedal:	Al alloy folding pedal
Instrument:	KD26E LED display
Tire:	KENDA tire 20X1.75
Brake:	JAK disc brake
Front Fork:	Al alloy suspension fork
Seat:	SR saddle
Packing Dimensions:	88*40*68cm

1-19 Pieces **20-49 Pieces** **>=50 Pieces**
US warehouse: **\$768** **\$758** **\$748**

Folding Ebike

US
Warehouse

SF-M02

COLOR: ● ○

Battery Capacity:	48V 15AH
Motor Power:	500 W
Frame:	Aluminum alloy
Transmission:	Shimano 7 Speed
Battery type:	Lithium Battery
Battery Charging Time:	4-6 H
Brake system:	Hydraulic brake
Tire:	20x4.0 Fat tire
Max Speed:	35 km/h
Packing Dimensions:	94X46X78cm
N.W.:	20KG
G.W.:	24KG



1-49 Pieces 50-99 Pieces >=100 Pieces
FOB Price:
\$559 \$529 \$499

SF-X05

COLOR: ● ○

Motor Power:	350W
Battery:	Lithium battery
Battery Capacity:	48V10AH
Transmission:	SHIMANO 7 Speed
Frame:	Aluminium Alloy
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	LCD Display
Brake:	Disc Brake
Tire:	20*1.95
G.W.:	30kg
Packing Dimensions:	145*32*65

SF-GS007

COLOR: ● ● ● ● ●

Motor Power:	500W Brushless
Battery:	SAMSUNG Lithium battery
Battery Capacity:	48V15Ah Sumsung
Transmission:	SHIMANO 7 Speed
Frame:	Aluminum alloy 6061 Shock Absorb Frame
Speed:	25km/h
Charging time:	4-6hours
Instrument:	LCD Meter
Brake:	Hydraulic Disc Brake
Tire:	KENDA 20*4.0
Range:	50-60 km/h
Packing Dimensions:	148*28*73cm



1-49 Pieces 50-99 Pieces >=100 Pieces
FOB Price:
\$599 \$559 \$499

SF-T03

COLOR: ● ● ○

Motor Power:	250W
Battery:	Lithium battery
Battery Capacity:	36V10.5AH
accelerator:	Thumb Throttle
Frame:	Al Alloy
Speed:	25KM/H
Light:	LED Front Light
Instrument:	LCD Display
Brake:	F/R Disc Brake
Tire:	16*2.125
G.W.:	24KG
Packing Dimensions:	140*28*65CM



1-49 Pieces 50-99 Pieces >=100 Pieces
FOB Price:
\$559 \$539 \$499

Folding Ebike

SF-T05



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$499 **\$459** **\$399**

COLOR: ●

Motor Power:	250W
Battery:	Lithium battery
Battery Capacity:	36V7.8AH
accelerator:	Thumb Throttle
Frame:	Al Alloy
Speed:	32KM/H
Light:	LED Front Light
Instrument:	LCD Display
Brake:	F/R Disc Brake
Tire:	Innova 20*1.95
G.W.:	25KG
Packing Dimensions:	76*35*86cm

SF-T06



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$559 **\$539** **\$499**

COLOR: ● ○ ●

Motor Power:	250W
Battery:	Lithium battery
Battery Capacity:	36V13AH
accelerator:	Thumb Throttle
Frame:	Al Alloy
Speed:	32KM/H
Light:	LED Front Light
Instrument:	LCD Display
Brake:	F/R Disc Brake
Tire:	Innova 16*2.125
G.W.:	25KG
Packing Dimensions:	79*36*65cm

SF-T07



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$499 **\$459** **\$399**

COLOR: ● ● ● ○

Motor Power:	250W
Battery:	Lithium battery
Battery Capacity:	36V7.8AH
accelerator:	Thumb Throttle
Frame:	Al Alloy
Speed:	32KM/H
Light:	LED Front Light
Instrument:	LCD Display
Brake:	F/R Disc Brake
Tire:	Innova 16*2.125
G.W.:	24KG
Packing Dimensions:	79*36*65cm

SF-T08



1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$599 **\$559** **\$499**

COLOR: ●

Motor Power:	500W
Battery:	Lithium battery
Battery Capacity:	48V13AH
accelerator:	Thumb Throttle
Frame:	Al Alloy
Speed:	40KM/H
Light:	LED Front Light
Instrument:	LCD Display
Brake:	F/R Disc Brake
Tire:	KENDA 20*4.0
G.W.:	35KG
Packing Dimensions:	96*44*80cm

Folding Ebike



SF-X01

COLOR: ● ○

Motor Power:	350W
Battery:	Lithium battery
Battery Capacity:	48V10.4AH
Transmission:	SHIMANO 7 Speed
Frame:	Aluminium Alloy
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	LCD Display
Brake:	Disc Brake
Tire:	20*1.95
G.W.:	26kg
Packing Dimensions:	132*24*64cm

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$429 **\$399** **\$369**



SF-X02

COLOR: ● ● ● ● ● ●

Motor Power:	350W
Battery:	Lithium battery
Battery Capacity:	36V7.5AH
Transmission:	1 Speed
Frame:	16" Magnesium Alloy casting
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	LCD Meter
Brake:	Disc Brake
Tire:	16*1.95
G.W.:	20kg
Packing Dimensions:	75*38*64

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$449 **\$419** **\$389**



SF-X03

COLOR: ● ○

Motor Power:	350W
Battery:	Lithium battery
Battery Capacity:	48V10AH
Transmission:	SHIMANO 21 Speed
Frame:	Aluminium Alloy
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	LCD Display
Brake:	Disc Brake
Tire:	26"*1.95"
G.W.:	28kg
Packing Dimensions:	145*25*71cm

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$559 **\$529** **\$499**



SF-X04

COLOR: ● ○

Motor Power:	500W
Battery:	Lithium battery
Battery Capacity:	48V10AH
Transmission:	SHIMANO 21 Speed
Frame:	Aluminium Alloy
Speed:	25-32km/h
Charging time:	4-6hours
Instrument:	Color LCD meter
Brake:	Disc Brake
Tire:	26*1.95
G.W.:	28kg
Packing Dimensions:	145*25*71

1-49 Pieces **50-99 Pieces** **>=100 Pieces**
FOB Price:
\$589 **\$559** **\$529**



Size: 26" 27.5	Frame : Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 7 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame : Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 7 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 32KG
Charging Time: >3 hours	Volume: 140X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 32KG
Charging Time: >3 hours	Volume: 140X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 32KG
Charging Time: >3 hours	Volume: 140X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 32KG
Charging Time: >3 hours	Volume: 140X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 140X25X77CM		



Size: 26" 27.5"29"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5"29"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5"29"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5"29"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5"29"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 5Ah	meter: LED
Motor: 36V250w	Gears 1 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*195"	Max Speed: 20Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 5Ah	meter: LED
Motor: 36V250w	Gears 1 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*195"	Max Speed: 20Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 5Ah	meter: LED
Motor: 36V250w	Gears 1 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*195"	Max Speed: 20Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 5Ah	meter: LED
Motor: 36V250w	Gears 1 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*195"	Max Speed: 20Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 700C	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 700*23C	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LCD
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"27.5"	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 8Ah	meter: LED
Motor: 36V250w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*2.125"	Max Speed: 30-50Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		



Size: 26"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V350w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 35KG
Charging Time: >3 hours	Volume: 152X28X77CM		



Size: 26"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V350w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 35KG
Charging Time: >3 hours	Volume: 152X28X77CM		



Size: 26"	Frame: Aluminum alloy	Battery 36V 8Ah	meter: LCD
Motor: 36V350w	Gears 21 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*4.0"	Max Speed: 30-50Km/h	Weight: 35KG
Charging Time: >3 hours	Volume: 152X28X77CM		

Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 5Ah	meter: LED
Motor: 36V250w	Gears 1 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*195"	Max Speed: 20Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		

Size: 26" 27.5	Frame: High-carbon steel	Battery 36V 5Ah	meter: LED
Motor: 36V250w	Gears 1 Speed	Fork Suspension Fork	Charger: 2A Charger
Brake Mechanical:Dis Brake	Tire Size: 26"*195"	Max Speed: 20Km/h	Weight: 30KG
Charging Time: >3 hours	Volume: 135X25X77CM		