

目录

PRODUCT CATALOG


BOAT ANCHORS	P01
ANCHOR CONNECTOR	P05
ANCHOR ROLLER	P07
CHAIN STOPPER	P09
BOAT BOLLARD& FAIRLEAD	P11
BOAT CLEAT	P17
BIMINI TOP FITTINGS	P23
TOP SLIDE/JAW SLIDE	P25
DECK HINGE	P27
PIPE STANCHION	P33
RAIL CONNECTOR	P38
CASTING HINGE	P43
PULL RINGS	P59
FOLDING STEP	P63
LOCK& LATCH	P65
THRU-TULL& TANK VENT	P69
DECK PLATE	P73

DECK FILLER& RV ACCESSORIES	P75
FISHING ROD HOLDER	P78
RV ACCESSORIES	P85
ANTENNA BASE	P91
STEERING WHEEL	P93
MARINE LADDER	P97
HANDRAILS	P107
CARGO HOOK	P111




BOAT ANCHOR & MARINE HARDWARE

AISI316 STAINLESS STEEL BRUCE ANCHOR
316不锈钢布鲁斯锚



Code	A mm	B mm	C mm	D mm	Weight kg
HK6001	280	102	180	130	1 kg
HK6002	350	127	220	175	2 kg
HK60025	400	150	230	190	2.5KG
HK6003	400	145	250	200	3 kg
HK6005	470	165	310	270	5 kg
HK6075	540	190	350	290	7.5 kg
HK6010	595	210	385	320	10 kg
HK6015	680	255	440	360	15 kg
HK6020	750	300	520	390	20 kg
HK6025	810	310	590	410	25 kg
HK6030	860	320	590	460	30 kg
HK6035	935	370	660	460	35 kg
HK6040	965	370	660	460	40 kg
HK6050	1010	375	700	500	50 kg
HK6080	1050	460	700	547	80 kg

AISI316 STAINLESS STEEL PLOUGH ANCHOR
316不锈钢犁型锚




Code	A mm	B mm	C mm	D mm	Weight kg
HK6105	510	340	260	220	5 kg
HK6107	560	380	270	230	7 kg
HK6109	600	375	280	250	9 kg
HK6110	620	400	290	270	10 kg
HK6112	660	430	340	300	12 kg
HK6115	730	490	360	330	15 kg
HK6116	735	490	360	240	16 kg
HK6120	740	550	370	360	20 kg
HK6122	750	550	370	390	22 kg
HK6127	780	600	460	360	27 kg
HK6134	800	630	480	360	34 kg
HK6135	820	640	490	380	35 kg
HK6140	810	653	645	425	40 kg
HK6150	965	745	540	500	50 kg

Code	A mm	B mm	C mm	Weight kg
HK 6204	550	230	210	4 kg
HK 6205	555	250	220	5 kg
HK 6275	625	300	270	7.5 kg
HK 6208	580	290	270	8 kg
HK 6210	665	310	300	10 kg
HK 6215	755	350	330	15 kg
HK 6020	830	370	390	20 kg
HK 6230	970	400	450	30 kg
HK 6240	1100	430	490	40 kg
HK 6250	1170	450	520	50 kg
HK 6263	1270	520	565	63 kg
HK 6280	1350	600	605	80 kg
HK 62100	1500	750	700	100 kg


Support private customization

AISI316 STAINLESS STEEL DELTA ANCHOR
316不锈钢三角锚



AISI316 STAINLESS STEEL GRAPNEL ANCHOR
316不锈钢伞锚/折叠锚


Code	A mm	B mm	C mm	Weight kg
HK63007	200	90	47	0.7 kg
HK63015	302	135	54	1.5 kg
HK63025	355	156	59	2.5 kg
HK63032	395	174	73	3.2 kg
HK6304	460	200	76	4 kg
HK6305	470	210	80	5 kg
HK6306	523	222	85	6 kg
HK6307	530	230	90	7 kg
HK6308	600	240	90	8 kg
HK6310	655	260	102	10 kg
HK6312	840	326	102	12 kg



AISI316 STAINLESS STEEL DANFORTH ANCHOR
316不锈钢丹弗斯锚

Code	A mm	B mm	C mm	Weight kg
HK64005	455	550	265	5kg
HK64075	500	650	340	7.5kg
HK64010	520	720	358	10kg
HK64012	580	835	370	12kg
HK6415	620	865	400	15kg
HK6420	650	875	445	20kg
HK6430	760	990	590	30kg
HK6440	830	1100	610	40kg
HK6450	885	1150	625	50kg
HK6470	1000	1300	690	70kg
HK64100	1100	1400	890	100kg

Support private customization



AISI316 STAINLESS STEEL POOL ANCHOR
316不锈钢波尔锚



Code	A mm	B mm	C mm	D mm	Weight kg
HK 6512	425	315	275	240	12 kg
HK 6520	455	385	300	325	20 kg
HK 6525	480	410	320	340	25 kg
HK 6530	505	430	335	365	30 kg
HK 6535	530	460	350	390	35 kg
HK 6545	575	490	375	415	45 kg
HK 6560	665	555	425	470	60 kg
HK 65100	775	655	505	555	100 kg
HK 65120	825	700	540	595	120 kg
HK 65140	870	735	570	625	140 kg
HK 65160	905	765	590	650	160 kg
Support private customization					

HOT DIP GALVANIZED BRUCE ANCHOR
热镀锌布鲁斯锚



Code	Weight kg	Code	Weight kg
HK 7001	1 kg	HK 7150	15 kg
HK 7002	2 kg	HK 7200	20 kg
HK 7035	3.5 kg	HK 7250	25 kg
HK 7005	5 kg	HK 7300	30 kg
HK 7075	7.5 kg	HK 7500	50 kg
HK 7100	10 kg	HK 7800	80 kg
HK 7112	12kg	HK 1000	100kg

HOT DIP GALVANIZED PLOUGH ANCHOR
热镀锌犁型锚



Code	Weight kg	Code	Weight kg
HK 7105	5 kg	HK 7120	20 kg
HK 7107	7 kg	HK 7122	22 kg
HK 7109	9 kg	HK 7124	24 kg
HK 7112	12 kg	HK 7127	27 kg
HK 7115	15 kg	HK 7135	35 kg

HOT DIP GALVANIZED DELTA ANCHOR
热镀锌三角锚



Code	Weight kg	Code	Weight kg
HK 7204	4 kg	HK 7220	20 kg
HK 7205	5 kg	HK 7225	25 kg
HK 7275	7.5 kg	HK 7230	30 kg
HK 7208	8 kg	HK 7232	32 kg
HK 7210	10 kg	HK 7240	40 kg
HK 7216	16 kg	HK 7250	50 kg
Support private customization			

Code	Weight kg	Code	Weight kg
HK7302	2 kg	HK7315	15 kg
HK73025	2.5 kg	HK7320	20 kg
HK7303	3 kg	HK7325	25 kg
HK7304	4 kg	HK7330	30 kg
HK7305	5 kg	HK7340	40 kg
HK7306	6 kg	HK7350	50 kg
HK7308	8 kg	HK7370	70 kg
HK7310	10 kg	HK7380	80 kg
HK7312	12 kg	HK73100	100 kg
Support private customization			

HOT DIP GALVANIZED DANFORTH ANCHOR
热镀锌丹弗斯锚



HOT DIP GALVANIZED "A" TYPE GRAPNEL ANCHOR
A型热镀锌伞锚




HOT DIP GALVANIZED "B" TYPE GRAPNEL ANCHOR
B型热镀锌伞锚



Code	Weight kg	Code	Weight kg
HK76007	0.7kg	HK76075	7.5 kg
HK76014	1.4kg	HK76100	10 kg
HK76023	2.3kg	HK76120	12 kg
HK76035	3.5kg	HK76150	15 kg
HK76055	5.5kg		

Code	A mm	L mm	L1 mm	R1 mm	B mm	B1 mm	NOMINAL WEIGHT(kg)
HK75300	1190	844	595	130	328	388	300 kg
HK75350	1250	890	625	137	344	408	350 kg
HK75400	1310	930	650	143	360	428	400 kg
HK75450	1360	970	675	149	376	444	450 kg
HK75500	1410	1000	700	154	390	460	500 kg
HK75600	1500	1060	745	164	414	490	600 kg
HK75700	1580	1120	785	172	436	516	700 kg
HK75800	1650	1170	820	180	456	540	800 kg
HK75900	1720	1220	855	188	474	560	900 kg
HK751000	1780	1260	885	194	490	580	1000 kg
HK751250	1910	1360	955	109	526	624	1250 kg
HK751500	2030	1450	1015	222	560	664	1500 kg
HK752250	2330	1650	1160	254	642	760	2250 kg
HK752500	2410	1710	1200	263	666	788	2500 kg
HK753000	2560	1820	1275	280	708	836	3000 kg
HK753500	2700	1920	1345	294	746	880	3500 kg
HK754000	2820	2000	1400	308	780	920	4000 kg
HK754500	2940	2080	1455	320	808	956	4500 kg
HK755000	3050	2150	1510	332	836	992	5000 kg


BLACK PAINTED HALL ANCHOR
黑漆霍尔锚






ANCHOR CONNECTOR

AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢一体锚链接器



Code	A mm	B mm	C mm	Chain Size(mm)
HK801A-0608	91	10.5	15.5	6-8
HK801B- 1012	117	13	19	8-10


AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢两段锚链接器



Code	A mm	B mm	C mm	Chain Size(mm)
HK802A- 0608	88	11.5	16.5	6-8
HK802B -1012	116	14	19	8-10
HK802C -1416	139	19	32	14-16


AISI316 STAINLESS STEEL HEAVY ANCHOR DOUBLE CONNECTOR
316不锈钢重型两段锚链接器

Code	A mm	B mm	C mm	Chain Size(mm)
HK803A- 0608	120	10.5	15.5	6-8
HK803B - 1012	170	14	18	8-12




AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢三段锚链接器

Code	A mm	B mm	C mm	Chain Size(mm)
HK804A- 0608	120	16	9	6-8
HK804B -1012	151	18	13	8-12



AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢长锚连接器

Code	A mm	B mm	C mm	Chain Size(mm)
HK805A- 0608	240	10	20	6-8
HK805B - 1012	290	14	27.5	8-12






ANCHOR ROLLER

AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架




Code	Length mm	Width mm	Anchor Size Kg
HK4242	420	76	7.5-15.5
HK4260	600	76	10-20
HK4275	750	90	15-30
HK4295	950	95	30-50

AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架




Code	A	B	C	D	E	F	G	Chain (mm)	Anchor Size (Kg)
HK901A	380	260	65	46	295	28	8.6	6-8	5-10
HK901B	480	310	77	60	300	36	15	8-10	10-20
HK901C	540	330	72	68	355	45	16	10-12	20-30

AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架




AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢黑色单轮锚支架



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架

Code	A mm	B mm	C mm	Size
HK1766A	170	66	52	170x66



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架

Code	Length mm	Width mm	Height mm
HK904A	200	64	70
HK904B	230	64	68
HK904C	250	64	70



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架

Code	Length mm	Width mm
HK905A	390	46
HK906B	455	87



CHAIN STOPPER

AISI316 STAINLESS STEEL ANCHOR CHAIN&STOPPER
316不锈钢止链器



Code	L mm	W mm
HK3013	125	84

AISI316 STAINLESS STEEL CAM CLEAT
316不锈钢夹绳器



Code	L mm	W mm
HK3015	69	17
HK3016	81	18

AISI316 STAINLESS STEEL CHAIN LOCK STOPPER
316不锈钢止链器




Code	L mm	W mm
HK3017	121	66

AISI316 STAINLESS STEEL ROPE CLAMP CAM CLEAT
316不锈钢带导向孔快速夹绳器



Code	Amm	Bmm	Cmm	Dmm	Emm
HK004	68	18.5	7	M5	15.5

AISI316 STAINLESS STEEL ANCHOR CHAIN STOPPER
316山型止链器



Code	Amm	Bmm	Cmm	Size
HK0680A	59.5	53.5	48	6-8
HK0680B	80.2	70	62	10-12



Code	Dia mm	l.w	o.w	Breaking load kn.
HK9103	3	16	11	4.1
HK9104	4	16	13.7	8
HK9105	5	18.5	17	12.5
HK9106	6	18.5	20.2	16
HK9107	7	22	23.8	25
HK9108	8	24	27.2	32
HK9109	9	27	30.6	40
HK91010	10	30	34	50
HK91011	11	31	37.4	63
HK91012	12	34	40.8	66
HK91013	13	36	44.2	80
HK91014	14	41	47.5	100
HK91016	16	45	54.5	125

DIN766 LINK CHAINS
DIN766链环



Code	Dia mm	l.w	o.w	Breaking load kn.
HK9204	3	32	16	6
HK9205	4	35	20	10
HK9206	5	42	24	14
HK9207	6	49	24	18
HK9208	7	52	32	25
HK9209	8	59	36	32
HK92010	9	65	40	40
HK92011	10	72	44	47.5
HK92012	11	78	48	56.5
HK92013	12	82	52	63

DIN763 LINK CHAINS
DIN763链环



Code	Dia mm	l.w	o.w	Breaking load kn.
HK9304	4	19	16	5
HK9305	5	21	20	7.75
HK9306	6	24	24	11.5
HK9307	7	28	28	15
HK9308	8	32	32	20
HK9309	9	36	36	15
HK9310	10	40	40	31
HK9311	11	44	44	38
HK9312	12	48	48	45

DIN5685 SHORT LINK CHAIN
DIN5685短链



Code	Dia mm	l.w	o.w	Breaking load kn.
HK9404	4	32	16	5.5
HK9405	5	35	20	8.5
HK9406	6	42	24	13.5
HK9407	7	49	28	17
HK9408	8	52	32	23
HK9409	9	59	36	28.5
HK9410	10	65	40	34.5
HK9411	11	72	44	41
HK9412	12	78	48	49
HK9413	13	82	52	53

DIN5685 LONG LINK CHAIN
DIN5685长链






BOAT BOLLARD&FAIRLEAD

AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩



Code	A mm	B mm	C mm	Size
HK951A	190	310	130	6"
HK951B	190	370	150	8"
HK951C	260	500	180	10"
Support private customization				

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢单十字缆桩



Code	A mm	B mm	C mm	Size
HK950A	100	100	42	6"
HK950B	135	135	50	8"
HK950C	190	150	80	10"
HK950D	260	260	80	12"
Support private customization				

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢单十字缆桩




Code	A mm	B mm	C mm
HK9401	62	62	81

AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩




Code	A mm	B mm	C mm
HK9402	166	63	88

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢心形缆桩




Code	A mm	B mm	C mm
HK9403	98	86	94

AISI316 STAINLESS STEEL BOLLARD
316不锈钢筒子缆桩



Code	A mm	B mm	C mm	D mm
HK952A	100	80	90	50
HK952B	120	90	120	60

AISI316 STAINLESS CASTING BOLLARD
316不锈钢重型筒子缆桩



Code	A mm	B mm	C mm	D mm
HK953A	125	97	122	60
HK953B	154	121	152	76

AISI316 STAINLESS STEEL BOLLARD
316不锈钢板凳缆桩



Code	A mm	B mm	C mm	Size
HK953A	152	60	62	6"
HK953B	203	70	77	8"
HK953C	255	80	91	10"
HK953D	310	90	109	12"

AISI316 STAINLESS STEEL BOLLARD
316不锈钢雁型缆桩



Code	A mm
HK954A	300

AISI316 STAINLESS STEEL BOLLARD CLEAT
316不锈钢空心缆桩



Code	A mm	B mm	C mm	D mm	Size
HK3006	150	118	19	53	6"
HK3008	215	137	34	56	8"
HK3010	265	150	40	68	10"
HK3012	310	175	50	78	12"

AISI316 STAINLESS STEEL DOCK BOLLARD
316不锈钢方孔码头缆桩




Code	A mm	B mm	C mm	D mm	Size
HK955A	265	100	200	65	10"
HK955B	305	120	225	81	12"

AISI316 STAINLESS STEEL DOCK BOLLARD SCREW
316不锈钢方孔码头缆桩定制螺丝



Code	A mm	B mm	C mm	D mm
HK955-A-Screw	68	25.8	14	50
HK955-B-Screw	68	25.8	14	50

AISI316 STAINLESS STEEL DOCK BOLLARD
316不锈钢斜型码头缆桩



Code	A mm	B mm	C mm	D mm
HK956A	302	102	229	70


AISI316 STAINLESS STEEL FAIRLEAD ROLLER
316不锈钢导缆轮缆桩

Code	A mm	B mm	C mm	D mm	Emm
HK960A	200	41	57	35	43
HK960B	250	45	80	49	44




AISI316 STAINLESS STEEL FAIRLEAD ROLLER
双轮导缆孔

Code	L mm	Wmm
HK961A	340	160




AISI316 STAINLESS STEEL HAWSE PIPE
316不锈钢椭圆导缆孔



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
HK962A	103	95	138	47	38	67	23	28
HK962B	188	175	237	88	75	136	24.6	30.6

AISI316 STAINLESS STEEL HAWSE PIPE
316不锈钢方孔导缆器



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
HK963A	128	120	151	58	50	81	30.7	37.2




AISI316 STAINLESS STEEL BOW CHOCK HEAVY
316不锈钢重型导缆器



Code	Pair	A mm	B mm	C mm	Dmm
HK964A	Left	280	80	85	100
	Right	280	80	85	100

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢直导缆器



Code	A mm	B mm	C mm	Size
HK965A	100	19	27	4 inch
HK965B	125	21	32	5 inch
HK965C	152	22	32	6 inch
HK965D	203	36	38	8 inch
HK965E	254	45	40	10 inch

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜平导缆器



Code	A mm	B mm	C mm	Size
HK966A	125	19	23.5	5 inch
HK966B	152	24	26.3	6 inch

A pair, Left&Right

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜凹导缆器



Code	A mm	B mm	C mm	Size
HK967A	152	34	34	6 inch
HK967B	205	38	45	8 inch
HK967C	254	48	52	10 inch

A pair, Left&Right


AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜尖导缆器



Code	L mm	W mm	Screw	Size
HK968A	118	22	8	4-1/2inch
HK968B	152	35	8	6inch


A pair, Left&Right

AISI316 STAINLESS STEEL ALSIANGLE BOW CHOCK
316不锈钢蝴蝶导缆器



Code	L mm	W mm
HK969A	107	65

AISI316 STAINLESS STEEL HAWSEPIPE
316不锈钢三角导缆器



Code	Amm	B mm	Cmm	Dmm	Emm
HK980A	268	172	160	95	34

AISI316 STAINLESS STEEL ALSIANGLE BOW CHOCK
316不锈钢导缆器




Code	SIZE
HK970A	63mm*25mm



BOAT CLEAT

AISI316 STAINLESS STEEL HOLLOW BASE CLEAT
316不锈钢羊角索栓



Code	A mm	B mm	C mm	Size
HK1004	101	36	25	4 inch
HK1005	127	39	30	5 inch
HK1006	150	46	30	6 inch
HK1008	203	53	40	8 inch
HK1010	255	64	45	10 inch
HK1012	302	70	53	12 inch
HK1015	378	78	64	15 inch

AISI316 STAINLESS STEEL HEAVY DUTY CLEAT
316不锈钢重型羊索栓




Code	A mm	B mm	C mm	Size
HK1104	100	36	27	4 inch
HK1105	125	38	29	5 inch
HK1106	152	44	30	6 inch
HK1108	203	54	38	8 inch
HK1110	254	65	44	10 inch
HK1112	304	70	53	12 inch

AISI316 STAINLESS STEEL SILHOUETTE CLEAT
316不锈钢扁型索栓




Code	A mm	B mm	C mm	Size
HK1204	100	36	25	4 inch
HK1205	125	46	25	5 inch
HK1206	152	56	28	6 inch
HK1208	203	62	31	8 inch
HK1210	254	64	40	10 inch
HK1212	302	75	50	12 inch

AISI316 STAINLESS STEEL MAST CLEAT
316不锈钢连体索栓




Code	A mm	B mm	C mm	Size
HK1304	100	13	30.2	4 inch
HK1305	125	17	35.5	5 inch
HK1306	152	19	39.5	6 inch
HK1308	203	23	45.5	8 inch
HK1310	252	24	47.6	10 inch

AISI316 STAINLESS STEEL HUMPBACKED CLEAT
316不锈钢轻驼型索栓



Code	A mm	B mm	C mm	D mm	Size
HK1406	150	63	18	45	6 inch
HK1408	200	84	22.5	45	8 inch
HK1410	250	106	28.3	45	10 inch

AISI316STAINLESS STEEL HUMPBACKED CLEAT
316不锈钢重驼型索栓




Code	A mm	B mm	C mm	D mm	Size
HK1506	150	46	16	47	6 inch
HK1508	200	58	20	47	8 inch
HK1510	250	75	24.5	47	10 inch

AISI316 STAINLESS STEEL BOLLARD
316不锈钢把手索栓



Code	L mm	W mm	H1 mm	H2 mm
HK1705	125	26	44	45
HK1706	150	45	56	45

AISI316 STAINLESS STEEL CLEAT
316不锈钢把手索栓



Code	L1 mm	H mm	Size
HK908	205	35	8 inch
HK910	250	45	10 inch
HK912	304	47	12 inch
HK915	385	55	15 inch

AISI316 STAINLESS STEEL CLEAT “K”
316不锈钢K型索栓



Code	Lmm	Hmm
HK2108A	215	43

AISI316 STAINLESS STEEL RING CLEAT COMBI
316不锈钢牛型索栓



Code	Lmm	Dmm	Hmm
HK2201A	175	62	68

AISI316 STAINLESS STEEL CLEAT
316不锈钢鸭嘴型索栓



Code	Lmm	Dmm
HK2301A	153	46

AISI316 STAINLESS STEEL S STYLE CLEAT
316不锈钢S型索栓



Code	A mm	B mm	C mm	Dmm	Emm
HKH007S	260	70	40.5	114.5	M12

AISI316 STAINLESS STEEL TIE DOWN CLEAT
316不锈钢绳栓



Code	A mm	B mm	C mm	Size
HK013A	67	10	10	2 inch
HK013B	112	13	20	4 inch
HK013C	151	18	25	6 inch

AISI316 STAINLESS STEEL CLEAT
316不锈钢索栓



Code	A mm	B mm
HK2920	260	58
HK2922	300	65

AISI316 STAINLESS STEEL CLEAT
316不锈钢船用把手



Code	Lmm	Dmm
HK2401A	143	43




AISI316 STAINLESS STEEL FLIP UP CLEAT
316不锈钢提拉索栓



Code	A mm	B mm	C mm	Size
HK2045	118	42	28	4.5 inch
HK2406	152	51	30	6 inch
HK2408	200	66	35	8 inch

AISI316 STAINLESS STEEL FOLDING CLEAT
316不锈钢折叠索栓




Code	Amm	Bmm	Size
HK2505	127	43	5 inch
HK2506	155	52	6 inch
HK2508	203	73	8 inch

AISI316 STAINLESS STEEL FOLDING CLEAT WITH THREAD
316不锈钢带螺丝提拉索栓




Code	L mm	Wmm	Hmm	Size
HK2605	126	44	110	5inch
HK2606	155	54	135	6inch
HK2608	210	73	150	8inch

AISI316 STAINLESS STEEL FIUSH POP UP CLEAT
316不锈钢隐形索栓




Code	A mm	B mm	C mm	Emm	Size
HK2705	125	44	23	22	5 inch
HK2706	152	45	20.5	22	6 inch

AISI316 STAINLESS STEEL HEAVY POP UP CLEAT
316不锈钢隐形索栓



Code	A mm	B mm	C mm	Emm	Size
HK2705B	125	44	23	22	5 inch
HK2706B	152	45	20.5	22	6 inch

AISI316 STAINLESS STEEL FIUSH CLEAT
316不锈钢抽拉索栓




Code	A mm	B mm	C mm	Size
HK2805	129	32	65	5 inch
HK2806	160	35	70	6 inch
HK2808	210	45	96	8 inch
HK2810	260	57	121	10 inch
HK2812	310	69	125	12 inch






BIMINI TOP FITTINGS

AISI316 STAINLESS STEEL TOP CAP
316不锈钢单顶丝滑帽




Code	A mm	B mm	C mm	D mm	Size
HK4019	19.6	55	6.5	3.1	3/4"
HK4022	22.6	55	6.9	3.4	7/8"
HK4025	25.6	58	6.9	3.4	1"
HK4030	30.5	65	7.6	3.4	1-1/5"
HK4032	32.5	61	7.3	3.6	1-1/4"

AISI316 STAINLESS STEEL TOP CAP
316不锈钢三角双顶丝滑帽





Code	A mm	B mm	C mm	Size
HK4122	58	22.5	6.9	7/8"
HK4125	58	25.6	7	1"
HK4130	71	30.5	7	1-1/5"
HK4132	71	32.5	7	1-1/4"

AISI316 STAINLESS STEEL TOP CAP
316不锈钢单顶丝滑帽



Code	A mm	B mm	C mm	Size
HK4222	22.5	57	6.9	7/8"
HK4225	25.6	57	7	1"
HK4230	30.5	71	7	1-1/5"


AISI316 STAINLESS STEEL TOP CAP
316不锈钢双顶丝圆滑帽




AISI316 STAINLESS STEEL TOP CAP
316不锈钢单弯滑帽



AISI316 STAINLESS STEEL TOP CAP INSERT
316不锈钢堵头



AISI316 STAINLESS STEEL TOP CAP
316不锈钢球形滑帽



AISI316 STAINLESS STEEL TOP CAP
316不锈钢球形滑帽



Code	A mm	B mm	C mm	Size
HK4322	22.5	60	7	7/8"
HK4325	25.5	60	7	1"

Code	Size
HK4422	7/8 inch
HK4425	1 inch


Code	Amm	Bmm	Cmm
HK4519	48	21.3	18.8
HK4522	48	21.6	19.2
HK4523	49	24.7	22.2

Code	D mm
HK4622	7/8 inch
HK4625	1 inch

Code	Amm	Bmm	Cmm	Dmm
HK4722	22.2	14	27	1/4-28


TOP SLIDE JAW SLIDE

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢单顶丝滑套



Code	A mm	B mm	Size
HK4719	19.5	6.5	3/4"
HK4722	22.6	6.1	7/8"
HK4725	25.6	6.9	1"
HK4730	30.6	7.6	1-1/5"
HK4732	32.6	7.3	1-1/4"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢不带棱角双顶丝滑套



Code	A mm	B mm	C mm	D mm	Size
HK4822	22.5	60	30	7.5	7/8"
HK4825	25.6	62	31	8	1"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢带棱角双顶丝滑套



Code	A mm	B mm	C mm	Dmm	Size
HK4922	22.6	60	30	7.5	7/8"
HK4925	25.7	62	31	7.6	1"

AISI316 STAINLESS BIMINI TOP HANDRAIL
316不锈钢滑套



Code	Diameter
HK927-22	22mm
HK927-25	25mm

AISI316 STAINLESS BIMINI TOP HANDRAIL
316不锈钢滑套




Code	Amm	Bmm	Cmm	Dmm
HK4928-22	49.5	28	27.6	7/8"

AISI316 STAINLESS STEEL BRACKET
316不锈钢底座




AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢螺栓管夹



Code	A mm	B mm	C mm	Size
HK5022	22.5	64	27	7/8"
HK5025	25.5	70	28	1"
HK5030	30.5	78	29	1-1/5"
HK5032	32.5	78	29	1-1/4"
HK5028	38.6	80	30	1-1/2"
HK5050	50.6	80	30	2"

AISI316 STAINLESS STEEL TOP SLIDE WITH PIN
316不锈钢销子管夹




Code	A mm	B mm	C mm	Size
HK5122	22.5	57	27	7/8"
HK5125	25.5	70	28	1"
HK5130	30.5	78	29	1-1/5"
HK5132	32.5	78	29	1-1/4"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢重型螺栓管夹



Code	A mm	B mm	C mm	Size
HK5222	22.5	71	30	7/8"
HK5225	25.5	75	31	1"
HK5230	30.5	84	32	1-1/5"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢球形把手螺栓管夹



Code	A mm	B mm	C mm	D mm	Size
HK5322	22.5	65	23	4.7	7/8"
HK5325	25.5	67	25	4.9	1"
HK5330	30.5	68	28	4.9	1-1/5"


DECK HINGE

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢山型座




Code	Lmm	W mm
HK5401	61	18.7

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢销子小山型座



Code	Lmm	Dmm
HK5402	61	18.7

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢带环90° 销子山型座




Code	Lmm	W mm
HK5403	61	18.5

316 STAINLESS STEEL CONCAVE BASE DECK HINGE
316不锈钢弧型小山型座




Code	Lmm	Wmm	For pipe mm
HK5404A	61	18.5	22.5
HK5404B	61	18.5	25.5

316 STAINLESS STEEL CONCAVE BASE DECK HINGE - REMOVABLE PIN
316不锈钢弧型带销山型座




Code	Lmm	Wmm	For pipe mm
HK5410A	61	18.5	22.5
HK5410B	61	18.5	25.5

316 STAINLESS STEEL DECK HINGE 60°
316不锈钢斜螺栓山型座




Code	L mm	W mm
HK5411	56	18.5

316 STAINLESS STEEL DECK HINGE 60°-REMOVABLE PIN
316不锈钢斜销子山型座




Code	L mm	W mm
HK5412	61	18.5

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢金字塔山型座




Code	A mm	B mm	C mm
HK5413A	50.8	22.3	25
HK5413B	50.8	32.5	28

AISI316 STAINLESS STEEL DECK HINGE 90°
316不锈钢重型山型座



Code	A mm	B mm
HK5414A	53	26


AISI316 STAINLESS STEEL DECK HINGE 90°
316不锈钢大小型山型座



Code	L mm	W mm
HK5415A	94.2	27.5



AISI316 STAINLESS STEEL DECK SWIVEL HINGE MOUNT 360°
316不锈钢360° 旋转山型座




Code	A mm	B mm	C mm
HK5416A	81	32	33.5
HK5416B	90	30	34

AISI316 STAINLESS STEEL DECK SWIVEL HINGE MOUNT 360°WITHING
316不锈钢360° 带环山型座




Code	L mm	D mm
HK5417A	81	32
HK5417B	90	30

AISI316 STAINLESS STEEL DECK SWIVEL HINGE MOUNT
316不锈钢180° 旋转山型座




Code	Lmm	W mm
HK5418A	70	25

316 STAINLESS STEEL CONCAVE BASE DECK HINGE
316不锈钢180° 旋转销子山型座




Code	Lmm	Wmm
HK5419A	70	25

316 STAINLESS STEEL 180 ° ROTARY RING MOUNTAIN SEAT
316不锈钢180° 旋转带圆环山型座



Code	Lmm	Wmm
HK5420A	70	25


316 STAINLESS STEEL REMOVABLE MOUNTAIN SEAT
316不锈钢可拆卸山型座



Code	Lmm	Wmm
HK5430A	70	25


AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD 60°)
316不锈钢前船支架

Code	D	L	W	H	Size
HK5500A	22.5	28	40	45.1	7/8"
HK5500B	25.5	29	41	56	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 60°)
316不锈钢中船支架

Code	D	L	W	H	Size
HK5501A	22.5	28	40	45	7/8"
HK5501B	25.5	30	41	65	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (END 60°)
316不锈钢末尾船支架

Code	D	L	W	H	Size
HK5502A	22.5	28	40	45	7/8"
HK5502B	25.5	30	41	65	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 60°)
316不锈钢前/后船支架

Code	D	L	W	H	Size
HK5504A	22.5	30	36	66.2	7/8"
HK5504B	25.5	31	35	69.2	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 90°)
316不锈钢中船支架



Code	L1 mm	L2 mm	W mm	H1 mm	D1 mm
HK5411	67	50.5	22.5	60	25.8

AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD/END 90°)
316不锈钢前/后船支架




Code	L1 mm	L2 mm	W mm	H1 mm	D1 mm
HK5412	67	51.5	30	60	25.8

AISI316 STAINLESS STEEL CENTER FITTING FOR HANDRAIL
316不锈钢通孔支架




Code	D mm	H mm
HK5442A-22	22.5	59
HK5442B-25	25.6	64

AISI316 STAINLESS STEEL END FITTING FOR HANDRAIL
316不锈钢盲孔支架



Code	D mm	H mm
HK5443A-22	22.6	59
HK5443B-25	25.7	64

AISI316 STAINLESS STEEL D
316不锈钢方底座支架



Code	Lmm	W mm	D1 mm	Size
HK5482A-22	70	25	22.6	7/8"
HK5482B-25	61.8	45.3	25.7	1"


316 STAINLESS STEEL RAIL END TUBING HANDRAIL
316不锈钢内孔羊蹄支架



Code	A mm	B mm
HK5483A	187.5	25


AISI316 STAINLESS STEEL RAIL END
316不锈钢小羊蹄子支架

Code	D mm	L mm	Size
HK5470A-22	22	119	7/8"




AISI316 STAINLESS STEEL RAIL END
316不锈钢羊蹄支架

Code	D mm	L mm	Size
HK5471A-22	22.5	175	7/8"
HK5471B-25	25.6	175	1"




AISI316 STAINLESS STEEL RAIL END
316不锈钢内孔管子支架

Code	A mm	B mm
HK5473A	110	19.6



AISI316 STAINLESS STEEL MAST BRACKET
316不锈钢梯形管子支架


Code	A mm	B mm	C mm
HK5474A-25	100	25	61






PIPE STANCHION

AISI316 STAINLESS STEEL HANDRAIL 30°ROUND BASE
316不锈钢30° 圆管座




Code	A mm	B mm	C mm	Size
HK5413-3022	22.5	66.3	37.8	7/8"
HK5413-3025	25.6	72.2	36.7	1"

AISI316 STAINLESS STEEL HANDRAIL 45°ROUND BASE
316不锈钢45° 圆管座




Code	A mm	B mm	C mm	Size
HK5414-4522	22.5	66.3	37.8	7/8"
HK5414-4525	25.6	72.2	36.7	1"

AISI316 STAINLESS STEEL HANDRAIL 60°ROUND BASE
316不锈钢60° 圆管座




Code	A mm	B mm	C mm	Size
HK5415-6022	22.5	66.3	41.1	7/8"
HK5415-6025	25.5	72.2	40	1"
HK5415-6030	30.5	71.5	46	1-1/5"
HK5415-6032	32.5	71.5	46	1-14"

AISI316 STAINLESS STEEL HANDRAIL 90°ROUND BASE
316不锈钢90° 圆管座




Code	A mm	B mm	C mm	Size
HK5416-9022	22.5	66	44.7	7/8"
HK5416-9025	25.5	69	44.7	1"
HK5416-9030	30.5	72	43.2	1-1/5"
HK5416-9032	32.5	75	43.2	1-1/4"

AISI316 STAINLESS STEEL HANDRAIL 30°RECTANGULAR BASE
316不锈钢30° 方管座




Code	A mm	B mm	C mm	D mm	Size
HK 5417-3022	78.7	44	35.6	22.5	7/8"
HK 5417-3025	82	47.3	38	25.5	1"

AISI316 STAINLESS STEEL HANDRAIL 45°RECTANGULAR BASE
316不锈钢45° 方管座




Code	A mm	B mm	C mm	D mm	Size
HK5418A-4522	78.7	44	39	22.5	7/8"
HK5418B-4525	82	47.3	43.6	25.5	1"

AISI316 STAINLESS STEEL HANDRAIL 60°RECTANGULAR BASE
316不锈钢60° 方管座



Code	A mm	B mm	C mm	D mm	Size
HK5419A-6022	79	44	39	22.5	7/8"
HK5419B-6025	82	47.3	44	25.5	1"
HK5419C-6030	86	52	51.6	30.5	1-1/5"
HK5419D-6032	86	52	51	32.5	1-1/4"

AISI316 STAINLESS STEEL HANDRAIL 90°RECTANGULAR BASE
316不锈钢90° 方管座



Code	A mm	B mm	C mm	D mm	Size
HK5420A-9022	79	44	44	22.5	7/8"
HK5420B-9025	82	47	47	25.5	1"
HK5420C-9030	86	52	51	30.5	1-1/5"
HK5420D-9032	87	52	53	32.5	1-1/4"

AISI316 STAINLESS STEEL HANDRAIL 45° WELDABLE ROUND BASE
316不锈钢可焊接斜45° 圆管座



Code	D1 mm	D2 mm	H mm	Size
HK5430-22	22.5	66	13	7/8"
HK5430-25	25.5	80	10	1"

AISI316 STAINLESS STEEL HANDRAIL 60° RECTANGULAR BASE
316不锈钢可焊接斜60° 圆管座




Code	D1 mm	D2 mm	H mm	Size
HK5431-22	22.5	66	13	7/8"
HK5431-25	25.5	80	16	1"

AISI316 STAINLESS STEEL HANDRAIL 90° RECTANGULAR BASE
316不锈钢可焊接90° 圆管座



Code	D1 mm	D2 mm	H mm	Size
HK5432-22	22.5	66	16	7/8"
HK5432-25	25.5	75	16	1"

AISI316 STAINLESS STEEL HANDRAIL 45° RECTANGULAR BASE
316不锈钢可焊接45° 方管座



Code	D mm	L mm	W mm	H mm	Size
HK5435-22	22	78	44	12.5	7/8"
HK5435-25	25	78	44	15	1"

AISI316 STAINLESS STEEL HANDRAIL60° RECTANGULAR BASE
316不锈钢可焊接60° 方管座



Code	D mm	L mm	W mm	H mm	Size
HK5436-22	22	78	44	13	7/8"
HK5436-25	25	78	44	14	1"


AISI316 STAINLESS STEEL HANDRAIL60° RECTANGULAR BASE
316不锈钢可焊接60° 方管座



Code	D mm	L mm	W mm	H mm	Size
HK5437-22	22	78	44	13	7/8"
HK5437-25	25	78	44	14	1"


AISI316 STAINLESS STEEL VIBRATION MILLING FLAGPOLE BASE
316不锈钢振动研磨旗杆座

Code	A mm	B mm	C mm	D mm	Emm
HK5042A	109	100	25.8	58	26




AISI316 STAINLESS STEEL MIRROR POLISHED FLAGPOLE BASE
316不锈钢镜面抛光旗杆座

Code	A mm	B mm	C mm	D mm	Emm
HK5043A	109	100	25.8	58	26



AISI316 STAINLESS STEEL 60°STANCHION BASE
316不锈钢斜60° 旗杆座

Code	D mm	H mm	Size
HK5438-25	25	69	1"
HK5438-30	30	80	1-1/5"



AISI316 STAINLESS STEEL 90°STANCHION BASE
316不锈钢90° 旗杆座

Code	D mm	H mm	Size
HK5439-25	25	69	1"
HK5439-30	30	80	1-1/5"



AISI316 STAINLESS STEEL 90°STANCHION BASE
316不锈钢斜60° 圆筒旗杆座

Code	A mm	B mm	Size
HK5440A-25	25	66.5	1"
HK5440B-30	30	61	1-1/5"
HK5440C-32	32	61	1-1/4"



AISI316 STAINLESS STEEL 90°STANCHION BASE
316不锈钢90° 圆筒旗杆座




Code	A mm	B mm	Size
HK5441A-25	25	66.5	1"
HK5441B-30	30	61	1-1/5"
HK5441C-32	32	61	1-1/4"

AISI316 STAINLESS STEEL STANCHION BASE
316不锈钢旗杆座




Code	D mm	L mm	M mm	H mm
HK5481A	14	85.6	40.5	33.2
HK5481B	20	86	42	44.4
HK5481C	25	90.5	45	52

AISI316 STAINLESS STEEL DRAIN PLUG
316不锈钢方形堵头



Code	D mm
HK5050B	50

AISI316 STAINLESS STEEL DRAIN PLUG
316不锈钢子弹头堵头




Code	A mm	B mm
HK5422A	38.5	20
HK5425A	40	25
HK5430A	42.6	30

STAINLESS STEEL DIAMOND GARBOARD DRAIN PLUG
316不锈钢椭圆堵头



Code	A mm	B mm	C mm	D mm	F mm
HK19024	70	41.5	52.5	25.5	31

STAINLESS STEEL DIAMOND GARBOARD DRAIN PLUG
316不锈钢子弹头堵头




Code	A	B	C	D	E	F	G	H	(mm)
HK5490A	50.3	54	19.4	13.8	25.1	37.2	39.1	5.3	



RAIL CONNECTOR


AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢拉抽销活节管子接头

Code	D mm	L mm	Size
HK5459A-22	22.5	37.4	7/8"
HK5459A-25	25.5	37.7	1"




AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢拉抽销活节管子接头（带防丢绳）

Code	D mm	L mm	Size
HK5459B-22	22.5	37.4	7/8"
HK5459B-25	25.5	37.7	1"




AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢旋转接头活节管子接头

Code	D mm	L mm	Size
HK5460-22	22.5	37.4	7/8"
HK5460-25	25.5	37.7	1"




AISI316 STAINLESS STEEL 90°ELBOW
316不锈钢90° 弯头

Code	A mm	B mm	C mm	Size
HK5445-22	50	50	22.6	7/8"
HK5445-25	51	51	25.7	1"
HK5445-30	54	54	30.5	1-1/5"
HK5445-32	55	55	32.6	1-1/4"




AISI316 STAINLESS STEEL HANDRAIL 60°HANDRAIL TEE
316 不锈钢60° 扶手三通




Code	A mm	B mm	C mm	Size
HK5446-22	57	48	22.5	7/8"
HK5446-25	60	52	25.5	1"
HK5446-30	76	76	30.5	1-1/5"
HK5446-32	76	76	32.6	1-1/4"

AISI316 STAINLESS STEEL 60°LEFT HAND HANDRAIL TEE
316 不锈钢60° 左侧扶手三通




Code	A mm	B mm	C mm	Size
HK5447-22	22.6	48	57	7/8"
HK5447-14	25.5	52	60	1"

AISI316 STAINLESS STEEL 60°RIGHT HAND HANDRAIL TEE
316 不锈钢60° 右侧扶手三通




Code	A mm	B mm	C mm	Size
HK5448-22	22.6	48	57	7/8"
HK5448-25	25.5	52	60	1"

AISI316 STAINLESS STEEL 90°HANDRAIL TEE
316 不锈钢直三通



Code	A mm	B mm	C mm	Size
HK5449-22	22.5	52	51	7/8"
HK5449-25	25.5	53	51	1"
HK5449-30	30.6	76	83	1-1/5"
HK5449-32	32.5	76	88	1-1/4"


AISI316 STAINLESS STEEL 90°HANDRAIL TEE
316 不锈钢开口三通



Code	D mm	L mm	W mm	Size
HK5450-22	22.5	52	52	7/8"
HK5450-25	25.5	55	55	1"


AISI316 STAINLESS STEEL 90°3-WAY TEE CONNECTOR
316 不锈钢坐三通

Code	A mm	B mm	C mm	Size
HK5454-22	49.2	22.5	49.2	7/8"
HK5454-25	49	25.5	49	1"
HK5454-30	49	30.6	49	1-1/5"
HK5454-32	57	32.5	57	1-1/4"




AISI316 STAINLESS STEEL 90°4-WAY TEE CONNECTOR
316 不锈钢坐四通

Code	A mm	B mm	C mm	Size
HK5455-22	22.5	72.4	51	7/8"
HK5455-25	25.5	71.7	51.4	1"




AISI316 STAINLESS STEEL 90°CROSS TEE CONNECTOR
316 不锈钢十字通

Code	A mm	B mm	C mm	Size
HK5456-22	22.5	72.4	72.5	7/8"
HK5456-25	25.5	71.7	71.7	1"
HK5456-30	30.5	75	75	1-1/5"




AISI316 STAINLESS STEEL BOW FORM
316 不锈钢弓形弯头

Code	D mm	L mm	H mm	T	Size
HK11022	22.6	63	63	110°	7/8"
HK11025	25.6	63	63	110°	1"
HK12022	22.6	64	64	120°	7/8"
HK12025	25.6	64	64	120°	1"
HK12522	22.6	64	64	125°	7/8"
HK12525	25.6	64	64	125°	1"
HK14022	22.6	59	59	140°	7/8"
HK14025	25.6	59	59	140°	1"




AISI316 STAINLESS STEEL 60°HANDRAIL BASE
316 不锈钢 60° 开口三通

Code	D mm	L mm	W mm	Size
HK5451-22	22.5	48	57	7/8"
HK5451-25	25.5	52	60	1"




AISI316 STAINLESS STEEL 60° TEE CONNECTOR
316不锈钢60° 提手三通




Code	D mm	L mm	W mm	Size
HK5459-22	22.5	48	57	7/8"

AISI316 STAINLESS STEEL 90°2-WAY TEE CONNECTOR
316不锈钢90°2通三通接头




Code	D mm	Degree
HK5457A	22.5	90°

AISI316 STAINLESS STEEL 90° TEE CONNECTOR
316不锈钢90° 提手三通




Code	D mm	L mm	W mm	Size
HK5459-22	22.5	48	57	7/8"

AISI316 STAINLESS STEEL BLIND BASE
316不锈钢盲板底座



Code	D mm	L mm	H mm	Size
HK5458A	25.5	87	34.2	1"

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢调节弯头



Code	D1 mm	D2 mm
HK5461A	17.5	20.2
HK5461B	17	20
HK5461C	19.4	22
HK5461D	18.8	22




CASTING HINGE

PEOPLE OF DIFFERENT SPECIFICATIONS ARE YOUR CHOICE




Code	A mm	B mm	Thickness mm
HK07638	76	38	4




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	A mm	B mm	Thickness mm
HK10538A	105	38	4.5
HK11038B	110	38	4.5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	L mm	W mm	Thickness mm
HK5738A	57	38	4.1
HK7638B	76	38	4.1



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	A mm	B mm	Thickness mm
HK3838A	38	38	3.9
HK4040B	40	40	3.9
HK5050C	50	50	3.9




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
HK20038A	200	38	2.4




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	A mm	B mm	C mm	Thickness mm
HK7575	75	75	6	3.9

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
HK7676	76	76	3.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
HK5437A	54	37	4.2
HK7037B	70	37	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
HK6037A	60	37	4.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
HK7638A	76	38	3.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
HK7040A	71	40	3.5
HK8164A	81	64	3.5


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢分体左/右合页

Code	L mm	W mm	Thickness mm
HK9040L	90	40	5
HK9040R	90	40	5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
HK10327	103	27	4.3




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
HK15230	152	30	5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	L mm	W mm	Thickness mm
HK17038	170	18	4.5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

		Code	L mm	W mm	Thickness mm
		HK11038	110	38	4.3


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

		Code	L mm	W mm	Thickness mm
		HK07835A	78	35	4.3
		HK17140B	171	40	4
		HK18963C	189	63	4.3
		HK22564D	225	64	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

		Code	L mm	W mm	Thickness mm
		HK14038A	140	38	2.9
		HK14738B	147	38	3.2


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢“T”型合页

		Code	L mm	W mm	Thickness mm
		HK10054A	100	54	5.20
		HK15175B	151	75	5.22
		HK20097C	200	97	5.23


AISI316 STAINLESS STEEL CASTING ROUND HINGE
316不锈钢对称合页

	Code	L mm	W mm	Thickness mm
	HK06565	65	65	7.7


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

		Code	L mm	W mm	Thickness mm
		HK8070A	80	70	5


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

		Code	L mm	W mm	Thickness mm
		HK10070A	100	70	6
		HK12090B	120	90	6


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

		Code	L mm	W mm	Thickness mm
		HK100100A	100	100	6.4

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

		Code	L mm	W mm	Thickness mm
		HK07040A	70	40	3.5
		HK08365B	83	65	3.7
		HK10365C	103	65	3.7

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

		Code	L mm	W mm	Thickness mm
		HK6629A	66	29	3.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
HK7835A	78	35	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
HK8360A	83	60	4.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	L mm	W mm	Thickness mm
HK7550A	75	50	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
HK18664A	186	64	4.3

AISI316 STAINLESS STEEL STAMPING HINGE
316不锈钢合页



Code	L mm	W mm	Thick mm
HK7040A	70	40	3.6


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
HK8959A	89	59	3.8


AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢合页

Code	L mm	W mm	Thickness mm
HK7654A	76	54.3	6.3




AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢合页


Code	L mm	W mm	Thickness mm
HK7665B	76	65.5	6.3




AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢合页


Code	L mm	W mm	Thickness mm
HK7165A	71	65.5	6.3









型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK141-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	左
HK141-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	右




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK142-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	左
HK142-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	右




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK143-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-1
HK143-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-1




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK144	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK144	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK144	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL140




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	N	D	R	备注 Remarks
HK147-30	304S.S	镜面抛光/拉丝抛光/振动研磨 Mirror polish/Wire drawing polish/ Vibration grinding	180°	30	6.4	10.2	CL113
HK147-34	201S.S			34			




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK148	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-19




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK149	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK150	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-3 2-2




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK151	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL114




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK152	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK153	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-32





型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK154	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL152




型号 Code	材质 Material	表面处理 Surface treatment	D	备注 Remarks
HK155-32	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	32	CL077-1
HK155-36	304S.S		36	CL077-2/SSK21-36



型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK156-Z	304S.S	振动研磨/Vibration grinding	180°	
HK156-D	304S.S	镀锌/Galvanized steel		



型号 Code	材质 Material	表面处理 Surface treatment	M	N	转动角度 Rotation angle	备注 Remarks
HK157-35	304S.S	镜面抛光/拉丝抛光/振动研磨 Mirror polish/Wire drawing polishVibration grinding	46	35	180°	
HK157-35	304S.S		59	45	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
HK156-Z	304S.S	振动研磨/Vibration grinding	180°	
HK156-D	碳钢/Carbon steel	镀锌/Galvanized steel	180°	




PULL RINGS

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢地板拉环




Code	A mm	B mm
HK4038A	48	38

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢地板拉环




Code	A mm	B mm
HK6244B	62	44

AISI316 STAINLESS STEEL ROUND FLUSH LIFT RING
316不锈钢圆形地板拉环




Code	D mm
HK0505A	50

AISI316 STAINLESS STEELSTAMPING SQUARE FLUSH LIFT RING WITH SPRING
316不锈钢冲压地板拉环





Code	A mm	B mm
HK4438A	44	38
HK6555B	65	55

AISI316 STAINLESS STEEL HEAVY SQUARE FLUSH LIFT RING WITH SPRING
316不锈钢重型地板拉环




Code	A mm	B mm
HK4538A	45	38
HK6656B	66	56

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢方形地板拉环




Code	A mm	B mm
HK7658A	76	58

AISI316 STAINLESS STEEL FLUSH LIFT RING
316不锈钢方D型拉环



Code	A mm	Bmm	Cmm	Dmm
HK19006A	27	29	44	40
HK19008B	34	36	55	49.5
HK19010C	44	47.5	70	65

AISI316 STAINLESS STEEL PULL HANDLE LASHING FLUSH D LIFT RING
316不锈钢方拉手捆扎平齐吊环



Code	A mm	Bmm	Cmm	Dmm
HK19006A	66	106	30	86

AISI316 STAINLESS STEEL DOOR BUTTON
316不锈钢门扣



Code	D mm
HK4450A	45

AISI316 STAINLESS STEEL DOOR BUTTON
316不锈钢门扣



Code	D mm
HK4451A	55

Surface Treatment:
Ordinary polish / Mirror polish


AISI316 STAINLESS STEEL LOCKABLE CLAMP LATCH
316不锈钢箱包扣



Code	L1 mm	L2 mm	W1 mm	W2 mm
HK11238A	112	38	50	50

AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢方形箱包扣

Code	L1 mm	L2 mm	W1 mm	W2 mm
HK8225A	82.5	25.4	27.8	28




AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢锁扣

Code	L1 mm	L2 mm	W1 mm	W2 mm
HK8225B	82.5	25.4	27.8	28



AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢锁扣


Code	L mm	W mm
HK9039A	90	39
HK11039B	110	39





FOLDING STEP


AISI316 STAINLESS STEEL FOLDING STEP
316不锈钢方形马蹄蹬/脚踏



Code	L mm	W mm
HK12043A	137	109


AISI316 STAINLESS STEEL FOLDING STEP
316不锈钢直孔马蹄蹬/脚踏

Code	A mm	B mm	C mm
HK12548B	125	109	48




AISI316 STAINLESS STEEL FOLDING STEP
316不锈钢沉孔马蹄蹬/脚踏

Code	A mm	B mm	C mm	D mm	E mm	F mm
HK12580	127	107	81	40	85.5	90
HK162120	165	140	120	44	112	110




AISI316 STAINLESS STEEL BOAT HOOK
316不锈钢船篙头

Code	A mm	D mm
HK17034A	170	28
HK19034A	190	34
HK19037A	190	37



STAINLESS STEEL ROW LOCK
316不锈钢浆叉


Code	A mm	B mm	C mm	D mm	E mm	G mm
HK1501-6	150	35	56	70	5.5	19






LOCK & LATCH

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁/护套款




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6250A	62	50.5	11.5	37.4

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁/护片款




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6251A	62	50.5	11.5	37.4

AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6250B	62	50.5	11.5	37.4

MYLON MATERIAL TURNING LOCK
尼龙地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
HK6253-W	62	50.5	11.5	37.4	WHITE

MYLON MATERIAL TURNING LOCK WITH KEY
尼龙带钥匙地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
HK6251B-B	62	50.5	11.5	37.4	BLACK
HK6251B-W	62	50.5	11.5	37.4	WHITE

NYLON MATERIALTURNING LOCK
尼龙地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
HK6252-B	62	50.5	11.5	37.4	BLACK

AISI316 STAINLESS STEEL RUBBER PAD FLOOR LOCK
316不锈钢橡胶垫地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6252A	62	52	17.8	37.9

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢红心地板锁



Code	A mm	B mm	C mm
HK6482A	64	82	15

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁



Code	A mm	B mm	C mm
HK6472A	64	72	13

“T” TURNING LOCK WITH KEY
316不锈钢地板锁/护套款 带钥匙




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6250C	62	51	10.7	70

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6250C	62	51	10.7	70

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6151A	61.5	51	10.5	68.5

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁护套款 带钥匙




Code	D1 mm	D2 mm	H1 mm	H2 mm
HK6251D	62	51	10.7	75

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁



Code	A mm	B mm	C mm
HK6010A	64	100	25
HK6010B	86	100	25

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁



Code	A mm	B mm	C mm
HK8067A	80	67.5	110



THRU-HULL & TANK VENT

www.zbmetals.com

AISI316 STAINLESS STEEL TANK VEN
316不锈钢透气孔




Code	A mm	B mm	C mm	Size
HK1301-15	65	21	14.5	1/2 inch
HK1302-19	65	26	19	3/4 inch
HK1303-25	75	34	26.5	1 inch
HK1304-40	78	42	35	1-1/4 inch
HK1305-38	83	48	39	1-1/2 inch
HK1306-50	90	59	50.8	2 inch

AISI316 STAINLESS STEEL THRU-HULL
316不锈钢全丝出水口




Code	D mm	H mm	Size
HK1101A	16.5	54	3/8 inch
HK1102A	21	59	1/2 inch
HK1103A	26	69	3/4 inch
HK1104A	33.5	72	1 inch
HK1105A	43	78.5	1-1/4 inch
HK1106A	48	79.3	1-1/2 inch
HK1107A	60	95	2 inch
HK1108A	75	110	2-1/2 inch
HK1109A	88	120	3 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢半丝出水口



Code	D1 mm	D2 mm	H mm	Size
HK1101B	16.5	14	53	1/2 inch
HK1102B	21	18.5	61	3/4 inch
HK1103B	26	23	70	7/8inch
HK1104B	33	26	72	1 inch
HK1105B	42	33.5	78	1-1/4 inch
HK1106B	42	39.5	79	1-1/2 inch
HK1107B	59	52	98	2inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢加长半丝出气口



Code	D mm	H mm	Size
HK1201A	14	87	1/2 inch
HK1202A	18	96	3/4 inch
HK1203A	24.5	95.5	1 inch
HK1204A	32	87	1-1/4 inch
HK1205A	38	97	1-1/2 inch


www.zbmetals.com

PLASTIC DECK FILLER SOCKET OF FUEL
316不锈钢排水口




Code	A mm	B mm	C mm	D mm	E mm	Size
HK0620-16	73.5	42		23	16	5/8 inch
HK0620-20	80	50.5		26.5	18.5	3/4 inch
HK0620-25	93	61		33	25	1 inch
HK0620-32	97	67		41	31.5	1-1/4 inch
HK0620-38	102	75		46.5	38	1-1/2 inch
HK0620-50	130	90		57	51	2 inch

AISI316 STAINLESS STEEL COCKPIT
316不锈钢可拆卸弯地漏




Code	A mm	B mm	C mm	Size
HK1401A-32	79	103	32.5	32 mm
HK1402A-38	79	103	38.5	38 mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢一体弯地漏



Code	A mm	B mm	C mm	Size
HK1501A-32	79	103	32.5	32mm
HK1502A-38	79	103	38.5	38mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢焊接直地漏



Code	A mm	B mm	C mm	Size
HK1601A-50	51	82	80	50mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢可拆卸直地漏




Code	D1 mm	D2 mm	H mm	Size
HK1602A-25	22	25	28	25mm
HK1602B-38	58	38	60	38mm

AISI316 STAINLESS STEEL COCKPIT DRAOM SCUPPER WITH BALL
316不锈钢浮球地漏




Code	A mm	B mm	C mm	Size
HK1701A-38	92	115	40	38mm

AISI316 STAINLESS STEEL INTAKE STRAINER
316不锈钢海底门




Code	A mm	B mm	C mm	D mm	E mm	Size
HK1801A	90	82	16.5	11	65	3/8 inch
HK1802A	90	82	21	12.5	66	1/2 inch
HK1803A	107	104	26	18.5	80	3/4 inch
HK1804A	106	106	33	25.5	76	1 inch
HK1805A	103	117	42	32	78	1-1/4 inch
HK1806A	109	133	47.5	38	80	1-1/2 inch
HK1807A	124	152	60	50	91	2 inch
HK1808A	153	198	75	63.5	112	2-1/2 inch
HK1809A	178	240	88	76	130	3 inch

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口




Code	D mm	H1 mm	H2 mm	H3 mm
HK2880A	16	82	28	70

AISI316 STAINLESS STEEL 90 DEGREE TANK VENT
316不锈钢90° 出气口



Code	D mm	H1 mm	H2 mm	H3 mm
HK2880B	16	84	28	49

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口



Code	D mm	H1 mm	H2 mm	H3 mm
HK12881A	16	84	28	70

AISI316 STAINLESS STEEL 90 DEGREE TANK VENT
316不锈钢90° 出气口




Code	D1 mm	H1 mm	H2 mm	H mm
HK2881B	16	84	28	49



DECK PLATE
MARINE GRADE 316 STAINLESS STEEL,
MIRROR POLISHE.


AISI316 STAINLESS STEEL DECK PLATE
AISI316不锈钢甲板圆盘

Code	D1 mm	D2 mm	Size
HK3103A	123	81.8	3 inch
HK3104A	147	106	4 inch
HK3105A	173	133	5 inch
HK3106A	196.5	161.8	6 inch




AISI316 STAINLESS STEEL ANTENNA BASE
AISI316不锈钢甲板圆盘

Code	D1 mm	D2 mm	Size
HK3203A	81.8	123	3 inch
HK3204A	106	147	4 inch
HK3205A	133	173	5 inch
HK3206A	161.8	196.5	6 inch




STAINLESS STEEL ROUND AIR LOUVER VENT(SLIDE KHOB OPENING)
316不锈钢圆形百叶风口 (滑动孔)

Code	A mm	B mm	C mm	D mm	Size
HK1702-5	125	81.5	3.5	3	5 inch



STAINLESS STEEL ROUND AIR LOUVER VENT(SLIDE KHOB OPENING)
316不锈钢圆形百叶风口 (滑动孔)


Code	A mm	B mm	C mm	D mm	Size
HK1701-4	101	65	3.5	3	5 inch
HK1701-5	125	81.5	3.5	5.5	5.5 inch





DECK FILLER & RV ACCESSORIES


AISI316 STAINLESS STEEL DECK FILLER (WITH KEYLESS CAP)
316不锈钢翻盖直油漆体



Code	D mm	H mm	Model
HK1038A - FUEL	38	80	FUEL
HK1050A - FUEL	50	80	FUEL
HK1138A - DIESEL	38	80	DIESEL
HK1150A - DIESEL	50	80	DIESEL
HK1238A - WASTE	38	80	WASTE
HK1250A - WASTE	50	80	WASTE
HK1338A - GAS	38	80	GAS
HK1350A - GAS	50	80	GAS
HK1438A - WATER	38	80	WATER
HK1450A - WATER	50	80	WATER


Support for lettering

AISI316 STAINLESS STEEL DECK FILLER (WITH KEY)
316不锈钢带钥匙油箱体



Code	D mm	H mm	Model
HK2038A-FUEL	38	80	FUEL
HK2050A-FUEL	50	80	FUEL
HK2138A-DIESEL	38	80	DIESEL
HK2150A-DIESEL	50	80	DIESEL
HK2238A-WASTE	38	80	WASTE
HK2250A-WASTE	50	80	WASTE
HK2338A-GAS	38	80	GAS
HK2350A-GAS	50	80	GAS
HK2438A-WATER	38	80	WATER
HK2450A-WATER	50	80	WATER


AISI316 STAINLESS STEEL DECK FILLER
316不锈钢45° 小舌头油箱体



AISI316 STAINLESS STEEL DECK FILLER
316不锈钢90° 小舌头油箱体



AISI316 STAINLESS STEEL DECK FILLER
316不锈钢弯翻盖油箱体



PLASTIC DECK FILLER SOCKET OF WATER
316不锈钢塑料加水口



Code	D mm	H mm	Model
HK3038A-FUEL	38	78	FUEL
HK3050A-FUEL	50	97	FUEL
HK3138A-DIESEL	38	78	DIESEL
HK3150A-DIESEL	50	97	DIESEL
HK3238A-WASTE	38	78	WASTE
HK3250A-WASTE	50	97	WASTE
HK3438A-WATER	38	78	WATER
HK3450A-WATER	50	97	WATER

Code	D mm	H mm	Model
HK4038A-FUEL	38	87.1	FUEL
HK4050A-FUEL	50	87.1	FUEL
HK4138A-DIESEL	38	87.1	DIESEL
HK4150A-DIESEL	50	87.1	DIESEL
HK4238A-WASTE	38	87.1	WASTE
HK4250A-WASTE	50	87.1	WASTE
HK4438A-WATER	38	87.1	WATER
HK4450A-WATER	50	87.1	WATER

Code	D mm	H mm	Model
HK5038A-FUEL	38	76	FUEL
HK5050A-FUEL	50	91	FUEL
HK5138A-DIESEL	38	76	DIESEL
HK5150A-DIESEL	50	91	DIESEL
HK5238A-WASTE	38	76	WASTE
HK5250A-WASTE	50	91	WASTE
HK5438A-WATER	38	76	WATER
HK5450A-WATER	50	91	WATER

Code	Specs	Current	Power	KHz	SPL
HK-HS-12V	Single	3.5A	42W	345Hz	125dB(A)
HK-HS-24V	Single	1.75A	42W	345Hz	125dB(A)
HK-HD-12V	Dual	7A	84W	370Hz	125dB(A)
HK-HD-24V	Dual	3.5A	84W	370Hz	125dB(A)



FISHING ROD HOLDER & CUP HOLDER

AISI316 STAINLESS STEEL HEVAY FLUSH MOUNT ROD HOLDER
316不锈钢重型焊接鱼竿座

Code	Length	Liner I.D.	Degree
HK1030A-15	9 inch	1-5/8 inch	15°
HK1060B-30	9 inch	1-5/8 inch	30°
HK1090C-90	9 inch	1-5/8 inch	90°



AISI316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER
316不锈钢带垫片鱼竿座

Code	Length	Liner I.D.	Degree
HK1130A-15	9 inch	1-5/8 inch	15°
HK1160A-30	9 inch	1-5/8 inch	30°
HK1190A-90	9 inch	1-5/8 inch	90°



AISI316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER
316不锈钢鱼竿座



Code	Length	Liner I.D.	Degree	Color
HK1130B-15-W	9 inch	1-5/8 inch	15°	white
HK1160B-30-W	9 inch	1-5/8 inch	30°	white
HK1190B-90-W	9 inch	1-5/8 inch	90°	white
HK1130B-15-B	9 inch	1-5/8 inch	15°	black
HK1160B-30-B	9 inch	1-5/8 inch	30°	black
HK1190B-90-B	9 inch	1-5/8 inch	90°	black

AISI316 STAINLESS STEEL ROD HOLDER
316不锈钢带排水管鱼竿座



Code	Length	Liner I.D.	Degree
HK1230A-15	9 inch	1-5/8 inch	15°
HK1260A-30	9 inch	1-5/8 inch	30°
HK1290A-90	9 inch	1-5/8 inch	90°
NOTE	Rod holder with drain		

AISI316 STAINLESS STEEL SLIDE MOUNT ROD HOLDER
316不锈钢可拆卸式鱼竿座



Code	Length	Liner I.D.	Degree
HK1310A	10 inch	1-3/4 inch	90°

AISI316 STAINLESS STEEL MOUNT ROD HOLDER
316不锈钢不可拆卸鱼竿座



Code	Length	Liner I.D.	Degree
HK1311B	10 inch	1-3/4 inch	90°

AISI316 STAINLESS STEEL CLAMP-ON ADJUSTABLE FISHING ROD HOLDER
316不锈钢底座360° 可旋转鱼竿座



Code	Length	Liner I.D.	Tube L.
HK18290A-360	290 mm	1-3/4 inch	8-1/2 inch
NOTE	Rod holder with drain		

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢360° 管夹式鱼竿座



Code	Length	Liner I.D.	Degree
HK1409A	9 inch	1-5/8 inch	90°

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢鱼竿座



Code	Length	Liner I.D.	Pipe clamp
HK1509A	9 inch	1-5/8 inch	7/8inch-1 inch
HK1509B	9 inch	1-5/8 inch	1inch-1-1/4inch
HK1509C	9inch	1-5/8 inch	1-1/4inch-2 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢鱼竿座



Code	Length	Liner I.D.	Pipe clamp
HK1609A	9 inch	1-5/8 inch	7/8inch-1 inch
HK1609B	9 inch	1-5/8 inch	1inch-1-1/4inch
HK1609C	9inch	1-5/8 inch	1-1/4inch-2 inch

AISI316 STAINLESS STEEL CLAMP-ON ADJUSTABLE ROD HOLDER
316不锈钢夹持式可调鱼竿座



Code	For pie size.	Rod holder I.D
HK1943A	7/8 inch-1 inch	1-3/4 inch
HK1943B	1 inch-1/1/4 inch	1-3/4 inch
HK1943C	1-1/2 inch-1-5/8 inch	1-3/4 inch

AISI316 STAINLESS STEEL CLAMP-ON ADJUSTABLE ROD HOLDER
316不锈钢夹持式可调鱼竿座



Code	For pie size.	Rod holder I.D
HK20143A	3/4 inch	1-3/4 inch
HK20143B	1 inch	1-3/4 inch
HK20143C	1-1/4 inch	1-3/4 inch

AISI316 STAINLESS STEEL CLAMP-ON ADJUSTABLE ROD HOLDER
316不锈钢夹持式可调鱼竿座



Code	For pie size.	Rod holder I.D
HK22143A	7/8 inch	1-3/4 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢夹持可调鱼竿座



Code	Length	Liner I.D.	Tube L.
HK2302A	4inch*3/4inch	1-1/2 inch	8-1/2inch
NOTE	Rod holder with drain		

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢夹持杆座鱼竿座



Code	Length	Liner I.D.	Degree
HK2230A	8.3 inch	φ44.5mm	15°
HK2260A	8.3 inch	φ44.5mm	30°
HK2290A	8.3 inch	φ44.5mm	90°

AISI316 STAINLESS STEEL 3 FISHING ROD RACK
316不锈钢3联鱼竿座



Code	I.D.	Tube Length	Width Length
HK2311A	1-5/8 inch	9 inch	11-1/2 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢4联鱼竿座



Code	I.D.	Tube Length	Width Length
HK3011A	1-5/8 inch	9 inch	11-1/2 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢单体4联鱼竿座



Code	Rod holder I.D.	length
HK3601A	1-1/2 inch	36-1/2 inch

AISI316 STAINLESS STEEL OUALSIGGER ROD HOLDER
316不锈钢T型鱼竿座



Code	I.D.	length	Pipe clamp
HK2250A	1-1/2 inch	11-1/2 inch	19-1/2 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢T形可调节鱼竿座



Code	I.D.	length	Pipe clamp
HK2240A	1-1/2 inch	11-1/2 inch	19-1/2 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢管夹鱼竿座



Code	Length	Tube L.	Size
HK3381A-25	6.8 inch	25 mm	1"
HK3882B-30	6.8 inch	32 mm	1-1/4"

AISI316 STAINLESS STEEL MULTIPLE ROD HOLDER
316不锈钢多杆支架鱼竿座



Code	Rod holder I.D.	Length
HK3682A	1-3/4 inch	24-7/8 inch

AISI316 STAINLESS STEEL ADJUSTABLE ALSEE 2 FISHING ROD HOLDER
316不锈钢可调式ALSEE 2钓竿架



Code	Rod holder I.D.	Length
HK22143A	7/8 inch	1-3/4 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢夹持杆座鱼竿座



Code	Rod holder I.D.	Length
HK3412A	7/8 inch	1-3/4 inch

AISI316 STAINLESS STEEL CLAMP-ON ROD HOLDER
316不锈钢夹持杆座鱼竿座



Code	Length	Width	Base
HK2472A	16.3 inch	10 inch	4.72 inch *2.7 inch

AISI316 STAINLESS STEEL 5 TUBE ADJUSTABLE ROD HOLDER
316不锈钢5管可调鱼竿座



Code	Rod holder I.D.	length
HK2311A	1-5/8 inch(41.6mm)	11-1/2 inch
HK2316A	1-5/8 inch(41.6mm)	16-1/4 inch

AISI 316 STAINLESS STEEL 3 ROD / 4 ROD FISHING ROD HOLDER
316不锈钢3联/4联鱼竿座




Code	Length	Height	Rod
HK2813A	11"	9-1/4"	3rod
HK2814B	13-1/2"	9-1/4"	4rod

FISHING PLASTIC FISHING ROD HOLDER
塑料鱼竿座



Code	Tube Length	Width Length
HK2043A	7.8 inch	1.6inch

FISHING PLASTIC FISHING ROD HOLDER
316不锈钢不可调节鱼竿座



3 COPIES FISHING PLASTIC FISHING ROD HOLDER
可拆卸3联塑料鱼竿座




Code	A	B	C	D	Coler
HK27114A	271	14	46	113.5	Black
HK27114B	271	14	46	113.5	White



RV ACCESSORIES


GRAVITY WATER INLET OF RV
房车重力加水口



Code	Color	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm
HK6801R-W	White	112	112	45	40	77	80	80




GRAVITY WATER INLET OF RV
房车重力加水口



Code	Color	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm
HK6802R-W	White	112	112	45	40	77	80	80
HK6802R-B	Black	112	112	45	40	77	80	80



GRAVITY WATER INLET OF RV
房车重力加水口



Code	Color	Amm	Bmm
HK6803R-W	White	75	76.5



METAL HOSE OF EXTERNAL SINGLE KNOB SHOWER
外置单旋钮淋浴器金属软管

Code	Color	Size mm	Opening mm
HK6804R-W	White	267x157x107	231x118
HK6804R-B	Black	267x157x107	231x118



EXTERNAL DOUBLE KNOB SHOWER METAL HOSE
外置双旋钮淋浴器金属软管



Code	Color	Size mm	Opening mm
HK6805R-W	White	267x157x107	231x118
HK6805R-B	Black	267x157x107	231x118

PLASTIC HOSE OF EXTERNAL DOUBLE KNOB SHOWER
外置双旋钮淋浴器塑料软管



Code	Color	Size mm	Opening mm
HK6806R-W	White	267x157x107	231x118
HK6806R-B	Black	267x157x107	231x118

SHOWER HEAD
淋浴器喷头



Code	Size mm	Weight (kg)
HK6807R	130x65x50	0.13

FOLDING FAUCET
折叠水龙头




Code	Two types
HK6808R	Single handle faucet
HK6809R	Duble handle faucet

SINGLE COOLING FAUCET
单冷水龙头




Code	Two types	Opening size	Weight
HK6810R	Cold water supply	34 mm	1.7kg

PLASTIC FUEL FILLETR FOR RV
房车加油口



Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Color
HK6811R-W	85	70	34	38	40	50	White
HK6811R-B	85	70	34	38	40	50	Black

PLASTIC FUEL FILLETR FOR RV
房车加油口



Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Color
HK6812R-W	85	70	34	38	40	50	White
HK6812R-B	85	70	34	38	40	50	Black



COLOR RV CUP HOLDER
彩色房车杯托




Code	Height	O.D	Surface Finish	Color
HK6813R-R	3-1/4"	4-1/4"	Polished all over	Red
HK6813R-B	3-1/4"	4-1/4"	Polished all over	Blue
HK6813R-G	3-1/4"	4-1/4"	Polished all over	Green
HK6813R-W	3-1/4"	4-1/4"	Polished all over	White

RV CUP HOLDER
房车杯托



Code	Height	O.D	Surface Finish
HK6814R-S	3-1/4"	4-1/4"	Polished all over
HK6814R-A	3-1/4"	4-1/4"	Brushed with polished top flange

CUPHOLDER - ADJUDTABLE
杯托 - 带管夹可调节



Code	Length	Width	Thickness Closed
HK6815R	4"	3-7/8"	13/16"



CUPHOLDER -ADJUDTABLE
杯托-可调节



CUP HOLDER -FIXED
杯托-固定式



Code	Length	Width	Thickness Closed
HK6816R-S	4"	3-7/8"	13/16"
HK6816R-A	4"	3-7/8"	13/16"

Code	Length	Width	Depth
HK6817S	114mm	91mm	123mm

CU PHOLDER -FIXED
杯托-固定式



Code	Length	Width	Depth
HK6818S	85mm	75mm	82mm

CU PHOLDER -FIXED
杯托-固定式




Code	Holds#of Drinks	Material Grade
HK6819R-S	1	304SS
HK6819R-M	2	304SS
HK6819R-L	3	304SS
HK6820R-S	1	306SS
HK6820R-M	2	306SS
HK6820R-L	3	306SS



ANTENNA BASE
MARINE GRADE 316 STAINLESS STEEL,
HAND POLISHED.

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	L mm	W mm	H mm	D mm
HK9364A	93	64	112	25

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	D mm
HK1220B	22 mm

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	D mm
HK1250C	25

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	L mm	W mm
HK8050D	80	50

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	L mm
HK7025E	25
HK7022F	22
HK7025G	25

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	Amm	Bmm	Cmm	Dmm	Size
HK7578A	75	78	25	26	25mm
HK8978B	89	78	32	26	32mm



STEERING WHEEL

AISI316/304 STAINLESS STEEL STEERING WHEEL
316/304不锈钢方向盘



Code	Shaft	Dish	Size
HK0125S	3/4 inch	25°	11 inch
HK0126S	3/4 inch	25°	13-1/2 inch
HK0128S	3/4 inch	25°	15-1/2 inch

AISI316/304 STAINLESS STEEL SPORT WHEEL WITH M SIZE KNOB
316/304不锈钢方向盘

Code	Shaft	Dish	Size
HK0130S	3/4 inch	25°	11 inch
HK0132S	3/4 inch	25°	13-1/2 inch
HK0138S	3/4 inch	25°	15-1/2 inch



AISI316/304 STAINLESS STEEL SPORT WHEEL W/FINGER GRIPS & CONALSOL KNOB
316/304不锈钢运动车轮带把手方向盘

Code	Shaft	Dish	Rim Size
HK0151S	3/4 inch	25°	13-1/2 inch
HK0153S	3/4 inch	25°	15-1/2 inch



AISI316/304 STAINLESS STEEL STEERING WHEEL
316/304不锈钢方向盘

Code	Diameter	Shaft	Rim Size	Thread
HK8319-A	13-1/2"	3/4"	1"	1/2"-20
HK8320-B	15-1/2"	3/4"	1"	1/2"-20
HK8321-C	13-1/2"	3/4"	1"	5/8"-18
HK8322-D	15-1/2"	3/4"	1"	5/8"-18




AISI316/304 STAINLESS STEEL STEERING WHEEL
304/316不锈钢方向盘

Code	Spoke	Dish	Size
HK0162S	9	15°	13-1/2 inch



AISI316/304 STAINLESS STEEL STEERING WHEEL
316/304不锈钢方向盘

Code	Diameter	Shaft	Rim Size	Thread
HK8323-A	13-1/2"	3/4"	1"	1/2"-20
HK8324-B	15-1/2"	3/4"	1"	1/2"-20
HK8325-C	13-1/2"	3/4"	1"	5/8"-18
HK8326-D	15-1/2"	3/4"	1"	5/8"-18



AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM
316/304不锈钢W/PU泡沫方向盘



Code	Shaft	Dish	Foam	Size
HK0221S	3/4 inch	25°	Black	11-1/2 inch
HK0225S	3/4 inch	25°	Black	13-1/2 inch
HK0227S	3/4 inch	25°	Black	15-1/2 inch

AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM & KNOB
316/304不锈钢带握把W/PU泡沫方向盘



Code	Shaft	Dish	Foam	Size
HK04010S	3/4 inch	25°	Black	11-1/2 inch

AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM & KNOB
316/304不锈钢带PU泡沫和旋钮方向盘



Code	Shaft	Dish	Foam	Size
HK4011S	3/4 inch	25°	Black	11-1/2 inch
HK4017S	13/4 inch	25°	Black	13-1/2 inch
HK4019S	15/4 inch	25°	Black	13-1/2 inch

AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM & KNOB
316/304不锈钢带PU泡沫和旋钮方向盘



Code	Shaft	Dish	Foam	Size
HK5011S	3/4 inch	25°	Black	11-1/2 inch
HK5017S	13/4 inch	25°	Black	13-1/2 inch
HK5019S	15/4 inch	25°	Black	13-1/2 inch

The lid can be customized with logo

AISI316/304 STAINLESS STEEL KNOB FOR WHEEL
316/304不锈钢方向盘旋钮




Code	Size	Shaft	Dish	Foam
HK07110S	13"	3/4"	25 degree	Black

STEERING WHEEL W/PU FOAM COVER,AISI316
带PU泡沫罩的方向盘



Code	Size	Dish
HK9989SB	13.5"	15 degree

SIMPLE STEERING WHEEL,AISI316
316不锈钢简易方向盘



Code	Size	Rim Size	Spoke
HK7500S	24"	7/8"	1/2"X5
HK7501S	26"	7/8"	1/2"X5
HK7502S	28"	7/8"	1/2"X5
HK7503S	30"	7/8"	1/2"X5
HK7504S	32"	7/8"	1/2"X5
HK7505S	34"	7/8"	1/2"X5
HK7506S	36"	7/8"	1/2"X5

AISI316/304 STAINLESS STEEL KNOB FOR WHEEL
316/304不锈钢方向盘旋钮

Code	Fits Rim Size
HK06110S	3/4 inch-1 inch
HK06120S	3/4 inch-1 inch
HK06130S	3/4 inch-1 inch





MARINE LADDER

AISI316/304 STAINLESS STEEL TELESCOPING LADDER(EXTEND HIGE) **HOT SALE** 🔥🔥🔥
316/304不锈钢伸缩可折叠下水梯



Code	Step	Length	Width	Centrum W
HK-L1042	2	600mm (23.5")	344mm (13.5")	255mm (10")

Under Platform Pivoting Front Retaining Cover



Code	Step	Length	Width	Centrum W
HK-L1043	3	600mm (23.5")	370mm (14.5")	255mm (10")

Under Platform Pivoting Front Retaining Cover

Code	Step	Length	Width	Centrum W
HK-L1044	4	1160mm (23.5")	395mm (15.5")	255mm (10")

Under Platform Pivoting Front Retaining Cover



AISI316/304 STAINLESS STEEL TELESCOPING DROP LADDER/HAND
316/304不锈钢伸缩式升降梯/手动梯子

Code	Step	Length	Width	Centrum W
HK-L2022	2	603mm (23.5")	400mm (13.5")	255mm (10")

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	Length	Width	Centrum W
HK-L2023	3	879mm (34.1")	430mm (14.8")	255mm (10")

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	Length	Width	Centrum W
HK-L2024	4	1160mm (45.5")	340mm (15.3")	255mm (10")

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



AISI316/304 STAINLESS TELESCOPIC DROP LADDER
316/304不锈钢双踏板折叠梯子



Code	Step	Length	Width	Centrum W
HK-L3803	3	890mm(35")	370mm(14.5")	306mm(12")

Deck Ladder Fli-up Hinge



Code	Step	Length	Width	Centrum W
HK-L3804	4	1148mm(45.5")	395mm(15.5")	306mm(12")

Deck Ladder Fli-up Hinge

AISI316/304 STAINLESS STEEL TELESCOPING WITH WIDER SPRING
316/304不锈钢隐藏式折叠伸缩下水梯子



Code	Step	Length	Width	Centrum W
HK-L4102	2	596mm(23.5")	343mm(13.5")	255mm(10")

Under Platform Robust Slide Swing Pivot - Easy Mount



Code	Step	Length	Width	Centrum W
HK-L4103	3	889mm(35")	368mm(14.5")	255mm(10")

Under Platform Robust Slide Swing Pivot - Easy Mount

AISI316/304 STAINLESS STEEL TELESCOPING WITH WIDER SPRING
316/304不锈钢隐藏式折叠伸缩下水梯子



Code	Step	Length	Width	Centrum W
HK-L4104	4	1156mm(45.5")	394mm(15.5")	255mm(10")

Under Platform Robust Slide Swing Pivot - Easy Mount

AISI316 / 304 STAINLESS STEEL FOLDING TELESCOPIC PLATFORM LADDER
316/304不锈钢防滑折叠伸缩下水梯子



Code	Step	Length	Width	Centrum W
HK-L5102	2	580mm(23")	375mm(15")	357mm(14")

Under Platform Robust Slide Swing Pivot - Easy Mount



Code	Step	Length	Width	Centrum W
HK-L5103	3	878mm(35")	375mm(15")	357mm(14")

Under Platform Robust Slide Swing Pivot - Easy Mount

AISI316 STAINLESS STEEL CONCEALED FOLDING HANDRAIL TELESCOPIC HANGING LADDER
316/304不锈钢隐藏式折叠扶手伸缩挂梯



Code	Step	Length Extended	Length Stowed	Width
HK-L6104	4	1550mm(60.7")	453mm(17.7")	353mm(13.8)

Built in Grab Rails Wide Step

AISI316/304 STAINLESS FOLDING LADDER-TEAK TREADS
316/304不锈钢折叠梯子



Code	Step	Width	Stowed	Extended
HK-L7101	2+1	200mm(7.87")	320mm(12.6")	600mm(23.6")
HK-L7102	2+2	235mm(9.25")	449mm(17.7")	880mm(34.6")
HK-L7103	3+2	235mm(9.25")	728mm(28.7")	1085mm(42.7")
HK-L7104	2+3	254mm(10")	607mm(23.9")	1085mm(42.7")
HK-L7105	3+3	254mm(10")	729mm(28.7")	1315mm(51.8")

Flip - up Pivot Mount Solid TEAK step terads

AISI316/304 STAINLESS FOLDING LADDER-TEAK TREADS
316/304不锈钢折叠梯子



Code	Step	Width	Stowed	Extended
HK-L7201	2+1	200mm (7.87")	320mm(12.6")	600mm(23.6")
HK-L7202	2+2	235mm (9.25")	449mm(17.7")	880mm(34.6")
HK-L7203	3+2	235mm (9.25")	728mm(28.7")	1085mm(42.7")
HK-L7204	2+3	254mm (10")	607mm(23.9")	1085mm(42.7")
HK-L7205	3+3	254mm (10")	729mm(28.7")	1315mm(51.8")

Flip - up Pivot Mount Solid TEAK step terads

AISI316/304 STAINLESS TELESCOPIC DIVE LADDER
316/304不锈钢伸缩式潜水梯



Code	Step	Extended	Stowed	Tube Dia.
HK-L8303	3	870mm (35")	390mm(15.35")	110mm
HK-L8304	4	1150mm (45")	440mm(17.3")	110mm

Deck Mount Flip - up Hinge

AISI316/304 STAINLESS TELESCOPIC DIVE LADDER
316/304不锈钢伸缩式潜水梯



Code	Step	Extended	Stowed	Tube Dia.
HK-L8403	3	870mm (35")	390mm(15.35")	110mm
HK-L8404	4	1150mm (45")	440mm(17.3")	110mm

Quick Release Robust Design

AISI316/304 STAINLESS TELESCOPIC DIVE LADDER
316/304不锈钢伸缩式潜水梯



Code	Step	Extended	Stowed	Tube Dia.
HK-L8503	3	870mm (35")	390mm(15.35")	120mm
HK-L8504	4	1150mm (45")	440mm(17.3")	120mm

Quick Release Robust Design

AISI316/304 STAINLESS STEEL TELESCOPING DROP LADDER/HAND
316/304不锈钢伸缩式升降梯/手动梯子



Code	Step	Extended	Stowed	Width	Centrum W
HK-L8603	3	700mm (27.4")	305mm (13")	292mm (11.4")	280mm(11")
HK-L8604	4	925mm (36.2")	315mm (12.3")	279mm (10.9")	280mm(11")

Fits Swim Platforms Flip-up Hinge

AISI316/304 STAINLESS STEEL TELESCOPING UNDER PLATFORM LADDER
316/304不锈钢伸缩式平台梯子



Code	Step	Length	Width	Centrum W
HK-L8703	3	600mm (23.5")	344mm (13.5")	255mm(10")
HK-L8704	4	893mm (36.2")	370mm (14.5")	255mm(10")

Fits Swim Platforms Flip-up Hinge

AISI316/304 STAINLESS STEEL BOARDING LADDER
316/304不锈钢登船梯



Code	Step	Length	Width	Centrum W
HK-L88032	3+2	1173mm (46")	935mm (36.7")	255 (10")
HK-L88023	2+3	1305mm (51.2")	688mm (27")	255 (10")
HK-L88033	3+3	1135mm (60.2")	935mm (36.7")	255 (10")

Folding Pivot Mount Standoffs

AISI316/304 STAINLESS STEEL ADJUSTABLE SUPPORT LADDER
316/304不锈钢可调支撑梯



Code	Step	Length	Width	Centrum W
HK-L9003	3	1053mm (23.5")	290mm (11.4")	11.4"

Flip - up Pivot Mount Solid TEAK step terads

AISI316/304 STAINLESS FOLDING LADDER-TEAK TREADS
316/304不锈钢折叠梯子



Code	Step	Length	Width	Centrum W
HK-L9113	3	459mm (18")	357mm (14")	3/4"
HK-L9114	4	459mm (18")	357mm (14")	3/4"

Thick solid glass reinforced plastic

AISI316/304 STAINLESPONTOON LADDER-TELESCOPIC FOLDING
316/304不锈钢伸缩折叠梯子



Code	Step	Length	Width	Centrum W
HK-L9223	3	870mm (35")	390mm (15.35")	255mm(10")
HK-L9224	4	1150mm (45")	440mm (17.3")	255mm(10")

Built in Grab Rails Wide Step

AISI316/304 STAINLES HARBOR LADDER
316/304不锈钢港梯



Code	Step	Length	Width
HK-L9304	4	1170mm (45.8")	340mm (13.3")

AISI316/304 PLATE WITH LADDER
TEAK WOOD



Item No.	WIDTH mm	LENGTH mm	LADDER
HK-TW1001	450	390	Without ladder
HK-TW1002	450	390	3 steps

AISI316 MINI FORWARDER PLATFORM
TEAK WOOD



Item No.	LENGTH x WIDTH	DIA.OF TUBE	LADDER
HK-TW1003	500x350mm	1-14/4"(32mm)	Without ladder
HK-TW1004	500x350mm	1-14/4"(32mm)	2 steps
HK-TW1005	500x350mm	1-14/4"(32mm)	3 steps

AISI316 SMALL FORWARDER PLATFORM
TEAK WOOD



Item No.	LENGTH x WIDTH	DIA.OF TUBE	LADDER
HK-TW1006	650x330mm	1"(25mm)	Without ladder
HK-TW1007	650x330mm	1"(25mm)	2 steps
HK-TW1008	650x330mm	1"(25mm)	3 steps

AISI316 MEDIUM FORWARD PLATFORM
TEAK WOOD



Item No.	SIZE	TUBE DIA	STEP
HK-TW1001	700x480mm	32mm	
HK-TW1002	700x480mm	32mm	With bow roller

AISI316 LARGE FORWARDER PLATFORM
TEAK WOOD



Item No.	SIZE	TUBE DIA	STEP
HK-TW1201	1200x520mm	32mm	With bow roller
HK-TW1202	1200x520mm	32mm	With bow roller
HK-TW1203	1200x520mm	32mm	With bow roller

AISI316 ASIDE PLATFORM TEAK WOOD



Item No.	TUBE mm	LENGTH mm	WIDTH mm
HK4030SA	25	530	430
HK4034SA	25	530	430

AISI316 STERN PLATFORM TEAK WOOD



Item No.	TUBE mm	LENGTH mm	WIDTH mm
HK02-271SA	25	840	380
HK02-272SA	25	1270	410
HK02-273SA	25	1000	380
HK02-274SA	25	1090	600
HK02-275SA	25	1310	600
HK02-276SA	25	1780	450

AISI316 STERM PLATFORM TEAK WOOD



Item No.	TUBE mm	LENGTH mm	WIDTH mm
HK02-281SA	25	1300	550
HK02-281SA	25	1700	550
HK02-281SA	25	1700	550

AISI316 TEAK WOOD PLATFORMS



Item No.	WIDTH mm	DIA.OF TUBE	WIDTH mm
HK-TW0210	270	1"(25mm)	390
HK-TW0270	210	1"(25mm)	390
HK-TW0450	450	1"(25mm)	390
HK-TW0380	380	1"(25mm)	390

AISI316 PLATFORM WITH LADDER




Item No.	WIDTH mm	LENGTH mm	TUBE DIA.
HK-TW4011	840	380	25
HK-TW4012	1000	380	25



HANDDRAILS

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
HK-RH-1208	8"(200mm)	1"x3/4"(25.4x18.8mm)
HK-RH-1212	12"(200mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手




Code	LengthxHeight	Tube Dia
HK-RH-1308	8" (200mm)	1"x3/4"(25.4x18.8mm)
HK-RH-1310	10" (300mm)	1"x3/4"(25.4x18.8mm)
HK-RH-1312	12" (300mm)	1"x3/4"(25.4x18.8mm)
HK-RH-1316	16" (300mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手

Code	Length	Tube Dia
HK-RH-1608	8"(200mm)	7/8"(22 mm)
HK-RH-1612	12"(300mm)	7/8"(22 mm)
HK-RH-1616	16"(400mm)	7/8"(22 mm)
HK-RH-1620	20"(500mm)	7/8"(22 mm)
HK-RH-1624	24"(600mm)	7/8"(22 mm)
HK-RH-1632	32"(800mm)	7/8"(22 mm)
HK-RH-1640	40"(1000mm)	7/8"(22 mm)



AISI316/304 STAINLESS STEEL ROUND HANDRAIL,WELDED ROUND BASE
316/304不锈钢圆形扶手，焊接圆形底座

Code	Length	Tube Dia
HK-RH-1708	8"(200mm)	7/8"(22 mm)
HK-RH-1712	12"(300mm)	7/8"(22 mm)
HK-RH-1720	20"(500mm)	7/8"(22 mm)
HK-RH-1732	32"(800mm)	7/8"(22 mm)
HK-RH-1740	40"(1000mm)	7/8"(22 mm)



GRAB RAIL,AISI316
不锈钢扶手



Code	Length	Tube Dia	Degree
HK-RH-1812	12"(300mm)		45dr
HK-RH-1818	18"(450mm)		45dr
HK-RH-1824	24"(600mm)		45dr
HK-RH-1830	30"(750mm)		45dr
HK-RH-1836	36"(900mm)		45dr
HK-RH-1912	12"(300mm)		90dr
HK-RH-1918	18"(450mm)		90dr
HK-RH-1924	24"(600mm)		90dr
HK-RH-1930	30"(750mm)		90dr
HK-RH-1936	36"(900mm)		90dr

OVAL HANDRAIL,ROUND BASE SCREWED
椭圆形扶手



Code	Overall length	Base Size	Tube Dia
HK-RH-2009	9"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2012	12"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2016	16"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2018	18"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2024	24"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)

316 HANDRAILWITH BASE
椭圆形扶手



Code	Overall length	Base Size	Tube Dia
HK-RH-2109	9"	55x32.4mm	1"(25.4mm)
HK-RH-2112	12"	55x32.4mm	1"(25.4mm)
HK-RH-2116	16"	55x32.4mm	1"(25.4mm)
HK-RH-2118	18"	55x32.4mm	1"(25.4mm)
HK-RH-2124	24"	55x32.4mm	1"(25.4mm)

OVAL HANDRAIL
椭圆形扶手



Code	Overall length	Base Size	Tube Dia
HK-RH-2212	12"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2216	16"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2218	18"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)

S/S HEAVY DUTY OVAL HANDRAIL
S/S重型椭圆形扶手



Code	Overall length	Tube Dia
HK-RH-2385	8-5/8"	1"x3/4"(25.4x18.8mm)
HK-RH-2312	12"	1"x3/4"(25.4x18.8mm)
HK-RH-2316	16"	1"x3/4"(25.4x18.8mm)
HK-RH-2318	18"	1"x3/4"(25.4x18.8mm)
HK-RH-2324	24"	1"x3/4"(25.4x18.8mm)

316 HEAVY DUTY OVAL HANDRAIL
316重型椭圆形扶手



Code	Overall length	Tube Dia
HK-RH-2485	8-5/8"	1"3x4"(25.4x18.8mm)
HK-RH-2412	12"	1"3x4"(25.4x18.8mm)
HK-RH-2416	16"	1"3x4"(25.4x18.8mm)
HK-RH-2418	18"	1"3x4"(25.4x18.8mm)
HK-RH-2424	24"	1"3x4"(25.4x18.8mm)

316 ROUND HANDDRAILWITH FINGER GRIP
316圆形手柄带手指夹



Code	Overall length	Tube Dia
HK-RH-2510	10-1/4"(250mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2514	14"(350mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2518	18"(450mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2520	20"(500mm)	1"x3/4"(25.4x18.8mm)
HK-RH-2525	25-3/4"(655mm)	1"x3/4"(25.4x18.8mm)

316 CASTED OVAL HANDDRAIL, HEAVY
316重型铸造椭圆形把手



Code	Length	Tube Dia	Stud
HK-RH-2612	12"	13x13mm	M6
HK-RH-2618	18"	13x13mm	M6
HK-RH-2624	24'	13x13mm	M6
HK-RH-2718	18"	20x40mm	M6
HK-RH-2724	24"	20x40mm	M6
HK-RH-2730	30"	20x40mm	M6
HK-RH-2736	36"	20x40mm	M6
HK-RH-2748	48"	20x40mm	M6
HK-RH-2760	60"	20x40mm	M6

316 316 STAINLESS STEELHANDRAIL
316不锈钢扶手




Code	LengthxHeight	Diameter
HK-RH-2825	270x130mm	25mm
HK-RH-2925	270x130mm	25mm




CARGO HOOK

LARGE EYE CRANE HOOK
大眼货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6101-0.2	0.2T	18	92	18	7	200	0.091
HK6101-0.3	0.3T	19	102	17	7.5	300	0.127
HK6101-0.5	0.5T	28	119	17	9.5	500	0.210

SWIVEL EYE CRANE HOOK
圈式旋转货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6102-150	3/16"	15.8	17.6	11	90	150	0.082
HK6102-350	1/4"	22	23.9	16.9	114	350	0.155
HK6102-650	5/16"	27	26.7	20.5	138	650	0.237
HK6102-1000	3/8"	28	32.8	23.5	158	1000	0.436
HK6102-1500	1/2"	36	37.8	31	190	1500	0.711

SWIBEL JAW CRANE HOOK
叉式旋转货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6103-150	3/16"	9.5	17.6	11	90	150	0.090
HK6103-350	1/4"	12.5	24	16.9	114	350	0.167
HK6103-650	5/16"	15	26	20.5	138	650	0.259
HK6103-1000	3/8"	17.5	32.8	23	158	1000	0.456
HK6103-1500	1/2"	36	37.8	31	190	1500	0.748

S320 CRANE HOOK
S320 货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6104-0.5	0.5T	16.5	90	16	8	500	0.111
HK6104-0.75	0.75T	18.5	101.5	18.5	9	750	0.204
HK6104-1	1.0T	23	114.5	21	11	1000	0.286
HK6104-1.5	1.5T	28	129.5	21.5	12	1500	0.418
HK6104-2	2.0T	32	153	26	15	2000	0.656
HK6104-3	3.0T	38	182	31.5	17.5	3000	1.257

CRANE HOOK WITH LATCH
羊角滑钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
HK6105-0.5	1/4"	99	22	14.5	11	10	0.218
HK6105-0.7	5/16"	113.5	25	18.5	12.5	12	0.328
HK6105-0.9	3/8"	129.5	28	22	14.5	14	0.468
HK6105-1.5	1/2"	155.5	33.5	27	16	16	0.778

QUICK RELEASE HOOK
释放钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
HK6109-4	4"	100	20	10	9	4.5	23	0.090

OVAL SWIVEL SNAP HOOK
椭圆环单头钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6201-1	3/8"*65	11.5	3.5	9	65	30	0.022
HK6201-2	1/2"*72	13.5	4	9.5	72	50	0.029
HK6201-3	5/8"*82	17.5	4.5	10	82	100	0.042
HK6201-4	3/4"*91	21.5	5	11.5	91	120	0.048
HK6201-5	1"*100	26.5	5.5	12	100	150	0.062
HK6201-6	1-1/4"*126	34	6	14	126	180	0.099

ROUND RING SWIVEL SNAP HOOK
圆环单头钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6202-1	1/2"*63	14.5	3.5	9	63	30	0.022
HK6202-2	5/8"*71	17.5	4	9.5	71	50	0.029
HK6202-3	3/4"*81	22	4.5	10	81	100	0.042
HK6202-4	1"*90	26	5	11	90	120	0.048
HK6202-5	1-1/8"*97	29	5.5	12	97	150	0.061
HK6202-6	1-1/4"*119	34.5	6	14	119	180	0.095

SQUARE RING SWIVEL SNAP HOOK
方环单头钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6203-1	5/8"*59	17.5	3.5	9	59	30	0.022
HK6203-2	3/4"*66	23.5	4	9.5	66	50	0.029
HK6203-3	1"*73	25.5	4.5	10	73	100	0.042
HK6203-4	1-1/8"*80	31.5	5	11	80	120	0.049
HK6203-5	1-1/4"*85	36.5	5.5	12	85	150	0.061
HK6203-6	1-1/2"*105	42.5	6	14	105	180	0.099

DOUBLE END SNAP HOOK
双头钩



Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
HK6204-65	65mm	65	7.5	30	0.030
HK6204-76	76mm	76	8.5	40	0.040
HK6204-90	90mm	90	10	50	0.060
HK6204-100	100mm	100	10	90	0.070
HK6204-115	115mm	115	12	110	0.098

EGG SHAPE SPRING HOOK
蛋形钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
HK6205-40	40mm	40	19	2	5.8	8.2	8.8	80	0.012
HK6205-50	50mm	50	24	2.2	8.3	11.9	11.5	100	0.023
HK6205-70	70mm	70	33	2.6	9.8	14.5	15.5	300	0.054
HK6205-100	100mm	100	49	3.5	15.6	21.4	22.7	500	0.138

SWIVEL SNAP HOOK
万向钩




Code	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
HK6206-0	69	6.5	16	50	0.030
HK6206-1	88	9	19	70	0.063
HK6206-2	101	14	21	120	0.092
HK6206-3	121	16	27	150	0.145

FIXED EYE SNAP HOOK
固定弹簧钩




Code	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6207-0	53	10	7	4	50	0.020
HK6207-1	72	16	12	5	70	0.038
HK6207-2	83	19	13	6	120	0.059
HK6207-3	100	22	14	7	150	0.114

SQUARE SPRING SNAP HOOK
简易方环万向钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6208-1	1*65	66	27	4.2	9	12	60	0.028

BULL SWIVEL SNAP HOOK
牛头钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6209-1	1*100	100	17.5	155	27	7	300	0.152

QUICK LINK
快速连接环




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6210-3.5	3.5mm	29	10	5	3.5	80	0.008
HK6210-4	4mm	32	11.5	5.5	3.8	250	0.013
HK6210-5	5mm	39	13	6.5	6.5	325	0.021
HK6210-6	6mm	46	14.5	7.5	7.5	400	0.033
HK6210-7	7mm	51	16.5	8.5	8.5	600	0.054
HK6210-8	8mm	59	17.5	10.5	10.5	700	0.076
HK6210-9	9mm	64	18	11.5	11.5	1000	0.104
HK6210-10	10mm	70	20.5	12.5	12.5	1150	0.136
HK6210-11	11mm	78	23	14	14	1200	0.216
HK6210-12	12mm	83	24	14.5	14.5	1250	0.242
HK6210-14	14mm	97	26.5	17	17	1400	0.352

CARABINER HOOK
登山扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6211-4	4X40	40	6.5	6	3.8	40	0.008
HK6211-5	5X50	50	8	7	4.8	50	0.016
HK6211-6	6X60	60	9	8	5.8	70	0.026
HK6211-7	7X70	70	10.5	8	6.8	100	0.042
HK6211-8	8X80	80	12	9	7.8	125	0.065
HK6211-9	9X90	90	13	10	8.8	140	0.093
HK6211-10	10X100	100	15	12	9.8	200	0.125
HK6211-11	11X120	120	18	16	10.8	250	0.178
HK6211-12	12X140	140	20	19	11.8	300	0.248
HK6211-13	13X160	160	22	25	12.8	350	0.352
HK6211-14	14X180	180	22	35	13.8	450	0.505


CARABINER HOOK WITH LOCK NUT
带螺母登山扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6212-4	4X40	40	6.5	6	3.8	40	0.009
HK6212-5	5X50	50	8	7	4.8	50	0.018
HK6212-6	6X60	60	9	8	5.8	70	0.029
HK6212-7	7X70	70	10.5	8	6.8	100	0.047
HK6212-8	8X80	80	12	9	7.8	125	0.068
HK6212-9	9X90	90	13	10	8.8	140	0.98
HK6212-10	10X100	100	15	12	9.8	200	0.135
HK6212-11	11X120	120	18	16	10.8	250	0.189
HK6212-12	12X140	140	20	19	11.8	300	0.269
HK6212-13	13X160	160	22	25	12.8	350	0.365
HK6212-14	14X180	180	22	35	13.8	450	0.515

www.zbmetals.com


CARABINER HOOK WITH EYELET
带圈登山扣




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6213-4	4X40	40	5	6	3.8	40	0.009
HK6213-5	5X50	50	6.5	7	4.8	50	0.018
HK6213-6	6X60	60	7.5	8	5.8	70	0.029
HK6213-7	7X70	70	9	8	6.8	100	0.047
HK6213-8	8X80	80	10	9	7.8	125	0.068
HK6213-9	9X90	90	11	10	8.8	140	0.096
HK6213-10	10X100	100	13	12	9.8	200	0.135
HK6213-11	11X120	120	15	16	10.8	250	0.189
HK6213-12	12X140	140	18	19	11.8	300	0.269
HK6213-13	13X160	160	20	25	12.8	350	0.365
HK6213-14	14X180	182	22	35	13.8	450	0.515

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
HK6215-6	6X60	60	32	14	5.8	2.6	9	70	0.028
HK6215-8	8X80	80	45	18	7.8	3	12	125	0.068
HK6215-10	10X100	100	57	23	9.8	4	15	200	0.137
HK6215-12	12X120	120	68	28	11.8	4.4	18	300	0.299
HK6215-14	14X140	140	79	32	13.8	4.4	21	450	0.357
HK6215-16	16X160	160	91	37	15.8	5	24	800	0.532
HK6215-18	18X180	180	102	47	17.8	5	27	1000	0.742
HK6215-20	20X200	200	120	59	19.8	5	29	1200	1.011

TRIGGER SWIVEL SNAP HOOK
剪刀钩



TRIGGER SWIVEL SNAP HOOK
剪刀钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6216-12	1/2*65	65	15.5	10.5	4.2	7	90	0.018

TRIGGER SEIVEL SNAP HOOK
简易方环万向钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
HK6217-35	35mm	35	14.5	7	6.5	1.6	0.008


TRIGGER SEIVEL SNAP HOOK
简易方环万向钩



Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm
HK6218-4	4	40	11	1.7	7	32
HK6218-5	5	50	13	2.0	9	44
HK6218-6	6	58	16	2.5	10	44
HK6218-8	8	63	17	3.6	13	47
HK6218-10	10	77	22	4.6	16.5	51


www.zbmetals.com

DIAMOND EYE PLATE
菱形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
HK6301-5	5mm	36	60	21	2.5	14	5	0.029
HK6301-6	6mm	40	65	26	2.5	16	6	0.038
HK6301-8	8mm	50	80	32	3	20	8	0.069
HK6301-10	10mm	60	100	38	3	26	10	0.120

SQUARE EYE PLATE
方形门扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
HK6302-5	5mm	30	35	21	2.5	14	5	0.029
HK6302-6	6mm	35	40	26	2.5	16	6	0.035
HK6302-8	8mm	40	50	32	3	20	8	0.068

ROUND EYE PLATE
圆形门扣




Code	Size	Amm	Cmm	Dmm	Emm	Fmm	WT(kg)
HK6303-5	5mm	33	21	2.5	14	5	0.019
HK6303-6	6mm	40	26	2.5	16	6	0.038
HK6303-8	8mm	50	32	3	20	8	0.068

OBLONG EYE PLATE
椭圆形门扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
HK6304-5	5mm	15	45	21	2.5	14	5	0.017
HK6304-6	6mm	20	60	26	2.5	16	6	0.033
HK6304-8	8mm	25	80	32	3	20	8	0.064

DIAMOND EYE PLATE WITH RING
带圆环菱形门扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
HK6305-5	5mm	36	60	21	2.5	14	5	30	0.046
HK6305-6	6mm	40	65	26	2.5	16	6	35	0.067
HK6305-8	8mm	50	80	32	3	20	8	45	0.135
HK6305-10	10mm	60	100	38	3	26	10	50	0.236

SQUARE EYE PLATE WITH RING
带圆环方形门扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
HK6306-5	5mm	30	35	21	2.5	14	5	30	0.038
HK6306-6	6mm	35	40	26	2.5	16	6	35	0.064
HK6306-8	8mm	40	50	32	3	20	8	45	0.134

ROUND EYE PLATE WITH RING
带圆环圆形门扣



Code	Size	Amm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
HK6307-5	5mm	33	21	2.5	14	5	30	0.036
HK6307-6	6mm	40	26	2.5	16	6	35	0.068
HK6307-8	8mm	50	32	3	20	8	45	0.135

OBLONG EYE PLATE WITH RING
带圆环椭圆形门扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
HK6308-5	5mm	15	45	21	2.5	14	5	30	0.034
HK6308-6	6mm	20	60	26	2.5	16	6	35	0.062
HK6308-8	8mm	25	80	32	3	20	8	45	0.131

FIXED EYE SNAP SHACKLE
固定弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
HK6401-35	35mm	12.5	7.5	35	100	0.013
HK6401-52	52mm	17	11	52	450	0.043
HK6401-69	69mm	21.5	15.5	69	650	0.085
HK6401-96	96mm	26	19	96	950	0.209

SWIVEL EYE SNAP SHACKLE
圈式旋转弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
HK6402-70	70mm	16	12.5	70	450	0.057
HK6402-87	87mm	20	16.5	87	650	0.111
HK6402-128	128mm	28	23.5	128	950	0.297

SWIVEL JAW SNAP SHACKLE
叉式旋转弹簧卸扣



Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
HK6403-70	70mm	15.5	10	70	450	0.063
HK6403-87	87mm	20	13	87	650	0.145
HK6403-128	128mm	28	20	120	950	0.339

ROUND SWIVEL SNAP SHACKLE
圆环旋转弹簧卸扣




Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
HK6404-20	20x65	14	21	270	0.041
HK6404-25	25x76	15	26	340	0.071

PELICAN SHACKLE
枪式弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WT(kg)
HK6405-6	M6	77.5	14	11	0.068
HK6405-8	M8	104.5	16	13.5	0.131
HK6405-10	M10	126	19	15.5	0.216


KEY PIN SHACKLE
钥匙销卸扣



KEY PIN SHACKLE WITH BAR
带档钥匙销卸扣



KEY PIN SHACKLE WITH BAR
带档钥匙销卸扣



JIS TYPE D SHACKLE
日式D形卸扣




Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
HK6406-5	5mm	13	40	5	100	0.029
HK6406-6	6mm	15	42	6	150	0.051
HK6406-8	8mm	21.5	61	8	250	0.111

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6407-5	5mm	13	12.5	40	5	100	0.035
HK6407-6	6mm	15	15	42	6	150	0.062
HK6407-8	8mm	21.5	21.5	61	8	250	0.122

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6414-4	3/16"*6	4.8	9.5	22	6	350	0.02
HK6414-6	1/4"*8	6.2	11.5	28.5	7.8	500	0.038
HK6414-8	1/16"*10	8	13	30.5	9	750	0.073
HK6414-10	3/8"*12	9.3	16.5	36.5	11	1000	0.138
HK6414-11	7/16"*14	11	19	42.5	12.5	1500	0.19
HK6414-12	1/2"*16	12.5	20	47.5	15.5	2000	0.31
HK6414-16	5/8"*20	15.8	26.5	60	19	3250	0.62
HK6414-20	3/4"*22	19	31.5	71	22	4750	0.97
HK6414-22	7/8"*24	22	36.5	84	25	6500	1.37
HK6414-25	1"*28	25.2	42.6	95	28	8500	2.08

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6408-4	4mm	4	8	14	4	24	0.008
HK6408-5	5mm	5	10	17.5	5	30	0.016
HK6408-6	6mm	6	12	21	6	35	0.025
HK6408-8	8mm	8	16	28	8	13.5	0.054
HK6408-10	10mm	10	20	35	10	56	0.109
HK6408-12	12mm	12	24	45.5	12	66	0.185
HK6408-14	14mm	14	28	49	14	75.5	0.290
HK6408-16	16mm	16	32	56	16	88	0.433
HK6408-18	18mm	18	36	63	18	99.5	0.638
HK6408-20	20mm	20	40	70	20	109	0.850
HK6408-22	22mm	22	44	77	22	120	1.160
HK6408-24	24mm	24	50	84	24	135	1.537
HK6408-28	28mm	28	56	98	28	148	2.360

EU TYPE D SHACKLE
欧式D形卸扣




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6409-4	4mm	4	8	16	4	60	0.008
HK6409-5	5mm	5	10	20	5	80	0.016
HK6409-6	6mm	6	12	24	6	100	0.025
HK6409-8	8mm	8	16	32	8	200	0.059
HK6409-10	10mm	10	20	40	10	320	0.115
HK6409-12	12mm	12	24	48	12	520	0.198
HK6409-14	14mm	14	28	56	14	700	0.306
HK6409-16	16mm	16	32	64	16	800	0.461
HK6409-18	18mm	18	36	72	18	950	0.672
HK6409-20	20mm	20	40	80	20	1100	0.875
HK6409-22	22mm	22	44	90	22	1500	1.257
HK6409-24	24mm	24	50	96	24	2100	1.655
HK6409-28	28mm	28	56	112	28	3000	2.496

EU TYPE BOW SHACKLE
欧式弓形卸扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
HK6410-4	4mm	4	12	8	16	4	24	60	0.008
HK6410-5	5mm	5	17	10	20	5	30	80	0.016
HK6410-6	6mm	6	20	12	24	6	35	100	0.026
HK6410-8	8mm	8	27	16	32	8	44.5	200	0.061
HK6410-10	10mm	10	33	20	40	10	56	320	0.117
HK6410-12	12mm	12	39	24	48	12	66	520	0.208
HK6410-14	14mm	14	46.5	28	56	14	75.5	700	0.317
HK6410-16	16mm	16	52.5	32	64	16	85.5	800	0.480
HK6410-18	18mm	18	62	36	72	18	97	950	0.696
HK6410-20	20mm	20	65	40	80	20	110	1100	0.933
HK6410-22	22mm	22	76	44	90	22	119	1500	1.223
HK6410-24	24mm	24	79.5	50	96	24	136	2100	1.693
HK6410-28	28mm	28	89	56	112	28	148	3000	2.660

LONG D SHACKLE
长D卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6411-4	4mm	4	8	30	4	24	70	0.015
HK6411-5	5mm	5	10	37.5	5	30	140	0.018
HK6411-6	6mm	6	12	45	6	35	230	0.031
HK6411-8	8mm	8	16	60	8	43.5	340	0.077
HK6411-10	10mm	10	20	75	10	56	700	0.157
HK6411-12	12mm	12	24	90	12	66	1200	0.251

TWISTED SHACKLE
扭体卸扣




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6412-4	4mm	4	4	8	22	90	0.015
HK6412-5	5mm	5	5	10	27.5	120	0.018
HK6412-6	6mm	6	6	12	33	175	0.031
HK6412-8	8mm	8	8	16	44	300	0.077
HK6412-10	10mm	10	10	20	55	580	0.157
HK6412-12	12mm	12	12	24	66	700	0.254

EYE&EYE END SWIVEL
圈圈旋转环




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6501-4	4mm	48	11.8	9.8	3.8	80	0.020
HK6501-5	5mm	60	13.8	14.5	4.8	100	0.034
HK6501-6	6mm	68	15.8	16.8	5.5	150	0.048
HK6501-8	8mm	88	20	21	7.4	300	0.111
HK6501-10	10mm	107	23	26	9.3	500	0.202
HK6501-12	12mm	122	25	27	11.2	1000	0.325
HK6501-14	14mm	145	31.8	33.2	12	1200	0.518
HK6501-16	16mm	175	38	44	15	1500	0.810
HK6501-20	20mm	203	44	47.8	18.8	2100	1.480

EYE&EYE END SWIVEL
圈叉旋转环




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	WLL(kg)	WT(kg)
HK6502-4	4mm	50	11.8	9.8	3.8	8	10.5	3.8	80	0.022
HK6502-5	5mm	60	13.8	14.5	4.8	10	11	4.8	100	0.038
HK6502-6	6mm	66.5	15.8	16.8	5.5	12	11.5	5.8	150	0.056
HK6502-8	8mm	88	20	21	7.4	16	17	7.8	300	0.129
HK6502-10	10mm	106	23	26	9.3	20	19	9.8	500	0.238
HK6502-12	12mm	124	25	27	11.2	24	22	11.8	1000	0.372
HK6502-14	14mm	145	31.8	33.2	12	28	26	13.8	1500	0.600
HK6502-16	16mm	179	38	44	15	32	38	15.8	1500	0.940
HK6502-20	20mm	203	44	47.8	18.8	40	38	19.8	2100	1.710

JAW&JAW END SWIVEL
叉叉旋转环



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6503-4	4mm	51	8	10.5	3.8	3.8	80	0.025
HK6503-5	5mm	60	10	11	4.8	4.8	100	0.041
HK6503-6	6mm	65.5	12	11.5	5.8	5.5	150	0.062
HK6503-8	8mm	88.5	16	17	7.8	7.4	300	0.144
HK6503-10	10mm	106.5	20	19	9.8	9.3	500	0.281
HK6503-12	12mm	124	24	22	11.8	11.2	1000	0.438
HK6503-14	14mm	443	28	26	13.8	13	1500	0.671
HK6503-16	16mm	182	32	38	15.8	15	1500	1.071
HK6503-20	20mm	205	40	38	19.8	18.8	2100	1.828

DIN589 EYE SCREW
DIN580 吊环螺丝




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6701-6	M6	16	16	6	11	39	70	0.020
HK6701-8	M8	19.5	19.5	7.6	14	49	140	0.045
HK6701-10	M10	24.5	24.5	9.4	17	59.5	230	0.086
HK6701-12	M12	29	29	11.5	22	73	340	0.148
HK6701-16	M16	35	34	13.6	26.5	86.5	700	0.255
HK6701-20	M20	40	38.5	15.3	29.5	96.5	1200	0.378
HK6701-24	M24	50	50	20	37.5	127	1800	0.780

DIN582 EYE NUT
DIN528吊环螺丝



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6702-6	M6	16	16	6	28	70	0.020
HK6702-8	M8	19.5	20	8	35	140	0.043
HK6702-10	M10	24.5	24.5	9.4	42.5	230	0.076
HK6702-12	M12	29	29	11.5	51.5	340	0.130
HK6702-16	M16	35	35	13.6	61.5	700	0.210
HK6702-20	M20	40	39	15.3	70.5	1200	0.310
HK6702-24	M24	50	49	19.3	88	1800	0.700

JIS1168 EYE SCREW
JIS1168 日式吊环螺丝



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
HK6703-3	M3	7	7	3	9	23	20	0.003
HK6703-4	M4	10	10	4	11	29	30	0.007
HK6703-5	M5	13	11.5	5	11.5	35	40	0.013
HK6703-6	M6	16.5	12	5	14	41	50	0.015
HK6703-8	M8	20	15	5.7	15	47	80	0.026
HK6703-10	M10	25	19	7	18	58	150	0.052
HK6703-12	M12	30	22.5	9	21	69	220	0.094
HK6703-16	M16	36	28	11	27	87	450	0.179
HK6703-20	M20	40	32	15	31	101	630	0.334
HK6703-24	M24	50	41	18	36	122	950	0.638

JIS1169 EYE NUT
JIS1169 日式吊环螺母



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6704-6	M6	16.5	12	5	31	50	0.015
HK6704-8	M8	20	15	5.7	39	80	0.025
HK6704-10	M10	25	19	7	47.5	150	0.050
HK6704-12	M12	30	22.5	9	57.5	220	0.093
HK6704-16	M16	36	28	11	68	450	0.164
HK6704-20	M20	40	32	15	78	630	0.291
HK6704-24	M24	50	41	18	102	950	0.573

HX LONG EYE BOLT
HX长吊环螺栓



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
HK6705-6	M6X60	85	60	55	13	80	0.025
HK6705-8	M8X80	111	80	75	15	150	0.058
HK6705-10	M10X100	137	100	85	17	250	0.120

EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰（钩圈型）

Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
HK6801-4	M4	58	8	7	25	0.022
HK6801-5	M5	70	9	8	40	0.035
HK6801-6	M6	90	10	9	100	0.063
HK6801-8	M8	120	14	13	200	0.135
HK6801-10	M10	150	16	15	300	0.242
HK6801-12	M12	200	18	15	500	0.467
HK6801-16	M16	250	21	20	800	0.984
HK6801-20	M20	300	25	22	1200	1.989



EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰（钩钩型）

Code	Size	Amm	Cmm	WLL(kg)	WT(kg)
HK6802-4	M4	58	7	25	0.022
HK6802-5	M5	70	8	40	0.035
HK6802-6	M6	90	9	100	0.063
HK6802-8	M8	120	13	200	0.135
HK6802-10	M10	150	15	300	0.242
HK6802-12	M12	200	15	500	0.467
HK6802-16	M16	250	20	800	0.984
HK6802-20	M20	300	22	1200	1.989



EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰（圈圈型）

Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
HK6803-4	M4	58	8	25	0.022
HK6803-5	M5	70	9	40	0.035
HK6803-6	M6	90	10	100	0.063
HK6803-8	M8	120	14	200	0.135
HK6803-10	M10	150	16	300	0.242
HK6803-12	M12	200	18	500	0.467
HK6803-16	M16	250	21	800	0.984
HK6803-20	M20	300	25	1200	1.989

