

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：空白无LOGO-半胶款


尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件


## ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用说明：薄款31克-半胶款，

低耐磨，一般作业防护。

不适合高强度工作。



品名：尼龙丁腈手套

颜色：白纱蓝胶

重量：30g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个透明PE袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，

涂胶覆盖到手指甲，

50%丁腈然胶。透气舒适，

耐磨度低，不适合高强度作业。



0.88

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## 基本信息

品名：尼龙丁腈乳胶手套

型号：空白无LOGO

尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件

## 产品指数


厚度：



耐磨度：



舒适度：



适用人群：成人/男女

使用说明：33克-经济款，

中低耐磨，一般作业防护。

不适合高强度工作。



品名：尼龙丁腈手套

颜色：白纱蓝胶

重量：33g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个透明PE袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，  
涂胶覆盖到手指甲，

70%丁腈然胶。透气舒适，  
中低耐磨，不适合高强度作业。



0.92

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：彩盾-N518白蓝


尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件

## ▶ 产品指数

厚度：



透視 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用说明：33克-经济款，

中低耐磨，一般作业防护。

不适合高强度工作。



品名：尼龙丁腈手套

颜色：白纱蓝胶

重量：33 g ± 1 g

尺码：8#

掌宽 8cm ± 1cm

长度 22cm ± 1cm

材质：尼龙 + 丁腈乳胶

包装：12双一个 彩色OPP袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，  
涂胶覆盖到手指甲，  
70% 丁腈然胶。透气舒适，  
中低耐磨，不适合高强度作业。



0.95

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：彩盾-N518黑

尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件


### ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男

▶ 使用说明：33克-经济款，

中低耐磨，一般作业防护。

不适合高强度工作。



品名：尼龙丁腈手套

颜色：白纱蓝胶

重量：33g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个彩色OPP袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，

涂胶覆盖到手指甲，

70%丁腈然胶。透气舒适，

中低耐磨，不适合高强度作业。



0.98

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：XC-528

尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件

### ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用说明：纯胶38克-实用款，

中等耐磨，一般作业防护。

性价比高。



品名：尼龙丁腈手套

颜色：白纱蓝胶

重量：38g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个彩色OPP袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，  
涂胶覆盖到手指甲，  
100%丁腈乳胶。透气舒适，  
中度耐磨，一般劳务防护。



1.15

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：XC-518 白蓝

尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件


### ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用说明：纯胶42克-耐磨款，

高度耐磨，重度作业防护。

适合高强度工作，性价比高。



品名：尼龙丁腈手套

颜色：白纱蓝胶

重量：43g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个彩色OPP袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，  
涂胶覆盖到手指甲，  
100%丁腈乳胶。透气舒适，  
高度耐磨，重作业首选。



1.30

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：XC-518 黑

尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件


### ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用说明：纯胶42克-耐磨款，

高度耐磨，重度作业防护。

适合高强度工作，性价比高。



品名：尼龙丁腈手套

颜色：黑纱黑胶

重量：43g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个彩色OPP袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，  
涂胶覆盖到手指甲，  
100% 丁腈然胶。透气舒适，  
高度耐磨，重作业首选。



1.33

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：尼龙丁腈乳胶手套

型号：XC-518 红黑

尺码：8#

材质：尼龙内衬、丁腈乳胶

960双/件


### ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用说明：纯胶42克-耐磨款，

高度耐磨，重度作业防护。

适合高强度工作，性价比高。



品名：尼龙丁腈手套

颜色：红纱黑胶

重量：43g ± 1g

尺码：8#

掌宽8cm ± 1cm

长度22cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个彩色OPP袋

960双装一个编织袋

说明：

尼龙内衬，手掌浸丁腈乳胶，  
涂胶覆盖到手指甲，  
100%丁腈乳胶。透气舒适，  
高度耐磨，重作业首选。



1.35

# ◆◆◆ 产品信息 ◆◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：物理压纹乳胶手套

型号：XC-688 (48克) 耐磨款

尺码：8#

材质：尼龙内衬，天然乳胶

840 双/件


## ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

## ▶ 适用人群：成人/男女

## ▶ 使用环境：重度劳动，建筑、

工地、打磨等高强度耐磨。



品名：压纹乳胶手套

颜色：蓝纱、蓝胶

重量：48 g ± 1.5 g

尺码：9#

掌宽 9 cm ± 1 cm

长度 23 cm ± 1 cm

材质：尼龙 + 天然乳胶

包装：12 双一个 OPP 彩袋

840 双装一个编织袋

## 说明：

尼龙内衬，手掌浸天然乳胶，  
压纹工艺，涂胶覆盖到手指甲，  
100% 天然胶。

防滑、透气舒适，非常耐磨。



1.50

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：物理压纹乳胶手套

型号：XC-688 (53克) 升级款

尺码：9#

材质：尼龙内衬，天然乳胶

## ▶ 产品指数

840 双/件

厚度：



耐磨度：



舒适度：



## ▶ 适用人群：成人/男女

## ▶ 使用环境：重度劳动，建筑、

工地、打磨等高强度耐磨。



品名：压纹乳胶手套

颜色：蓝纱、蓝胶

重量：52g ± 1.5g

尺码：9#

掌宽 9cm ± 1cm

长度 23cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

840双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
压纹工艺，涂胶覆盖到手指甲，  
100%天然胶。

防滑、透气舒适，非常耐磨。



1.65

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：压纹乳胶手套（升级款）

型号：CX-688 (63克)


尺码：9#

材质：尼龙内衬、天然乳胶

840 双/件


### ▶ 产品指数

厚度：




透視 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

### ▶ 适用人群：成人/男女

▶ 使用环境：重度劳动，建筑、  
工地等，非常耐用，磨不破。



品名：压纹乳胶手套（升级款）

颜色：蓝纱、蓝胶

重量：60g ± 2g

尺码：9#

掌宽 9cm ± 1cm

长度 24cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

840双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
压纹工艺，涂胶覆盖到手指甲，  
100%天然胶。

防滑、透气舒适，耐磨之王。



1.75

# ◆◆◆ 产品信息 ◆◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：物理压纹乳胶手套

型号：XC-698 半挂 (60克)


尺码：9#

材质：尼龙内衬，天然乳胶


720 双/件

## ▶ 产品指数


厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用环境：隔油防水、重度劳动，  
建筑、工地、打磨等高强度耐磨。



品名：压纹乳胶手套

颜色：蓝纱、蓝胶

重量：60g ± 2g

尺码：9#

掌宽 9cm ± 1cm

长度 23cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

720双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
压纹工艺，涂胶覆盖到手指甲，  
100%天然胶。

防滑、透气舒适，非常耐磨。



1.70

# ◆◆◆ 产品信息 ◆◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：物理压纹乳胶手套

型号：S-708 平挂 (46克)


尺码：7#

材质：尼龙内衬，天然乳胶

## ▶ 产品指数


840 双/件

厚度：



透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

## ▶ 适用人群：成人/女

## ▶ 使用环境：重度劳动，建筑、

工地、打磨等高强度耐磨。



品名：压纹乳胶手套-女款

颜色：紫纱紫胶

重量：46g ± 1.5g

尺码：7#

掌宽 7.5cm ± 1cm

长度 20cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

720双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
压纹工艺，涂胶覆盖到手指甲  
100%天然胶。

防滑、透气舒适，非常耐磨。



1.60

# ◆◆◆ 产品信息 ◆◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：物理压纹乳胶手套

型号：S-709 半挂 (54克)


尺码：7#

材质：尼龙内衬，天然乳胶

840 双/件


## ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

## ▶ 适用人群：女

▶ 使用环境：重度劳动，建筑、

工地、打磨等高强度耐磨。



品名：压纹乳胶手套-女款

颜色：紫纱紫胶

重量：54g ± 2g

尺码：7#

掌宽 7.5cm ± 1cm

长度 20cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

720双装一个编织袋

## 说明：

尼龙内衬，手掌浸天然乳胶，压纹工艺，涂胶覆盖到手背，100%天然胶。

防水隔油，舒适，非常耐磨。



1.75

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：尼龙皱纹乳胶手套

型号：L508---灰

尺码：8#

材质：尼龙内衬、天然乳胶

## ▶ 产品指数

厚度：

透视 薄 适中 厚 加厚

耐磨度：

低 中低 适中 高 超高

舒适度：

低 适中 高

▶ 适用人群：成人/男女

▶ 使用环境：防滑首选，耐磨舒适，  
建筑、工地、园林、等劳动防护。



品名：皱纹防滑乳胶手套

颜色：灰纱灰胶

重量：48g ± 1g

尺码：8#

掌宽9cm ± 1cm

长度22cm ± 1cm

材质：尼龙+天然乳胶

包装：12双一个OPP彩袋

840双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
皱纹工艺，涂胶覆盖到指甲，  
100%纯天然胶。

防滑、耐磨、透气。



1.40

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：尼龙皱纹乳胶手套

型号：L508---红黑

尺码：8#

材质：尼龙内衬、天然乳胶

## ▶ 产品指数

厚度：

透视 薄 适中 厚 加厚

耐磨度：

低 中低 适中 高 超高

舒适度：

低 适中 高

▶ 适用人群：成人/男女

▶ 使用环境：防滑首选，耐磨舒适，  
建筑、工地、园林、等劳动防护。



品名：皱纹防滑乳胶手套

颜色：红纱黑胶

重量：48g ± 1g

尺码：8#

掌宽 9cm ± 1cm

长度 22cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

840双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
皱纹工艺，涂胶覆盖到指甲，  
100%纯天然胶。

防滑、耐磨、透气。



1.40

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：防水防油丁腈半挂手套

型号：XC-513 白橙加强指

尺码：9#

材质：尼龙内衬、丁腈乳胶

960双/件

### ▶ 产品指数


厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用说明：纯胶48克-半挂款，  
中度耐磨，防水、防油、防渗透，  
性价比高。



品名：丁腈半挂加强指手套

颜色：白纱橙胶

重量：48g ± 1g

尺码：9#

掌宽9.5cm ± 1cm

长度23cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个OPP袋

960双装一个编织袋

说明：尼龙内衬，手掌手背  
浸丁腈胶，涂胶覆盖到手背，  
100%纯丁腈胶。

防水耐油、透气、耐磨度中等。



1.65

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：防水防油丁腈半挂手套

型号：XC-513 白蓝加强指

尺码：9#

材质：尼龙内衬、丁腈乳胶

960双/件

### ▶ 产品指数

厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用说明：纯胶48克-半挂款，  
中度耐磨，防水、防油、防渗透，  
性价比高。



品名：丁腈半挂加强指手套

颜色：白纱蓝胶

重量：48g ± 1g

尺码：9#

掌宽9.5cm ± 1cm

长度23cm ± 1cm

材质：尼龙+丁腈乳胶

包装：12双一个OPP袋

960双装一个编织袋

说明：尼龙内衬，手掌手背  
浸丁腈胶，涂胶覆盖到手背，  
100%纯丁腈胶。

防水耐油、透气、耐磨度中等。



1.65

◆◆ 产品信息 ◆◆  
PRODUCT INFORMATION

▶ 基本信息

品名：防水防滑乳胶手套

型号：防水全挂 (85克)男款


尺码：9#

材质：尼龙内衬，天然乳胶


▶ 产品指数

720双/件


厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男

▶ 使用说明：纯胶80克-防水耐磨款，  
浸胶至手腕，专业防水、防滑、  
高度耐磨，性价比高。



品名：防水乳胶全挂手套

颜色：蓝纱蓝胶

重量：80g ± 2g

尺码：9#

掌宽9cm ± 1cm

长度24cm ± 1cm

材质：尼龙+天然乳胶

包装：12双一个OPP彩袋

720双装一个编织袋

说明：

尼龙内衬，全手涂纯天然乳胶，  
涂胶覆盖到手腕，防水专用，  
100%纯天然乳胶。

防水、防滑、耐磨，性价比高。



2.90

## ◇◇ 产品信息 ◇◇

PRODUCT INFORMATION

### ▶ 基本信息

品名：防水防滑乳胶手套

型号：防水全挂 (75克)女款

尺码：7#

材质：尼龙内衬，天然乳胶

720 双/件

### ▶ 产品指数


厚度：



透視 薄 适中 厚 加厚  
耐磨度：



低 中低 适中 高 超高  
舒适度：



低 适中 高

▶ 适用人群：成人/女

▶ 使用环境：防水专用，防滑隔油，  
纯胶75克-防水耐磨款，天然乳胶  
浸胶至手腕，高度耐磨。



品名：女款防水全挂手套

颜色：紫纱黑胶

重量：75g ± 2g

尺码：7#

掌宽 7.5cm ± 1cm

长度 20cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

720双装一个编织袋

说明：

尼龙内衬，全手涂纯天然乳胶，  
涂胶覆盖到手腕，防水专用，  
100% 纯天然乳胶。

防水、防滑、耐磨，性价比高。



2.80

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：发泡乳胶手套

型号：CX318---绿黑


尺码：9#

材质：尼龙内衬、天然乳胶

840双/件

### ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 使用环境：建筑、工地、园林、  
化工等劳动作业防护。



品名：发泡王乳胶手套

颜色：绿纱、黑胶

重量：48g ± 2g

尺码：9#

掌宽10cm

长度22-23cm

材质：尼龙+天然乳胶

包装：12双一个OPP彩袋

840双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，  
发泡工艺，涂胶覆盖到手背，  
70%天然胶。

防滑、透气舒适，耐磨度一般。



1.35

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：透气王加强指乳胶手套

型号：L837

尺码：9#

材质：尼龙内衬、天然乳胶

840 双/件

### ▶ 产品指数

厚度：

透视 薄 适中 厚 加厚

耐磨度：

低 中低 适中 高 超高

舒适度：

低 适中 高

▶ 适用人群：成人/男女

▶ 使用环境：建筑、工地、园林、

化工等劳动作业防护。



品名：透气加强指乳胶手套

颜色：荧光绿纱、绿胶、黑指

重量：48 g ± 1.5 g

尺码：9#

掌宽 10cm ± 1cm

长度 22cm ± 1cm

材质：尼龙 + 天然乳胶

包装：12双一个OPP彩袋

840双装一个编织袋

说明：

尼龙内衬，手掌浸天然乳胶，发泡工艺，涂胶覆盖到手背，70%天然胶。

防滑、透气舒适，耐磨度一般。



1.35

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：毛圈发泡乳胶手套

型号：300#


尺码：长25cm、掌宽11cm

材质：涤纶+天然乳胶

480 双/件

### ▶ 产品指数

厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用环境：保暖、防滑、工地  
化工、搬运、工厂等安全防护。



品名：保暖毛圈发泡手套

颜色：橙纱、棕胶

重量：70g ± 2g

尺码：9#

掌宽9cm ± 1cm

长度23cm ± 1cm

材质：尼龙+天然乳胶

包装：10双一个OPP彩袋

480双装一个编织袋

说明：

加厚尼龙内衬，里有绒毛，  
浸天然乳胶，发泡工艺，  
涂胶覆盖到手背，70%天然胶。  
保暖，防滑、耐磨度一般。



1.75

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：毛圈加强指皱纹手套

型号：300#


尺码：长25cm、掌宽11cm

材质：涤纶+天然乳胶

480 双/件

### ▶ 产品指数


厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用环境：保暖、防滑、工地  
化工、搬运、工厂等安全防护。



品名：毛圈保暖加强指发泡手套

颜色：橙纱、棕胶

重量：76g ± 2g

尺码：9#

掌宽9cm ± 1cm

长度23cm ± 1cm

材质：尼龙+天然乳胶

包装：10双一个OPP彩袋

480双装一个编织袋

说明：

加厚尼龙内衬，里有绒毛，  
天然乳胶，发泡工艺，指尖加强  
涂胶覆盖到手背，70%天然胶。  
保暖，防滑、耐磨度一般。



1.85

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：毛圈皱纹乳胶手套

型号：300#

尺码：长25cm、掌宽11cm

材质：涤纶+天然乳胶


480 双/件

### ▶ 产品指数

厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用环境：保暖、防滑、工地

化工、搬运、工厂等安全防护。



品名：保暖毛圈皱纹防滑手套

颜色：橙纱、黑胶

重量：87g ± 2g

尺码：9#

掌宽9cm ± 1cm

长度23cm ± 1cm

材质：尼龙+天然乳胶

包装：10双一个OPP彩袋

480双装一个编织袋

说明：

加厚尼龙内衬，里有绒毛，

天然乳胶，起皱工艺，

涂胶覆盖到手背，100%天然胶

保暖，防滑、耐磨度高。



2.10

## ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

### ▶ 基本信息

品名：保暖物理压纹手套

型号：300#


尺码：长25cm、掌宽11cm

材质：涤纶+天然乳胶

480 双/件

### ▶ 产品指数

厚度：



耐磨度：



舒适度：



▶ 适用人群：成人/男女

▶ 使用环境：绒里保暖，工地工厂

搬运、等高强度工作。非常耐磨。



品名：保暖毛圈压纹手套

颜色：橙纱、蓝胶

重量：75g ± 2g

尺码：9#

掌宽9cm ± 1cm

长度23cm ± 1cm

材质：尼龙+天然乳胶

包装：10双一个OPP彩袋

480双装一个编织袋

说明：

加厚尼龙内衬，里有绒毛，天然乳胶，物理压纹工艺，胶覆盖到手指甲，100%天然胶保暖，防滑、耐磨度非常高。



1.95

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：PU涂掌手套

颜色：白色


尺码：M码 / 欧码8#

材质：涤纶内衬、PU胶

1200双/件


## ▶ 产品指数

厚度：




透视 薄 适中 厚 加厚

耐磨度：



低 中低 适中 高 超高

舒适度：



低 适中 高

▶ 适用人群：成人/男女

▶ 身高建议：165-175cm

▶ 使用说明：手掌涂胶，覆盖到指甲

M/8#



品名：PU胶涂掌手套

颜色：白纱白胶

重量：19-26g ± 1g

尺码：7-10#可选

掌宽7-9.5cm ± 1cm

长度19-24cm ± 1cm

材质：聚氨酯PU胶 + 涤纶

包装：12双一个OPP袋

1200双装一个编织袋

说明：涤纶内衬，手掌涂胶

浸PU胶，涂胶覆盖到指甲。

舒适度很高，灵活轻便，透气，  
贴合手掌，防静电。

耐磨度低，不适合重活操作。



1.1

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：PU涂掌手套

颜色：黑色

尺码：M码 / 欧码8#

材质：涤纶内衬、PU胶

1200双/件

## ▶ 产品指数

厚度：

透视 薄 适中 厚 加厚

耐磨度：

低 中低 适中 高 超高

舒适度：

低 适中 高

▶ 适用人群：成人/男女

▶ 身高建议：165-175cm

▶ 使用说明：手掌涂胶，覆盖到指甲

M/8#



品名：PU胶涂掌手套

颜色：白纱白胶

重量：19-26g ± 1g

尺码：7-10# 可选

掌宽 7-9.5cm ± 1cm

长度 19-24cm ± 1cm

材质：聚氨酯PU胶 + 涤纶

包装：12双一个OPP袋

1200双装一个编织袋

说明：涤纶内衬，手掌涂胶

浸PU胶，涂胶覆盖到指甲。

舒适度很高，灵活轻便，透气，  
贴合手掌，防静电。

耐磨度低，不适合重活操作。



1.25

# ◆◆ 产品信息 ◆◆

PRODUCT INFORMATION

## ▶ 基本信息

品名：PU涂掌手套

颜色：灰色

尺码：M码 / 欧码8#

材质：涤纶内衬、PU胶

1200双/件

## ▶ 产品指数

厚度：

透视   薄   适中   厚   加厚

耐磨度：

低   中低   适中   高   超高

舒适度：

低   适中   高

▶ 适用人群：成人/男女

▶ 身高建议：165-175cm

▶ 使用说明：手掌涂胶，覆盖到指甲

M/8#



品名：PU胶涂掌手套

颜色：白纱白胶

重量：19-26g ± 1g

尺码：7-10#可选

掌宽7-9.5cm ± 1cm

长度19-24cm ± 1cm

材质：聚氨酯PU胶 + 涤纶

包装：12双一个OPP袋

1200双装一个编织袋

说明：涤纶内衬，手掌涂胶  
浸PU胶，涂胶覆盖到指甲。

舒适度很高，灵活轻便，透气，  
贴合手掌，防静电。

耐磨度低，不适合重活操作。



1.25

# H1-55

## Introduction


**Chlorinated heavy-duty rubber gloves**, which are manufactured and inspected according to the European standards EN388 and EN374 of SATRA. High quality gloves designed for high risk applications. It has a strong protective on many ketones, detergents, alcohols and alkalis used in work.

**Thick natural latex gloves** also protect hands and arms from piercing and abrasion in woodworking, construction, fishing and other environments.

EN374-5:  
2016




EN388:2016



ISO 374-1  
Type A



EN 420



CAT III



## Applications

- Oil industry
- Mining industry
- Agriculture
- Public health industry
- Fishing industry
- Logistics and warehousing

## Description

**Name:** Smooth Palm Heavy-duty Rubber Gloves  
22 "/ 55cm  
**Item No:** H1-55  
**Color:** Black Outside and Orange Inside  
**Material:** Natural Latex  
**Inside liner:** Orange flock liner  
**Palm:** Smooth finish  
**Cuff:** Rolled open cuff  
**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm 39.4mil / 1mm

Back 39.4mil / 1mm

Cuff 35.5mil / 0.9mm

## Packing

Each pair in a polybag,  
6 pairs in a big transparent polybag,  
24 pairs in a carton  
**Carton size:** 61\*19\*29cm  
**Gross weight:** 14.5KGS

sizes	Minimum length	Net weight
9(L)	550mm	550g
10(XL)	555mm	560g

# H1-45

## Introduction

**Chlorinated heavy-duty rubber gloves**, which are manufactured and inspected according to the European standards EN388 and EN374 of SATRA. High quality gloves designed for high risk applications. It has a strong protective on many ketones, detergents, alcohols and alkalis used in work.


**Thick natural latex gloves** also protect hands and arms from piercing and abrasion in woodworking, construction, fishing and other environments.

EN374-5:  
2016



CAT III

EN388:2016




3112X

ISO 374-1  
Type A



AJKLMT

EN 420



## Applications

- Oil industry
- Mining industry
- Agriculture
- Public health industry
- Fishing industry
- Logistics and warehousing

## Description

**Name:** Smooth Palm Heavy-duty Rubber Gloves 18" / 45cm  
**Item No:** H1-45  
**Color:** Black Outside and Orange Inside  
**Material:** Natural Latex  
**Inside liner:** Orange flock liner  
**Palm:** Smooth finish  
**Cuff:** Rolled open cuff  
**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm | 39.4mil / 1mm

Back | 39.4mil / 1mm

Cuff | 35.5mil / 0.9mm

## Packing

Each pair in a polybag,  
6 pairs in a big transparent polybag,  
24 pairs in a carton  
Carton size: 47\*19\*23cm  
Gross weight: 10.5KGS

sizes	Minimum length	Net weight
9(L)	450mm	375g
10(XL)	455mm	425g

# H1-35

## Introduction

**Chlorinated heavy-duty rubber gloves**, which are manufactured and inspected according to the European standards EN388 and EN374 of SATRA. High quality gloves designed for high risk applications. It has a strong protective on many ketones, detergents, alcohols and alkalis used in work.


**Thick natural latex gloves** also protect hands and arms from piercing and abrasion in woodworking, construction, fishing and other environments.

EN374-5:  
2016



CAT III

EN388:2016




3112X

ISO 374-1  
Type A



AJKLMT

EN 420



## Applications

- Oil industry
- Mining industry
- Agriculture
- Public health industry
- Fishing industry
- Logistics and warehousing

### Thickness: (±5%)

Palm 27.5mil / 0.7mm

Back 27.5mil / 0.7mm

Cuff 23.6mil / 0.6mm

## Description

**Name: Smooth Palm Heavy-duty Rubber Gloves 14" / 35cm**

**Item No: H1-35**

**Color: Black Outside and Orange Inside**

**Material: Natural Latex**

**Inside liner: Orange flock liner**

**Palm: Smooth finish**

**Cuff: Rolled open cuff**

**Outside treatment: Chlorination**

## Packing

**Each pair in a polybag,**

**12 pairs in a big transparent polybag,**

**72 pairs in a carton**

**Carton size: 37\*31\*28cm**

**Gross weight: 13KGS**


sizes	Minimum length	Net weight
10(L)	345mm	180g
11(XL)	350mm	182g
12(XXL)	351mm	185g

# H2-55

## Introduction

**Chlorinated heavy-duty rubber gloves**, which are manufactured and inspected according to the European standards EN388 and EN374 of SATRA. High quality gloves designed for high risk applications. It has a strong protective on many ketones, detergents, alcohols and alkalis used in work.

The surface wrinkling treatment allows users to avoid piercing and abrasion damage in woodworking, construction, fishing and other environments, and can better grasp objects.



## Applications

- Oil industry
- Mining industry
- Agriculture
- Public health industry
- Fishing industry
- Logistics and warehousing

## Description

**Name:** Rough Palm Heavy-duty Rubber Gloves 22" / 55cm  
**Item No:** H2-55  
**Color:** Black Outside and Orange Inside  
**Material:** Natural Latex  
**Inside liner:** Orange flock liner  
**Palm:** Crinkled finish  
**Cuff:** Rolled open cuff  
**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm | 32mil / 0.8mm

Back | 32mil / 0.8mm

Cuff | 23.6mil / 0.6mm

## Packing

Each pair in a polybag,  
6 pairs in a big transparent polybag,  
24 pairs in a carton

Carton size: 57\*35\*27cm

Gross weight: 24KGS


sizes	Minimum length	Net weight
9(L)	550mm	320g
10(XL)	555mm	325g

# H2-45

## Introduction

**Chlorinated heavy-duty rubber gloves**, which are manufactured and inspected according to the European standards EN388 and EN374 of SATRA. High quality gloves designed for high risk applications. It has a strong protective on many ketones, detergents, alcohols and alkalis used in work.

The surface wrinkling treatment allows users to avoid piercing and abrasion damage in woodworking, construction, fishing and other environments, and can better grasp objects.



## Applications

- Oil industry
- Mining industry
- Agriculture
- Public health industry
- Fishing industry
- Logistics and warehousing

## Description

**Name:** Rough Palm Heavy-duty Rubber Gloves  
**18" / 45cm**  
**Item No:** H2-45  
**Color:** Black Outside and Orange Inside  
**Material:** Natural Latex  
**Inside liner:** Orange flock liner  
**Palm:** Crinkled finish  
**Cuff:** Rolled open cuff  
**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm | 32mil / 0.8mm

Back | 32mil / 0.8mm

Cuff | 23.6mil / 0.6mm

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
72 pairs in a carton  
Carton size: 47\*34\*27cm  
Gross weight: 19KGS


sizes	Minimum length	Net weight
9(L)	550mm	320g
10(XL)	555mm	325g

# H2-35

## Introduction

**Chlorinated heavy-duty rubber gloves**, which are manufactured and inspected according to the European standards EN388 and EN374 of SATRA. High quality gloves designed for high risk applications. It has a strong protective on many ketones, detergents, alcohols and alkalis used in work.

The surface wrinkling treatment allows users to avoid piercing and abrasion damage in woodworking, construction, fishing and other environments, and can better grasp objects.



## Applications

- Oil industry
- Mining industry
- Agriculture
- Public health industry
- Fishing industry
- Logistics and warehousing

### Thickness: (±5%)

Palm	32mil / 0.8mm
Back	32mil / 0.8mm
Cuff	23.6mil / 0.6mm

## Description

**Name:** Rough Palm Heavy-duty Rubber Gloves  
**14" / 35cm**  
**Item No:** H2-35  
**Color:** Black Outside and Orange Inside  
**Material:** Natural Latex  
**Inside liner:** Orange flock liner  
**Palm:** Crinkled finish  
**Cuff:** Rolled open cuff  
**Outside treatment:** Chlorination

## Packing

**Each pair in a polybag,**  
**12 pairs in a big transparent polybag,**  
**72 pairs in a carton**  
**Carton size: 37\*31\*28cm**  
**Gross weight: 13KGS**

sizes	Minimum length	Net weight
9(L)	345mm	180g
10(XL)	350mm	185g
11(XXL)	355mm	190g

# HC-55

## Introduction

**Hi-Chem Chemical Resistant Rubber Glove** has excellent chemical protection performance, which has been proved by experimental tests to be effective in isolating the penetration of Metal Primary Alcohol, Sodium Hydroxide, Sulphric Acid, Nickel Acid Inorganic, Formaldehyde.

Due to the cost performance of latex, this glove is very suitable for common chemical treatment and industrial cleaning

EN374-5:  
2016




EN388:2016



ISO 374-1  
Type A



EN 420



CAT III



## Applications

Industrial cleaning / Public health industrial  
Chemical handling

EN ISO 374-1: 2016/Type A	Chemical Class	Levels	N 374-4:2013 Degradation
Methanol Primary Alcohol	Primary Alcohol	6	1.0
n-Heptane	Saturated Hydrocarbon	2	38.3
40% Sodium Hydroxide	Hydroxide norganic	6	-24.6
96% Sulphuric Acid	Inorganic Acid	6	-24.6
65% Nitric Acid Inorganic	Inorganic Acid	6	-11.1
37% Formaldehyde	Aldehyde	6	-14.3

**Thickness: (±5%)**

**Palm** 39.4mil / 1mm

**Back** 39.4mil / 1mm

**Cuff** 35.5mil / 0.9mm

## Description

**Name:** Hi-Chem Chemical Resistant Rubber Glove 22" / 55cm

**Item No:** HC-55

**Color:** Black

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Smooth finish

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

**Each pair in a polybag,  
6 pairs in a big transparent polybag,**

**24 pairs in a carton**

**Carton size: 61\*19\*29cm**

**Gross weight: 14.5KGS**


sizes	Minimum length	Net weight
9(L)	550mm	550g
10(XL)	555mm	560g

# HC-45

## Introduction

**Hi-Chem Chemical Resistant Rubber Glove** has excellent chemical protection performance, which has been proved by experimental tests to be effective in isolating the penetration of Metal Primary Alcohol, Sodium Hydroxide, Sulphric Acid, Nickel Acid Inorganic, Formaldehyde.

Due to the cost performance of latex, this glove is very suitable for common chemical treatment and industrial cleaning



## Applications

Industrial cleaning / Public health industrial Chemical handling

EN ISO 374-1: 2016/Type A	Chemical Class	Levels	N 374-4:2013 Degradation
Methanol Primary Alcohol	Primary Alcohol	6	1.0
n-Heptane	Saturated Hydrocarbon	2	38.3
40% Sodium Hydroxide	Hydroxide inorganic	6	-24.6
96% Sulphuric Acid	Inorganic Acid	6	-24.6
65% Nitric Acid Inorganic	Inorganic Acid	6	-11.1
37% Formaldehyde	Aldehyde	6	-14.3

### Thickness: ( $\pm 5\%$ )

Palm	39.4mil / 1mm
Back	39.4mil / 1mm
Cuff	35.5mil / 0.9mm

## Description

**Name:** Hi-Chem Chemical Resistant Rubber Glove 18" / 45cm

**Item No:** HC-45

**Color:** Black

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Smooth finish

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

**Each pair in a polybag,**

**6 pairs in a big transparent polybag,**

**24 pairs in a carton**

**Carton size: 47\*19\*23cm**

**Gross weight: 10.5KGS**


sizes	Minimum length	Net weight
9(L)	450mm	375g
10(XL)	455mm	425g

# HC-40

## Introduction

**Hi-Chem Chemical Resistant Rubber Glove** has excellent chemical protection performance, which has been proved by experimental tests to be effective in isolating the penetration of Metal Primary Alcohol, Sodium Hydroxide, Sulphric Acid, Nickel Acid Inorganic, Formaldehyde.

Due to the cost performance of latex, this glove is very suitable for common chemical treatment and industrial cleaning



## Applications

Industrial cleaning / Public health industrial Chemical handling

EN ISO 374-1: 2016/Type A	Chemical Class	Levels	N 374-4:2013 Degradation
Methanol Primary Alcohol	Primary Alcohol	6	1.0
n-Heptane	Saturated Hydrocarbon	2	38.3
40% Sodium Hydroxide	Hydroxide norganic	6	-24.6
96% Sulphuric Acid	Inorganic Acid	6	-24.6
65% Nitric Acid Inorganic	Inorganic Acid	6	-11.1
37% Formaldehyde	Aldehyde	6	-14.3

**Thickness: (±5%)**

Palm	39.4mil / 1mm
Back	39.4mil / 1mm
Cuff	35.5mil / 0.9mm

## Description

**Name: Hi-Chem Chemical Resistant Rubber Glove 16" / 40cm**

**Item No: HC-40**

**Color: Black**

**Material: Natural Latex**

**Inside liner: Without lining**

**Palm: Smooth finish**

**Cuff: Gauntlet beaded cuff**

**Outside treatment: Chlorination**

## Packing

**Each pair in a polybag,  
6 pairs in a big transparent polybag,  
24 pairs in a carton**

**Carton size: 42\*18\*23cm**

**Gross weight: 7.8KGS**

sizes	Minimum length	Net weight
9(L)	400mm	290g
10(XL)	405mm	315g

# HC-30

## Introduction

Hi-Chem Chemical Resistant Rubber Glove has excellent chemical protection performance, which has been proved by experimental tests to be effective in isolating the penetration of Metal Primary Alcohol, Sodium Hydroxide, Sulphric Acid, Nickel Acid Inorganic, Formaldehyde.


Due to the cost performance of latex, this glove is very suitable for common chemical treatment and industrial cleaning



EN374-5:  
2016




EN388:2016



ISO 374-1  
Type A



EN 420



CAT III

## Applications

Industrial cleaning / Public health industrial  
Chemical handling

EN ISO 374-1: 2016/Type A	Chemical Class	Levels	N 374-4:2013 Degradation
Methanol Primary Alcohol	Primary Alcohol	6	1.0
n-Heptane	Saturated Hydrocarbon	2	38.3
40% Sodium Hydroxide	Hydroxide norganic	6	-24.6
96% Sulphuric Acid	Inorganic Acid	6	-24.6
65% Nitric Acid Inorganic	Inorganic Acid	6	-11.1
37% Formaldehyde	Aldehyde	6	-14.3

**Thickness: (±5%)**

Palm	39.4mil / 1mm
Back	39.4mil / 1mm
Cuff	35.5mil / 0.9mm

## Description

**Name:** Hi-Chem Chemical Resistant Rubber Glove 12" / 30cm

**Item No:** HC-30

**Color:** Black

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Smooth finish

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

**Each pair in a polybag,  
6 pairs in a big transparent polybag,**

**48 pairs in a carton**

**Carton size: 32\*31\*29cm**

**Gross weight: 11.5KGS**

sizes	Minimum length	Net weight
9(L)	300mm	215g
10(XL)	305mm	230g

# LC-D20

## Introduction

LC-D20 is comfortable and soft to wear on the basis of good chemical protection. The diamond palm also makes this glove have a good grip.


It is widely used in construction, slaughter, farm and long-term contact with detergent applications.

EN374-5:  
2016



CAT III

EN388:2016



3112X

ISO 374-1:  
Type B



KOT

EN 420



## Applications

Industrial cleaning / Waste management  
Laboratory

EN ISO 374-1:2016+A1: 2018 Type A	Levels	EN ISO 374-4: 2019
Methanol	2	-6.3%
Sodium Hydroxide	6	-3.0%
Sulphuric acid	4	27.6%
Nitric acid	6	10.3%
Acetic acid	2	19.9%
Ammonium hydroxide	1	-25.4%
Hydrogen peroxide	6	6.4%
Hydrofluoric acid	6	X
Formaldehyde	6	-9.2%

sizes	Minimum length	Net weight
7(S)	340mm	126g
8(M)	342mm	133g
9(L)	344mm	140g
10(XL)	346mm	147g
11(XXL)	350mm	152g

## Description

**Name:** Lite-Chem Chemical Resistant Rubber Glove 13" / 33cm

**Item No:** LC-D20

**Color:** Black

**Material:** Natural Latex

**Inside liner:** Natural flock lined

**Palm:** Diamond pattern grip

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

Each pair in a polybag,

12 pairs in a big transparent polybag,

144 pairs in a carton

Carton size: 46\*37\*28cm

Gross weight:22KGS

**Thickness:** (±5%)

**Palm** | 32mil / 0.8mm

**Back** | 32mil / 0.8mm

**Cuff** | 23.6mil / 0.6mm

# GU-45

## Introduction

**GU-45** has excellent air tightness, abrasion resistance, enhanced glove flexibility, clear palm print, excellent chemical resistance, acid and alkali resistance, and has a certain chemical protection effect. The gloves contoured shape reduces hand fatigue. Natural rubber construction offers the required dielectric properties combined with flexibility, strength and durability, and contour cuff for increased mobility and comfort on the job.



CAT II

3100X



## Applications

- Construction
- Petroleum industrial
- Maintenance
- Safety Work
- Industrial work
- Foundry industrial
- Chemical industrial

## Description

**Name:** Full Grip Extreme Thick Rubber Glove  
**18" / 45cm**  
**Item No:** GU-45  
**Color:** Black  
**Material:** Natural Latex  
**Inside liner:** Unlined  
**Palm:** Diamond pattern grip  
**Cuff:** Gauntlet beaded cuff  
**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm | 35mil / 0.9mm

Back | 35mil / 0.9mm

Cuff | 30mil / 0.75mm

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
72 pairs in a carton  
Carton size: 46\*37\*26cm  
Gross weight: 23KGS

sizes	Minimum length	Net weight
9(L)	440mm	300g
10(XL)	450mm	320g


# D-2D

## Introduction

D-2D can be regarded as thickened household latex gloves. The gloves are thick enough to have good wear resistance and puncture resistance. In terms of wearing experience, excellent softness and extensibility can work more comfortably.

The evenly dipped flock inner scale design keeps hands comfortable and avoid powder allergy. Diamond surface texture increases grip friction.

The surface Chlorination treatment technology allows gloves to meet the requirements of common detergent, grease and mild corrosion applications



## Description

Name: Bi-Color Diamond Grip Rubber Glove 13" / 33cm

Item No: D-2D

Color: Blue & Yellow

Material: Natural Latex

Inside liner: Dipped flock lined

Palm: Diamond pattern grip

Cuff: Gauntlet beaded cuff

Outside treatment: Chlorination

## Applications

- Household cleaning
- Outdoor working
- Fishing industry
- Construction
- Automobile maintenance

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
144 pairs in a carton  
Carton size: 46\*37\*28cm  
Gross weight: 22KGS

sizes	Minimum length	Net weight
7(S)	305mm	93g
8(M)	315mm	100g
9(L)	325mm	107g
10(XL)	335mm	114g
11(XXL)	340mm	120g

### Thickness: (±5%)

Palm	21.6mil / 0.55mm
Back	21.6mil / 0.55mm
Cuff	15.7mil / 0.4mm


# D-20

## Introduction

D-20 can be regarded as thickened household latex gloves. The gloves are thick enough to have good wear resistance and puncture resistance. In terms of wearing experience, excellent softness and extensibility can work more comfortably.

The evenly dipped flock inner scale design keeps hands comfortable and avoid powder allergy. Diamond surface texture increases grip friction.

The surface Chlorination treatment technology allows gloves to meet the requirements of common detergent, grease and mild corrosion applications



## Description

Name: Harvest Diamond Grip Rubber Glove 13" / 33cm

Item No: D-20

Color: Orange

Material: Natural Latex

Inside liner: Dipped flock lined

Palm: Diamond pattern grip

Cuff: Gauntlet beaded cuff

Outside treatment: Chlorination

## Applications

- Household cleaning
- Outdoor working
- Fishing industry
- Construction
- Automobile maintenance

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
144 pairs in a carton  
Carton size: 46\*37\*28cm  
Gross weight: 22KGS

sizes	Minimum length	Net weight
7(S)	320mm	100g
8(M)	320mm	107g
9(L)	330mm	113g
10(XL)	340mm	120g
11(XXL)	340mm	127g

### Thickness: (±5%)

Palm	22mil / 0.55mm
Back	22mil / 0.55mm
Cuff	16mil / 0.4mm

# H2R-35


## Introduction

H2R series gloves are reusable safety rubber gloves specially designed for the food processing industry. This glove has passed the EN-1186 test, without bisphenol A, and it can keep the food hygienic in a long time immersion in water and fat.

At the same time, the good rubber function ensures that the user's hands can be kept dry in the long-term contact with liquid. Wrinkle palm has good grip and puncture resistance performance.



CAT II



2101X



EN 388:2016



EN 420



## Description

**Name:** Salmon Processing Wrinkle Palm Rubber Gloves 14" / 35cm

**Item No:** H2R-35

**Color:** Red

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Crinkled

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm	35mil / 0.9mm
------	---------------

Back	35mil / 0.9mm
------	---------------

Cuff	16mil / 0.4mm
------	---------------

sizes	Minimum length	Net weight
8(M)	330mm	115g
9(L)	350mm	140g
10(XL)	340mm	145g
11(XXL)	350mm	150g

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
120 pairs in a carton  
Carton size: 46\*37\*26m  
Gross weight: 18KGS

## Applications

Food contact processing / Slaughtering industrial / Fish and meat processing / Aquaculture


EN 1186-14:2002 substitute test	Time	Temperature	Max. Permissible Limit	Result of 001 Overall Migration
3% Acetic Acid (W/V) Aqueous Solution	2.0hr(s)	70°C	10mg/dm <sup>2</sup>	< 3mg/dm <sup>2</sup>
95% Ethanol Aqueous Solution	2.0hr(s)	60°C	10mg/dm <sup>2</sup>	8.5mg/dm <sup>2</sup>
Isopropanol Aqueous Solution	2.0hr(s)	100°C	10mg/dm <sup>2</sup>	7.2mg/dm <sup>2</sup>

# H2B-35

## Introduction

H2R series gloves are reusable safety rubber gloves specially designed for the food processing industry. This glove has passed the EN-1186 test, without bisphenol A, and it can keep the food hygienic in a long time immersion in water and fat.

At the same time, the good rubber function ensures that the user's hands can be kept dry in the long-term contact with liquid. Wrinkle palm has good grip and puncture resistance performance.



## Description

**Name:** Salmon Processing Wrinkle Palm Rubber Gloves 14" / 35cm

**Item No:** H2B-35

**Color:** Blue

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Crinkled

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

**Thickness:** (±5%)

**Palm** 32mil / 0.84mm

**Back** 32mil / 0.84mm

**Cuff** 15mil / 0.37mm

sizes	Minimum length	Net weight
8(M)	330mm	105g
9(L)	350mm	130g
10(XL)	340mm	135g
11(XXL)	350mm	140g

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
120 pairs in a carton  
Carton size: 46\*37\*26m  
Gross weight: 18KGS

## Applications

Food contact processing / Slaughtering industrial / Fish and meat processing / Aquaculture


EN 1186-14:2002 substitute test	Time	Temperature	Max. Permissible Limit	Result of 001 Overall Migration
3% Acetic Acid (W/V) Aqueous Solution	2.0hr(s)	70°C	10mg/dm <sup>2</sup>	< 3mg/dm <sup>2</sup>
95% Ethanol Aqueous Solution	2.0hr(s)	60°C	10mg/dm <sup>2</sup>	8.5mg/dm <sup>2</sup>
Isooctane	2.0hr(s)	40°C	10mg/dm <sup>2</sup>	7.2mg/dm <sup>2</sup>

# H2N-55

## Introduction

H2N series are reusable gloves commonly used in leather industry in Western Europe, with 100% natural latex. Wrinkle palms and back, smooth inside. Provide protection against mechanical hazards such as abrasion, cutting, tearing and perforation.

This type of gloves has the flexibility and softness of natural rubber latex, which can ensure good wear resistance and good grip even when working with liquids.



## Applications

- Tanning industry
- Leather industry
- Automobile industry
- Chemical industry

## Description

**Name:** Steady Wrinkle Extreme Thick Rubber Glove 22" / 55cm  
**Item No:** H2N-55  
**Color:** Natural Latex / Milky White  
**Material:** Natural Latex  
**Inside liner:** Without lining  
**Palm:** Crinkled grip  
**Cuff:** Gauntlet beaded cuff  
**Outside treatment:** Chlorination

### Thickness: (±5%)

Palm	55mil / 1.4mm
Back	55mil / 1.4mm
Cuff	23mil / 0.6mm

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
72 pairs in a carton  
Carton size: 60\*35\*29cm  
Gross weight: 30.3KGS


sizes	Minimum length	Net weight
9(L)	580mm	420g
10(XL)	580mm	430g

# H2N-45

## Introduction

H2N series are reusable gloves commonly used in leather industry in Western Europe, with 100% natural latex. Wrinkle palms and back, smooth inside. Provide protection against mechanical hazards such as abrasion, cutting, tearing and perforation.

This type of gloves has the flexibility and softness of natural rubber latex, which can ensure good wear resistance and good grip even when working with liquids.



## Applications

- Tanning industry
- Leather industry
- Automobile industry
- Chemical industry

### Thickness: (±5%)

Palm	55mil / 1.4mm
Back	55mil / 1.4mm
Cuff	23mil / 0.6mm

sizes	Minimum length	Net weight
9(L)	450mm	320g
10(XL)	450mm	330g

## Description

**Name:** Steady Wrinkle Extreme Thick Rubber Glove 18" / 45cm  
**Item No:** H2N-45  
**Color:** Natural Latex / Milky White  
**Material:** Natural Latex  
**Inside liner:** Without lining  
**Palm:** Crinkled grip  
**Cuff:** Gauntlet beaded cuff  
**Outside treatment:** Chlorination

## Packing


Each pair in a polybag,  
12 pairs in a big transparent polybag,  
72 pairs in a carton  
Carton size: 47\*34\*29cm  
Gross weight: 23.4KGS

# H2N-35

## Introduction

H2N series are reusable gloves commonly used in leather industry in Western Europe, with 100% natural latex. Wrinkle palms and back, smooth inside. Provide protection against mechanical hazards such as abrasion, cutting, tearing and perforation.

This type of gloves has the flexibility and softness of natural rubber latex, which can ensure good wear resistance and good grip even when working with liquids.



## Applications

- Tanning industry
- Leather industry
- Automobile industry
- Chemical industry

### Thickness: (±5%)

Palm | 47mil / 1.2mm

Back | 47mil / 1.2mm

Cuff | 23mil / 0.6mm

## Description

**Name:** Steady Wrinkle Extreme Thick Rubber Glove 14" / 35cm

**Item No:** H2N-35

**Color:** Natural Latex / Milky White

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Crinkled grip

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

**Each pair in a polybag,**

**12 pairs in a big transparent polybag,**

**72 pairs in a carton**

**Carton size: 37\*31\*29cm**

**Gross weight: 17KGS**


sizes	Minimum length	Net weight
10(L)	350mm	220g
11(XL)	351mm	235g
12(XXL)	351mm	245g

# H2N-32

## Introduction

H2N-32 gloves are reusable safety rubber gloves specially designed for the food processing industry. This glove has passed the EN-1186 test, without bisphenol A, and it can keep the food hygienic in a long time immersion in water and fat.

At the same time, the good rubber function ensures that the user's hands can be kept dry in the long-term contact with liquid. Wrinkle palm has good grip and puncture resistance performance.



## Applications

- Food processind
- Fish and meat processing
- Aquaculture
- Slaughtering industrial

### Thickness: ( $\pm 5\%$ )

Palm 47mil / 1.2mm

Back 47mil / 1.2mm

Cuff 23mil / 0.6mm

## Description

**Name:** Steady Wrinkle Extreme Thick Rubber Glove 13" / 32cm

**Item No:** H2N-32

**Color:** Natural Latex / Milky White

**Material:** Natural Latex

**Inside liner:** Without lining

**Palm:** Crinkled grip

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

Each pair in a polybag,

12 pairs in a big transparent polybag,

72 pairs in a carton

Carton size: 46\*37\*26cm

Gross weight:17KGS


sizes	Minimum length	Net weight
7(S)	320mm	110g
8(M)	320mm	110g
9(L)	330mm	110g
10(XL)	330mm	110g
11(XXL)	330mm	110g

# F-2

## Introduction

F-series gloves lining are covered with a silky thin layer. Hands will still fresh and clean when put off the gloves and leave no powder.,allowing the wearer to enjoy comfort and flexibility in daily use such as cleaning house, washing dish and doing laundry.

This product, flock-lined, provide maximum protection from dirt, germs & chemicals with four layers of material for extreme durability. With a soft, absorbent lining premium quality rubber glove offers better protection against chemicals, cleansers than most other household glove



## Description

Name: Colorful Household Rubber Glove

Item No: F-2

Color: Yellow/ Blue / Orange / Customized

Material: Natural Latex

Inside liner: Dipped flock lined (Avoid powder allergy)

Palm: Diamond pattern grip

Cuff: Gauntlet beaded cuff

Outside treatment: Chlorination

## Applications

- Industrial cleaning
- Domestic cleaning
- Garden Working
- General wet handling

## Packing

Each pair in a polybag,  
12 pairs in a big transparent polybag,  
144 pairs in a carton

Carton size: 34\*30\*28cm

Gross weight:9.64KGS

sizes	Minimum length	Net weight
7(S)	290mm	56g
8(M)	300mm	58g
9(L)	300mm	60g
10(XL)	310mm	62g

Thickness: (±5%)	
Palm	16mil / 0.4mm
Back	16mil / 0.4mm
Cuff	10mil / 0.25mm

# NR-33

## Introduction

NR-33 is made of high-quality nitrile rubber, which has been tested by EN-374-1:2016 and proved to be resistant to a variety of chemical components, such as methanol, formaldehyde, sulfuric acid, sodium hydroxide, etc. The users hands can be protected under common working conditions such as decoration, washing and cleaning of harsh environments.

In addition, the odor proof flock lining and excellent physical performance make users comfortable to wear, convenient to work, and can increase the grip friction



EN374-5: 2016



CAT III

EN388:2016




3101X

ISO 374-1 Type A



AJKLMT

EN 420



## Applications

Industrial cleaning / Domestic cleaning  
Indoor decoration / Food contact

EN ISO 374-1:2016 Type A	Levels	EN ISO 374-4: 2013
Methanol	2	77.7
n-Heptane	6	11.7
40% Sodium Hydroxide	6	-11.9
96% Sulphuric acid	3	62.1
30% Hydrogen peroxide	6	2.5
25% Ammonium hydroxide	5	9.4
37% Formaldehyde	6	-7.6

## Description

**Name:** Flocklined Nitrile Household Glove  
13" / 33cm

**Item No:** LC-D20

**Color:** Black

**Material:** Natural Latex

**Inside liner:** Natural flock lined

**Palm:** Diamond pattern grip

**Cuff:** Gauntlet beaded cuff

**Outside treatment:** Chlorination

## Packing

Each pair in a polybag,

12 pairs in a big transparent polybag,

144 pairs in a carton

Carton size: 36\*32\*22cm

Gross weight: 9.6KGS

sizes	Minimum length	Net weight
7(S)	320mm	62g
8(M)	320mm	64g
9(L)	330mm	66g
10(XL)	340mm	68g
11(XXL)	340mm	70g

**Thickness:** (±5%)

**Palm** | 15mil / 0.39mm

**Back** | 15mil / 0.39mm

**Cuff** | 14mil / 0.35mm

# PV615

## Introduction

PV615 is our newly designed PVC shoulder length gloves, which can provide excellent hand to shoulder protection, and has a good isolation effect on the penetration of water and oil.

Sand grain surface treatment makes gloves have good imitation piercing performance and good anti-skid ability. It is ideal for use with lubricants and in marine or agricultural environments.



CE

CAT II



EN374-2

4121



EN388:2016

EN 420



## Applications

- Mining industry
- Agriculture and Fishery
- Forestry
- Construction
- Chemical industrial

## Description

**Name:** Extra Long Sandy Palm PVC Oil Resistant Glove 22" / 61.5cm  
**Item No:** PV615  
**Color:** Blue  
**Coating material:** Triple dipped sandy PVC  
**Inside liner:** Interlock-knitted cotton  
**Palm:** Rough (sandy) finishing PVC  
**Cuff :** Elasticated rim

## Features and Benefits

- Soft and comfortable cotton lining
- Flexible but strong
- Extended sleeve with elasticated border
- Great grip in damp or greasy conditions
- Triple dipped
- Heavyweight

## Packing


Each pair in a polybag,  
12 pairs in a big transparent polybag,  
72 pairs in a carton

sizes	Minimum length
9(L)	550mm

# PV415

## Introduction

This PVC sandy finished glove is made of PVC, comfortable, anti-skid, flexible operation, and oil resistance, acid and alkali resistance. PVC coating. It protects against liquids and water penetration Impermeable for working in damp or greasy environments, keeps your hand dry. Acrylic liner Protects provide barrier from cold ensuring warmth and comfort all day long.



## Applications

- Mining industry
- Agriculture and Fishery
- Forestry
- Construction
- Chemical industrial

## Description

**Name:** Rough (Sandy) Palm Cold and Oil Proof PVC Glove 13" / 32cm  
**Item No:** PV415  
**Color:** Blue / Fluorescent orange  
**Coating material:** Triple dipped sandy PVC  
**Inside liner:** Seamless acrylic towel  
**Palm:** Rough (sandy) finishing PVC  
**Cuff :** Gauntlet

sizes	Minimum length	Net weight
8(M)	270mm	160g
9(L)	300mm	162g
10(XL)	330mm	165g
11(XXL)	330mm	166g

## Packing


Each pair in a polybag,  
12 pairs in a big transparent polybag,  
72 pairs in a carton  
Carton size: 60\*32.5\*42cm  
Gross weight:11.6KGS

# PV412

## Introduction

PV412 belongs to the category of PVC chemical protective gloves. This chemical protective gloves will protect users from harmful chemicals used in pharmaceutical and industrial applications, such as acids, alkalis, oils, fats, peroxides and amines. In addition, PVC has good wear resistance.

However, the performance of organic solvents is insufficient, and intentional contact with ketones, oxidized acids and nitrogen containing organic compounds should be avoided.



## Applications

- Chemical processing and preparation
- Handling dry, wet or oily large objects
- Maintenance of plant and machines

## Description

**Name:** Rough (Sandy) Palm Oil Resistant PVC Glove 16" / 40.6cm  
**Item No:** PV412  
**Color:** Blue / Red  
**Coating material:** Double dipped sandy PVC  
**Inside liner:** 100% seamless cotton  
**Palm:** Rough (sandy) finishing PVC  
**Cuff :** Open cuff

sizes	Minimum length	Net weight
8(M)	270mm	130g
9(L)	300mm	132g
10(XL)	330mm	135g
11(XXL)	350mm	136g

## Packing

**Each pair in a polybag,**  
**12 pairs in a big transparent polybag,**  
**72 pairs in a carton**  
**Carton size: 37\*31\*29cm**  
**Gross weight: 9.8KGS**

# NE-01

## Introduction

Nitrile glove is the world's latest generation of glove. It is a synthetic rubber composed by acrylonitrile and butadiene, allergy free and biodegradable.

These gloves have 5 years' shelf life from the date of manufacturing and shall maintain their properties when stored in dry condition and avoid direct sunlight.



## Features

- ◆ No latex protein to cause allergy.
- ◆ Excellent softness and wearing fitness.
- ◆ Undifferentiated shelf life as normal gloves.
- ◆ Well suitable for high cleanliness industry like electronic food service, etc

**Power Free  
Non-sterile**



DIN EN  
**455**



## Applications



Medical Purpose / Examination



Industrial purpose / PPE




Laboratory



Healthcare and nursing



General household cleaning



IT Industry



## Packing

100 pcs/box

Box size: 22\*12\*6cm

10 boxes/carton

Carton Size: 38\*25\*25cm

Gross Weight (Box): 0.45kg

Gross Weight (CTN): 5.0kg

# NE-03

## Introduction

Nitrile glove is the world's latest generation of glove. It is a synthetic rubber composed by acrylonitrile and butadiene, allergy free and biodegradable.

These gloves have 5 years' shelf life from the date of manufacturing and shall maintain their properties when stored in dry condition and avoid direct sunlight.



## Features

- ◆ No latex protein to cause allergy.
- ◆ Excellent softness and wearing fitness.
- ◆ Undifferentiated shelf life as normal gloves.
- ◆ Well suitable for high cleanliness industry like electronic food service, etc

**Power Free  
Non-sterile**



DIN EN  
**455**



AQL  
1.5



## Applications



Medical Purpose / Examination



Industrial purpose / PPE




Laboratory



Healthcare and nursing



General household cleaning



IT Industry



## Packing

100 pcs/box

Box size: 22\*12\*6cm

10 boxes/carton

Carton Size: 38\*25\*25cm

Gross Weight (Box): 0.45kg

Gross Weight (CTN): 5.0kg