

FRESCOMATIC

by



MÁQUINAS EXPENDEDORAS DE COMIDA FRESCA Y PLATOS PREPARADOS CALIENTES

Nexus Machines s.l.

www.nexusmachines.net

info@nexusmachines.net


Tel. 933 522 291 - 637 333 311





Specification

Appearance	Dimension	1940mmx1790mmx975mm
	Color	white / black /OEM
	Screen	21.5" touch screen
Mechanical Specification	Machine Weight	380 kgs
	Ship Weight	390 kgs
	Selections	70 max
	Capacity	60-100 pcs
	Product Channel Type	Conveyor belt (spiral, pusher are available)
	Payment	All industry standard MDB compatible devices
Electronic Specification	Delivery Methods	Elevator System
	Voltage	AC110V-220V,50-60Hz
Features	Cooler Temp Range	2°C-25°C
	Refrigerant	R290/R452a
	Standard Features	LED Lighting/Drop Sensor/Glass Heating



Máquina dispensadora de comida preparada caliente.

Disponible con 1 o 2 hornos.

La máquina recoge con ascensor el producto, lo lleva hasta el horno y dispensa el producto ya caliente.

FRESCOMATIC

by Nexus
Machines



Máquina dispensadora de platos preparados con columna de hornos anexo.

- Máquina con ascensor vertical.
- Dispensación por cinta.
- Funcionamiento de hornos programable por selección.

Specification

Appearance	Dimension	1920mmx1350mmx855mm 1920mmx560mmx765mm
	Color	white / black /OEM
	Screen	21.5" touch screen
Mechanical Specification	Machine Weight	350 kgs+150 kgs
	Ship Weight	600 kgs
	Selections	60 max
	Capacity	300-600 pcs
	Product Channel Type	Conveyor belt (spiral, pusher are available)
	Payment	All industry standard MDB compatible devices
	Delivery Methods	Elevator System
Electronic Specification	Voltage	AC110V-220V,50-60Hz
	Cooler Temp Range	2°C-25°C
	Refrigerant	R290/R452a
Features	Standard Features	LED Lighting/Drop Sensor/Glass Heating



Máquina dispensadora de productos congelados con columna de hornos anexos

FRESCOMATIC

by **Nexus**
Machines

Características sin columna de hornos.

Appearance	Dimension	1935mmx1660mmx1080mm
	Color	White / Black /OEM
	Screen	21.5" Touch Screen
Mechanical Specification	Machine Weight	400 kgs
	Ship Weight	410 kgs
	Selections	54 max
	Capacity	300-600 pcs
	Tray Type	Belt/Spiral
	Payment System	All industry standard MDB compatible devices
Delivery Methods	Elevator system	
Electronic Specification	Voltage	AC110V-240V,50-60Hz
	Cooler Temp Range	-22°C-15°C
	Refrigerant	R290
Features	Standard Features	LED Lighting/Drop Sensor/Glass Heating
	Optional	Cloud system/Alarm/Wheels/Custom decal/etc



MÁQUINAS EXPENDEDORAS DE COMIDA SALUDABLE



Máquina expendedora de platos preparados y productos frescos.

Máquina con ascensor y entrega lateral que protegen el producto al máximo.

Dispensación por cinta. Puede anexarse el módulo de hornos.

Appearance

Dimension	1935mmx1485mmx950mm
Color	White
Screen	21.5" touch screen

Mechanical Specification

Machine Weight	380 kgs
Ship Weight	390 kgs
Selections	120 max
Capacity	300-500 pcs
Product Channel Type	Conveyor belt (spiral, pusher are available)
Payment	All industry standard MDB compatible devices
Delivery Methods	Side shipment

Electronic Specification

Voltage	AC110V-220V,50-60Hz
Cooler Temp Range	2°C-25°C
Refrigerant	R290/R452a
Standard Features	LED Lighting/Drop Sensor/Glass Heating

Heating cabinet

Refrigerator

Pickup port



Specification

Appearance	Dimension	1940mmx2600mmx950mm
	Color	Black
	Screen	21.5" touch screen
Mechanical Specification	Machine Weight	720kgs
	Ship Weight	730 kgs
	Selections	64 max
	Capacity	192 pcs
	Product Channel Type	Conveyor belt (spiral, pusher are available)
	Payment	All industry standard MDB compatible devices
Electronic Specification	Delivery Methods	Side shipment
	Voltage	AC110V-220V,50-60Hz
	Cooler Temp Range	Left:50°C ; Right: 2-25°C
Features	Refrigerant	R290/R452a
	Standard Features	LED Lighting/Drop Sensor/Glass Heating



Máquina expendedora de platos preparados y productos frescos XL.

Doble dispensador de gran capacidad con ascensor y entrega lateral que protegen el producto al máximo.

Dispensación por cinta. Pantalla táctil de 21,5" personalizable.